



Every week for whole year you can win a shower unit!

# PRICE LIST 03/2023

For specialised trade outlets only. Suggested retail prices in EUR not including VAT.

This price list replaces all previous price lists.



# Artweger is celebrating its jubilee!

### And you get the presents!

Every week for whole year you can win a shower unit!

It's so easy: In 2023, you simply need to sell Artweger shower units to your customers. Because with every shower unit ordered, you automatically take part in the next draw! And that's the case for a whole year from 01.01.2023 until 31.12.2023!

We wish you all the best by taking part and with a little luck, you will be amongst the winners.



THE MORE OFTEN YOU ORDER AN ARTWEGER SHOWER UNIT, THE GREATER THE CHANCE OF WINNING!

#### Terms of Participation:

Eligible are only plumbing companies and bathroom showrooms, ordering an Artweger shower unit from 01.01.2023 until 31.12.2023. Artweger employees are excluded from the competition. The draw takes place weekly, without the possibility of recourse to legal action. The winners will be notified personally and their names will be published at regular intervals (approx. 3 weeks) after consent has been granted. The prize cannot be taken as cash.

#### **NEW PRODUCTS** see page 68, 98, 170 1923 - 2023 **Anniversary Edition** Artweger PRO:TECT Artweger ARTWEGER 360 folding doors - equipment with glass RW Strip Satin available 36 - 41ARTWEGER 360 Walk In partially framed - new standard widths 1000, 1200 and 1400 mm 82 ARTWEGER 360 Walk In VARIO partially framed - new standard widths 1300, 1400 and 1500 mm 82 TWISTLINE - equipment with glass SA Satin or RW Strip Satin available 104 - 119 TWISTLINE folding doors - equipment with glass RW Strip Satin available 120 - 123 ARTWEGER 360 bathtub enclosures - equipment with glass RW Strip Satin available 168 - 169 BODY + SOUL - steam box with front side in glass Bordeaux 187 ARTWALL 3.0 - modern wall panels 220 - 223 ARTSTONE - new size 1600 × 1000 and drain set with sealing tape 225

#### NO LONGER IN PRODUCT LINE

Glazing RS Strip Satin 1 - see successor product glass RW Strip Satin

ARTWEGER 360 Walk In - The assortment has been simplified.

LIFELINE 1/4-round showers

BODY + SOUL - steam box with front side in the color Bordeaux (plastic)

**TWINLINE 1** - shower bathtubs  $1600 \times 1000$  and  $1800 \times 1000$  rounded

ARTWALL - see successor product ARTWALL 3.0

**ARTSTONE** - size 900 × 750

ACRYLIC - bathtub BARBARA 1800 × 800

#### **FURTHER INFORMATION**


Price list including WAREHOUSE STOCK

ARTWEGER 360, TWISTLINE - Redesigned stabilisers with new article numbers.

**ARTWEGER 360 Walk In** - The selection of adjustable foot or edge protection in the floor area is no longer necessary. Both options are now included in the scope of delivery.

2

# COMPLETE SHOWER AREA FROM A SINGLE SOURCE



# **WAREHOUSE STOCK**

#### PROMPT DELIVERY

126 DYNAMIC Swinging doors partially framed Sliding doors 136 MOVE with frame 157 SLIDE Sliding doors with frame 200 TWINLINE 2 Shower bathtubs partially framed 238 ARTSHOWER Shower systems

244 ACCESSORIES

#### **READY FOR DISPATCH WITHIN 2 DAYS**

222 ARTWALL 3.0 Wall panelling wall panels

#### **READY FOR DISPATCH WITHIN 3 DAYS**

225 ARTSTONE Shower trays cast stone
 228 SHOWER TRAYS acrylic
 230 BATHTUBS acrylic



#### **MINGED DOORS**

18	ARTWEGER 360	partially framed
44	ARTWEGER 360	frameless

#### **SWINGING DOORS**

framed
S
framed
framed
framed
ne
frar frar

#### **SLIDING DOORS**

62	ARTWEGER 360	with frame
138	MOVE	with frame
142	MOVE	frameless
146	LIFELINE	with frame
156	SLIDE	with frame
160	BASELINE	with frame

#### **FOLDING DOORS**

36	ARTWEGER 360	partially framed
120	TWISTLINE	partially framed

#### **ARTWEGER WALK IN**

82	ARTWEGER 360	partially framed
86	ARTWEGER 360	frameless
88	ZERO	partially framed
94	ZERO BASIC	partially framed
98	PROTECT Anniversary Edition	partially framed
100	DYNAMIC	partially framed
102	MOVE	with frame
102	MOVE	frameless

#### **STEAM SHOWERS**

180	BODY+SOUL	partially framed
184	BODY+SOUL	frameless

#### 2 MODERN WALL PANELS

220 ARTWALL 3.0 wall panels

#### **SHOWER SYSTEMS**

236 ARTSHOWER

#### 4 SHOWER TRAYS

224	ARTSTONE	cast stone
226	ACRYLIC	

#### **SHOWER BATHTUBS**

partially framed	TWINLINE 1	188
partially framed	TWINLINE 2	196
partially framed	ARTLIFT	208
partially framed	FREEWAY	232

#### **BATHTUBS**

230 ACRYLIC

#### **BATHTUB ENCLOSURES**

168	ARTWEGER 360	partially framed
170	PROTECT Anniversary Edition	partially framed
172	MOVE	with frame
172	MOVE	frameless
174	BASELINE	with frame

#### **MISCELLANEOUS**

244	ACCESSORIES
246	SPARE PARTS

Artweger COLOURS / GLAZING /		990	980	360		990	20					BIL			990									YYS,	
DECORS		3ER 3	JER 3	JER 3 ors	_	3ER 3	er ZEF	NE	U		111	E MOI		핔	3ER 3	Ь	끸	OUL	-	JE 1	JE 2		JNE	R TR/ IBS	- - - - - -
	CODE	ART WEGER 360 partially framed	ARTWEGER 360 frameless	ARTWEGER 3	PROTECT	ARTWEGER 360 Walk In	Artweger ZERO Walk In	<b>TWISTLINE</b>	DYNAMIC	MOVE	LIFELINE	LIFELINE MOBIL	SLIDE	BASELINE	ART WEGER 360	PROTECT	BASELINE	BODY+SOUI	ARTWALL	TWINLINE	TWINLINE	ARTLIFT	ARTSTONE	SHOWER TRAYS, BATHTUBS	FREEWAY
Colours	8	AR	AR	AR	PR	AR	Ari	≥		M	=	=	SL	BA	AR	PR	BA	B	AR	≥	≥	AR	AR	SH	H. H.
High-gloss metal	МН	•		•	•	•	•	•	•	•	•	•	•		•			•	•	•	•	•			•
Chrome Natural anodised	VC NX		•			•								•			•	•							
White	WS	•	•	•		•		•		•	•	•		•	•		•	•		•	•				
Silver	LB									•	•	•					•			•	•				
Matt black Matt white	SM WM				*					•									•						
High-gloss metal / Matt aluminium	MA				•											•									
High-gloss metal / Graphite	MP				•											•									
Matt white / Graphite Matt black / Graphite	WP SP				•																				
Graphite metallic	GF									•															
Champagne	CN									•															
Mokka Bronze	MK BZ									•															
Additional colours on request																									
Glazing																									
Glass thickness in mm Diamond (plastic)	– DD	6	6	8	6	8	8	6	6	6	6	6	6	3	6	6	3	6		6	8/6	8/6			8/6
Glass clear (ESG)	EK	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•	•	•			•
Satin (ESG)	SA	•	•		•	•	•	•		•	•	•								•					
Strip Satin (ESG)	RW	•	•	•	•	•	•	•		•						•		•							L
Glass finishing (ESG) ARTCLEAR GLAZING	С	•	•			•	•		•		•					•	•			•	•				
ART-Clean coating	Ū												•												
Handle, hinge																									
Chrome Same as frame	VC	•	•	•							•							•		•	•	•			
Steam box <sup>1</sup> , seat <sup>2</sup>					•											•				Ĭ					
Anthracite/silver RAL 7021/RAL 9006 <sup>1, 2</sup>	AT																	•							
Bordeaux/silver RAL 3011/RAL 9006 <sup>2</sup>	BD																	•							
Sand/silver RAL 1015/RAL 9006 <sup>1, 2</sup> Glass clear/Silver <sup>1</sup>	SA GH																								
Glass Anthracite/silver	GT																	•							
Glass Bordeaux/silver <sup>1</sup>	GB																	•							
Roof element				ı		l												l				ı			
Cover plate and frame white, Overhead showerhead, chrome-plated	-																	•							
Shower tray colours												'						'							
White slate	WF																						•		
Anthracite slate White Acrylic	AF WS																	•					•	•	
White GRP	ws																			•		ľ			Ĭ
ART-Grip Skid-resistant zone	Α																	•		•	•	•		•	•
System colour				l																					
Drain, overflow chrome-plated (as standard)	-																			•	•	•			
Inlet/drain/overflow chrome-plated (optional)	Ε																			•					
Inlet set chrome-plated (optional)	Ε																				•	•			
Seat <sup>1</sup> , neck support <sup>2</sup> , backrest <sup>3</sup> plastic																									
White <sup>1, 2</sup> Silver <sup>1, 2</sup>	WS SB																			•					
Anthracite <sup>3</sup>	AT																				•	•			
Seat lift plastic																									
Anthracite	AT																					•			
Olahat I I I I I I I I I I I I I I I I I I I	WS																								
Skirt - door skirt always white																				•	•	•			
Skirt - door skirt always white Plastic white Artwall 3.0		1																		•	•	•			
Plastic white Artwall 3.0 Glass clear	GH							1				i	1												1
Plastic white Artwall 3.0																				•	•	•			

IMPORTANT

<sup>•</sup> We reserve differences in colour from ceramic, enamelled steel and plastic bath products. Functional elements made of white plastic.

Custom colours and glass on request.









artclear 700 mm С




Strip Satin

State height position H when ordering. The height position always refers to the bottom of the Satin strip.

ARTCLEAR GLAZING GLASS FINISHING (ESG)

Diamond

#### ARTWALL 3.0 colours and decors for ARTWALL 3.0, TWINLINE 1, TWINLINE 2 and ARTLIFT

































Glossy surfaces

MG Grey glossy marble

ML

Light glossy marble

F1 Matterhorn

Forest Photo motifs only for ARTWALL 3.0 TREND wall panels 2550 × 1000 mm.

#### **BODY+SOUL**

Plastic

Plastic





Plastic

Plastic



Plastic





Anthracite/silver









Steam box

#### TWINLINE 1, TWINLINE 2, ARTLIFT glass for skirts







Colour illustrations can be found on the back cover page.

#### IMPORTANT - SINGLE-PANE SAFETY GLASS (ESG)

• By means of careful heat treatment according to EN 12150, the glass obtains considerably increased resistance to impact, shock and temperature change. Due to these properties, the glass can be used as a structural element for shower enclosures. If the glass breaks, mostly blunt-edge glass granules form that partially remain tightly interlaced with one another. Possible danger of injury is thereby reduced significantly.

## Artweger watertightness

ARTWEGER price list 03/2023. For specialised trade outlets only. DIMENSIONS IN MILLIMETRES.


Not all shower enclosures are the same. Depending on model and execution different levels of splash protection can be obtained. The basic rule is: The higher the frame and overflow moulding, the better the protection.

When used on tiled floors a furrow or slant in the floor (toward the drain within the shower area) is necessary.



#### PRONOUNCED FRAME PIECES

The shower spray and accumulated splash water are held in the shower by the high floor frame piece (overflow moulding).





#### **FLAT FRAMES**

A flat overflow moulding (floor frame piece) offers less protection against splashes.



#### NO FRAME


If no overflow moulding is installed, splash water can escape more easily. Where the downward incline is insufficient or when mounting on a shower tray, a splash water bar is required for adequate protection.



Shower screens with the VARIO sealing system are delivered with an optional surge bar.

You can decide when installing - and/or at a later date - if you want to use the surge bar.


NOTE: We do point out that installation of the surge bar included in the scope of delivery is necessary to achieve the water tightness required to comply with the standard (DIN 14428). If you go without the surge bar it reduces the water tightness. We do not accept liability for any damage resulting from not installing the surge bar.



#### Shower enclosure left or right


Always make decisions about right or left from in front of the shower.

Hinge on left




Hinge on right

EXAMPLE 2: Shower door with side screen




#### Available radiuses and centre measurements for quarter-round and pentagonal shower trays



#### Radius R


- $I = 500 \, \text{mm} \, (R=500)$
- $II = 550 \, \text{mm} \, (R=550)$



Centre measurement M


- $I = 707 \, \text{mm} \, (M=707)$
- $II = 600 \, \text{mm} \, (M=600)$
- $IV = 636 \, \text{mm} \, (M = 636)$

#### Determining the radius or centre when the shower tray is unknown



#### Radius **R**

- x = 207 mm = 500 mm (R=500)
- x = 228 mm = 550 mm (R=550)
- x = 215 mm = 520 mm (R=520)
- $\mathbf{x} = 199 \, \text{mm} = 480 \, \text{mm} \, (\text{R}=480)$



#### Centre measurement M


- x = 354 mm = 707 mm (M=707)
- $x = 300 \,\text{mm} = 600 \,\text{mm} \,(M=600)$
- x = 318 mm = 636 mm (M=636)


#### STABILIZERS IN DETAIL

ARTWEGER price list 03/2023. For specialised trade outlets only. DIMENSIONS IN MILLIMETRES.


The stabilizers add to the height. See following sketches.


Installation height = minimum room height required for door mounting and stabiliser. You will find the required installation height at the respective product.







side screen and extra-wide fixed parts.








Double folding door U-form assembly, single folding screen attached on fixed part extra wide - Special dimensions for when the swinging door swivels underneath the stabilizer





















## **PEGET** INFORMATION ABOUT MEASUREMENTS



#### Application ON SHOWER TRAY

corner installation or installation on straight wall



This is the measured reference point for fitting ON THE SHOWER TRAY.

The measurement must be made from the tiled wall to the outer edge of the fully installed shower tray.

These are the measurements for the tub installation (WEM).

The adjustment ranges in the price list always refer to the shower tray installation measurement.

You will find the exact shower-tray installation dimensions in mm at the respective products.

The adjustment range can only be fully utilised if the walls are vertical. For sloping walls, the adjustment range is used to compensate for the slope.

#### Offset measurement on shower tray

Factory determined measurement for the distance between the shower tray outer edge and the shower enclosure.

This enables the shower enclosure to be correctly positioned and sealed on the shower trav.







#### Application

#### WITHOUT SHOWER TRAY

corner installation or installation on straight wall



#### Glass outer side

This is the measured reference point for fitting WITHOUT A SHOWER

The measurement from the tiled wall to the desired position of the outer side of the glass. Measurement sketch needed.

As a rule, fitting WITHOUT A SHOWER TRAY requires a custom made shower enclosure. The width dimensions are always construed centrically in the factory to enable both a narrower and wider adjustment when installing

The adjustment range can only be fully utilised if the walls are vertical. For sloping walls, the adjustment range is used to compensate for the slope.



#### OPTIONAL: Offset measurement on the glass outer side of partly framed and framed shower partitions

The tub installation dimension stated for standard sizes applies to fitting ON the shower tray. Whether a standard size is suitable for fitting WITHOUT a shower tray can be determined as follows:


Firstly the on site measurement up to the desired position of the outer side of the glass.

#### The distance measured + offset measurement of the outside glass (EG) = tray installation measurement (WEM)

The calculated tub installation measurement (WEM) should be in the middle range of the tub installation measurements of the appropriate standard size. This allows for both narrower and wider adjustment when assembling.


The adjustment range can only be fully utilised if the walls are vertical. For sloping walls, the adjustment range is used to compensate for the slope.

Frameless shower enclosures are usually made to measure depending on the requirements of each situation. The above measurements are not applicable with these products.




## Artweger Detailed Measurements - Partially Framed Shower Enclosures

ARTWEGER price list 03/2023. For specialised trade outlets only. DIMENSIONS IN MILLIMETRES.




#### DETAILED MEASUREMENTS - FRAMELESS SHOWER ENCLOSURES


ARTWEGER price list 03/2023. For specialised trade outlets only. DIMENSIONS IN MILLIMETRES.





#### DETAILED MEASUREMENTS - FRAMELESS SHOWER ENCLOSURES


ARTWEGER price list 03/2023. For specialised trade outlets only. DIMENSIONS IN MILLIMETRES.























ARTWEGER price list 03/2023. For specialised trade outlets only.

1 door part and 1 fixed part

## ARTWEGER 360 partially framed

Winged door / Side screen 6 mm ESG

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

left right measure- Quantity stabilisers ment (WM)		
Winged door attached on fixed part next to side screen 800 780 - 800 145 - 165	1	580
<b>2000</b> 900 880 - 900 145 - 165 1000 980 - 1000 245 - 265	1	680 680
1200 1180 - 1200 445 - 465	1	680

Hinge always on the wall side. Incl. stabiliser for side screen.

CUSTOM MEASUREMENTS - Measurement sketch needed.

Height 1500 - 2200 mm. Shower tray installation measurement 700 - 1300 mm.

Door max. 750 mm.

Surcharge for triangular and rectangular cut-outs as well as EXTRA WIDTHS up to 1800 mm.

#### **Custom measurements**


- Please check to see if your shower enclosure is in our standard programme.
- You can find the prices and measurement ranges for custom sizes along with respective product in the line for custom measurements.
- When ordering always state the measurements from outer edge of shower tray to tiled wall.
- For shower enclosures installed without a shower tray we must have a measurement sketch. The standard base installation measurement cannot be used for this installation variant.
- Please do not deduct any measurements, this will be done by us.
- The adjustment range of a custom enclosure is adapted to the respective situation and does not correspond to that of a standard model.
- The surcharges given for sloping and cut-outs are applicable providing they are technically possible. Surcharge added to price of custom sizes.
- Further custom sizes for solving special problem situations on inquiry. Please make a sketch.
- Custom sizes are manufactured to order. Therefore we cannot accept exchanges or returns.

The exact structure of the re-order number and the calculation of the total price is given on each page using a diagram. Here an example for the complete structure of an re-order number. By completely filling in the article number and the desired codes you obtain the entire re-order number.

By adding the base price and surcharge(s) you obtain the total price.

Art. no. Frame colour Glazing finishing (optional) Handle type Colour Handle/hinge

9 T Base price Surcharge



#### Art. no.

The article number defines the desired article. Often there is a difference between execution on the left and right. If there is only one article number in the column "art. no." then the product can be installed on the left as well as on the right.

#### Base price

Depends on the chosen size and colour. The most common colours and their codes can be found in the column heading of the price group. For additional colours and their codes see page 4.

If "-" is entered instead of a price, that means "not available".

#### Surcharge

For the desired equipment variation. Surcharges are to be added to the chosen basic price. The available features and their codes can be found in the column heading.

If "-" is entered instead of a price, that means "not available".

Various surcharges are allocated to the applicable codes.

If one surcharge is valid for all selection possibilities, codes do not apply for prices.

The structure of the re-order number is not the same with every article. You can see which codes are needed for a re-order number on each page, based on the diagram.

Art. no. Colour

5 T 0 Base price

# ARTWEGER 360 partially framed

Superior functionality.

- Winged doors and swinging doors with fixed parts
- Swinging doors with 360° TWIN hinge
- Barrier-free with Vario sealing system
- Certified adhesion technique
- Raise and lower mechanism


- Wall profile with 3D adjustment and concealed silicone joint
- 6 mm single-pane safety glass
- Standard height 2000 mm
- Adjustment range 20 mm
- Custom sizes available

#### HANDLE TYPES



Knob K

Horizontal R



Bow-type G



Especially EASY TO CLEAN.



SWINGING DOORS: The doors can be opened up to 180° inwards and outwards.



Stabilizers match the design of the showers and provide great stability even in the case of large showers.



**Artweger** 







VARIO sealing system: You decide either for 100 % FLUSH-TO-FLOOR ACCESS or ...




... for an optional surge bar which is only 12 mm high and provides IMPROVED SEALING of the door.

Colour Art. no. 9 0 Base price

		Height / length	Art. no.	MH High-gloss metal WS White Additional colours
T	Mounting bracket, 45° For installation on tiled walls under 45°.	2000	90P 79	259
<u>-41</u> →	Necessary additional information: article number of the respective shower enclosure.	Custom size	90P78	310
**************************************	Compound bracket 10 mm  Extends adjustment range of all products by 10 mm.  Necessary additional information: article number of the	2000	90P39	162
<u>↓</u> • 10	respective shower enclosure.	Custom size	90P38	194
<del>-40- </del>	Mounting bracket For attaching to wall projections.	2000	90P19	259
4	Necessary additional information: article number of the respective shower enclosure.	Custom size	90P18	310
	Stabiliser Fits quarter-round and pentagonal shower, doors and	ca. 300	900 41	158
	corner entry.	ca. 430	900 42	172
	Side-screen stabiliser Length has to be adjusted on site.	ca. 1200	900 44	183
	T-Stabilizer Length has to be adjusted on site.	ca. 1200	900 46	247
		Width	Art. no.	VC Chrome WS White Additional colours
	<b>Towel holder</b> For installation on tiled walls.	550	900 11	252

#### LEFT/RIGHT in the case of an asymmetric shower tray



Hinge left	Hinge right	Height	Shower tray measurement (WM) length a x width b	Shower tray installation measurement	Fixed part width Quantity stabilisers	Entrance width
1/4-round shower			800 × 800 l R=500	780 - 800	140 - 160 –	850
	1		900 × 900 l R=500	880 - 900	240 - 260 2	850
		2000	900 × 900 II R=550	880 - 900	140 - 160 –	990
		2000	1000 × 1000 II R=550	980 - 1000	240 - 260 2	990
			900 × 800 I R=500	880 - 900 × 780 - 800	240 - 260 × 140 - 160 1	850
			1000 × 900 II R=550	980 - 1000 × 880 - 900	240 - 260 × 140 - 160 1	990
2 winged doors and	1 2 fixed parts	fixed-part cu Custom heig	MEASUREMENTS - Measure ustom width (narrower or wid ghts not available.	der). Width max. 1200 × 1200	mm.	
		Surcharge	for triangular and rectangu	llar cut-outs.		
1/4-round shower			800 × 800 l R=500	780 - 800	315 - 335 1	600
	N I		900 × 900 l R=500	880 - 900	415 - 435 1	600
<b>4</b> 0			900 × 900 II R=550	880 - 900	375 - 395 1	650
			1000 × 1000 I R=500	980 - 1000	515 - 535 2	600
		2000	1000 × 1000 II R=550	980 - 1000	475 - 495 2	650
			900 × 800 l R=500	880 - 900 × 780 - 800 Door on wide	415 - 435 × 315 - 335 1 fixed part	600
1 winged door and 2	2 fived parts		900 × 800   R=500	880 - 900 × 780 - 800 Door on narrow	415 - 435 × 315 - 335 1	600
i winged door and z	z lixeu pai ts		1000 × 900 II R=550	980 - 1000 × 880 - 900 Door on wide	475 - 495 × 375 - 395 1 fixed part	650
			1000 × 900 II R=550	980 - 1000 × 880 - 900 Door on narrow	475 - 495 × 375 - 395 2 fixed part	650
		fixed-part cu Custom heig	MEASUREMENTS - Measure ustom width (narrower or wic ghts not available. for triangular and rectangu	der). Width max. 1200 × 1200	mm.	
Pentagonal showe		Surcharge	ioi triangular and rectange	nai cut-outs.		
Pentagonal showe	:1					
	nd   La		900 × 900 l M=707	880 - 900	365 - 385 1	660
<b>a</b>		2000	900 × 900 IV M=636	880 - 900	415 - 435 1	590
			1000 × 1000 l M=707	980 - 1000	465 - 485 2	660
			1000 x 1000 IV M=636	980 - 1000	515 - 535 2	590
			MEASUREMENTS - Measure			
1 winged door and 2	2 fixed parts	-	- 2200 mm. fixed-part custo			
<u> </u>		Surcharge	for triangular and rectangu	uar cut-outs.		

Glass Art. no. Frame colour Glazing finishing (optional) Handle type Colour Handle/hinge 9 T Base price Surcharge

WM	left	right	MH High-gloss metal WS White Additional colours	EK Glass RW Strip S SA Satin		C ARTCLEAR GLAZING	K Knob R Horiz H Vertic G Bow-	ontal cal	same VC Chror	as frame <sup>1</sup> ne
8001	9TRI	F0 49	2,759							
9001		F019	2,805	=16	0		K	0		
90011		F0 29		EK RW	0 –	417	R H	0	vc	0 0
1000		F0 69	2,983	SA	-		G	_	VC	U
900/8001	9TRF1 A9	9TRF2 A9	2,805							
1000/90011	9TRF1 C9	9TRF2C9	2,983							
	9TRI	F0 88	3,243							
			322							
8001	9T8F1 49	9T8F249	2,759							
9001	9T8F1 19	9T8F219								
90011	9T8F1 29	9T8F2 29	2,805							
10001	9T8F1 E9	9T8F2E9	2,983							
1000	9T8F1 69	9T8F2 69	2,903	EK	0		K R	0		0
900/8001	9T8F1 B9	9T8F2B9		RW SA	_	417	Н	0	VC	0
900/8001	9T8F1 S9	9T8F2 S9	2,805				G	-		
1000/90011	9T8F1 D9	9T8F2 D9								
1000 (000	07054 70	0705070	2,983							
1000/90011	9T8F1 T9	9T8F2T9								
	9T8F1 88	9T8F2 88	3,243							
			322							
9001	9T7F1 59	9T7F2 59	0.500				1/	0		
900 IV	9T7F1 39	9T7F2 39	2,592	EK	0	447	K R	0		0
10001	9T7F1 69	9T7F2 69	0.704	RW SA	390 677	417	H G	0 166	VC	0
1000 IV	9T7F1 99	9T7F2 99	2,724				G	100		
	9T7F1 88	9T7F2 88	2,983							
		1						. ~	G 250 w	
			322						<b>G</b> 350 mm	

#### **IMPORTANT**

<sup>•</sup> The manufacture of individually curved glass is not possible. Dimension tolerances to the tiled shower area are possible for technical reasons.

Only VC chrome-plated available with MH high-gloss metal frames.

Hinge Hinge left right	Height	Shower tray measurement (WM) length a x width b	Shower tray installation measurement	Fixed part width Quantity stabilisers	Entrance width				
Corner entry		800 × 800 900 × 900	780 - 800 880 - 900	240 - 260 2 240 - 260 2	700 840				
	2000	900 × 750 5 750 × 900 5	880 - 900 × 730 - 750 730 - 750 × 880 - 900	240 - 260 × 190 - 210 1 190 - 210 × 240 - 260 1	770 770				
		900 × 800 800 × 900 1000 × 1000	880 - 900 × 780 - 800 780 - 800 × 880 - 900 980 - 1000	240 - 260 × 240 - 260 2 240 - 260 × 240 - 260 2 340 - 360 2	770 770 840				
2 winged doors and 2 fixed parts	Height 1500 Price for con (custom price)	CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1500 - 2200 mm. Shower tray installation measurement 700 - 1200 mm. Price for combination of custom and standard measurement: (custom price + standard price) / 2.  Surcharge for triangular and rectangular cut-outs as well as EXTRA WIDTHS up to							
Winged door attached on fixed pa			700 770	450 470	500				
alcove	•	750	730 - 750	150 - 170 -	530				
	2000	800 900	780 - 800 880 - 900	150 - 170 - 150 - 170 -	580 680				
1 door part and 1 fixed part	Height 1500 Door max.	CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1500 - 2200 mm. Shower tray installation measurement 700 - 1200 mm. Door max. 750 mm. One stabiliser included with widths 1000 mm and wider. Surcharge for triangular and rectangular cut-outs as well as EXTRA WIDTHS up to 1800 mm.							
Winged door attached on fixed part	ort in								
alcove	2000	900	860 - 900 960 - 1000	150 - 170 – 150 - 170 –	530 630				
		1200	1160 - 1200	250 - 270 1	630				
	Height 1500	MEASUREMENTS - Measure 0 - 2200 mm. Shower tray inst 750 mm. One stabiliser includ	allation measurement 900 -						
1 door part and 2 fixed parts	Surcharge	for triangular and rectangu	ılar cut-outs.						
Winged door attached on fixed pa	art in								
alcove extra wide		1400	1360 - 1400	250 - 270 / 400 - 420 1	680				
	2000	1500 1600	1460 - 1500 1560 - 1600	250 - 270/500 - 520 2 250 - 270/600 - 620 2	680 680				

**CUSTOM MEASUREMENTS** - Measurement sketch needed.

Height 1500 - 2200 mm. Shower tray installation measurement 1400 - 2000 mm.

1660 - 1700

1760 - 1800 Stabiliser 1200 mm. Length must be adjusted on site.

Door max. 750 mm.

Surcharge for triangular and rectangular cut-outs.

1700

1800

680

680

250 - 270 / 700 - 720 2

250-270/800-820 2

1 door part and 2 fixed parts

Art. no.	Frame colour	Glazing	Glass finishing (optional)	Handle type	Colour Handle/hing
9 T					
	Base price		Surch	narge	•

			base price	Surcharge						
WM	left	right	MH High-gloss metal WS White Additional colours	EK Glass clear RW Strip Satin SA Satin	C ARTCLEAR GLAZING	K Knob R Horizontal H Vertical G Bow-type	same as frame <sup>1</sup> VC Chrome			
800 900 900/750 750/900 900/800 800/900 1000	9TEI 9TEF 9TEF 9TEI 9TEI	F0 49 F0 59 F0 D9 F0 C9 F0 79 F0 69 F0 88	2.238 EK U		417	K 0 R 0 H 0 G 331	0 <b>vc</b> 0			
			322							
750 800 900 1000	9T5F1 39 9T5F1 49 9T5F1 59 9T5F1 69 9T5F1 88	9T5F2 39 9T5F2 49 9T5F2 59 9T5F2 69 9T5F2 88	1,363 1,371 1,385 1,419 1,646	EK 0 RW 259 SA 351	211	K 0 R 0 H 0 G 166	0 <b>vc</b> 0			
900 1000 1200	9T4F1 59 9T4F1 69 9T4F1 B9 9T4F1 88	9T4F2 59 9T4F2 69 9T4F2 B9 9T4F2 88	1,536 1,572 1,697 1,910	EK 0 RW 259 SA 351	211	K 0 R 0 H 0 G 166	0 <b>vc</b> 0			
1400 1500 1600 1700 1800	9T4F3 E9 9T4F3 H9 9T4F3 K9 9T4F3 M9 9T4F3 P9	9T4F4 E9 9T4F4 H9 9T4F4 K9 9T4F4 P9 9T4F4 P9	1,922 2,018 2,210 2,437 2,490	EK 0 RW 461 SA 692	417	K 0 R 0 H 0 G 166	0 VC 0			
			322		) N		350 mm			

#### **IMPORTANT**

When ordering please indicate assembly on shower tray or flush with floor.
 Only VC chrome-plated available with MH high-gloss metal frames.

Hinge left	Hinge right	Height	Shower tray measure- ment (WM)	Shower tray installation measurement	Fixed part width Quantity stabilisers	1	Entrance width
Winged door attached to side screen	ed on fixed part next	2000	800 900 1000	780 - 800 880 - 900 980 - 1000	145 - 165 145 - 165 245 - 265	1 1 1	580 680 680
		CUSTOM M	IEASUREMEN	the wall side. Stabiliser 1200 mm. Length  TS - Measurement sketch needed.  ower tray installation measurement 700 - 1	-	1 n site	680 e.
1 door part and 1 fixed	d part	Door max. 7	50 mm.	and rectangular cut-outs as well as EX		180	0 mm.
Side screen next to v	vinged door	2000	800 900 1000	780 - 800 880 - 900 980 - 1000	- - -	-	- - -
		Height 1500	- 2200 mm. Sh	TS - Measurement sketch needed. ower tray installation measurement 200 - 1		180	0 mm.
Winged door attached to shortened side screen			800	780 - 800	150 - 170	1	580
		2000	900	880 - 900 980 - 1000	150 - 170 250 - 270	1	680 680
1 door part and 1 fixed	dipart	CUSTOM M Height 1500 Door max. 7	IEASUREMEN - 2200 mm. Sho 50 mm.	the wall side. Stabiliser 1200 mm. Length  TS - Measurement sketch needed.  ower tray installation measurement 700 - 1  and rectangular cut-outs as well as EXT	1300 mm.		
Shortened side scre	en						
		Fits winged Height 1000	door or swingin -2200 mm.	TS - Measurement sketch needed.  g door.  asurement 200 - 1200 mm.	-	-	-
		Surcharge	for triangular a	and rectangular cut-outs as well as EX	TRA WIDTHS up to	180	0 mm.

	Art.	no.	Frame colour	Glazing	Glass finishing (optional)	Handle type/ towel holder	Colour Handle/hinge/ towel holder
	9 T						
			Base price		Sur	charge	
WM	left	right	MH High-gloss metal WS White Additional colours	EK Glass clear RW Strip Satin SA Satin	C ARTCLEAR GLAZING	K Knob R Horizontal H Vertical G Bow-type T Towel holder	same as frame <sup>1</sup> VC Chrome
800	9T2F1 49	9T2F249				<b>K</b> 0	
900	9T2F1 59	9T2F259	1,323	<b>EK</b> 0		<b>R</b> 0	0
1000	9T2F1 69	9T2F2 69	1,396	<b>RW</b> 259 <b>SA</b> 351	211	<b>H</b> 0 <b>G</b> 166	VC 0
1200	9T2F1 B9	9T2F2B9	1,536			T -	
	9T2F1 88	9T2F288	1,646				
			322				
800	9T1F1 49	9T1F249	882	<b>EK</b> 0		K – R –	0
900	9T1F1 59	9T1F2 59		<b>RW</b> 204 <b>SA</b> 351	211	H -	VC 0
1000	9T1F1 69	9T1F269	932			G – T 252	
	9T1F188	9T1F288	1,087				
			000				
			322				
800	9T3F1 49	9T3F2 49				<b>K</b> 0	
900	9T3F1 59	9T3F2 59	1,385	<b>EK</b> 0 <b>RW</b> 259	211	<b>R</b> 0 <b>H</b> 0	0
1000	9T3F1 69	9T3F269	1,419	<b>SA</b> 351		<b>G</b> 166	VC 0
						Т -	
	9T3F1 88	9T3F288	1,646				
			322				
	9T601 88	9T60288	989	EK 0 RW 204 SA 351	211	K - R - H - G - T 252	0 <b>VC</b> 0
			322			T 50	00 mm
					K	RH	

When ordering please indicate assembly on shower tray or flush with floor.
 Only VC chrome-plated available with MH high-gloss metal frames.

Hinge left	Hinge right	Height	Shower tray measure- ment (WM)	Shower tray installation measurement	Fixed part width Quantity stabilisers	Entrance width					
Winged door attach	ned on fixed part for										
A	A	2000	900	900	135 1	680					
B			1000	1000 Inclunding stabiliser for side screer	235 1 ns.	680					
1 door part and 1 fixe	ed part	Height 1500	<b>CUSTOM MEASUREMENTS -</b> Measurement sketch needed. Height 1500 - 2200 mm. Shower tray installation measurement 700 - 1400 mm. Door max. 750 mm.								
Side screen A next	to winged door										
A	A	2000	900	880 - 900 980 - 1000	 						
3		CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1500 - 2200 mm. Shower tray installation measurement 700 - 1200 mm.									
		Surcharge for triangular and rectangular cut-outs.									
Side screen B next	to winged door										
			900	880 - 900		_					
В	B	2000	1000	980 - 1000		_					
				TS - Measurement sketch needed. ower tray installation measurement 700 - 1	1200 mm.	1					
		Surcharge for triangular and rectangular cut-outs.									

Glass Handle type/ Colour Handle/hinge/ towel holder Art. no. Frame colour Glazing finishing (optional) towel holder 9 T Surcharge Base price C ARTCLEAR WM left right MH High-gloss metal EK Glass clear K Knob . same as frame1 VC Chrome WS White **RW** Strip Satin **GLAZING R** Horizontal . . Additional colours SA Satin H Vertical **G** Bow-type T Towel holder Κ 0 ΕK 0 R 0 900 9TGF1 59 9TGF259 1,323 0 VC RW 259 211 Н 0 0 9TGF1 69 9TGF269 1,396 1000 SA 351 G 166 Т 9TGF288 9TGF1 88 1,646 Κ ΕK 0 R 9TH01 59 9TH0259 882 900 0 VC RW 204 211 Н 0 9TH0269 9TH01 69 932 1000 351 SA G Т 252 9TH0188 9TH0288 1,087 322 Κ R ΕK 0 9T1F1 59 9T1F259 882 900 0 RW 204 211 Н VC 0 1000 9T1F269 9T1F169 932 G SA 351 252 9T1F288 9T1F188 1,087 **G** 350 mm 322 **T** 500 mm

R

<sup>•</sup> When ordering please indicate assembly on shower tray or flush with floor.

Only VC chrome-plated available with MH high-gloss metal frames.

Hinge left	Hinge right	Height	Shower tray measurement (WM) length a x width b			Shower tray insta measuremen		Fixed part width Quantity stabilisers		Entrance width	
1/4-round shower			800 ×	8001	R=500	780 - 800	)	140 - 160	_	860	
n. La	Ln		900×	900 I	R=500	880 - 900	)	240 - 260	2	860	
		2000	900×	900 II	R=550	880 - 900	)	140 - 160	-	1000	
		2000	1000 ×	1000 II	R=550	980 - 1000	)	240 - 260	2	1000	
			900×	800 I	R=500	880 - 900× 780	0 - 800	240 - 260 × 140 - 160	1	860	
			1000×	900 II	R=550	980 - 1000 × 880	0 - 900	240 - 260 × 140 - 160	1	1000	
2 swinging doors and	2 fixed parts	fixed-part cu Custom heig	CUSTOM MEASUREMENTS - Measurement sketch needed. fixed-part custom width (narrower or wider). Width max. 1200 × 1200 mm. Custom heights not available. Surcharge for triangular and rectangular cut-outs.								
Corner entry			8	300 × 8	300	780 - 800	)	240 - 260	2	710	
Lo	Lo		9	900× 9	900	880 - 900	)	240 - 260	2	850	
8	(a)		9	900× 7	750	880 - 900 × 730	- 750	240 - 260 × 190 - 210	1	780	
		2000	lett	750 × 9	right 000	730 - 750 × 880	- 900	190 - 210 × 240 - 260	1	780	
			9	900× 8	300	880 - 900 × 780	- 800	240 - 260 × 240 - 260	2	780	
			8	300 × 9	900	780 - 800 × 880	- 900	240 - 260 × 240 - 260	2	780	
			10	000 × 10	000	980 - 1000	)	340 - 360	2	850	
2 swinging doors and	_					ement sketch neede tallation measureme		1200 mm.			

Price for combination of custom and standard measurement:

(custom price + standard price) / 2.

Surcharge for triangular and rectangular cut-outs as well as EXTRA WIDTHS up to 1600 × 1600 mm.

	Art.	no.		Frame colour	G	lazing	Glass finishing (optional	) Ha	ndle type	Colour	Handle/hinge
	9 T								7.		
				Base price			Sur	charge			
WM	left	right		High-gloss metal White Additional colours	EK Glass RW Strip : SA Satin		C ARTCLEAR GLAZING	K Kno R Hor H Ver G Boy	izontal tical	same	
8001	9TRF	P0 49		2,816							
900 I	9TRF 9TRF			2,861	EK RW	0	417	K R	0 0		0
1000 II	9TRF	P0 69		3,039	SA	_	417	H G	0 –	VC	0
900/8001	9TRP1 A9	9TRP2A9		2,861				"			
1000/90011	9TRP1 C9	9TRP2C9		3,039							
	9TRF	2088		3,299							
				322							
800 900 900/750 750/900 900/800	9TEF 9TEF 9TEF 9TEF	P0 59 P0 D9 P0 C9	•	2,294	EK RW SA	0 518 692	417	K R H G	0 0 0 331	vc	0 0
800/900 1000	9TEF 9TEF			2,609							
	9TEF			2,821							
				322					G	350 mm	

#### **IMPORTANT**

<sup>•</sup> The manufacture of individually curved glass is not possible. Dimension tolerances to the tiled shower area are possible for technical reasons.

Only VC chrome-plated available with MH high-gloss metal frames.


Hinge left	Hinge right	Height	Shower tray measure- ment (WM)	Shower tray installation measurement	Fixed part width Quantity stabilisers	Entrance width
Swinging door atta	ached on fixed part in		750	700 750	450 470	500
alcove			750	730 - 750	150 - 170 -	530
		2000	800	780 - 800	150 - 170 -	580
		2000	900	880 - 900	150 - 170 -	680
			1000	980 - 1000	250 - 270 1	680
M. a						
		CUSTOM N	<b>IEASUREMEN</b>	TS - Measurement sketch needed.		

1 door part and 1 fixed part

Height 1800 - 2200 mm. Shower tray installation measurement 750 - 1200 mm. Door max. 750 mm. One stabiliser included with widths 1000 mm and wider.

Surcharge for triangular and rectangular cut-outs as well as EXTRA WIDTHS up to 1800 mm.

Swinging door attached on fixed part in alcove



1 door part and 2 fixed parts

900 860 - 900 150 - 170 530 2000 1000 180 - 200 960 - 1000 580 1200 230 - 250 680 1160 - 1200


CUSTOM MEASUREMENTS - Measurement sketch needed.

Height 1500 - 2200 mm. Shower tray installation measurement 900 - 1400 mm.

Door max. 750 mm. One stabiliser included with widths 1200 mm and wider.

Surcharge for triangular and rectangular cut-outs.

Swinging door attached on fixed part in



1 door part and 2 fixed parts

	1400	1360 - 1400	230 - 250 / 420 - 440 -	680
	1500	1460 - 1500	230 - 250 / 520 - 540 1	680
2000	1600	1560 - 1600	230 - 250 / 620 - 640 1	680
	1700	1660 - 1700	230 - 250 / 720 - 740 1	680
	1800	1760 - 1800	230 - 250 / 820 - 840 1	680
	2000	1500 2000 1600 1700	2000 1500 1460 - 1500 1600 1560 - 1600 1700 1660 - 1700	2000     1500     1460 - 1500     230 - 250 / 520 - 540 1       2000     1600     1560 - 1600     230 - 250 / 620 - 640 1       1700     1660 - 1700     230 - 250 / 720 - 740 1

Stabiliser 1200 mm. Length must be adjusted on site.

**CUSTOM MEASUREMENTS - Measurement sketch needed.** 

Height 1800 - 2200 mm. Shower tray installation measurement 1400 - 2000 mm.

Door max. 750 mm.

Surcharge for triangular and rectangular cut-outs.

Swinging door attached on fixed part in alcove



2 door parts and 2 fixed parts

	1400	1360 - 1400	180 - 200 –	970
	1500	1460 - 1500	230 - 250 -	970
2000	1600	1560 - 1600	180 - 200 -	1170
	1700	1660 - 1700	230 - 250 -	1170
	1800	1760 - 1800	280 - 300 2	1170

CUSTOM MEASUREMENTS - Measurement sketch needed.

Height 1800 - 2200 mm. Shower tray installation measurement 1200 - 2000 mm.

Door max. 750 mm.

Surcharge for triangular and rectangular cut-outs as well as EXTRA WIDTHS up to 2500 mm.

Glass Art. no. Frame colour Glazing finishing (optional) Handle type Colour Handle/hinge 9 T Base price Surcharge WM right MH High-gloss metal EK Glass clear C ARTCLEAR K Knob left same as frame1 WS White **RW** Strip Satin **GLAZING R** Horizontal VC Chrome . . Additional colours SA Satin H Vertical **G** Bow-type 9T5P139 9T5P239 1,387 750 0 Κ ΕK 0 9T5P249 800 9T5P1 49 1,398 R 0 0 RW 211 259 Н 0 VC 0 9T5P1 59 9T5P259 900 1,412 351 SA G 166 9T5P1 69 9T5P269 1000 1,448 9T5P188 9T5P288 1,672 322 9T4P259 9T4P1 59 1,566 K 0 900 ΕK 0 R 0 0 9T4P269 259 9T4P1 69 RW 211 1,598 1000 VC Н 0 0 SA 351 9T4P2B9 9T4P1 B9 1,724 G 1200 166 9T4P1 88 9T4P288 1,936 322 9T4P3E9 9T4P4 E9 1,948 1400 9T4P4H9 Κ 0 1500 9T4P3H9 2,050 ΕK 0 R 0 9T4P3K9 9T4P4K9 2,239 RW 461 417 1600 Н VC 0 0 SA 692 9T4P4 M9 9T4P3 M9 2,463 G 166 1700 9T4P3P9 9T4P4P9 2,517 1800 9T4P488 2.690 9T4P388 322 1400 9TDP0 E9 1500 9TDP0 H9 Κ 0 ΕK 0 R 0 0 1600 9TDP0 K9 2,294 RW 518 417 VC Н 0 0 SA 692 1700 9TDP0 M9 G 331 9TDP0 P9 1800 9TDP088 2,821 322

#### **IMPORTANT**

When ordering please indicate assembly on shower tray or flush with floor.
 Only VC chrome-plated available with MH high-gloss metal frames.

Hinge Hinge left right	Height	Shower tray measure- ment (WM)	measure- ment			Entrance width
Swinging door attached on fixed part next to side screen  1 door part and 1 fixed part	CUSTOM N Height 1800 Door max. 7	MEASUREMEN 0 - 2200 mm. Sh 750 mm.	780 - 800 880 - 900 980 - 1000 1180 - 1200  Ithe wall side. Stabiliser 1200 mm. Length  ITS - Measurement sketch needed.  Iower tray installation measurement 700 - 1	300 mm.		
Side screen next to swinging door	2000  CUSTOM N  Height 1800	800 900 1000 MEASUREMEN 0 - 2200 mm. Sh	780 - 800 880 - 900 980 - 1000  ITS - Measurement sketch needed. lower tray installation measurement 200 - 1	- - - 1200 mm.		- - -
Swinging door attached on fixed part next to shortened side screen  1 door part and 1 fixed part	2000  CUSTOM N  Height 1800 Door max. 7	800 900 1000 Hinge always on MEASUREMEN 0 - 2200 mm. Sh	780 - 800 880 - 900 980 - 1000  Ithe wall side. Stabiliser 1200 mm. Length  ITS - Measurement sketch needed.  Hower tray installation measurement 700 - 1  and rectangular cut-outs as well as EXT	150 - 170 150 - 170 250 - 270 must be adjusted or	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	580 680 680
Shortened side screen	Fits winged Height 1000 Shower tray	ITS - Measurement sketch needed.  ng door.  asurement 200 - 1200 mm.  and rectangular cut-outs as well as EXT	- FRA WIDTHS up to	1800	- ) mm.	

	Art. no. Frame colour		Glass Glazing finishing (opt		Handle type/ towel holder	Colour Handle/hinge/ towel holder	
	9 T						
			Base price		Sur	charge	
WM	l left right		MH High-gloss metal WS White Additional colours	EK Glass clear RW Strip Satin SA Satin	C ARTCLEAR GLAZING	K Knob R Horizontal H Vertical G Bow-type T Towel holder	same as frame <sup>1</sup> VC Chrome
800	9T2P1 49	9T2P2 49					
900	9T2P1 59	9T2P2 59	1,349	<b>EK</b> 0		<b>K</b> 0 <b>R</b> 0	
1000	9T2P1 69	9T2P2 69	1,421	RW 259	211	H 0	vc 0
1200	9T2P1 B9	9T2P2B9	1,566	<b>SA</b> 351		<b>G</b> 166 <b>T</b> –	
.200							
	9T2P1 88	9T2P288	1,672				
			322				
000	OT1 D1 40	0T1 D0 40				К –	
800	9T1P1 49	9T1P249	882	<b>EK</b> 0	011	R -	0
900	9T1P1 59	9T1P2 59	932	<b>RW</b> 204 <b>SA</b> 351	211	H – G –	VC 0
1000	9T1P1 69	9T1P269	932			T 252	
	9T1P1 88	9T1P288	1,087				
			200				
			322				
800	9T3P1 49	9T3P2 49				<b>V</b> 0	
900	9T3P1 59	9T3P2 59	1,412	<b>EK</b> 0		<b>K</b> 0 <b>R</b> 0	0
1000	9T3P1 69	9T3P269	1,448	<b>RW</b> 259 <b>SA</b> 351	211	<b>H</b> 0 <b>G</b> 166	<b>vc</b> 0
			,	<b>UA</b> 001		T -	
	9T3P1 88	9T3P288	1,672				
	3101100	0101200	1,012				
			322				
	9T601 88	9T60288	989	<b>EK</b> 0 <b>RW</b> 204 <b>SA</b> 351	211	K – R – H – G – T 252	0 <b>vc</b> 0
			322			G 35	50 mm 00 mm
			022	1	K	R H	~ nan

 $<sup>^{\</sup>rm 1}\,$  Only VC chrome-plated available with MH high-gloss metal frames.

Hinge left	Hinge right	Height	Shower tray measure- ment (WM)	Shower tray installation measurement	Fixed part width Quantity stabilisers	Entrance width			
Swinging door attated two side screens	ached on fixed part for	2000	900 1000	900 1000	170 1 220 1	630 680			
В	В		Inclunding stabiliser for side screens.						
1 door part and 1 fix	CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1800 - 2200 mm. Shower tray installation measurement 700 - 1400 mm. Door max. 750 mm.								
Side screen A next	t to swinging door								
A	A	2000	900 1000	880 - 900 980 - 1000	<b>-</b> -				
9,5		CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1800 - 2200 mm. Shower tray installation measurement 700 - 1200 mm.							
		Surcharge for triangular and rectangular cut-outs.							
Side screen B next	t to swinging door								
B	В	2000	900	880 - 900		_			
		2000	1000	980 - 1000		_			
		CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1800 - 2200 mm. Shower tray installation measurement 700 - 1200 mm.							
		Surcharge	for triangular a	and rectangular cut-outs.					

Glass Handle type/ Colour Handle/hinge/ towel holder Art. no. Frame colour Glazing finishing (optional) towel holder 9 T Base price Surcharge

WM	left	right	MH High-gloss metal WS White Additional colours	EK Glass clear RW Strip Satin SA Satin		C ARTCLEAR GLAZING	K Kno R Hori H Vert G Bow T Tow	zontal ical	vc Chror	
900	9TGP1 59 9TGP1 69	9TGP2 59 9TGP2 69	1,349 1,421	EK RW SA	0 259 351	211	K R H G T	0 0 0 166 -	vc	0
	9TGP1 88	9TGP288	1,672							
900	9TH01 59 9TH01 69	9TH0259 9TH0269	882 932	EK RW SA	0 204 351	211	K R H G T	- - - - 252	vc	0
	9TH01 88	9TH0288	1,087 322							
900	9T1P259 9T1P269	9T1P1 59 9T1P1 69	882 932	EK RW SA	0 204 351	211	K R H G T	- - - - 252	vc	0 0
	9T1P288	9T1P1 88	1,087 322			K		G 33	50 mm 00 mm	

When ordering please indicate assembly on shower tray or flush with floor.
 Only VC chrome-plated available with MH high-gloss metal frames.

Hinge left	Hinge right	Height		Shower tray measure- ment (WM)		Shower tray installation measurement	Fixed part width	Entrance width
Swinging door attached on fixed part with swinging side screen next to bathtub			left	800 × 800 900 × 900	right	780 - 800 × 800 880 - 900 × 900	140 - 160 140 - 160	580 680
		2000		900 × 750 Door at 900		880 - 900 × 750	140 - 160	680
				900 × 800 Door at 900		880 - 900 × 800	140 - 160	680


In general a scale drawing is required for a swinging side element.

#### **CUSTOM MEASUREMENTS - Measurement sketch needed.**


Height  $1800 - 2200 \, \text{mm}$ . Shower tray installation measurement: door up to  $1200 \, \text{mm}$ , side screen up to  $900 \, \text{mm}$ .

Price for combination of custom and standard measurement:


(custom price + standard price) / 2.



**Swinging door** attached on fixed part with swinging side screen next to bathtub



1 door part and 1 fixed part



#### Shower tray and bathtub not flush.

In general a scale drawing is required for a swinging side element.

#### **CUSTOM MEASUREMENTS - Measurement sketch needed.**

 $Height\ 1800\ -\ 2200\ mm.$  Shower tray installation measurement: door up to 1200 mm, side screen up to 900 mm.

Price for combination of custom and standard measurement:

(custom price + standard price) / 2.



Detail of the swinging side screen when adjoined to the bathtub.

	Δ4		France colour	01		Glass	Hanadla to	
	Art.	. no.	Frame colour	Gia	azing	finishing (optional)	Handle ty	pe Colour Handle/hinge
	9 1		Base price			Sur	charge	
			вазе рпсе			Juli	orial ge	
WM	M left right		MH High-gloss metal WS White Additional colours	EK Glass clear RW Strip Satin SA Satin		C ARTCLEAR GLAZING	K Knob R Horizontal H Vertical G Bow-type	same as frame <sup>1</sup> VC Chrome
800	9TAP1 49	9TAP2 49					<b>V</b> 0	
900	9TAP1 59	9TAP2 59	0.000	EK	0	44.7	<b>K</b> 0 <b>R</b> 0	0
900/750	9TAP1 C9	9TAP2C9	2,382	RW SA	518 -	417	<b>H</b> 0 <b>G</b> 166	<b>VC</b> 0
900/800	9TAP1 D9	9TAP2 D9					<b>G</b> 100	
	9TAP1 88	9TAP288	2,937					
800	9TBP1 49	9TBP2 49						
900	9TBP1 59	9TBP2 59		EK	0		<b>K</b> 0	
900/750	9TBP1 C9	9TBP2 C9	2,382	RW	518	417	<b>R</b> 0 <b>H</b> 0	<b>VC</b> 0
				SA	_		<b>G</b> 166	
900/800	9TBP1 D9	9TBP2 D9						
	9TBP1 88	9TBP288	2,937					
							R H	<b>G</b> 350 mm

## ARTWEGER 360 Folding doors

Fold-away shower.

- Folding doors with or without fixed parts
- Folding doors with fixed part: Wall profile with 3D adjustment and concealed silicone joint, 360° TWIN hinge
- Folding doors without fixed part: 180° rotating-cylinder wall connector, 360° TWIN hinge between the door parts
- Barrier-free

- Raise and lower mechanism
- Certified adhesion technique
- 6 mm single-pane safety glass
- Standard height 2000 mm
- Adjustment range 18 mm without fixed part or 20 mm with fixed part
- Custom sizes available



Especially EASY TO CLEAN.



SWINGING DOORS: The doors can be opened up to 180° inwards and outwards.



100 % FLUSH-TO-FLOOR ACCESS







Artweger





Knob **K** 

9 0

Art. no.

Colour

Base price

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

Additional colours

259

310

162

194

259

310

259

310

259

310

169


115

160


169

MH High-gloss

metal WS White



### FOLDING DIRECTION OF ARTWEGER 360 FOLDING DOORS.



Hinge left	Hinge right	Height	Shower tray measurement (WM)	Shower tray installation measurement	Fixed part width Quantity stabilisers	Entrance width				
Double folding door	attached on fixed		750	730 - 750	150 - 170 -	560				
part in alcove			800	780 - 800	150 - 170 -	610				
		2000	900	880 - 900	150 - 170 -	710				
			1000	980 - 1000	150 - 170 -	810				
			1200	1180 - 1200	200 - 220 -	960				
		Height 1800	CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1800 - 2200 mm. Width 750 - 1800 mm. Folding doors max. 950 mm. One stabiliser included with fixed part widths 250 mm and wider.							
Double folding door	attached on fixed									
part free-standing			1000	980 - 1000	180 - 200 -	800				
<u></u>	1	2000								
		2000	1200	1180 - 1200	230 - 250 - 430 - 450 1	950				
			1400	1380 - 1400	430 - 450 1	950				
		Height 1800	CUSTOM MEASUREMENTS - Measurement sketch needed.  Height 1800 - 2200 mm. Width 750 - 1800 mm. Folding doors max. 950 mm.  One stabiliser included with fixed part widths 250 mm and wider.							
Quadruple folding d	loor attached on		1500	1460 - 1500	170 - 190 -	1060				
fixed part in alcove			1600	1560 - 1600	170 - 190 -	1130				
	10 de 1		1700	1660 - 1700	170 - 190 -	1260				
		2000	1800	1760 - 1800	170 - 190 -	1330				
			1900	1860 - 1900	170 - 190 -	1460				
			2000	1960 - 2000	170 - 190 -	1530				
		CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1800 - 2200 mm. Width 1500 - 2500 mm. Folding doors max. 1900 mm. One stabiliser included with fixed part widths 250 mm and wider.								
Double folding door			800	780 - 800	180 - 200 1	550				
part next to side scre	en		900	880 - 900	180 - 200 1	650				
		2000	1000	980 - 1000	180 - 200 1	750				
			1200	1180 - 1200	180 - 200 1	950				
		 	linge always on the	wall side. Stabiliser 1200 mm. Len	' Igth must be adjuste	d on site.				
				- Measurement sketch needed.	-					
				up to 1800 mm. Folding doors max	k. 950 mm.					
Side screen next to	double folding door									
1	1		800	780 - 800		_				
		2000	900	880 - 900		_				
			1000	980 - 1000		-				
				- Measurement sketch needed. er tray installation measurement 20	0 - 1200 mm.					
		_		rectangular cut-outs as well as		to 1800 mm.				
		<b>J</b>	_	-						

Colour Handle/hinge/ towel holder

Base price Surcharge

Glazing

Frame colour

Art. no.

9 T

Glass

finishing (optional)

Handle type/

towel holder

			Zado priod							
WM	left	right	MH High-gloss metal WS White/chrome Additional colours	<b>EK</b> Glass <b>RW</b> Strip S		C ARTCLEAR GLAZING	K Knob T Towe		same	
750	9T5T1 39	9T5T239								
800	9T5T1 49	9T5T249								
900	9T5T1 59	9T5T2 59	1,793	EK RW	0	211	K T	0	vc	0
1000	9T5T1 69	9T5T269		HW	351		'	_	VC	U
1200	9T5T1 B9	9T5T2B9	1,861							
	9T5T1 88	9T5T288	2,035							
1000	9TWT1 69	9TWT2 69	1,793							
1200	9TWT1 B9	9TWT2B9	1,861	EK	0	211	K	0		0
1400	9TWT1 E9	9TWT2 E9	1,963	RW	461		Т	-	VC	0
	9TWT1 88	9TWT288	2,035							
1500	9TDT0 K9 9TDT0 M9		3,252							
1600 1700							K 0 T -			
1800			3,317	EK RW	0 518	417		VC	0	
1900		T0 S9	3,3.1							
2000		Γ0 U9								
	9TD	Т0 88	3,664							
800	9T2T1 49	9T2T249								
900	9T2T1 59	9T2T259	2,061	EK	0	044	K	0		0
1000	9T2T1 69	9T2T2 69		RW	351	211	Т	-	VC	0
1200	9T2T1 B9	9T2T2B9	2,130							
	9T2T1 88	9T2T288	2,329							
800	9T1P1 49	9T1P249								
900	9T1P1 59	9T1P259	882	EK	0	211	K T	_ 252		0
1000	9T1P1 69	9T1P269	932	RW	204		'	252	VC	U
	9T1P1 88	9T1P288	1,087					_	I	
								<b>T</b> 500 mm	n	
			322				K			

<sup>•</sup> Execution without overflow moulding. Where the downward incline is insufficient or when mounting on a shower tray, a splash water bar is required for adequate protection. See page 37

required for adequate protection. See page 37.

Only VC chrome-plated available with MH high-gloss metal frames.

left rigi	ht Height	Shower tray measurement (WM)	Shower tray installation measurement	Fixed part width Quantity stabilisers	Entrance width				
Corner entry with folding of fixed parts	doors without 2000	800 × 800 900 × 900 1000 × 1000 1200 × 1200	782 - 800 × 782 - 800 882 - 900 × 882 - 900 982 - 1000 × 982 - 1000 1182 - 1200 × 1182 - 1200	  	960 1100 1240 1520				
			- Measurement sketch needed. up to 1200 × 1200 mm.						
Corner entry with folding of on fixed part	2000  CUSTOM Height 180	0 - 2200 mm. Width	780 - 800 × 780 - 800 880 - 900 × 880 - 900 980 - 1000 × 980 - 1000 1180 - 1200 × 1180 - 1200 - Measurement sketch needed. up to 1600 × 1600 mm. ed part widths 250 mm and wider.	180 - 200 - 180 - 200 - 180 - 200 - 180 - 200 -	790 930 1070 1360				
Folding door attached on U-form assembly	-	1000 × 1000	Installation on straight wall. Optional overflow molding not available.	custom size 2	custom size				
	4	CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1910 - 2000 mm. Width up to 1000 × 1000 mm.							
Folding door solution for w	CUSTOM   Height 180	MEASUREMENTS 0 - 2000 mm. Width verflow molding not	custom size 1	custom size					
Folding door solution for w	CUSTOM I Height 180	MEASUREMENTS 0 - 2000 mm. Width verflow molding not a	custom size 1	custom size					

- Corner entry without fixed parts, folding door solution for window: Required installation height is total height + 250 mm.
  - Corner entry attached on fixed part: Required installation height is total height + 30 mm.
    - Folding door U-form assembly: Required installation height is total height + 100 mm.

Glass finishing Art. no. Frame colour Glazing (optional) Handle type Colour Handle/hinge 9 T Base price Surcharge WM left right MH High-gloss metal EK Glass clear C ARTCLEAR K Knob same as frame1 WS White/chrome **RW** Strip Satin **GLAZING** VC Chrome . . Additional colours 800 9TETW 49 900 9TETW 59 2,908 0 ΕK 0 417 0 RW 518 VC 0 1000 9TETW 69 9TETW B9 3,035 1200 9TETW 88 3,346 800 9TET0 49 900 9TET0 59 3,183 ΕK 0 0 417 0 vc RW 518 0 9TET0 69 1000 9TET0 B9 3,321 1200

0

0

0

692

692

692

417

417

417

0

0

0

ΕK

RW

ΕK

RW

ΕK

RW



### IMPORTANT

9TET088

9TVP069

9TVP088

9TL2288

9TL1288

up to

1000

up to 1000

up to

1000

9TL21 88

9TL1188

3,664

4,118

4,531

4,118

3,929

0

0

0

0

0

0

VC

VC

VC

<sup>•</sup> Execution without overflow moulding. Where the downward incline is insufficient or when mounting on a shower tray, a splash water bar is required for adequate protection. See page 37.

Only VC chrome-plated available with MH high-gloss metal frames.

### ARTWEGER 360 frameless

### Unique design.

- Winged doors and swinging doors with or without fixed doors
- Swinging doors with 360° TWIN hinge
- Barrier-free with Vario sealing system
- Raise and lower mechanism
- Optional wall bracket inwards or outwards

- Certified adhesion technique
- 6 mm single-pane safety glass
- Standard height 2000 mm
- Customized solutions
- Custom sizes available

### HANDLE TYPES





Knob  ${\bf K}$ 

Horizontal R





Vertical **F** 

Bow-type  ${\bf G}$ 



The transparent glass elements reach to the wall. Narrow brackets provide strong and safe stability.



WINGED DOOR: Especially EASY TO CLEAN.





SWINGING DOOR: The doors can be opened up to 180° inwards and outwards.



Artweger



VARIO sealing system: You decide either for 100 % FLUSH-TO-FLOOR ACCESS or ...







... for an optional surge bar which is only 12 mm high and provides IMPROVED SEALING of the door.

Art. no. Colour

9 0 Base price

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

	Length	Art. no.	<ul><li>MH High-gloss metal</li><li>WS White</li><li>. Additional colours</li></ul>
Stabiliser Fits quarter-round and pentagonal shower, doors and	ca. 300	900 41	158
corner entry.	ca. 430	900 42	172
Side-screen stabiliser Length has to be adjusted on site.	ca. 1200	900 44	183
T-Stabilizer Length has to be adjusted on site.	ca. 1200	900 46	247
	Width	Art. no.	VC Chrome WS White

### EQUIPMENT OF THE ARTWEGER 360 FRAMELESS

Towel holder

For installation on tiled walls.

### Attachment to the wall Standard



Brackets inwards. Attachment to wall is on the interior of the shower.

### Attachment to the wall optional

550

90011



Brackets outwards. Wall bracket on the outside of the shower. Not possible for doors without an anchored wall and swivelling side wall.

. . Additional colours

252

### LEFT/RIGHT in the case of an asymmetric shower tray

LEFT
9RRF1 A9
9RRF1 C9
9RRP1 A9
9RRP1 C9





PRRF2 A9 9RRF2 C9 9RRP2 A9 9RRP2 C9

LEFT
9R8F1 B9
9R8F1 D9
Door on wide
fixed part





RIGHT 9R8F2 B9 9R8F2 D9 Door on wide fixed part LEFT
9R8F1 S9
9R8F1 T9
Door on narrow
fixed part





RIGHT 9R8F2 S9 9R8F2 T9 Door on narrow fixed part ARTWEGER 360 frameless

Hinge left	Hinge right	Height	Height Shower tray measurement (WM) length a x width b		Quantity stabilisers	Entrance width				
1/4-round shower  2 winged doors and		fixed-part cu Custom heig	800 × 800 I R=500 900 × 900 I R=550 900 × 900 II R=550 1000 × 1000 II R=550 900 × 800 I R=550 1000 × 900 II R=550  IEASUREMENTS - Measurement with (narrower or wider). Significant available.	- 2 - 2 1	850 850 990 990 850 990					
	1/4-round shower  1 winged door and 2 fixed parts		800 × 800   R=500  900 × 900   R=500  900 × 900   R=550  1000 × 1000   R=550  1000 × 1000   R=550  900 × 800   R=500  Door on wide fixed part  900 × 800   R=500  Door on narrow fixed part  1000 × 900   R=550  Door on wide fixed part	According to dimension sketch.	1 2 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	600 600 650 650 650 600 650 650				
		fixed-part cu Custom heig	IEASUREMENTS - Measuremei ustom width (narrower or wider). yhts not available. for triangular and rectangular	Width max. 1200 x 1200 mm.						
Pentagonal shows		Height 1500	900 × 900 I M=707 900 × 900 IV M=636 1000 × 1000 I M=707 1000 × 1000 IV M=636 IEASUREMENTS - Measurement - 2200 mm. fixed-part custom w	vidth (narrower or wider).	2 2 2 2	660 590 660 590				
1 winged door and	2 fixed parts	Surcharge for triangular and rectangular cut-outs.								

Art. no.	Colour	Glazing	Glass finishing (optional)	Handle type	Brackets
9 R					
			· ·		

Base price Surcharge

WM	left right VC Chrome WS White Additional colours		EK Glass clear RW Strip Satin SA Satin		C ARTCLEAR GLAZING	K Knob R Horizontal H Vertical G Bow-type		I inwar A outwa											
8001	9RRI	F0 49	2,911																
9001	9RRI	F019						0											
900	9RRI	F0 29	2,962	EK RW	0 –	417	K R	0 0	1	0									
1000	9RRI	F0 69	3,118		3,118								SA	-	417	H G	0 –	Α	0
900/8001	9RRF1 A9	9RRF2A9	2,962																
1000/90011	9RRF1 C9	9RRF2C9	3,118																
	9RRI	F0 88	3,424																
			275																
8001	9R8F1 49	9R8F249	2,911																
9001	9R8F119	9R8F219	0.000																
900	9R8F1 29	9R8F229	2,962																
10001	9R8F1 E9	9R8F2E9	3,118		0 –		V	0		0									
1000 II	9R8F1 69	9R8F269	0,110	EK RW		417	K R	0	1										
900/8001	9R8F1 B9	9R8F2B9	2,962	SA	-	417	H G	0 –	Α										
900x8001	9R8F1 S9	9R8F2S9	2,902																
1000/900 II	9R8F1 D9	9R8F2 D9																	
1000/90011	9R8F1 T9	9R8F2T9	3,118																
	01101110	01101 2 10																	
	9R8F1 88	9R8F288	3,424																
		Ι	275																
9001	9R7F1 59	9R7F259	2,743		0		К	0											
900 IV	$\triangleright$	9R7F239	_,	EK RW	0 390	417	R	0	I	0									
10001	9R7F1 69	9R7F269	2,867	SA	677		H G	0 166	A	U									
1000 IV	9R7F1 99	9R7F299																	
	9R7F1 88	9R7F288	3,157																
									350 mm										
			275						mni ucc 🗷										

### **IMPORTANT**

- When ordering please indicate assembly on shower tray or flush with floor.
- The manufacture of individually curved glass is not possible. Dimension tolerances to the tiled shower area are possible for technical reasons.
- Correct installation is only possible if the floor is horizontal and the walls are vertical.

ARTWEGER 360 frameless

Hinge left	Hinge right	Height	Shower tray measurement (WM)	Overview of product features	Quantity stabilisers depending on fixed part width	Entrance width					
Corner entry		2000	up to 1000×1000	According to dimension sketch.	0-2	up to 840					
2 winged doors at	nd 2 fixed parts	Height 1500 Price for cor (custom price Surcharge to	CUSTOM MEASUREMENTS - Measurement sketch needed.  Height 1500 - 2200 mm. Width up to 1200 × 1200 mm. Door max. 750 mm.  Price for combination of custom and standard measurement: (custom price + standard price) / 2.  Surcharge for triangular and rectangular cut-outs as well as EXTRA WIDTHS up to 1600 x 1600 mm.								
Winged door atta	ached on fixed part in	2000	up to 1000	According to dimension sketch.	0-1	up to 680					
1 door part and 1	fixed part	CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1500 - 2200 mm. Width up to 1200 mm. Door max. 750 mm. One stabiliser included with custom widths 910 mm and wider. Surcharge for triangular and rectangular cut-outs as well as EXTRA WIDTHS up to 1800 mm.									
	ached on fixed part in	2000	up to 1000 up to 1400	According to dimension sketch.	- 0-2	up to 630 up to 680					
1 door part and 2	fixed parts	CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1500 - 2200 mm. Width up to 1600 mm. Door max. 750 mm. Stabiliser included with widths 1020 mm and wider. Two stabilisers included with widths 1410 mm and wider. Surcharge for triangular and rectangular cut-outs as well as EXTRA WIDTHS up to 2000 mm.									

Art. no.	Colour	Glazing	Glass finishing (optional)	Handle type	Brackets
9 R					

Base price Surcharge

WM	left right		VC Chrome WS White Additional colours	EK Glass clear RW Strip Satin SA Satin		C ARTCLEAR GLAZING				I inwards A outwards	
up to 1000			2,743	EK RW SA	0 518 692	417	K R H G	0 0 0 331		I A	0
	9REF0 88		3,118								
			275								
up to 1000	9R5F1 69	9R5F269	1,698	EK RW SA	0 259 351	211	K R H G	0 0 0 166		I A	0
	9R5F1 88	9R5F288	1,966								
			275								
up to 1000 up to 1400	9R4F1 69 9R4F1 E9	9R4F269 9R4F2E9	1,899 2,040	EK RW SA	0 259 351	211	K R H G	0 0 0 166		I A	0 0
	9R4F1 88	9R4F288	2,305								
			275			<u></u>		h	G 350 i	mm	
						K	R	Н	D		

### **IMPORTANT**

ARTWEGER 360 frameless

<sup>•</sup> ARTWEGER 360 FRAMELESS is individually custom adapted to the exact installation situation. Production can only take place upon presentation of an exact dimension sketch.

When ordering please indicate assembly on shower tray or flush with floor.

Hinge Hinge left right	Height	Shower tray measure- ment (WM)	Overview of product features	Quantity stabilisers	Entrance width					
Winged door attached on fixed part next to side screen	2000	<ul> <li>up to 1000</li> <li>up to 1200</li> <li>Hinge always on the wall side.</li> <li>According to dimension sketch.</li> <li>Stabiliser 1200 mm. Length must be adjusted on site.</li> </ul>		1 1	up to 680 680					
			ENTS - Measurement sketch needed. Vidth up to 1300 mm. Door max. 750 mm.							
1 door part and 1 fixed part	Surcharge	for triangula	r and rectangular cut-outs as well as EXTRA WII	DTHS up to 18	800 mm.					
Side screen next to winged door										
	2000	up to 1000	According to dimension sketch.	-	_					
	Height 1500	CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1500 - 2200 mm. Width up to 1200 mm.  Surcharge for triangular and rectangular cut-outs as well as EXTRA WIDTHS up to 1800 mm.								
Winged door attached on fixed part next to shortened side screen	2000	up to 1000	Hinge always on the wall side. According to dimension sketch. Stabiliser 1200 mm. Length must be adjusted on site.	1	up to 680					
			ENTS - Measurement sketch needed. Width up to 1300 mm. Door max. 750 mm.							
1 door part and 1 fixed part			r and rectangular cut-outs as well as EXTRA WII	DTHS up to 18	800 mm.					
Shortened side screen										
	Fits winged	CUSTOM MEASUREMENTS - Measurement sketch needed. Fits winged door or swinging door. Height 700 - 2200 mm. Width 200 - 1200 mm.								
	Surcharge	Surcharge for triangular and rectangular cut-outs as well as EXTRA WIDTHS up to 1800 mm.								

er	Brackets

ARTWEGER 360 frameless

Art. no.	Colour	Glazing	Glass finishing (optional)	Handle type/ towel holder	Brackets
9 R					
	Rasa prica		Surch	argo	

	0 11						
			Base price		Surc	charge	
WM	left	right	VC Chrome WS White Additional colours	EK Glass clear RW Strip Satin SA Satin	C ARTCLEAR GLAZING	K Knob R Horizontal H Vertical G Bow-type T Towel holder	I inwards A outwards
up to 1000 up to 1200	9R2F1 69 9R2F1 B9	9R2F2 69 9R2F2 B9	1,698 1,828	<b>EK</b> 0 <b>RW</b> 259 <b>SA</b> 351	211	K 0 R 0 H 0 G 166 T -	I 0 A 0
	9R2F1 88	9R2F288	1,966 275				
up to 1000	9R1F1 69	9R1F269	1,042	EK 0 RW 204 SA 351	211	K – R – H – G – T 252	I 0 A 0
	9R1F1 88	9R1F288	1,167 275				
up to 1000	9R3F1 69	9R3F269	1,730	<b>EK</b> 0 <b>RW</b> 259 <b>SA</b> 351	211	K 0 R 0 H 0 G 166 T -	I 0 A 0
	9R3F1 88	9R3F288	1,966 275				
up to 1200	9R601 88	9R60288	1,066	EK 0 RW 204 SA 351	211	K – R – H – G – T 252	I 0 A 0

### **IMPORTANT**

275

<sup>•</sup> ARTWEGER 360 FRAMELESS is individually custom adapted to the exact installation situation. Production can only take place upon presentation of an exact dimension sketch.

 $<sup>\</sup>mbox{\ }\dot{}$  When ordering please indicate assembly on shower tray or flush with floor.

Hinge left	Hinge right	Height	Shower tray measure- ment (WM)	Overview of product features	Quantity stabilisers	Entrance width			
Winged door attached two side screens  A B B	d on fixed part for	2000	up to 1000	<ul> <li>Installation on straight wall.</li> <li>According to dimension sketch.</li> <li>Inclunding stabiliser for side screens.</li> </ul>	1	up to 680			
1 door part and 1 fixed	part			NTS - Measurement sketch needed. Vidth up to 1400 mm. Door max. 750 mm.					
Side screen A next to	winged door								
A A A		2000	up to 1000	<ul><li>Installation on straight wall.</li><li>According to dimension sketch.</li></ul>	-	-			
		CUSTOM MEASUREMENTS - Measurement sketch needed.							
		Height 1500 - 2200 mm. Width up to 1200 mm.							
		Surcharge for triangular and rectangular cut-outs.							
Side screen B next to	winged door								
B	В	2000	up to 1000	<ul><li>Installation on straight wall.</li><li>According to dimension sketch.</li></ul>	-	_			
				NTS - Measurement sketch needed.					
Par le	9 9	Ŭ		Vidth up to 1200 mm.					
		Surcharge for triangular and rectangular cut-outs.							

Art. no.	Colour	Glazing	Glass finishing (optional)	towel holder	Brackets
9 R					

Base price	Surchar	ge

WM	left	right	VC Chrome WS White Additional colours	EK Glass RW Strip S SA Satin		C ARTCLEAR GLAZING	K Knol R Horiz H Verti G Bow T Towe	zontal cal	I inwar A outw	
up to 1000	9RGF1 69	9RGF2 69	1,698	EK RW SA	0 259 351	211	K R H G T	0 0 0 166 -	I A	0 -
	9RGF1 88	9RGF288	1,966							
up to 1000	9RH01 69	9RH0269	1,042	EK RW SA	0 204 351	211	K R H G T	- - - - 252	I A	0
	9RH01 88	9RH0288	1,167							
			275							
up to 1000	9R1F269	9R1F1 69	1,042	EK RW SA	0 204 351	211	K R H G T	- - - - 252	I A	0
	9R1F288	9R1F188	1,167							
			275					G 3	50 mm 00 mm	
						K	R	Н		

### **IMPORTANT**

ARTWEGER 360 frameless

<sup>•</sup> ARTWEGER 360 FRAMELESS is individually custom adapted to the exact installation situation. Production can only take place upon presentation of an exact dimension sketch.

### ARTWEGER 360 frameless

Hinge Hing left righ	,	eight	Shower tray measurement (WM) length a x width b	Overview of product features	Quantity stabilisers depending on fixed part width	Entrance width
1/4-round shower			800 × 800   R=500		0-2	860
1 1			900 × 900   R=500		0-2	860
8 0 0 0			900 × 900    R=550	According to dimension	0-2	1000
	2	000	1000 × 1000 II R=550	sketch.	0-2	1000
			900 × 800 l R=500		0-2	860
			1000 × 900 II R=550		0-2	1000
2 swinging doors and 2 fixed	parts fixed Cus	d-part cu tom heig	IEASUREMENTS - Measuren ustom width (narrower or wide phts not available. for triangular and rectangul	er). Width max. 1200 × 1200 mm.		
Corner entry						
	2	000	up to 1000×1000	According to dimension sketch.	0-2	up to 850
			IEASUREMENTS - Measuren			
2 swinging doors and 2 fixed	Price	e for cor	- 2200 mm. Width up to 1200 mbination of custom and stander e + standard price) / 2.	× 1200 mm. Door max. 750 mm. dard measurement:		
	Sur		for triangular and rectangul	ar cut-outs as well as EXTRA WII	DTHS up to	

_	Art.	no.	Colour	G	lazing	Glass finishing (optional)	Har	idle type	Bra	ickets
	2,2,5		Base price			Surc	harge			
WM	left	right	VC Chrome WS White Additional colours	EK Glass RW Strip S SA Satin		C ARTCLEAR GLAZING	K Knob R Horiz H Vertic G Bow-	ontal cal	I inward	
8001	9RRI	P0 49	2,966							
900 I		P0 19 P0 29	3,015	EK	0	44-	K R	0		0
1000	9RRI	P0 69	3,173	RW SA	_	417	H G	0	Α	0
900/8001	9RRP1 A9	9RRP2 A9	3,015				G	_		
1000/90011	9RRP1 C9	9RRP2C9	3,173							
	9RRI	P0 88	3,479							
			275							
up to 1000	9REF	P0 69	2,797	EK RW SA	0 518 692	417	K R H G	0 0 0 331	I A	0
	9REF	P0 88	3,173							
			275					~	1	

### **IMPORTANT**

- When ordering please indicate assembly on shower tray or flush with floor.
- The manufacture of individually curved glass is not possible. Dimension tolerances to the tiled shower area are possible for technical reasons.
- Correct installation is only possible if the floor is horizontal and the walls are vertical.

ARTWEGER 360 frameless

0	inge ght	Height	Shower tray measure- ment (WM)	Overview of product features	Quantity stabilisers	Entrance width
Swinging door in alcove		2000	up to 900	<ul> <li>According to dimension sketch.</li> <li>Maximum allowance for sloping on the hinge side is 5 mm.</li> </ul>	-	up to 820
1 door part without fixed pa	art	Height 1800 With height	) - 2200 mm. V 2000 mm only	NTS - Measurement sketch needed.  Nidth 820 mm.  y. Width 900 mm.  r and rectangular cut-outs.		
Swinging door next to fixed						
		2000	up to 1000 up to 1400	According to dimension sketch.  Maximum allowance for sloping on the hinge side is 5 mm.  Stabiliser 1200 mm. Length must be adjusted on site.	- 0-1	680 680
1 door part and 1 fived part		Height 1800	) - 2200 mm. V	NTS - Measurement sketch needed.  Width up to 1600 mm. door max. 820 mm.	,	'
1 door part and 1 fixed part		Surcharge	for triangula	r and rectangular cut-outs as well as EXTRA WI	DTHS up to 20	000 mm.
Swinging door attached on fixed part in alcove		2000	up to 1000	According to dimension sketch.	0-1	up to 680
1 door part and 1 fixed part		Height 1800 wider. Door	) - 2200 mm. V max. 750 mm	I ENTS - Measurement sketch needed. Width up to 1200 mm. One stabiliser included with c n. r and rectangular cut-outs as well as EXTRA WI		
Swinging door attached or	n fixed part in					
alcove		2000	up to 1000 up to 1400	According to dimension sketch.	0-1	up to 580 up to 680
			) - 2200 mm. V	ENTS - Measurement sketch needed. Width up to 1600 mm.		
1 door part and 2 fixed parts	S	Surcharge	for triangula	r and rectangular cut-outs as well as EXTRA WI	DTHS up to 20	000 mm.
Swinging door attached or alcove	n fixed part in					
alcove		2000	up to 1400 up to 1600 up to 1800	According to dimension sketch.	2 2 2	up to 970 up to 1170 up to 1170
	4			ENTS - Measurement sketch needed. Width up to 2000 mm. Door max. 750 mm.		
2 door parts and 2 fixed par	rts	Surcharge	for triangula	r and rectangular cut-outs as well as EXTRA WI	DTHS up to 25	500 mm.

Brackets	

ARTWEGER 360 frameless

			Glass		
Art. no.	Colour	Glazing	finishing (optional)	Handle type	Bracket
0.0					

Base price Surcharge

			Вазе рнее		Garc	orial go	
WM	left	right	VC Chrome WS White Additional colours	EK Glass clear RW Strip Satin SA Satin	C ARTCLEAR GLAZING	K Knob R Horizontal H Vertical G Bow-type	I inwards A outwards
up to 900	9RTP1 59	9RTP259	1,478	EK 0 RW 204 SA –	211	K 0 R 0 H 0 G 166	I 0 A -
	9RTP1 88	9RTP288	1,695				
			275				
up to 1000 up to 1400	9R9P1 69 9R9P1 E9	9R9P2 69 9R9P2 E9	1,725 1,849	EK 0 RW 259 SA –	211	K 0 R 0 H 0 G 166	I 0 A -
	9R9P1 88	9R9P288	1,992 275				
up to 1000	9R5P1 69	9R5P2 69	1,725	EK 0 RW 259 SA 351	211	K 0 R 0 H 0 G 166	I 0 A 0
	9R5P1 88	9R5P288	1,992 275				
up to 1000 up to 1400	9R4P1 69 9R4P1 E9	9R4P269 9R4P2E9	1,927 2,067	EK 0 RW 259 SA 351	211	K 0 R 0 H 0 G 166	I 0 A 0
	9R4P1 88	9R4P288	2,333				
			275				
up to 1400 up to 1600 up to 1800	9RDI	P0 E9 P0 K9 P0 P9	2,797	<b>EK</b> 0 <b>RW</b> 518 <b>SA</b> 692	417	K 0 R 0 H 0 G 331	I 0 A 0
	9RD	P0 88	3,173				350 mm
			275		K	RUH	

- ARTWEGER 360 FRAMELESS is individually custom adapted to the exact installation situation. Production can only take place upon presentation of an exact dimension sketch.
- When ordering please indicate assembly on shower tray or flush with floor.

_	Hinge right	Height	Shower tray measure- ment (WM)	Overview of product features	Quantity stabilisers	Entrance width		
Swinging door attached on fixed part next to side screen		2000	up to 1000 up to 1200	<ul> <li>Hinge always on the wall side.</li> <li>According to dimension sketch.</li> <li>Stabiliser 1200 mm. Length must be adjusted on site.</li> </ul>	1	up to 680 680		
	900	CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1800 - 2200 mm. Width up to 1300 mm. Door max. 750 mm.						
1 door part and 1 fixed par	rt	Surcharge	for triangula	r and rectangular cut-outs as well as EXTRA WII	DTHS up to 18	00 mm.		
Side screen next to swing	ging door					_		
	B	2000	up to 1000	According to dimension sketch.	-	-		
		CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1800 - 2200 mm. Width up to 1200 mm.  Surcharge for triangular and rectangular cut-outs as well as EXTRA WIDTHS up to 1800 mm.						
Swinging door attached to shortened side screen	on fixed part next	2000	up to 1000	<ul> <li>Hinge always on the wall side.</li> <li>According to dimension sketch.</li> <li>Stabiliser 1200 mm. Length must be adjusted on site.</li> </ul>	1	up to 680		
				NTS - Measurement sketch needed. Vidth up to 1300 mm. Door max. 750 mm.				
1 door part and 1 fixed par	rt	Surcharge	for triangula	r and rectangular cut-outs as well as EXTRA WII	DTHS up to 18	00 mm.		
Shortened side screen								
		CUSTOM MEASUREMENTS - Measurement sketch needed. Fits winged door or swinging door. Height 700 - 2200 mm. Width 200 - 1200 mm.						
		Surcharge for triangular and rectangular cut-outs as well as EXTRA WIDTHS up to 1800 mm.						

Art. no.	Colour	Glazing	Glass finishing (optional)	Handle type/ towel holder	Brackets

Base price Surcharge

WM	left	right	VC Chrome WS White Additional colours	EK Glass clear RW Strip Satin SA Satin	C ARTCLEAR GLAZING	K Knob R Horizontal H Vertical G Bow-type T Towel holder	I inwards A outwards
up to 1000 up to 1200	9R2P1 69 9R2P1 B9	9R2P2 69 9R2P2 B9	1,725 1,855	EK 0 RW 259 SA 351	211	K 0 R 0 H 0 G 166 T -	I 0 A 0
	9R2P1 88	9R2P288	1,992 275				
up to 1000	9R1P1 69	9R1P269	1,042	EK 0 RW 204 SA 351	211	K – R – H – G – T 252	I 0 A 0
	9R1P1 88	9R1P288	1,167 275				
up to 1000	9R3P1 69	9R3P2 69	1,756	EK 0 RW 259 SA 351	211	K 0 R 0 H 0 G 166 T –	I 0 A 0
	9R3P1 88	9R3P288	1,992 275				
	9R601 88	9R60288	1,066	<b>EK</b> 0 <b>RW</b> 204 <b>SA</b> 351	211	K – R – H – G – T 252	I 0 A 0
			275			G 3	50 mm 00 mm

### **IMPORTANT**

9 R

ARTWEGER 360 frameless

<sup>•</sup> ARTWEGER 360 FRAMELESS is individually custom adapted to the exact installation situation. Production can only take place upon presentation of an exact dimension sketch.

When ordering please indicate assembly on shower tray or flush with floor.

Hinge left	Hinge right	Height	Shower tray measure- ment (WM)	Overview of product features	Quantity stabilisers	Entrance width		
Swinging door attach two side screens	ed on fixed part for	2000	up to 1000	<ul> <li>Installation on straight wall.</li> <li>According to dimension sketch.</li> <li>Inclunding stabiliser for side screens.</li> </ul>	1	up to 680		
1 door part and 1 fixed		CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1800 - 2200 mm. Width up to 1400 mm. Door max. 750 mm.						
Side screen A next to	swinging door							
A	A	2000	up to 1000	Installation on straight wall.     According to dimension sketch.	-	-		
		CUSTOM MEASUREMENTS - Measurement sketch needed.						
	8 9			Vidth up to 1200 mm.				
		Surcharge	for triangula	r and rectangular cut-outs.				
Side screen B next to	swinging door							
B	S B	2000	up to 1000	Installation on straight wall.     According to dimension sketch.	-	-		
8				NTS - Measurement sketch needed.				
	8 08			Width up to 1200 mm.				
		Surcharge for triangular and rectangular cut-outs.						

Glazing	Glass finishing (optional)	Handle type/ towel holder	Brackets

Surcharge

			p							
WM	left right		left right VC Chrome WS White Additional colours  EK Glass clear RW Strip Satin SA Satin			C ARTCLEAR GLAZING			I inwar A outwa	
up to 1000	9RGP1 69	9RGP2 69	1,725	EK RW SA	0 259 351	211	K R H G T	0 0 0 166 -	I A	0 -
	9RGP1 88	9RGP2 88	1,992							
up to 1000	9RH01 69	9RH0269	1,042	EK RW SA	0 204 351	211	K R H G	- - - - 252	I A	0
	9RH01 88	9RH0288	1,167 275							
up to 1000	9R1P269	9R1P1 69	1,042	EK RW SA	0 204 351	211	K R H G	- - - - 252	I A	0
	9R1P288	9R1P1 88	1,167 275						350 mm 500 mm	

### **IMPORTANT**

Art. no.

9 R

Colour

Base price

- ARTWEGER 360 FRAMELESS is individually custom adapted to the exact installation situation. Production can only take place upon presentation of an exact dimension sketch.
- When ordering please indicate assembly on shower tray or flush with floor.

Hinge left	Hinge right	Height	Shower tray measure- ment (WM)	Overview of product features	Entrance width
Swinging door attach swinging side screen		2000	up to 900×900	According to dimension sketch.	up to 680
1 door part and 1 fixed	dipart	Height 1800 Price for cor	- 2200 mm. V	ENTS - Measurement sketch needed. Width: door up to 1200 mm, side screen up to 900 mm. Door max. custom and standard measurement: price) / 2.	750 mm.
Swinging door attach swinging side screen					
90	00	2000	up to 900×900	Shower tray and bathtub not flush.     According to dimension sketch.	up to 680

**CUSTOM MEASUREMENTS** - Measurement sketch needed.

Price for combination of custom and standard measurement:

(custom price + standard price) / 2.

Height 1800 - 2200 mm. Width: door up to 1200 mm, side screen up to 900 mm. Door max. 750 mm.

1 door part and 1 fixed part



Detail of the swinging side screen when adjoined to the bathtub.

	Art. no.				azing	Glass finishing (optional)		Handle type/ towel holder		ackets
	9 R									
	I		Base price	I		ı	harge		I	
WM	left	right	VC Chrome WS White Additional colours	EK Glass RW Strip S SA Satin		C ARTCLEAR GLAZING	K Knol R Hori: H Verti G Bow	zontal	I inward	
up to 900	9RAP1 59	9RAP2 59	2,914	EK RW SA	0 518 -	417	K R H G	0 0 0 166	I A	0
	9RAP1 88	9RAP288	3,308							
up to 900	9RBP1 59	9RBP259	2,914	EK RW SA	0 518 -	417	K R H G	0 0 0 166	I A	0
	9RBP1 88	9RBP288	3,308					la 🔼 G	350 mm	

<sup>•</sup> ARTWEGER 360 FRAMELESS is individually custom adapted to the exact installation situation. Production can only take place upon presentation of an exact dimension sketch.

When ordering please indicate assembly on shower tray or flush with floor.

# ARTWEGER 360 Sliding doors

Incomparable smooth running.

- Floor-guided sliding doors
- 4-point guidance
- Lower guidance rail only 6 mm high with Vario sealing system
- A well-designed range of grips and handles in a variety of materials
- Wall profile with 3D adjustment and concealed silicone joint
- Certified adhesion technique
- 8 mm single-pane safety glass
- Standard height 2000 mm
- Adjustment range 20 mm
- Custom sizes available

### HANDLE TYPES



Knob K

Horizontal R



Vertical H

Bow-type G



FLOOR-GUIDED DOORS: Rollers on ball bearings glide softly and safely like on tracks. Due to the 4-point guidance of the doors, larger door widths are enabled.

Overflow moulding is always in the color METAL HIGH GLOSS.



ROLLERSYSTEM INSIDE: Easy cleaning due to the roller system adhered to the outside.



The ARTWEGER 360 SLIDING DOOR distinguishes itself due to its special stability and water-tightness. These are achieved by means of the floor guidance of the doors. In this way a four point fixation of the sliding doors is enabled - and therefore incomparable stability and smooth running.







### ACCESSORIES

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

Art. no. Colour

9 0 Base price

	Width		VC Chrome WS White Additional colours
<b>Towel holder</b> For installation on tiled walls.	550	90011	252

Fixed part left	Fixed part right	Height	Shower tray measure- ment (WM)	Shower tray installation measurement	Fixed part width	Entrance width
Double sliding door				970 - 1010 1170 - 1210 1370 - 1410 1570 - 1610	470 - 490 570 - 590 670 - 690 770 - 790	390 - 410 490 - 510 590 - 610 690 - 710
1 door part and 1 fixe		Tielgrit 1000	- 2200 Min. Shower t	ray installation measurement 1000	- 1800111111.	
Quadruple sliding of				1560 - 1610 1760 - 1810 1960 - 2010	370 - 390 420 - 440 470 - 490	610 - 660 710 - 760 810 - 860
2 door parts and 2 fix	ked parts	Height 1800	- 2200 mm. Shower t	ray installation measurement 1400-	- 2000 mm.	
Double sliding door	r next to side screen	2000	1000 1200 1400	980 - 1000 1180 - 1200 1380 - 1400	450 - 470 550 - 570 650 - 670	380 - 400 480 - 500 580 - 600
				easurement sketch needed. ray installation measurement 1000	- 1800 mm.	
Side screen	ed part	2000 CUSTOM M	800 900 1000 1200 IEASUREMENTS - M	780 - 800 880 - 900 980 - 1000 1180 - 1200 easurement sketch needed.	- - - -	- - - -
Jo-	4	Surcharge	for triangular and re	ctangular cut-outs as well as EX	TRA WIDTHS up to 18	300 mm.

:/	Colour
r	Handle/towel holder

ARTWEGER 360 Sliding doors

Art. no.	Frame colour	Glazing	Glass finishing (optional)	Handle type/ towel holder	<b>Colour</b> Handle/towel holder
9 G					

Base price Surcharge

			Вазе рпсе		ou.	Sharge	
WM	left	right	MH High-gloss metal WS White Additional colours	EK Glass clear RW Strip Satin	C ARTCLEAR GLAZING	K Knob R Horizontal H Vertical G Bow-type T Towel holder	WS White <sup>1</sup> VC Chrome
1000 1200 1400 1600	9G5S1 69 9G5S1 B9 9G5S1 E9 9G5S1 K9	9G5S2 69 9G5S2 B9 9G5S2 E9 9G5S2 K9	1,711 1,771 1,851 1,984	<b>EK</b> 0 <b>RW</b> 259	316	K 0 R 0 H 0 G 166 T -	WS 0 VC 0
1600 1800 2000	9GDS	S0 K9 S0 P9 S0 U9	2,782 2,836 2,904	<b>EK</b> 0 <b>RW</b> 461	417	K 0 R 0 H 0 G 331 T -	<b>WS</b> 0 <b>VC</b> 0
1000 1200 1400	9G2S1 69 9G2S1 B9 9G2S1 E9 9G2S1 88	9G2S2 69 9G2S2 B9 9G2S2 E9 9G2S2 88	1,683 1,719 1,767	<b>EK</b> 0 <b>RW</b> 259	211	K 0 R 0 H 0 G 166 T -	WS 0 VC 0
800 900 1000 1200	9G1S1 49 9G1S1 59 9G1S1 69 9G1S1 B9 9G1S1 88	9G1S249 9G1S259 9G1S269 9G1S2B9 9G1S288	970 1,026 1,113 1,197	<b>EK</b> 0 <b>RW</b> 204	211	K - R - H - G - T 252	WS 0 VC 0

When ordering please indicate assembly on shower tray or flush with floor.
 Only in combination with the color WS white. For all the other colors VC chrome is standard.

	Height	Shower tray measurement (WM)	Shower tray installation measurement	Fixed part width	Entrance width	
Corner entry		800× 800	780 - 800	350 - 370	400 - 430	
		900× 800	880 - 900×780 - 800	400 - 420 × 350 - 370	435 - 465	
	2000	± 800 × 900 ± ± ± ± ± ± ± ± ± ± ± ± ± ± ± ± ± ±	780 - 800×880 - 900	350 - 370 × 400 - 420	435 - 465	
		1000× 800	980 - 1000 × 780 - 800	450 - 470 × 350 - 370	470 - 500	
		800 × 1000	780 - 800 × 980 - 1000	350 - 370 × 450 - 470	470 - 500	
2 Sliding doors and 2 fixed parts	Height 1800 Price for cor	-2200 mm. Shower t	leasurement sketch needed. ray installation measurement 750 - Ind standard measurement:	1200 mm.		
Corner entry						
		900× 900	880 - 900	400 - 420	470 - 500	
	2000	1000 × 1000	980 - 1000	450 - 470	540 - 570	
		1200 × 1200	1180 - 1200	550 - 570	680 - 710	
	CUSTOM MEASUREMENTS - Measurement sketch needed.					
2 Sliding doors and 2 fixed parts	Height 1800 - 2200 mm. Shower tray installation measurement 900 - 1200 mm. Price for combination of custom and standard measurement: (custom price + standard price) / 2.					

	At	France colour	Olasia a	Glass	Handle tone	Handla adam
	Art. no.	Frame colour	Glazing	finishing (optional)	Handle type	Handle colour
	9 0	Base price		Surc	harge	
		ваѕе рпсе		Suic	riarge	
WM	Art. no.	MH High-gloss metal WS White Additional colours	EK Glass clear RW Strip Satin	C ARTCLEAR GLAZING	K Knob R Horizontal H Vertical G Bow-type	WS White <sup>1</sup> VC Chrome
800	9GES049	2,811				
900/800	9GES0 99				<b>K</b> 0	
800/900	9GES079	2,837	<b>EK</b> 0 <b>RW</b> 518	417	<b>R</b> 0 <b>H</b> 0	<b>WS</b> 0 <b>VC</b> 0
1000/800	9GES0 F9		NVV 510		<b>G</b> –	<b>VC</b> 0
800/1000	9GES0 E9	2,876				
	9GES0 88	3,108			Installation of bow-type handles only possible as of size 900 x 900 mm. See below.	
900	9GESH 59	2,868			<b>K</b> 0	
1000	9GESH 69	2,929	<b>EK</b> 0 <b>RW</b> 518	417	<b>R</b> 0 <b>H</b> 0	<b>WS</b> 0 <b>VC</b> 0
1200	9GESH B9	2,969	nw SIO		<b>G</b> 331	
	9GESH 88	3,206		an	S G 3	50 mm
				K	RH	

Did you not find a suitable model? We have the right solution for your very special wishes for your own bathroom. Contact us!

ARTWEGER - Your specialist for customized, individual solutions!

When ordering please indicate assembly on shower tray or flush with floor.
 Only in combination with the color WS white. For all the other colors VC chrome is standard.

# Anniversary Edition Artweger PRO:TECT



- · Mounting without drilling
- Swinging doors with fixed parts
- Swinging doors with 360° TWIN hinge
- Barrier-free with Vario sealing system
- Certified adhesion technique
- Raise and lower mechanism

- Wall profile with 3D adjustment
- 6 mm single-pane safety glass, Artweger PROTECT Walk In 8 mm
- Standard height 2000 mm
- Adjustment range 20 mm
- Custom sizes available

### Colour combinations:

- Wall profile, hinge and handle base colour
- hinge and handle front colour





- High-gloss metal
- Matt aluminium





- High-gloss metal
- Graphite





- Matt white
- Graphite





- Matt black
- Graphite









according to EN 14428



Mounting without drilling. Quick and safe with adhesive technique.

Le système de collage ART-FIX is universally applicable for all

substrates that are fully load-bearing, flat, dry, free of dust and grease, sealed against moisture and free of adhesion-reducing substances.



VARIO sealing system: You decide either for 100 % FLUSH-TO-FLOOR ACCESS or ...



... for an optional surge bar which is only 12 mm high and provides IMPROVED SEALING of the door.

### **ACCESSORIES**

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.


Art. no. Colour
PR Base price

	Length	Art. no.	MH High-gloss metal	WM Matt white SM Matt black
Stabiliser 45° Fits quarter-round shower, doors and corner	ca. 300	PR00 01	171	197
entry.	ca. 430	PR00 02	186	214
Side-screen stabiliser 90° Length has to be adjusted on site.	ca. 1200	PR00 03	198	228
T-Stabilizer Length has to be adjusted on site.	ca. 1200	PR00 04	267	307



LEFT/RIGHT in the case of an asymmetric shower tray

LEFT
PRR1 A9
PRR1 C9



RIGHT
PRR2 A9
PRR2 C9

### Artweger PRO:TECT Swinging door partially framed

6 mm ESG

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

Hinge left	Hinge right	Height	Shower tray measurement (WM) length a x width b	Shower tray installation measurement	Fixed part width Quantity stabilisers	Entrance width		
1/4-round sho	ower		800 × 800 I R=500	783 - 803	143 - 163 -	860		
. 4			900 × 900 I R=500	883 - 903	243 - 263 2	860		
			900 × 900 II R=550	883 - 903	143 - 163 -	1000		
		2000	1000×1000 II R=550	983 - 1003	243 - 263 2	1000		
			900 × 800 I R=500	883 - 903 × 783 - 803	243 - 263 × 143 - 163 1	860		
			1000 × 900 II R=550	983 - 1003 × 883 - 903	243 - 263 × 143 - 163 1	1000		
2 swinging doo	ors and 2 fixed parts	CUSTOM MEASUREMENTS - Measurement sketch needed. fixed-part custom width (narrower or wider). Width max. 1200 × 1200 mm. Custom heights not available. Surcharge for triangular and rectangular cut-outs.						
Corner entry			800× 800	783 - 803	243 - 263 2	710		
N	L		900× 900	883 - 903	243 - 263 2	850		
			900× 750	883 - 903 × 733 - 753	243 - 263 × 193 - 213 1	780		
		2000	±g 750 x 900 thg.	733 - 753 × 883 - 903	193 - 213 × 243 - 263 1	780		
			900× 800	883 - 903 × 783 - 803	243 - 263 × 243 - 263 2	780		
			800× 900	783 - 803 × 883 - 903	243 - 263 × 243 - 263 2	780		
			1000×1000	983 - 1003	343 - 363 2	850		
2 swinging doo	ors and 2 fixed parts	CUSTOM MEASUREMENTS - Measurement sketch needed.						

Height 1800 - 2200 mm. Shower tray installation measurement 700 - 1200 mm.

Door max. 690 mm.

Price for combination of custom and standard measurement:

(custom price + standard price) / 2.

Surcharge for triangular and rectangular cut-outs as well as EXTRA WIDTHS up to  $1600\times1600\,\mathrm{mm}.$ 



Art. no. Colour Glazing Glass finishing (optional)

PR Base price Surcharge

WM	left right	MA High-gloss metal Matt aluminium  MP High-gloss metal Graphite	WP Matt white Graphite  SP Matt black Graphite	EK Glass clear RW Strip Satin SA Satin	C ARTCLEAR GLAZING  ANNIVERSARY EDITION: ARTCLEAR GLAS including ARTSHOWER Softedge hand shower PLUS.
8001 9001 90011 100011 900/8001 1000/90011	PRR0 49 PRR0 19 PRR0 29 PRR0 69 PRR1 A9 PRR2 A9 PRR1 C9 PRR2 C9 PRR0 88	2,924 2,969 3,148 2,969 3,148 3,407	3,149 3,194 3,373 3,194 3,373 3,632	EK 0 RW – SA –	417 +
		322	322		
800 900 900/750 750/900 900/800 800/900 1000	PRE0 49 PRE0 59 PRE0 D9 PRE0 C9 PRE0 99 PRE0 79 PRE0 69	2,403	2,628 2,943	<b>EK</b> 0 <b>RW</b> 518 <b>SA</b> 692	417 +
1000	PRE0 88	2,718	3,155		
		322	322		





High-gloss metal Matt aluminium



High-gloss metal Graphite



Matt white Graphite



Matt black Graphite



6 mm ESG

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

Hinge left	Hinge right	Height	Shower tray measure- ment (WM)	Shower tray installation measurement	Fixed part width Quantity stabilisers	Entrance width
Swinging door atta	ached on fixed part in	2000	750 800 900 1000	733 - 753 783 - 803 883 - 903 983 - 1003	153 - 173 – 153 - 173 – 153 - 173 – 253 - 273 1	530 580 680 680
		CUSTOM N	 MEASHDEMEN	TS - Maasurament skatch needed		


**CUSTOM MEASUREMENTS - Measurement sketch needed.** 

Height  $1800 - 2200 \, \text{mm}$ . Shower tray installation measurement  $750 - 1200 \, \text{mm}$ . Door max.  $690 \, \text{mm}$ . One stabiliser included with widths  $1000 \, \text{mm}$  and wider.

Surcharge for triangular and rectangular cut-outs as well as EXTRA WIDTHS up to 1800 mm.

**Swinging door** attached on fixed part in alcove

1 door part and 1 fixed part



1 door part and 2 fixed parts

 2000
 900
 863 - 903
 153 - 173
 - 530


 1000
 963 - 1003
 183 - 203
 - 580

 1200
 1163 - 1203
 233 - 253
 - 680

CUSTOM MEASUREMENTS - Measurement sketch needed.

Height 1500 - 2200 mm. Shower tray installation measurement 900 - 1400 mm. Door max. 690 mm. One stabiliser included with widths 1200 mm and wider.

Surcharge for triangular and rectangular cut-outs.



Swinging door attached on fixed part in

1 door part and 2 fixed parts

	1400	1363 - 1403	233 - 253 / 423 - 443 -	680
	1500	1463 - 1503	233 - 253 / 523 - 543 1	680
2000	1600	1563 - 1603	233 - 253 / 623 - 643 1	680
	1700	1663 - 1703	233 - 253 / 723 - 743 1	680
	1800	1763 - 1803	233 - 253 / 823 - 843 1	680
	_			

Stabiliser 1200 mm. Length must be adjusted on site.

**CUSTOM MEASUREMENTS - Measurement sketch needed.** 

Height 1800 - 2200 mm. Shower tray installation measurement 1400 - 2000 mm.

Door max. 690 mm.

Surcharge for triangular and rectangular cut-outs.



Art. no. Colour Glazing finishing (optional)

Base price Surcharge

WM	left	right	MA High-gloss metal Matt aluminium  MP High-gloss metal Graphite	WP Matt white Graphite  SP Matt black Graphite	EK Glass clear RW Strip Satin SA Satin	C ARTCLEAR GLAZING  ANNIVERSARY EDITION: ARTCLEAR GLAS including ARTSHOWER Softedge hand shower PLUS.
750 800 900 1000	PR51 39 PR51 49 PR51 59 PR51 69 PR51 88	PR5249 PR5259 PR5269	1,441 1,453 1,466 1,502	1,666 1,678 1,691 1,727	EK 0 RW 259 SA 351	211 +
900 1000 1200	PR41 59 PR41 69 PR41 B9 PR41 88	PR4269 PR42B9	1,674 1,707 1,832 2,044	1,899 1,932 2,057	EK 0 RW 259 SA 351	211 +
1400 1500 1600 1700 1800	PR43 E9 PR43 H9 PR43 K9 PR43 M9 PR43 P9 PR43 88	PR44 H9 PR44 K9 PR44 M9 PR44 P9	322 2,057 2,158 2,348 2,571 2,626 2,799	322 2,282 2,383 2,573 2,796 2,851 3,024	EK 0 RW 461 SA 692	417 +





High-gloss metal Matt aluminium



High-gloss metal Graphite



Matt white Graphite



Matt black Graphite




# Artweger PRO:TECT Swinging door partially framed ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

6 mm ESG

680

Hinge left	Hinge right	Height	Shower tray measure- ment (WM)	Shower tray installation measurement	Fixed part width Quantity stabilisers	Entrance width		
Swinging door attac next to side screen	shed on fixed part		800	783 - 803	183 - 203 1	530		
		2000	900	883 - 903	183 - 203 1	630		
		2000	1000	983 - 1003	233 - 253 1	680		
			1200	1183 - 1203	433 - 453 1	680		
			Hinge always on the wall side. Incl. stabiliser for side screen. Length has to be adjusted on site.					
			-2200 mm. Sh	<b>TS -</b> Measurement sketch needed. ower tray installation measurement 700 - <sup>-</sup>	1300 mm.			
1 door part and 1 fixed part		Surcharge for triangular and rectangular cut-outs as well as EXTRA WIDTHS up to 1800 mm.						
Swinging door attached on fixed part next to shortened side screen								
			800	783 - 803	153 - 173 1	580		
		2000	900	883 - 903	153 - 173 1	680		



CUSTOM MEASUREMENTS - Measurement sketch needed.

Height 1800 - 2200 mm. Shower tray installation measurement 700 - 1300 mm.

Door max. 690 mm.

1000

Surcharge for triangular and rectangular cut-outs as well as EXTRA WIDTHS up to 1800 mm.

983 - 1003

Incl. stabiliser for side screen. Length has to be adjusted on site.

253 - 273



Hinge left	Hinge right	Height	Shower tray measure- ment (WM)	Shower tray installation measurement	Fixed part width Quantity stabilisers	Entrance width		
Side screen next to s	swinging door							
			800	783 - 803		_		
		2000	900	883 - 903		_		
			1000	983 - 1003		_		
		CUSTOM MEASUREMENTS - Measurement sketch needed.  Height 1800 - 2200 mm. Shower tray installation measurement 200 - 1200 mm.  Surcharge for triangular and rectangular cut-outs as well as EXTRA WIDTHS up to 1800 mm.						
Shortened side scree	en							
		Height 1000	- 2200 mm.	TS - Measurement sketch needed. asurement 200 - 1200 mm.	<b>-</b> -	-		
		Surcharge for triangular and rectangular cut-outs as well as EXTRA WIDTHS up to 1800 mm.						

Glass Glazing finishing (optional) Art. no. Colour PR

Base price	Surcharge
------------	-----------

WM	left	right	High-gloss metal Matt aluminium High-gloss metal Graphite	WP SP	Matt white Graphite Matt black Graphite	RW	Glass of Strip S Satin		C ARTCLEAR (  ANNIVERSARY ARTCLEAR GLA ARTSHOWER So shower P	'EDITION: S including ftedge hand
800 900 1000 1200	PR21 49 PR21 59 PR21 69 PR21 B9	PR22 69	1,404 1,476 1,620		1,629 1,701 1,845		EK RW SA	0 259 351	211	+
	PR21 88	PR2288	1,727 322		1,952 322					
800 900 1000	PR31 49 PR31 59 PR31 69	PR32 49 PR32 59 PR32 69	1,466 1,502		1,691 1,727		EK RW SA	0 259 351	211	+
	PR31 88	PR3288	1,727		1,952					

322





322

High-gloss metal Matt aluminium



High-gloss metal Graphite



Matt white Graphite



Graphite



WM	left	right	MH High-gloss metal	WM Matt white SM Matt black	EK Glass clear RW Strip Satin SA Satin	C ARTCLEAR GLAZING
800 900 1000	PR11 49 PR11 59 PR11 69	PR1259	l 937	960 1,010	<b>EK</b> 0 <b>RW</b> 204 <b>SA</b> 351	211
	PR11 88	PR1288	1,141 322	1,164 322		
	PR61 88	PR6288	1,043	1,066	EK 0 RW 204 SA 351	211
			322	322		

# Anniversary Edition Artweger PRO:TECT Walk In ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

Installation left	Installation right	Height of glass	Width of glass	Overview of product features			
PROTECT Walk In without side screen		2000	303 - 1503	<ul> <li>Wall bracket with 20 mm adjustment range.</li> <li>Including stabiliser, length 1200 mm.</li> <li>Length has to be adjusted on site.</li> </ul>			
		CUSTOM MEASUREMENTS - Measurement sketch needed. Height of glass 700 - 2200 mm. Width of glass 300 - 1800 mm.					
		Surcharge for triangular and rectangular cut-outs.					



Installation Installation left right	Height of glass	Width of glass	Overview of product features
PROTECT Walk In VARIO without side screen	2000	<b>1</b> 303 - 1503 <b>3</b> 500	<ul> <li>Wall bracket with 20 mm adjustment range.</li> <li>One mounted part and one 360° revolving glass part.</li> <li>Suitable for smaller rooms.</li> <li>Only watertight when fully extended.</li> <li>Including stabiliser, length 1200 mm.</li> <li>Length has to be adjusted on site.</li> </ul>
	Height of gla	TEASUREMENTS - Nass 1800 - 2200 mm. ss 1: 300 - 1500 mm	



Art. no.	Colour	Glazing	Glass finishing (optional)
PR			
	Dana sastan	0	

Base price Surcharge

left	right	MH High-gloss metal	WM Matt white SM Matt black	EK Glass clear RW Strip Satin SA Satin	C ARTCLEAR GLAZING  ANNIVERSARY EDITION: ARTCLEAR GLAS including ARTSHOWER Softedge hand shower PLUS.
PRW11 89	PRW1289	1,611	1,836	EK 0 RW 204 SA 351	256 +
PRW11 88	PRW1288	1,773	1,998		
		322	322		



left	right	MA High-gloss metal Matt aluminium  MP High-gloss metal Graphite	WP Matt white Graphite  SP Matt black Graphite	RW	Glass clear Strip Satin Satin	C ARTCLEAR GLAZING  ANNIVERSARY EDITION: ARTCLEAR GLAS including ARTSHOWER Softedge hand shower PLUS.
PRWV1 89	PRWV2 89	2,304	2,529		EK 0 RW 250 SA 388	256 +
PRWV1 88	PRWV288	2,467	2,692			
		322	322			





High-gloss metal Matt aluminium



High-gloss metal Graphite



Matt white Graphite



Matt black Graphite




### EQUIPMENT OF THE ARTWEGER PROTECT Walk In

### Attachment to the wall



With wall profile.
Adjustment of up to 20 mm
(±10 mm) to allow for uneven or sloped walls.

### Connection to floor



With adjustable foot or edge protector of transparent plastic. Both variants are included.

### Stabiliser



Horizontal stabilizer

- Due to the open entrance area, watertightness cannot be obtained.
- When ordering please indicate assembly on shower tray or flush with floor. The total dimensions of the shower enclosure always refer to the outer edge of the glass. The fixation elements add to the overal dimensions. See page 9.

### Artweger WALK IN – **overview**ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT.

### ARTWEGER 360 Walk In

- 8 mm ESG
- Partially framed or frameless design
- Custom heights, custom widths
- Triangular cut-outs, rectangular cut-outs
- starting from page 80

starting from **EUR** 

1,089



### PROTECT Walk In

- 8 mm ESG
- Mounting without drilling
- Partially framed design
- Custom heights, custom widths
- Triangular cut-outs, rectangular cut-outs
- starting from page 98



starting from **EUR** 

1,611



### Models especially for small rooms

with VARIO glass element



**ARTWEGER 360 Walk In** partially framed starting from EUR **1,628** page 82

starting from EUR 2,151 page 86

**ARTWEGER 360 Walk In** frameless

**PROTECT Walk In** partially framed starting from EUR 2,304 page 98



**ZERO Walk In** partially framed starting from EUR 2,063 page 92

**ZERO Walk In BASIC** partially framed starting from EUR 1,648 page 94

### DYNAMIC walk In

- 6 mm or 8 mm ESG
- Partially framed design
- Custom widths
- starting from page 100

starting from **EUR** 

645



### ZERO Walk In

- 8 mm ESG
- Mounting without drilling
- Silicone-free glass sealing
- Recessible U-profile 17 mm
- Custom heights, custom widths
- Triangular cut-outs, rectangular cut-outs
- starting from page 88

### ZERO Walk In BASIC

- 8 mm ESG
- · Mounting without drilling
- Silicone-free glass sealing
- U-profile 30 mm, adjustment range 15 mm
- No custom measurements
- starting from page 94

starting from **EUR** 

1,390



starting from **EUR** 

998

### as FREE-STANDING FOLDING DOOR



**ARTWEGER 360** partially framed starting from EUR 1,793 page 38

### as SLIDING DOOR



**MOVE** with frame starting from EUR 1,386 page 138

**MOVE** frameless starting from EUR 1,735 page 142

### ARTWEGER 360 Walk In

### Well-planned design

- Large model variety
- Barrier-free
- Optionally wall mounting profile or wall brackets
- Wall profile with 3D adjustment and concealed silicone
- Optional wall bracket inwards or outwards
- Safe glass supports with the option of adjustable foot or Custom sizes available edge protection
- ARTWEGER 360 Walk In VARIO for small rooms
- 8 mm single-pane safety glass, (6 mm for free-standing double folding door attached on fixed part)
- Standard height 2000 mm
- Adjustment range 20 mm (models with wall profile)
- Customized solutions



In the case of frameless models the transparent glass elements reach to the wall. Narrow brackets provide strong and safe stability.



ARTWEGER 360 Walk In VARIO: Makes modern shower solutions possible in small rooms. The moving element can be opened 180° inwards or outwards.





Accessories: Pivoting splashguard. Can also be retro-fitted.

### Artweger



Adjustable feet prevent the glass from direct contact with the floor. This prevents damage to the glass and provides you with additional safety.





according to EN 14428



As an alternative to the adjustable feet a transparent edge protector can be installed.

### Artweger WALKIN

### **ACCESSORIES**

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

Art. no. Colour

9 0 Base price

	Width	Art. no.	VC Chrome WS White Additional colours
<b>Towel holder</b> For installation on tiled walls.	550	900 11	252

### EQUIPMENT OF THE ARTWEGER 360 Walk In

### Attachment to the wall



FRAMELESS Brackets inwards



FRAMELESS Brackets outwards (optional)



PARTIALLY FRAMED
With wall profile.
Adjustment of up to 20 mm
(±10 mm) to allow for uneven or sloped walls.

### Connection to floor



With adjustable foot or edge protector of transparent plastic. **Both variants are included.** 

#### Stabiliser



Horizontal stabilizer



Holding rod/ceiling support. Only article numbers 9WA1 ../9WA2 .. 9WTA1 ../9WTA2 ..

### ARTWEGER 360 Walk In partially framed

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

Installation left	Installation right	Height of glass	Shower tray measurement (WM)	Width of glass	Fixed part width Quantity stabilisers	Entrance width	
ARTWEGER 360 W without side screen	alk In	2000	1000 1200	980 - 1000 1180 - 1200	960 - 980 1 1160 - 1180 1	-	
		2000	1400	1380 - 1400	1360 - 1380 1	-	
			Including stabiliser, length 1200 mm. Length has to be adjusted on site.  Version with rod fastened to ceiling. See page 84.				
		CUSTOM M	MEASUREMENTS - N	Measurement sketch needed			


**CUSTOM MEASUREMENTS - Measurement sketch needed.** 


Height of glass 700 - 2200 mm. Width of glass 300 - 1500 mm.

Surcharge for triangular and rectangular cut-outs as well as EXTRA WIDTHS up to 1800 mm.

### ARTWEGER 360 Walk In

Pivoting splashguard






• Accessories (optional)
• Can also be installed later.
• Single-pane safety glass 6 mm
• Can be mounted on the left or right.

**CUSTOM MEASUREMENTS - Measurement sketch needed.** 

Height 700 - 2000 mm. Width 200 - 500 mm.

Surcharge for triangular cut-outs.

### ARTWEGER 360 Walk In VARIO without side screen



Double folding door attached on fixed

	1300	1280 - 1300 ( <b>1</b> = 500)	760 - 780	1	_
2000	1400	1380 - 1400 ( <b>1</b> = 500)	860 - 880	1	=
	1500	1480 - 1500 ( <b>1</b> = 500)	960 - 980	1	-

Only watertight when fully extended.


Including stabiliser, length 1200 mm. Length has to be adjusted on site.

**CUSTOM MEASUREMENTS - Measurement sketch needed.** 

Height of glass 1800 - 2200 mm.

Width of glass 300 - 1500 mm, **1**: 240 - 750 mm.

### Surcharge for triangular and rectangular cut-outs.



	1000	980 - 1000	180 - 200 -	800
2000	1200	1180 - 1200	230 - 250 -	950
	1400	1380 - 1400	430 - 450 1	950

Execution without overflow moulding. Where the downward incline is insufficient or when mounting on a shower tray, a splash water bar is required for adequate protection. See page 37.

### **CUSTOM MEASUREMENTS - Measurement sketch needed.**

Height 1800 - 2200 mm. Width 750 - 1800 mm. Folding doors max. 950 mm.

One stabiliser included with fixed part widths 250 mm and wider.

Art. no.		no.	Colour	Glazing	Glass finishing (optional)	Handle type	Colour Handle/hinge
	9						
			Base price	S	urcharge		
WM	left	right	MH High-gloss metal WS White Additional colours	EK Glass clear RW Strip Satin SA Satin	C ARTCLEAR GLAZING	K Knob	same as frame <sup>1</sup> VC Chrome
1000	9WT11 69	9WT1269	1,089	<b>EK</b> 0			
1200	9WT11 B9	9WT12B9	1,186	<b>RW</b> 204	256	_	_
1400	9WT11 E9	9WT12E9	1,259	<b>SA</b> 351			
	9WT1188	9WT1288	1,624				
	90011100	90011200					
			322				
	9WL0 Z9		623	EK 0 RW - SA -	67	-	-
	9WL	.0 88	689				
			275				
1300	9WTV1 D9	9WTV2 D9	1,628	FK 0			
1400	9WTV1 E9	9WTV2E9	1,674	<b>EK</b> 0 <b>RW</b> 250	256	_	_
1500	9WTV1 H9	9WTV2H9	1,719	<b>SA</b> 388			
	9WTV1 88	9WTV288	2,019				
			322				
1000	9TWT1 69	9TWT2 69	1,793	FIX ^			
1200	9TWT1 B9	9TWT2B9	1,861	<b>EK</b> 0 <b>RW</b> 461	211	0	0 <b>VC</b> 0
1400	9TWT1 E9	9TWT2 E9	1,963	SA –			VC 0
	9TWT1 88	9TWT2 88	2,035			M	

Only VC chrome-plated available with MH high-gloss metal frames.
 When ordering please indicate assembly on shower tray or flush with floor. The total dimensions of the shower enclosure always refer to the outer edge of the glass. The fixation elements add to the overal dimensions. See page 9.

## ARTWEGER 360 Walk In partially framed ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

Installation left	Installation right	Height of glass	Width of glass	Overview of product features		
ARTWEGER 360 V with rod fastened to		2000	300 - 1500	<ul> <li>Wall bracket with 20 mm adjustment range.</li> <li>Overall width = measured on the outer edge of the holding bar.</li> <li>With rod fastened to ceiling 2600 mm. Length has to be adjusted on site.</li> <li>Attachment for the handrail to secure it to ceiling and floor.</li> </ul>		
34 mm	86 mm	CUSTOM MEASUREMENTS - Measurement sketch needed. Height of glass 700 - 2200 mm. Overall width 300 - 1500 mm.				
	Surcharge for triangular and rectangular cut-outs as well as EXTRA WIDTHS up to 1800 r					

9 W				
		Base price	Surcharg	je
left	right	MH High-gloss metal	EK Glass clear RW Strip Satin SA Satin	C ARTCLEAR GLAZING
9WTA1 89	9WTA289	1,946	EK 0 RW 204 SA 351	256
9WTA1 88	9WTA288	2,111		
		322		

Colour

Art. no.

Glass

finishing (optional)

Glazing

- Due to the open entrance area, watertightness cannot be obtained.
  When ordering please indicate assembly on shower tray or flush with floor.

### ARTWEGER 360 Walk In frameless

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

Installation left	Installation right	Height of glass	Width of glass	Overview of product features			
ARTWEGER 360 Walk without side screen	k In	2000	300 - 1500	Including stabiliser, length 1200 mm.     Length has to be adjusted on site.			
		Height of gla	ass 700 - 2200 mm. V	Measurement sketch needed. Vidth of glass 300 - 1500 mm. ectangular cut-outs as well as EXTRA WIDTHS up to 1800 mm.			
ARTWEGER 360 Walk pivoting splashguard		2000	300	Accessories (optional)     Can also be installed later.     Single-pane safety glass 6 mm.     Can be mounted on the left or right.			
	180°	CUSTOM MEASUREMENTS - Measurement sketch needed. Height 700 - 2000 mm. Width 200 - 500 mm. Surcharge for triangular cut-outs.					
ARTWEGER 360 Walk without side screen	k In VARIO	2000	300 - 1500 ( <b>1</b> = 500)	<ul> <li>One mounted part and one 360° revolving glass part.</li> <li>Suitable for smaller rooms.</li> <li>Only watertight when fully extended.</li> <li>Including stabiliser, length 1200 mm. Length has to be adjusted on site.</li> </ul>			
1	1	CUSTOM MEASUREMENTS - Measurement sketch needed.  Height of glass 1800 - 2200 mm.  Width of glass 300 - 1500 mm, 1: 240 - 750 mm.  Surcharge for triangular and rectangular cut-outs.					
ARTWEGER 360 Walk with rod fastened to ce		2000	300 - 1500	<ul> <li>Overall width = measured on the outer edge of the holding bar.</li> <li>With rod fastened to ceiling 2600 mm. Length has to be adjusted on site.</li> <li>Attachment for the handrail to secure it to ceiling and floor.</li> </ul>			
34 mm	86 mm	Height of gla	ass 700 - 2200 mm. C	Measurement sketch needed. Overall width 300 - 1500 mm. Pectangular cut-outs as well as EXTRA WIDTHS up to 1800 mm.			

Art. no.		Colour	GI	azing	Glass finishing (optional)	Brackets
9 W						
		Base price			Surcharge	
left	right	VC Chrome WS White	EK Glass clear RW Strip Satin SA Satin		C ARTCLEAR GLAZING	I inwards A outwards
9W1189	9W1289	1,456	EK RW SA	0 204 351	256	I 0 A 0
9W1188	9W1288	1,619				
		275				
9WL	.0 Z9	623	EK RW SA	0 - -	67	-
9WL	-088	689				
		275				
9WV1 89	9WV2 89	2,151	EK RW SA	0 250 388	256	I 0 A 0
9WV1 88	9WV288	2,311				
		275				
9WA1 89	9WA289	VC 1,849 WS –	EK RW SA	0 204 351	256	I 0 A 0
9WA1 88	9WA288	2,010				
		275				

- $\bullet$  Due to the frameless construction and open entrance area, watertightness cannot be obtained.
- When ordering please indicate assembly on shower tray or flush with floor. The total dimensions of the shower enclosure always refer to the outer edge of the glass. The fixation elements add to the overal dimensions. See page 11.

  Correct installation is only possible if the floor is horizontal and the walls are vertical.

## Artweger ZERO walk In

Less silicone. More perfection.

- · Mounting without drilling
- Barrier-free
- High quality seals replace silicone joints between glass and profile
- Depending on the type of installation it is possible to install without the use of any silicone at all
- Safe glass supports with transparent edge protection
- Mounting on the tiles or in the junction of the tiles
- Artweger ZERO VARIO for small rooms
- 8 mm single-pane safety glass
- Customized solutions
- Artweger Zero BASIC in standard height 2000 mm and fixed widths with an adjustment range of 15 mm



Perfect appearance for many years: High quality discreet seals replace the silicone joints.



The wall profile is mounted ON the existing base surface.



Mounting without drilling. Quick and safe with adhesive technique.

Le système de collage ART-FIX is universally applicable for all

substrates that are fully load-bearing, flat, dry, free of dust and grease, sealed against moisture and free of adhesion-reducing substances.














Can be freely combined: The floor profile mounted ONTO the tiles,the wall profile integrated INTO the wall.



**100 % transparent:** The profiles are integrated INTO the wall and floor.







### For measurements please use only Artweger Zero Walk In measurement sheets.

You can find dimensions- and assembly- documents at: www.artweger.at/aufmass.


## Allowances in measurements for the glass elements in the wall and floor profiles are made at the factory.


The made to measure glass sheets are fitted into the mounting profiles and fixed using the sealant provided.


No silicon needed.


Technical and safety data sheets for the high performance adhesive provided can be found under: www.artweger.at/ZEROkleber


## Artweger ZERO Walk In Installation versions 1A - 5C ARTWEGER price list 03/2023. For specialised trade outlets only. DIMENSIONS IN MILLIMETRES.













	ORDER profile given	PRE-INSTALLATION profile given	MEASUREMENTS FOR	ORDER	FINAL ASSEMBLY
1 A	-	-	Glass element	Wall profile Glass element	Wall profile Glass element
1 B	-	_	Glass element	Wall profile Floor profile Glass element	Wall profile Floor profile Glass element
1 C	Wall profile Floor profile	Wall profile Floor profile	Glass element	Glass element	Glass element
2 A	Wall profile	Wall profile	Glass element	Glass element	Glass element
2 B	Wall profile Floor profile	Wall profile Floor profile	Glass element	Glass element	Glass element
2 C	Wall profile floor profile	Wall profile Floor profile	Glass element	Glass element	Glass element
3 A	Wall profile	Wall profile	Glass element	Glass element	Glass element
3 B	Wall profile Floor profile	Wall profile Floor profile	Glass element	Glass element	Glass element
3 C	Wall profile Floor profile	Wall profile Floor profile	Glass element	Glass element	Glass element
4 A	Wall profile	Wall profile	Glass element	Glass element	Glass element
4 B	Wall profile Floor profile	Wall profile Floor profile	Glass element	Glass element	Glass element
5 C	Wall profile Floor profile	Wall profile Floor profile	Glass element  For installation in the wall profile the glass element will be made 19 mm shorter!	Glass element	Glass element

### Artweger ZERO Walk In DESIGN RECOMMENDATION



- Wall profile flush with tiles
- Glass element on floor

= 3	
= A	installation version = $3A$

Components	Art. no.	Pieces	Prices in EUR
Wall profile	RWP0 01 MH	1	184
Glass element, left     Height 2000 mm, width 1200 mm	RW11 89 MH EK	1	1,206
Total price in EUR:			1,390

#### Total price in Eeri.

High performance adhesive is included in the delivery.

### **IMPORTANT**

• Wall and floor profiles can be cut to the required length on site. Therefore it is necessary to determine the measurements of the glass elements after the profiles are mounted according to each mounting situation.

Artweger ZERO Walk In

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

	Height/ length	Overview of product features
Wall profile installation versions 1A, 2A, 3A, 4A	2200	<ul> <li>Including high performance adhesive. Suitable for use on tiles, concrete, plaster, plasterboard, gypsum fiber plate, wood and metal as well as all standard shower trays.</li> <li>When mounting flush with tiles or in the floor, bonding is on the sealant</li> <li>Drilling the wall is not necessary.</li> <li>The exact fitting of the profiles is carried out at the installation site.</li> </ul>
Wall profile + floor profile installation versions 1B, 1C, 2B, 2C, 3B, 3C, 4B, 5C	2200	<ul> <li>The installation profile is permanently fixed to the wall and floor with a rapid-curing, high performance adhesive that also acts as a sealant (also for corner profile joints).</li> <li>High performance hybrid adhesive: The top quality adhesive can be used on various surfaces and complies with the requirements of IVD guideline sheet number 30 for adhesives and sealants For detailed information see www.artweger.at/ZEROkleber.</li> </ul>

Installation left	Installation right	Height	Width	Overview of product features		
ZERO Walk In glass of	element	1900 - 2050	300 - 1400	<ul> <li>Including stabiliser, length 1200 mm. Length has to be adjusted on site.</li> <li>Including sealant for wall or floor profile</li> <li>Please order profiles extra.</li> </ul>		
		CUSTOM MEASUREMENTS - Measurement sketch needed. Height of glass 1600 - 2200 mm. Width of glass 300 - 1500 mm.  Surcharge for triangular and rectangular cut-outs as well as EXTRA WIDTHS up to 1800 mm.				
ZERO Walk In glass element VARIO		1900 - 2050	<b>1</b> 550 - 1300 <b>3</b> 300 - 500	One mounted part and one 360° revolving glass part. Suitable for smaller rooms. Only watertight when fully extended. Including stabiliser, length 1200 mm. Length has to be adjusted on site. Including sealant for wall or floor profile Please order profiles extra.		
	8	CUSTOM MEASUREMENTS - Measurement sketch needed. Height of glass 1600 - 2200 mm. Width of glass 1: 550 - 1500 mm, 3: 300 - 750 mm. Surcharge for triangular and rectangular cut-outs as well as EXTRA WIDTHS up to 1800 mm.				

- Height of glass + 30 mm = total height incl. stabiliser. Required installation height is total height + 100 mm.
  - Width over 1600 mm on request. Stabiliser up to max. 1600 mm.
  - Further custom sizes on request. Measurement sketch needed.

Art. no.	Colour
RW	
	Base price

Art. no.	MH High-gloss metal
RWP001	184
RWP002	299

Art.	.no.	Colour	GI	azing	Glass finishing (optional)	
RW						
		Base price			Surch	narge
left	right	MH High-gloss metal	EK Glass clear RW Strip Satin SA Satin			C ARTCLEAR GLAZING
RW11 89	RW1289	1,206	EK RW SA	0 204 351		256
RW11 88	RW1288	1,362				
	I					
		267				
RWV1 89	RWV2 89	1,879	EK RW SA	0 250 388		256
RWV1 88	RWV2 88	2,034				
		267				

- Due to the open entrance area, watertightness cannot be obtained.
- When ordering please indicate assembly on shower tray or flush with floor.

  The total dimensions of the shower enclosure always refer to the outer edge of the glass. The fixation elements add to the overal dimensions. See page 90.
- Correct installation is only possible if the floor is horizontal and the walls are vertical.

Artweger ZERO Walk In BASIC ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

Installation left	Installation right	Height	Shower tray installation measurement	Width of glass	Overview of product features	
ZERO Walk In BASIC		2000	785 - 800 885 - 900 985 - 1000 1085 - 1100 1185 - 1200 1285 - 1300 1385 - 1400	765 - 780 865 - 880 965 - 980 1065 - 1080 1165 - 1180 1265 - 1280 1365 - 1380	Including high performance adhesive.     Including stabiliser, length 1200 mm.     Length has to be adjusted on site.	
		CUSTOM M	IEASUREMENTS - Not a	available.		
ZERO Walk In BASIC	VARIO 3	2000	1285 - 1300 1385 - 1400 1485 - 1500 1585 - 1600 1685 - 1700	1265 - 1280 1365 - 1380 1465 - 1480 1565 - 1580 1665 - 1680 <b>3</b> = 500	One mounted part and one 360° revolving glass part. Suitable for smaller rooms. Only watertight when fully extended. Including high performance adhesive. Including stabiliser, length 1200 mm. Length has to be adjusted on site.	
1.		CUSTOM MEASUREMENTS - Not available.				

The installation profile is permanently fixed to the wall with a rapid-curing, high performance adhesive that also acts as a sealant.

High performance hybrid adhesive: The top quality adhesive can be used on various surfaces and complies with the requirements of IVD guideline sheet number 30 for adhesives and sealants

### Equipment of the ZERO Walk In BASIC

### Attachment to the wall ZERO BASIC



Wall bracket with 15 mm adjustment range.

#### Connection to floor ZERO BASIC



With edge protector of transparent plastic.

#### Stabiliser ZERO BASIC



Horizontal stabilizer

		.no.	Colour	Glazing	Glass finishing (optional)
	RW				
			Base price	Surch	narge
WM	left	right	MH High-gloss metal	EK Glass clear	C ARTCLEAR
			Additional colours		GLAZING
785 - 800	RWE	30 49	998		
885 - 900	RWE	30 59	1,031		
985 - 1000	RWE	30 69	1,064		
1085 - 1100	RWE	30 09	1,095	0	256
1185 - 1200	RWE	30 B9	1,131		
1285 - 1300	RWB0 D9		1,166		
1385 - 1400	0 <b>RWB0 E9</b>		1,196		
1285 - 1300	RWC1 D9	RWC2 D9	1,648		
1385 - 1400	RWC1 E9	RWC2 E9	1,675		
1485 - 1500	RWC1 H9	RWC2H9	1,705	0	256
1585 - 1600	RWC1 K9	RWC2K9	1,735		
1685 - 1700	RWC1 M9	RWC2 M9	1,762		

- When ordering please indicate assembly on shower tray or flush with floor. The total dimensions of the shower enclosure always refer to the outer edge of the glass. The fixation elements add to the overal dimensions. See page 10.
- Correct installation is only possible if the floor is horizontal and the walls are vertical.


## Anniversary Edition PRO:TECT Walk In

### DYNAMIC Walk In

- · Mounting without drilling
- Barrier-free
- Wall profile with 3D adjustment
- 8 mm single-pane safety glass
- Standard height 2000 mm
- Adjustment range 20 mm
- Custom sizes available







Le système de collage ART-FIX is universally applicable for all

substrates that are fully load-bearing, flat, dry, free of dust and grease, sealed against moisture and free of adhesion-reducing substances.

- Barrier-free
- Safe glass supports with edge protection
- 6 mm and 8 mm single-pane safety glass
- Standard height 2000 mm
- Adjustment range 15 mm
- Custom widths available





The floor support is made without a profile with a transparent edge protector.







### MOVE Walk In

- Barrier free entry
- 6 mm single-pane safety glass
- Standard height 2000 mm
- Framed models including a 20 mm adjustment range
- Frameless models made to measure according to requirements
- Custom sizes available





With SOFT OPEN / SOFT CLOSE (optional) the most up to date technology is hidden behind the elegant inside panel. The door is gently slowed down just before the end and then glides smoothly into the stop position.




The patent pending magnetic closure enables the door to swing open by lightly pressing it. This makes cleaning much easier.

### **ACCESSORIES**

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

ALL.IIO.	
M 0	
	Base price



Comfort system SOFT OPEN/SOFT CLOSE
Upgrade for existing Artweger MOVE sliding doors.

M00 01 141

Art. no.







# Anniversary Edition Artweger PRO:TECT Walk In ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

Installation left	Installation right	Height of glass	Width of glass	Overview of product features
PROTECT Walk In without side screen		2000	303 - 1503	<ul> <li>Wall bracket with 20 mm adjustment range.</li> <li>Including stabiliser, length 1200 mm.</li> <li>Length has to be adjusted on site.</li> </ul>
CUSTOM MEASUREMENTS - Measurement sketch needed. Height of glass 700 - 2200 mm. Width of glass 300 - 1800 mm.				
		Surcharge for triangular and rectangular cut-outs.		



Installation left	Installation right	Height of glass	Width of glass	Overview of product features	
PROTECT Walk In VARIO without side screen	2000	<b>1</b> 303 - 1503 <b>3</b> 500	Wall bracket with 20 mm adjustment range.     One mounted part and one 360° revolving glass part.     Suitable for smaller rooms.     Only watertight when fully extended.     Including stabiliser, length 1200 mm.     Length has to be adjusted on site.		
		CUSTOM MEASUREMENTS - Measurement sketch needed. Height of glass 1800 - 2200 mm. Width of glass 1: 300 - 1500 mm, 3: 240 - 690 mm.			
<b>V</b>		Surcharge for triangular and rectangular cut-outs.			



Art. no.	Colour	Glazing	Glass finishing (optional)
PR			
	Base price	Surcharg	е

left	right	MH High-gloss metal	WM Matt white SM Matt black	EK Glass clear RW Strip Satin SA Satin	C ARTCLEAR GLAZING  ANNIVERSARY EDITION: ARTCLEAR GLAS including ARTSHOWER Softedge hand shower PLUS.
PRW11 89	PRW1289	1,611	1,836	EK 0 RW 204 SA 351	256 +
PRW11 88	PRW1288	1,773	1,998		
		322	322		



left	right	MA High-gloss metal Matt aluminium  MP High-gloss metal Graphite	WP Matt white Graphite  SP Matt black Graphite	EK Glass clear RW Strip Satin SA Satin	C ARTCLEAR GLAZING  ANNIVERSARY EDITION: ARTCLEAR GLAS including ARTSHOWER Softedge hand shower PLUS.
PRWV1 89	PRWV2 89	2,304	2,529	EK 0 RW 250 SA 388	256 +
PRWV1 88	PRWV288	2,467	2,692		
		322	322		





High-gloss metal Matt aluminium



High-gloss metal Graphite



Matt white Graphite



Matt black Graphite




### EQUIPMENT OF THE ARTWEGER PROTECT Walk In

### Attachment to the wall



With wall profile. Adjustment of up to 20 mm (±10 mm) to allow for uneven or sloped walls.

### Connection to floor



With adjustable foot or edge protector of transparent plastic. Both variants are included.

### Stabiliser



Horizontal stabilizer

- Due to the open entrance area, watertightness cannot be obtained.
- When ordering please indicate assembly on shower tray or flush with floor. The total dimensions of the shower enclosure always refer to the outer edge of the glass. The fixation elements add to the overal dimensions. See page 9.

Artweger DYNAMIC Walk In

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

Installation left	Installation right	Height	Shower tray measurement (WM) length a x width b	Shower tray installation measurement	Fixed part width Quantity stabilisers		Entrance width	
DYNAMIC Walk II	n 6 mm ESG		800	785 - 800	765 - 780	1	_	
			900	885 - 900	865 - 880	1	_	
			1000	985 - 1000	965 - 980	1	_	
		2000	1100	1085 - 1100	1065 - 1080	1	_	
			1200	1185 - 1200	1165 - 1180	1	_	
			1300	1285 - 1300	1265 - 1280	1	-	
			1400	1385 - 1400	1365 - 1380	1	-	
7	7		Including stabiliser, length 1200 mm. Length has to be adjusted on site.					
		CUSTOM WIDTH - Measurement sketch needed. Shower tray installation measurement 500 - 1400 mm. Custom heights not available.						
DYNAMIC Walk II	<b>n</b> 8 mm ESG		800	785 - 800	765 - 780	1	_	
	» • 1		900	885 - 900	865 - 880	1	_	
			1000	985 - 1000	965 - 980	1	_	
		2000	1100	1085 - 1100	1065 - 1080	1	_	
			1200	1185 - 1200	1165 - 1180	1	-	
			1300	1285 - 1300	1265 - 1280	1	-	
			1400	1385 - 1400	1365 - 1380	1	-	
7		Including stabiliser, length 1200 mm. Length has to be adjusted on site.						
		CUSTOM WIDTH - Measurement sketch needed.						

Shower tray installation measurement 500 - 1400 mm. Custom heights not available.

급	$\overline{}$
50	Ξ
ě	×
≥	Ħ
-	$\leq$
ď	

	Art. no.	Frame colour	Glazing	Glass finishing (optional)
	6			
		Base price	Surch	arge
1		I	I	ı
WM	Art. no.	MH High-gloss metal	EK Glass clear	C ARTCLEAR GLAZING
				GLAZING
800	6W0 49	645		
900	6W0 59	663		
1000	6W0 69	680		
1100	6W0 09	698	0	256
1200	6W0 B9	717		
1300	6W0 D9	735		
1400	6W0 E9	754		
	6W0 89	850		
800	6WA 49	827		
900	6WA 59	843		
1000	6WA 69	860		
1100	6WA 09	878	0	256
1200	6WA B9	896		
1300	6WA D9	922		
1400	6WA E9	950		
	6WA 89	1,073		

Artweger MOVE Walk In ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

Fixed part Fixe left righ	ed part Hei	ght	Shower tray measurement (WM)	Width	Fixed part width	Entrance width	
MOVE Double sliding door with frame	Walk In						
			1000	970 - 990	457 - 477	_	
			1100	1070 - 1090	512 - 532	_	
	20	00	1200	1170 - 1190	557 - 577	_	
			1400	1370 - 1390	657 - 677	_	
			1600	1570 - 1590	757 - 777	_	
			Incl. stabiliser, length 1250 mm. Length has to be adjusted on site.				
1 door part and 1 fixed part		CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1800 - 2200 mm. Shower tray installation measurement 1000 - 1600 mm.					
MOVE Double sliding door frameless	r Walk In		1000 - 1200				
	20	00	1201 - 1400		to dimension sketch.		
		00			iser, length 1250 mm. to be adjusted on site.		
		COM N	1401 - 1600  1EASUREMENTS - Measure				
1 door part and 1 fixed part			- 2200 mm. Shower tray ins		- 1600 mm.		

	Glass	
Glazing	finishing (optional)	Comfort system

Surcharge

			Giass
Art. no.	Frame colour	Glazing	finishing (optional) Comfort system
M			

Base price

left	right	MH High-gloss metal	WS White SM Matt black LB Silver	WM Matt white GF Graphite metallic CN Champagne MK Mokka BZ Bronze . Additional colours	EK Glass of RW Strip S		C ARTCLEAR GLAZING	S SOFT OPEN SOFT CLOSE
MGF1 69 MGF1 09 MGF1 B9 MGF1 E9 MGF1 K9	MGF2 69 MGF2 09 MGF2 B9 MGF2 E9 MGF2 K9	1,386 1,416 1,447 1,505 1,568	1,611 1,641 1,672 1,730 1,793	1,846 1,876 1,907 1,965 2,028	EK RW SA	0 259 388	256	116
MRF1 B9 MRF1 E9 MRF1 K9	MRF2 B9 MRF2 E9 MRF2 K9	1,735 1,807 1,882	1,960 2,032 2,107	2,195 2,267 2,342 2,393	EK RW SA	0 259 388	256	116

### TWISTLINE

Twist more space into the bathroom.

- Rotating-cylinder swing doors with or without fixed doors
- Swinging door can be opened 90° outwards als well as inwards
- Barrier-free with Vario sealing system
- Raise and lower mechanism
- Wall profile with 3D adjustment and concealed silicone joints in models with fixed parts
- 6 mm single-pane safety glass
- Standard height 1900 mm or 2040 mm
- Adjustment range 18 mm
- Custom sizes available



With swinging doors which can be opened inwards as well as outwards.



opening and closing of the doors. When opening, the swinging door is raised gently. When closed, the door is lowered again.







VARIO sealing system: You decide either for 100 % FLUSH-TO-FLOOR ACCESS or ...






according to EN 14428



... for an optional surge bar which is only 10 mm high and provides IMPROVED SEALING of the door.





LOVELY COMBINATION:

knob inside. Colour chrome.

### ACCESSORIES

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

Art. no. Colour

5 T Base price

		Height / length	Art. no.	MH High-gloss metal	<b>WS</b> White
+	Mounting bracket, 45° For installation on tiled walls under 45°.	2040	5T0P7H	259	290
4 2	Required additional information: article number of the respective shower enclosure.	1900	5T0P77	253	283
→41 →		Custom size	5T0P78	310	347
	Mounting bracket, 45° for swinging doors without fixed part.	2040	5T0P 9H	259	290
7	For installation on tiled walls under 45°.  Necessary additional information: article number of the	1900	5T0P97	253	283
<u>41 →</u>	respective shower enclosure.	Custom size	5T0P98	310	347
12	Compound bracket 12 mm for side screen and swinging doors attached on	2040	5T0P3H	124	139
35	- fixed part.  Extends adjustment range by 12 mm.	1900	5T0P37	122	137
<u> </u>	Required additional information: article number of the respective shower enclosure.	Custom size	5T0P38	147	165
	Compound bracket 12 mm for swinging doors without fixed part.	2040	5T0P 5H	124	139
35.	Extends adjustment range by 12 mm. Required additional information: article number of the respective shower enclosure.	1900	5T0P 57	122	137
<del>-   -</del> 12		Custom size	5T0P 58	147	165
40	Mounting bracket For attaching to wall projections.  Required additional information: article number of the respective shower enclosure.	2040	5T0P1H	259	290
-40		1900	5T0P17	253	283
		Custom size	5T0P18	310	347
40	Mounting bracket for swinging doors without fixed part.	2040	5T0P 2H	259	290
40	For attaching to wall projections.  Necessary additional information: article number of the	1900	5T0P27	253	283
	respective shower enclosure.	Custom size	5T0P 28	310	347
	Stabiliser Fits quarter-round and pentagonal shower, doors and corner entry.	ca. 300	5T00 31	142	163
		ca. 430	5T00 32	155	178
	Side-screen stabiliser Length has to be adjusted on site.	ca. 1200	5T00 34	165	190
	T-Stabilizer Length has to be adjusted on site.	ca. 1200	5T00 36	222	255

### LEFT/RIGHT in the case of an asymmetric shower tray

LEFT
5TR1AH
5TR1GH
5TR1A7
5TR1G7





RIGHT
5TR2AH
5TR2GH
5TR2A7
5TR2G7



ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

	Height		er tray measurement (WM) ength a x width b	Shower tray installation measurement	Fixed part width Quantity stabilisers	Entrance width
1/4-round shower		800	<b>× 800 I</b> R=500	782 - 800	260 - 280 2	670
. 1   1			× 900 II R=550	882 - 900	310 - 330 2	740
	2040		×1000 II R=550	982 - 1000	410 - 430 2	740
	2010		× 800 I R=500	882 - 900 × 782 - 800	360 - 380 × 260 - 280 2	670
			× 900 II R=550	1182 - 1200 × 882 - 900	610 - 630 × 310 - 330 2	740
		800	× 800 I R=500	782 - 800	260 - 280 2	670
		900	× 900 II R=550	882 - 900	310-330 2	740
2 swinging doors and 2 fixed parts	1900	1000	×1000 II R=550	982 - 1000	410 - 430 2	740
		900	<b>× 800 I</b> R=500	882 - 900 × 782 - 800	360 - 380 × 260 - 280 2	670
		1200	× 900 II R=550	1182 - 1200 × 882 - 900	610-630×310-330 <sup>2</sup>	740
	fixed-part c Custom hei	ustom v ghts no	width (narrower or wid	ement sketch needed. der). Width max. 1200 × 1200 ular cut-outs.	mm.	
Corner entry			800×800	782 - 800		970
		+	900×900	882 - 900		1120
	00.40		900×750 <sub>=</sub>	882 - 900 × 732 - 750		1020
	2040	left	750×900	732 - 750 × 882 - 900		1020
			900×800	882 - 900 × 782 - 800		1050
			800×900	782 - 800 × 882 - 900		1050
			800×800	782 - 800		970
2 swinging doors			900×900	882 - 900		1120
	4000		900×750 <sub>=</sub>	882 - 900 × 732 - 750		1020
	1900	left	750 × 900	732 - 750 × 882 - 900		1020
			900×800	882 - 900 × 782 - 800		1050
			800×900	782 - 800 × 882 - 900		1050
	Height 1500 Price for co	0 - 2100 mbinati		ement sketch needed. tallation measurement 700 - Indard measurement:	1000 mm.	
Corner entry attached on fixed part			800× 800	782 - 800	220 - 240 –	750
	2040		900× 900	882 - 900	270 - 290 -	820
	20-10		1000×1000	982 - 1000	370 - 390 2	820
			1200×1200	1182 - 1200	470 - 490 2	960
			800× 800	782 - 800	220 - 240 -	750
	1000		900× 900	882 - 900	270 - 290 -	820
	1900		1000×1000	982 - 1000	370 - 390 2	820
2 swinging doors and 2 fixed parts			1200 × 1200	1182 - 1200	470 - 490 2	960
	CUSTOM N	/IEASU	REMENTS - Measure	ement sketch needed.		

Height 1500 - 2100 mm. Shower tray installation measurement 750 - 1300 mm.

One stabiliser included with custom widths 900 mm and wider. Price for combination of custom and standard measurement:

(custom price + standard price) / 2.

Surcharge for triangular and rectangular cut-outs.

Art. no. Frame colour Glazing finishing (optional)

Base price Surcharge

WM	left	right	MH High-gloss metal	WS White/chrome	EK Glass clear RW Strip Satin SA Satin	C ARTCLEAR GLAZING
8001	5TR	0.40	1,898	2,126		
9001	5TR		1,933	2,126		
1000	5TR		1,967	2,703		
900/8001	5TR1 AH	5TR2AH	1,933	2,165		
1200/9001	5TR1 GH	5TR2 GH	1,985	2,703	<b>EK</b> 0	
	JIIII GII	31112 011	1,900	2,220	<b>EK</b> 0 <b>RW</b> –	417
8001	5TR	0 47	1,843	2,064	SA –	
90011	5TR	0 27	1,877	2,102		
1000	5TR	0 67	1,911	2,140		
900/8001	5TR1 A7	5TR2 A7	1,877	2,102		
1200/90011	5TR1 G7	5TR2 G7	1,928	2,159		
	5TR	0 88	2,157	2,416		
			322	322		
800	5WE	0.4H	1,672	1,873		
900	5WE		1,701	1,905		
900/750	5WE		1,101	1,000		
750/900	5WE		1,679	1,880		
900/800	5WE					
800/900	5WE		1,687	1,889	<b>EK</b> 0	
					<b>RW</b> 518	417
800	5WE		1,620	1,814	<b>SA</b> 692	
900	5WE		1,650	1,848		
900/750	5WE		1,627	1,822		
750/900	5WE					
900/800	5WE 5WE		1,635	1,831		
800/900	SWE	:077				
	5WE	88 0	2,041	2,286		
800	5TE	0 4H	1,648	1,846		
900	5TE		1,681	1,883		
1000	5TE	0 6H	1,718	1,924		
1200	5TE	) BH	1,789	2,004	<b>EK</b> 0	
800	5TE	0.47	1,597	1,789	RW 518 SA 692	417
900	5TE		1,632	1,828	0.002	
1000	5TE		1,669	1,869		
1200	5TE		1,740	1,949		
1200						
	5TE	0 88	2,020	2,262		
			322	322		



Hinge left	Hinge right	Height	Shower tray measure- ment (WM)	Shower tray installation measurement	Fixed part width Quantity stabilisers		Entrance width
Swinging door in alcove		2040	800 900 1000	782 - 800 882 - 900 982 - 1000	- - -	-	700 800 900
		1900	800 900 1000	782 - 800 882 - 900 982 - 1000	- - -	- - -	700 800 900
1 door part without fix	ed part	Height 1500		TS - Measurement sketch needed. ower tray installation measurement 700 - 1	000 mm.		
Swinging door next to fixed part in alcove	2040	800 900 1000 1200 1400 1600	764 - 800 864 - 900 964 - 1000 1164 - 1200 1364 - 1400 1564 - 1600	125 - 145 115 - 135 215 - 235 415 - 435 615 - 635 815 - 835	- - 1 1	580 690 690 690 690	
1 door part and 1 fixed part		1900	800 900 1000 1200 1400 1600	764 - 800 864 - 900 964 - 1000 1164 - 1200 1364 - 1400 1564 - 1600	125 - 145 115 - 135 215 - 235 415 - 435 615 - 635 815 - 835	- - 1 1	580 690 690 690 690
		Stabiliser 1200 mm. Length must be adjusted on site.  CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1500 - 2100 mm. Shower tray installation measurement 750 - 1800 mm. door max. 1000 mm. One stabiliser included with widths 1200 mm and wider. Surcharge for triangular and rectangular cut-outs.					
Double swinging door in ald	or in alcove	2040	800 900 1000 1200	764 - 800 864 - 900 964 - 1000 1164 - 1200	- - -	- - -	650 750 850 1050
2 door parts		1900	800 900 1000 1200	764 - 800 864 - 900 964 - 1000 1164 - 1200	- - - -	- - -	650 750 850 1050
2 3001 parto				 <b>TS -</b> Measurement sketch needed. ower tray installation measurement 750 - 1	800 mm.		

Glass finishing (optional) Frame colour Glazing Art. no. 5 Bas

se price S	urcharge
------------	----------

WM	left right		MH High-gloss metal	WS White/chrome	EK Glass clear RW Strip Satin SA Satin	C ARTCLEAR GLAZING
800	5W51 4H	5W524H	1,112	1,245		
900	5W51 5H	5W525H	1,128	1,263		
1000	5W51 6H	5W526H	1,141	1,278	<b>EK</b> 0 <b>RW</b> 259	211
800	5W51 47	5W5247	1,078	1,207	SA 351	211
900	5W51 57	5W5257	1,092	1,223		
1000	5W51 67	5W5267	1,111	1,244		
	5W51 88	5W5288	1,351	1,513		
			322	322		
800	5W41 4H	5W424H	1,268	1,420		
900	5W41 5H	5W425H	1,278	1,431		
1000	5W41 6H	5W426H	1,298	1,454		
1200	5W41 BH	5W42BH	1,322	1,481		
1400	5W41 EH	5W42 EH	1,349	1,511		
1600	5W41 KH	5W42 KH	1,378	1,543	<b>EK</b> 0 <b>RW</b> 259	211
800	5W41 47	5W4247	1,231	1,379	<b>SA</b> 351	211
900	5W41 57	5W4257	1,242	1,391		
1000	5W41 67	5W4267	1,257	1,408		
1200	5W41 B7	5W42B7	1,280	1,434		
1400	5W41 E7	5W42 E7	1,309	1,466		
1600	5W41 K7	5W42 K7	1,334	1,494		
	5W41 88	5W4288	1,536	1,720		
			322	322		
800	5WD	00 4H	1,551	1,737		
900	5WD	00 5H	1,567	1,755		
1000	5WD	00 6H	1,585	1,775		
1200	5WD	00 BH	1,614	1,808	<b>EK</b> 0 <b>RW</b> 259	211
800	5WE	00 47	1,506	1,687	SA 351	211
900	5WE	00 57	1,522	1,705		
1000	5WE	00 67	1,534	1,718		
1200	5WD	00 B7	1,566	1,754		
	5WE	00 88	1,882	2,108		



ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

Hinge left	Hinge right	Height	Shower tray measure- ment (WM)	Shower tray installation measurement	Fixed part width Quantity stabilisers		Entrance width
Swinging door attached on fixed part in alcove		2040	800 900 1000 1200	782 - 800 882 - 900 982 - 1000 1182 - 1200	230 - 250 280 - 300 280 - 300 480 - 500	- 1 1	530 580 680 680
1 door part and	1 fixed part	1900	800 900 1000 1200	782 - 800 882 - 900 982 - 1000 1182 - 1200	230 - 250 280 - 300 280 - 300 480 - 500	- 1 1	530 580 680 680
	·	Height 1500 One stabilis	) - 2100 mm. Sh er included with	TS - Measurement sketch needed. ower tray installation measurement 750 - 1 o custom widths 900 mm and wider. and rectangular cut-outs.	300 mm.		
Swinging door attached on fixed part in alcove	2040	900 1000 1200 1400	864 - 900 964 - 1000 1164 - 1200 1364 - 1400	180 - 200 205 - 225 255 - 275 355 - 375	- - - 2	530 580 680 680	
		1900	900 1000 1200 1400	864 - 900 964 - 1000 1164 - 1200 1364 - 1400	180 - 200 205 - 225 255 - 275 355 - 375	- - - 2	530 580 680 680
1 door part and 2 fixed parts		CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1500 - 2100 mm. Shower tray installation measurement 900 - 1800 mm. One stabiliser included with widths 1210 mm and wider. Surcharge for triangular and rectangular cut-outs.					
Double swinging door attached on fixed part in alcove		2040	1200 1400	1164 - 1200 1364 - 1400	185 - 205 285 - 305	- 2	790 790
		1900	1200 1400	1164 - 1200 1364 - 1400	185 - 205 285 - 305	- 2	790 790
0 de su sente se	d Of wed a costs			TS - Measurement sketch needed.	2000 mm		

Height 1500 - 2100 mm. Shower tray installation measurement 1100 - 2000 mm. Two stabilisers included with widths over 1350 mm and wider.

Surcharge for triangular and rectangular cut-outs.

2 door parts and 2 fixed parts

Art.no. Frame colour Glazing finishing (optional)

Base price Surcharge

WM	left	right	MH High-gloss metal	WS White/chrome	EK Glass clear RW Strip Satin SA Satin	C ARTCLEAR GLAZING
800	5T51 4H	5T524H	1,084	1,214		
900	5T51 5H	5T525H	1,094	1,225		
1000	5T51 6H	5T526H	1,110	1,243		
1200	5T51 BH	5T52 BH	1,133	1,269	<b>EK</b> 0	011
800	5T51 47	5T5247	1,049	1,175	RW 259 SA 351	211
900	5T51 57	5T5257	1,064	1,192		
1000	5T51 67	5T5267	1,076	1,205		
1200	5T51 B7	5T52B7	1,101	1,233		
	5T51 88	5T5288	1,314	1,472		
			322	322		
900	5T41 5H	5T425H	1,315	1,473		
1000	5T41 6H	5T426H	1,331	1,491		
1200	5T41 BH	5T42 BH	1,363	1,527		
1400	5T41 EH	5T42 EH	1,387	1,553	<b>EK</b> 0	044
900	5T41 57	5T42 57	1,275	1,428	RW 259 SA 351	211
1000	5T41 67	5T4267	1,292	1,447		
1200	5T41 B7	5T42B7	1,320	1,478		
1400	5T41 E7	5T42 E7	1,350	1,512		
	5T41 88	5T4288	1,598	1,790		
			322	322		
1200	5TD	0 BH	1,595	1,786		
1400	5TD	0 EH	1,631	1,827	<b>EK</b> 0	016
1200	5TD	0 B7	1,546	1,732	RW 461 SA 692	316
1400		00 E7	1,583	1,773		
	5TD	00 88	1,914	2,144		
			322	322		



ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

Hinge left	Hinge right	Height	Shower tray measure- ment (WM)	Shower tray installation measurement	Fixed part width Quantity stabilisers	Entrance width
Swinging door next	to side screen	2040	800 900 1000	782 - 800 882 - 900 982 - 1000	- 1 - 1 - 1	680 780 880
		1900	800 900 1000	782 - 800 882 - 900 982 - 1000	- 1 - 1 - 1	680 780 880
			S	Rotating tube always on the wall signature in the second stabiliser 1200 mm. Length must be adjust		


1 door part

**CUSTOM MEASUREMENTS - Measurement sketch needed.** 

Height 1500 - 2100 mm. Shower tray installation measurement 700 - 1000 mm.

Surcharge for triangular cut-outs.





1 door part and 1 fixed part


	800	782 - 800	210 - 230 1	530
0040	900	882 - 900	260 - 280 1	580
2040	1000	982 - 1000	260 - 280 1	680
	1200	1182 - 1200	460 - 480 1	680
	800	782 - 800	210 - 230 1	530
1000	900	882 - 900	260 - 280 1	580
1900	1000	982 - 1000	260 - 280 1	680
	1200	1182 - 1200	460 - 480 1	680

Rotating tube always on the wall side. Stabiliser 1200 mm. Length must be adjusted on site.

**CUSTOM MEASUREMENTS - Measurement sketch needed.** 

Height 1500 - 2100 mm. Shower tray installation measurement 750 - 1300 mm.

Surcharge for triangular and rectangular cut-outs.



	800	782 - 800	_	-	-
2040	900	882 - 900	_	-	-
	1000	982 - 1000	_	-	-
	800	782 - 800	_	-	-
1900	900	882 - 900	_	-	-
	1000	982 - 1000	_	-	-

**CUSTOM MEASUREMENTS - Measurement sketch needed.** 

Height 1500 - 2100 mm. Shower tray installation measurement 200 - 1200 mm.

Surcharge for triangular and rectangular cut-outs.

Art. no. Frame colour Glazing Glass finishing (optional)

Base price Surcharge

WM left right MH High-gloss metal WS White/chrome EK Glass clear RW Strip Satin SA Satin

C ARTCLEAR GLAZING

WM	left	right	MH High-gloss metal	WS White/chrome	EK Glass clear RW Strip Satin SA Satin	C ARTCLEAR GLAZING
800	5W21 4H	5W224H	1,112	1,245		
900	5W21 5H	5W225H	1,128	1,263		
1000	5W21 6H	5W226H	1,141	1,278	<b>EK</b> 0	
					<b>RW</b> 259	211
800	5W21 47	5W22 47	1,078	1,207	<b>SA</b> 351	
900	5W21 57	5W22 57	1,092	1,223		
1000	5W21 67	5W22 67	1,111	1,244		
	5W21 88	5W2288	1,351	1,513		
		ı				
		ĺ	322	322		
800	5T21 4H	5T224H	1,112	1,245		
900	5T21 5H	5T225H	1,128	1,263		
1000	5T21 6H	5T226H	1,141	1,278		
1200	5T21 BH	5T22 BH	1,174	1,315	<b>EK</b> 0	
800	5T21 47	5T2247	1,078	1,207	RW 259 SA 351	211
900	5T21 57	5T22 57	1,092	1,223		
1000	5T21 67	5T22 67	1,111	1,244		
1200	5T21 B7	5T22B7	1,139	1,276		
	5T21 88	5T2288	1,351	1,513		
	012100	012200	1,001	1,010		
			322	322		
800	5T1	04H	621	696		
900		0.5H	638	715		
1000	5T1	0 6H	654	732	<b>EK</b> 0	
800	5T1	0 47	600	672	RW 204 SA 351	211
900		0 57	622	697		
1000		0 67	638	715		
	511	0 88	767	859		
			322	322		

### TWISTLINE

Hinge left	Hinge right	Height	Shower tray measure- ment (WM)	Shower tray installation measurement	Fixed part width Quantity stabilisers		Entrance width	
Swinging door next	to shortened side		800	782 - 800	_	1	700	
screen	1	2040	900	882 - 900	_	1	800	
			1000	982 - 1000	-	1	900	
			800	782 - 800	_	1	700	
		1900	900	882 - 900	_	1	800	
			1000	982 - 1000	_	1	900	
			Rotating tube always on the wall side. Stabiliser 1200 mm. Length must be adjusted on site.					
1 door part		CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1500 - 2100 mm. Shower tray installation measurement 700 - 1000 mm.						
		Surcharge for triangular cut-outs.						
Swinging door attached on fixed part			800	782 - 800	230 - 250	1	530	
next to shortened sid	le screen	2040	900	882 - 900	280 - 300	1	580	
		20.0	1000	982 - 1000	280 - 300	1	680	
			800	782 - 800	230 - 250	1	530	
		1900	900	882 - 900	280 - 300	1	580	
			1000	982 - 1000	280 - 300	1	680	
		Rotating tube always on the wall side. Stabiliser 1200 mm. Length must be adjusted on site.						
1 door part and 1 fixe	d part			TS - Measurement sketch needed. ower tray installation measurement 750 - 1	300 mm.			
		Surcharge	for triangular a	and rectangular cut-outs.				
Shortened side scre	een							
			- 2100 mm. Sh	<b>TS -</b> Measurement sketch needed. ower tray installation measurement	-	_	-	
	Surcharge	for triangular a	and rectangular cut-outs.					

Art. no. Frame colour Glazing finishing (optional)

5 Base price Surcharge

WM	left	right	MH High-gloss metal	WS White/chrome	EK Glass clear RW Strip Satin SA Satin	C ARTCLEAR GLAZING
800	5W31 4H	5W324H	1,112	1,245		
900	5W31 5H	5W325H	1,128	1,263		
1000	5W31 6H	5W326H	1,141	1,278	<b>EK</b> 0 <b>RW</b> 259	211
800	5W31 47	5W32 47	1,078	1,207	RW 259 SA 351	211
900	5W31 57	5W3257	1,092	1,223		
1000	5W31 67	5W3267	1,111	1,244		
	5W31 88	5W3288	1,351	1,513		
			322	322		
800	5T31 4H	5T324H	1,112	1,245		
900	5T31 5H	5T325H	1,128	1,263		
1000	5T31 6H	5T326H	1,141	1,278	<b>EK</b> 0	244
800	5T31 47	5T3247	1,078	1,207	RW 259 SA 351	211
900	5T31 57	5T32 57	1,092	1,223		
1000	5T31 67	5T32 67	1,111	1,244		
	5T31 88	5T3288	1,351	1,513		
			322	322		
	5T61 88	5T6288	841	942	EK 0 RW 204 SA 351	211
			322	322		



		measure- ment (WM)		Quantity stabilisers		width
Double swinging door next to side		800	764 - 800		1	620
screen	2040	900	864 - 900	_	1	720
	2040	1000	964 - 1000	_	1	820
		800	764 - 800	_	1	620
	1900	900	864 - 900	_	1	720
		1000	964 - 1000	_ -	1	820
		S	Rotating tube always on the wall signature and the stabiliser 1200 mm. Length must be adjust			
2 door parts			TS - Measurement sketch needed. ower tray installation measurement 750 - 1	200 mm.		
Side screen fits double swinging door		800	782 - 800	_	_	_
	2040	900	882 - 900	_	_	_
	20.0	1000	982 - 1000	_	_	_
		000	700 000			
	1000	800	782 - 800	_	-	_
	1900	900	882 - 900	_	-	_
		1000	982 - 1000	_	_	_
	CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1500 - 2100 mm. Shower tray installation measurement 200 - 1200 mm. Surcharge for triangular and rectangular cut-outs.					
Double swinging door next to		800	764 - 800	_	1	650
shortened side screen	2040	900	864 - 900	_	1	750
	2010	1000	964 - 1000	_	1	850
		800	764 - 800	_	1	650
	1900	900	864 - 900	_	1	750
		1000	964 - 1000	_	1	850
		Q	Rotating tube always on the wall signature and the stabiliser 1200 mm. Length must be adjust	de.		
2 door parts		MEASUREMEN	TS - Measurement sketch needed.  ower tray installation measurement 750 - 1			
Chartened side seven fits devible	Tioignt 1000		owor tray installation measurement roo i	200111111.		
Shortened side screen fits double swinging door						
	Height 1300	CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1300 - 2100 mm. Shower tray installation measurement 200 - 1000 mm.				-

Art. no. Frame colour Glazing finishing (optional)

Base price Surcharge

WM	left	right	MH High-gloss metal	WS White/chrome	EK Glass clear RW Strip Satin SA Satin	C ARTCLEAR GLAZING
800	5WS	60 4H	1,551	1,737		
900		60 5H	1,567	1,755		
1000		60 6H	1,585	1,775	<b>EK</b> 0	
800	5\\\\\	60 47	1,506	1,687	RW 259 SA 351	211
900		50 <del>4</del> 7 50 57	1,522	1,705	<b>3</b> /1 001	
1000		60 67	1,534	1,718		
1000	3003	50 07	1,354	1,710		
	5WS	88 08	1,882	2,108		
800	5W11 4H	5W124H	675	756		
900	5W11 5H	5W125H	692	775		
1000	5W11 6H	5W126H	710	795	<b>EK</b> 0	
800	5W11 47	5W1247	657	736	RW 204 SA 351	211
900	5W11 57	5W1257	676	757		
1000	5W11 67	5W1267	692	775		
	5W11 88	5W1288	820	918		
			322	322		
800	EVACE	70.411	1.551	1,737		
900		0 4H 0 5Н	1,551			
1000		05H 06H	1,567 1,585	1,755 1,775		
1000	3001		1,365	1,775	<b>EK</b> 0 <b>RW</b> 259	211
800	5WT	0 47	1,506	1,687	<b>SA</b> 351	
900	5WT	0 57	1,522	1,705		
1000	5WT	0 67	1,534	1,718		
	5WT	<sup>-</sup> 0 88	1,882	2,108		
	5W61 88	5W6288	841	942	EK 0 RW 204 SA 351	211
			322	322		



ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

Hinge left	Hinge right	Height		Shower tray measurement (WM)		Shower tray installation measurement	Fixed part width	Entrance width
Swinging door attack with swinging side so				800 × 800		782 - 800	210 - 230	530
	2040	left	900 × 900	right	882 - 900	260 - 280	580	
				1000 × 1000		982 - 1000	260 - 280	680
				900 × 750 Door at 900		882 - 900 × 732 - 750	260 - 280	580
				800× 800		782 - 800	210 - 230	530
		1000	. <del>.</del>	900× 900	±	882 - 900	260 - 280	580
		1900	left	1000×1000	right	982 - 1000	260 - 280	680
1 door part and 1 fixed part				900 × 750 Door at 900		882 - 900 × 732 - 750	260 - 280	580
		CUSTOM N	IEAS	UREMENTS - M	1eas	urement sketch needed.		


Height 1500 - 2100 mm. Shower tray installation measurement 750 - 1000 mm.

Price for combination of custom and standard measurement:

(custom price + standard price) / 2.

Surcharge for triangular and rectangular cut-outs.

Swinging door attached on fixed part with swinging side screen next to bathtub



1 door part and 1 fixed part Shower tray and bathtub not flush.

			•		•		
204	0	left	800 × 800 900 × 900 1000 × 1000 900 × 750	right	782 - 800 882 - 900 982 - 1000 882 - 900 × 732 - 750	210 - 230 260 - 280 260 - 280 260 - 280	530 580 680 580
190	0	left	800 × 800 900 × 900 1000 × 1000 900 × 750 Door at 900	right	782 - 800 882 - 900 982 - 1000 882 - 900 × 732 - 750	210 - 230 260 - 280 260 - 280 260 - 280	530 580 680 580

**CUSTOM MEASUREMENTS - Measurement sketch needed.** 

Height 1500 - 2100 mm. Shower tray installation measurement 750 - 1000 mm.

Price for combination of custom and standard measurement:

(custom price + standard price) / 2.

Surcharge for triangular and rectangular cut-outs.



Detail of the swinging side screen when adjoined to the bathtub.

Glass

	Art.	no.	Frame	colour	GI	azing	finishing (optional)
	5						
			Base	price		Su	ircharge
	1		ı	ı	İ		
WM	left	right	MH High-gloss metal	WS White/chrome	EK Glass		C ARTCLEAR
					RW Strip S SA Satin	Satin	GLAZING
800	5TA1 4H	5TA24H	1,826	2,045			
900	5TA1 5H	5TA25H	1,844	2,065			
1000	5TA1 6H	5TA26H	1,873	2,098			
900/750	5TA1 CH	5TA2 CH	1,893	2,120	EV	0	
-					EK RW	0 518	417
800	5TA1 47	5TA2 47	1,770	1,982	SA	692	
900	5TA1 57	5TA2 57	1,788	2,003			
1000	5TA1 67	5TA2 67	1,817	2,035			
900/750	5TA1 C7	5TA2 C7	1,834	2,054			
	5TA1 88	5TA2 88	2,212	2,477			
			322	322			
800	5TB1 4H	5TB24H	1,826	2,045			
900	5TB1 5H	5TB25H	1,844	2,065			
1000	5TB1 6H	5TB26H	1,873	2,098			
900/750	5TB1 CH	5TB2CH	1,893	2,120	EK	0	
900	5TB1 47	5TB247	1,770	1,982	RW SA	518 692	417
800 900					SA	092	
1000	5TB1 57	5TB2 57	1,788	2,003			
900/750	5TB1 67	5TB2 67 5TB2 C7	1,817	2,035			
900/130	5TB1 C7	316207	1,834	2,054			
	5TB1 88	5TB288	2,212	2,477			
			_,	_,			
			322	322			

Did you not find a suitable model?
We have the right solution for your very special wishes for your own bathroom.
Contact us!

ARTWEGER - Your specialist for customized, individual solutions!

# TWISTLINE Folding doors

### Let it twist!

- Folding doors without fixed part
- 180° rotating-cylinder wall connector, between the glass elements wing hinges 180° opening outwards
- Barrier-free
- Raise and lower mechanism

- Certified adhesion technique
- 6 mm single-pane safety glass
- Standard height 2040 mm
- Adjustment range 18 mm
- Custom sizes available



Especially EASY TO CLEAN.



The RAISE-LOWER hinge provides simple opening and closing of the doors. When opening, the door is raised gently. When closed, the door is lowered again.







Artweger

100 % FLUSH-TO-FLOOR ACCESS





LOVELY COMBINATION: Elegant straight handle on the outside and a knob inside. Colour chrome.

## **ACCESSORIES**


ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.


Art. no. Colour

5 Base price

		Height	Art. no.	MH High-gloss metal	<b>WS</b> White
1 2 2 2	Mounting bracket, 45° for folding doors For installation on tiled walls under 45°. Necessary additional information: article number of the	2040	5T0P 9H	259	290
<del></del>	respective shower enclosure.	Custom size	5T0P98	310	347
40-	Mounting bracket for folding doors For attaching to wall projections.	2040	5T0P 2H	259	290
04	Necessary additional information: article number of the respective shower enclosure.	Custom size	5T0P 28	310	347
	Overflow moulding To enhance watertightness in the entrance area.				
	Double folding door without fixed part	10	5T00 22	115	129
	Corner entry with folding doors without fixed parts	10	5T00 21	169	189

### FOLDING DIRECTION OF TWISTLINE FOLDING DOORS.





### TWISTLINE

	Hinge right	Height	Shower tray measurement (WM)	Shower tray installation measurement	Quantity stabilisers	Entrance width	
Double folding door in alcove		2040	800 900 1000 1200	782 - 800 882 - 900 982 - 1000 1182 - 1200	- - - -	650 750 850 1050	
				TS - Measurement sketch needed. dth up to 750 - 1200 mm.		'	
Double folding door next to side screen		2040	800 900 1000	782 - 800 882 - 900 982 - 1000	1 1 1	630 730 830	
			1200 S	1182 - 1200 Rotating tube always on the wall si tabiliser 1200 mm. Length must be adjust	de.	1030	
				TS - Measurement sketch needed. dth up to 750 - 1200 mm.			
Side screen	2040	800 900 1000	782 - 800 882 - 900 982 - 1000	- - -	- - -		
		CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1400 - 2040 mm. Shower tray installation measurement 200 - 1200 mm. Surcharge for triangular and rectangular cut-outs.					
Double folding door no side screen	ext to shortened	2040	800 900 1000 1200	782 - 800 882 - 900 982 - 1000 1182 - 1200	1 1 1	650 750 850 1050	
		Rotating tube always on the wall side. Stabiliser 1200 mm. Length must be adjusted on site.  CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1400 - 2040 mm. Shower tray installation measurement 750 - 1200 mm.					
Shortened side screen		CUSTOM MEASUREMENTS - Measurement sketch needed. Height 700 - 2040 mm. Shower tray installation measurement - 200 - 1200 mm.					
		Surcharge	for triangular a	nd rectangular cut-outs.			
Corner entry with folding doors		2040	800 × 800 900 × 900 1000 × 1000 1200 × 1200	782 - 800 × 782 - 800 882 - 900 × 882 - 900 982 - 1000 × 982 - 1000 1182 - 1200 × 1182 - 1200	- - -	780 920 1060 1320	
	J			TS - Measurement sketch needed. Jth up to 1200 mm.			

Art. no. Frame colour Glazing finishing (optional)

Base price

Surcharge

WM	left	right	MH High-gloss metal	WS White/chrome	<b>EK</b> Glass clear <b>RW</b> Strip Satin	C ARTCLEAR GLAZING
800 900 1000 1200	5F51 4H 5F51 5H 5F51 6H 5F51 BH	5F52 4H 5F52 5H 5F52 6H 5F52 BH	1,559 1,586 1,613 1,670	1,746 1,776 1,807 1,870	<b>EK</b> 0 <b>RW</b> 259	211
	5F51 88	5F5288	1,844	2,065		
800 900 1000 1200	5F21 4H 5F21 5H 5F21 6H 5F21 BH	5F22 4H 5F22 5H 5F22 6H 5F22 BH	1,828 1,854 1,882 1,937	2,047 2,076 2,108 2,169	<b>EK</b> 0 <b>RW</b> 259	211
	5F21 88	5F22 88	2,135	2,391		
800 900 1000	5T1	04H 05H 06H	621 638 654	696 715 732	<b>EK</b> 0 <b>RW</b> 204	211
	5T1	0 88	767 322	859 322		
800 900 1000 1200	5F31 4H 5F31 5H 5F31 6H 5F31 BH	5F32 4H 5F32 5H 5F32 6H 5F32 BH	1,828 1,854 1,882 1,937	2,047 2,076 2,108 2,169	<b>EK</b> 0 <b>RW</b> 259	211
	5F31 88	5F3288	2,135	2,391		
	5T61 88	5T6288	841	942	<b>EK</b> 0 <b>RW</b> 204	211
			322	322		
800 900 1000	5FE	0 4H 0 5H 0 6H	2,521	2,824	<b>EK</b> 0 <b>RW</b> 518	417
1200		0 ВН	2,634	2,950		
	5FE	0 88	2,904	3,252		

<sup>•</sup> Execution without overflow moulding. Where the downward incline is insufficient or when mounting on a shower tray, a splash water bar is required for adequate protection. See page 121.

## Artweger DYNAMIC

Simply stylish.

- Swinging doors with fixed parts and Walk In
- $\bullet$  Swinging doors with an opening angle of approx. 90  $^{\circ}$  outwards and inwards
- Barrier-free with Vario sealing system
- Raise and lower mechanism
- Wall profile with 3D adjustment and concealed silicone joints for swinging doors
- Certified adhesion technique
- 6 mm single-pane safety glass
- Artweger DYNAMIC Walk In 6 mm and 8 mm standard height 2000 mm
- Adjustment range 20 mm, Artweger DYNAMIC Walk In 15 mm
- Custom widths available



The hinge combines rounded and angular elements to give a universal, versatile, complete design.



Certified adhesive technology for easy glass cleaning.



Continuous seals ensure water-tightness even around the hinges.





Unmistakeable and stylish flamboyant handles.

## Artweger




VARIO sealing system: You decide either for 100 % FLUSH-TO-FLOOR ACCESS or ...





according to EN 14428



... for an optional surge bar which is only 12 mm high and provides IMPROVED SEALING of the door.

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

Art. no. Colour 60 Base price

* 10	Compound bracket 10 mm  Extends adjustment range by 10 mm. Necessary addinformation: article number of the respective shower enclosure.  (Not suitable for Artweger DYNAMIC Walk In.)
₹ 1 22	Compound bracket 22 mm DYNAMIC Walk In Extends adjustment range of the DYNAMIC Walk In 22 mm. Necessary additional information: article nun the respective shower enclosure.





	Height / length	Art. no.	<b>MH</b> High-gloss metal
Compound bracket 10 mm  Extends adjustment range by 10 mm. Necessary additional information: article number of the respective shower enclosure.  (Not suitable for Artweger DYNAMIC Walk In.)	2000	60P 39	162
Compound bracket 22 mm DYNAMIC Walk In Extends adjustment range of the DYNAMIC Walk In by 22 mm. Necessary additional information: article number of the respective shower enclosure.	2000	60P 49	83
Stabiliser Fits quarter-round shower, doors and corner entry.	ca. 300	600 01	142
Side-screen stabiliser Length has to be adjusted on site.	ca. 1200	600 02	162
T-Stabilizer Length has to be adjusted on site.	ca. 1200	600 03	228

# Artweger DYNAMIC PROMPT DELIVERY

Artweger DYNAMIC - height 200	00 mm	Shower tray measurement (WM)	Art. no.	Price in EUR
	DYNAMIC Walk In  High-gloss metal, glass clear 8 mm with ARTCLEAR	785 - 800 885 - 900 985 - 1000 1085 - 1100 1185 - 1200 1285 - 1300 1385 - 1400	6WA 49 MH EK C 6WA 59 MH EK C 6WA 69 MH EK C 6WA 09 MH EK C 6WA B9 MH EK C 6WA D9 MH EK C 6WA E9 MH EK C	1,083 1,099 1,116 1,134 1,152 1,178 1,206
	DYNAMIC 1/4-round shower  High-gloss metal, glass clear 6 mm with ARTCLEAR 2 swinging doors and 2 fixed parts	900 × 900   R=500 900 × 900    R=550 1000 × 1000    R=550	6R0 19 MH EK C 6R0 29 MH EK C 6R0 69 MH EK C	2,157 2,157 2,187
	DYNAMIC Corner entry  High-gloss metal, glass clear 6 mm with ARTCLEAR 2 swinging doors and 2 fixed parts	800 × 800 900 × 900 1000 × 1000	6E0 49 MH EK C 6E0 59 MH EK C 6E0 69 MH EK C	1,899 1,929 1,964

# Artweger DYNAMIC PROMPT DELIVERY

Artweger DYNAMIC - height 2	Shower tray measurer (WM)	nent Art. no.	Price in EUR	
	DYNAMIC Swinging door attached on fixed part in alcove  High-gloss metal, glass clear 6 mm with ARTCLEAR 1 door part and 1 fixed part	900 left 1000 left 900 rig 1000 rig		1,141 1,154 1,141 1,154
	DYNAMIC Swinging door attached on fixed part next to side screen High-gloss metal, glass clear 6 mm with ARTCLEAR 1 door part and 1 fixed part	800 left 900 left 1000 left 800 rig 900 rig	nt 622 59 MH EK C	1,202 1,202 1,214 1,202 1,202 1,214
	DYNAMIC Side screen  High-gloss metal, glass clear 6 mm with ARTCLEAR	800 left 900 left 1000 left 800 rig 900 rig 1000 rig	nt 61259 MH EK C	752 752 767 752 752 752 767

Artweger DYNAMIC

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

	Height	Shower tray measurement (WM) length a x width b	Shower tray installation measurement	Fixed part width Quantity stabilisers	Entrance width
1/4-round shower					
nl In		800 × 800 l R=500	780 - 800	160 - 180 -	810
	2000	900 × 900 l R=500	880 - 900	260 - 280 2	810
	2000	900 × 900 II R=550	880 - 900	160 - 180 -	950
		1000 × 1000 II R=550	980 - 1000	260 - 280 2	950
2 swinging doors and 2 fixed parts	fixed-part c	<b>VIDTH -</b> Measurement sketch ustom width (narrower or wic ghts, triangular and rectangu	ler). Width max. 1200 × 1200	) mm.	
Corner entry		000 000	700 000	000 000	070
•		800 × 800 900 × 900	780 - 800 880 - 900	260 - 280 2 260 - 280 2	
		900 × 900 900 × 750	880 - 900 × 730 - 750	260 - 280 × 210 - 230 1	
	2000	500 × 750 500 × 750	730 - 750 × 880 - 900	210-230×260-280 1	
	2000	900 × 800	880 - 900 × 780 - 800	260 - 280 × 260 - 280 2	
		800 × 900	780 - 800 × 880 - 900	260 - 280 × 260 - 280 2	
		1000 × 1000	980 - 1000	360 - 380	
2 swinging doors and 2 fixed parts		1000 × 1000	300 1000	200 000 2	010
	not available Price for co	installation measurement 68 e. mbination of custom and star ce + standard price) / 2.	· ·	its, triangular and rectan	guiar cut-outs
Artweger DYNAMIC Walk In 6 mm ESG		800	785 - 800	765 - 780 1	_
		900	885 - 900	865 - 880 1	_
		1000	985 - 1000	965 - 980 1	_
	2000	1100	1085 - 1100	1065 - 1080 1	_
		1200	1185 - 1200	1165 - 1180 1	_
		1300	1285 - 1300	1265 - 1280 1	_
		1400	1385 - 1400	1365 - 1380 1	_
7		Including stabiliser, len	gth 1200 mm. Length has to	be adjusted on site.	
		VIDTH - Measurement sketch installation measurement 50 e.		nts, triangular and rectan	gular cut-outs
Artweger DYNAMIC Walk In 8 mm ESG		800	785 - 800	765 - 780 1	_
		900	885 - 900	865 - 880 1	_
		1000		965 - 980 1	_
		1000	985 - 1000	300 300	
	2000	1100	1085 - 1100	1065 - 1080	
	2000				_
	2000	1100	1085 - 1100	1065 - 1080 1	
	2000	1100 1200	1085 - 1100 1185 - 1200	1065 - 1080 1 1165 - 1180 1	- - -

### **CUSTOM WIDTH - Measurement sketch needed.**

Shower tray installation measurement 500 - 1400 mm. Custom heights, triangular and rectangular cut-outs not available.

	Art. no.	Frame colour	Glazing	Glass finishing (optional)
	6			
		Base price	Surch	narge
	I		I	1
WM	Art. no.	MH High-gloss metal	EK Glass clear	C ARTCLEAR GLAZING
				GLAZING
8001	6R0 49	1,709		
9001	6R019	1,740	0	417
90011	6R0 29	1,740	0	417
1000	6R0 69	1,770		
	00000	4.050		
	6R0 89	1,956		
800	6E0 49	1,482		
900	6E0 59	, i		
900/750	6E0 D9			
750/900	6E0 C9	1,512	0	417
900/800	6E0 99			
800/900	6E0 79			
1000	6E0 69	1,547		
	6E0 89	1,816		
800	6W0 49	645		
900	6W0 59	663		
1000	6W0 69	680		0.50
1100	6W0 09	698 717	0	256
1200 1300	6W0 B9 6W0 D9	717		
1400	6W0 E9	754		
	6W0 89	850		
800	6WA 49	827		
900	6WA 59	843		
1000	6WA 69	860		
1100	6WA 09	878	0	256
1200	6WA B9	896		
1300	6WA D9	922		
1400	6WA E9	950		
	6WA 89	1,073		

Glass

<sup>•</sup> CUSTOM WIDTH: The combination of optimised door and fixed width elements for the best functionality, stability and access. See page 132.


Artweger DYNAMIC

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

not available.

Hinge left	Hinge right	Height	Shower tray measure- ment (WM)	Shower tray installation measurement	Fixed part width Quantity stabilisers	Entrance width
Swinging door attach alcove	ned on fixed part in	2000	800 900 1000 1200	780 - 800 880 - 900 980 - 1000 1180 - 1200	170 - 190 170 - 190 270 - 290 470 - 490	- 570 - 670 1 670 1 670
1 door part and 1 fixed	part		installation mea	rement sketch needed. asurement 776 - 1200 mm. Custom hei	ghts, triangular and recta	ngular cut-outs
Swinging door attach alcove	ned on fixed part in	2000	900 1000 1200	860 - 900 960 - 1000 1160 - 1200	150 - 170 175 - 195 225 - 245	- 520 - 570 1 670
1 door part and 2 fixed	parts		installation mea	ement sketch needed. asurement 852 - 1600 mm. Custom hei	ghts, triangular and recta	ngular cut-outs
Swinging door attach next to side screen	ned on fixed part	2000	800 900 1000 1200	780 - 800 880 - 900 980 - 1000 1180 - 1200	200 - 220 200 - 220 250 - 270 450 - 470	1 520 1 620 1 670 1 670
	Hinge always on the wall side. Incl. stabiliser, length 1200 mm for side screen. Length has to be adjusted.					te.
1 door part and 1 fixed	part		installation mea	rement sketch needed. asurement 748 - 1200 mm. Custom hei	ghts, triangular and rectar	ngular cut-outs
Side screen	1					
		2000	800 900 1000	780 - 800 880 - 900 980 - 1000	760 - 780 860 - 880 960 - 980	- - - -
CUSTOM WIDTH - Measurement sketch needed.  Shower tray installation measurement 200 - 1200 mm. Custom heights, triangular and rectangular cu					ngular cut-outs	

	Art. no.		Frame colour	Glazing	Glass finishing (optional)
	6				
			Base price	Surch	narge
WM	left	right	MH High-gloss metal	EK Glass clear	C ARTCLEAR
					GLAZING
800	651 49	65249			
900	651 59	65259	930		
1000	651 69	65269	943	0	211
1200	651 B9	652 B9	964		
	651 89	65289	1,139		
000	641 50	640.50	1 100		
900	641 59 641 69	642 59 642 69	1,183	0	211
1200	641 B9	642 B9	1,198 1,227	0	211
1200	041 09	042 09	1,221		
	641 89	64289	1,444		
	01100	0.200	1,111		
		ı			
800	621 49	62249			
900	621 59	62259	991		0.11
1000	621 69	62269	1,003	0	211
1200	621 B9	622 B9	1,036		
	621 89	62289	1,213		
800	611 49	61249			
900	611 59	61259	541	0	211
1000	611 69	61269	, 556		211
1500	01103	01203	350		
	611 89	61289	670		
				1	I .



		1	
Product	Shower tray installation measurement WEM from - up to in mm	Width of the niche NB from - up to in mm	Deduction dimension
1/4-round shower R=500	790 - 1200	_	650
1/4-round shower R=550	890 - 1200	_	750
	688 - 810	_	548
Corner entry	811 - 1010	_	648
	1011 - 1200	_	748
Swinging door in alcove 1 fixed part	-	776 - 889	636
Swinging door in alcove Trixed part	_	890 - 1200	736
	_	852 - 901	610
Swinging door in alcove 2 fixed parts	_	902 - 1001	660
	_	1002 - 1600	760
	748 - 847	_	608
Swinging door next to side screen	848 - 900	_	708
	901 - 1200	_	758

ON shower tray	1/4-round shower R=550		Corner entry		Swinging door next to side screen
Measured width of the built-in shower	left side	right side	left side	right side	
tray WEM	1030	950	1100	830	860
minus deduction dimension	- 750	- 750	- 748	- 648	- 708
gives fixed part width FB	= 280	= 200	= 352	= 182	= 152

WITHOUT shower tray	1/4-round shower R=550		Corner entry		Swinging door next to side screen
Measured width to the desired position of	left side	right side	left side	right side	
the outer side of the glass GA	1030	950	1100	830	860
plus EG	+ 28	+ 28	+ 28	+ 28	+ 28
gives WEM	= 1058	= 978	= 1128	= 858	= 888
minus deduction dimension	- 750	- 750	- 748	- 648	- 708
gives fixed part width FB	= 308	= 228	= 380	= 210	= 180

IN ALCOVE	Swinging door 2 fixed parts	Swinging door 1 fixed part
Measured width of the niche NB = WEM	1300	860
minus deduction dimension	- 760	- 636
gives fixed part width FB	= 540	= 224
divided by quantity fixed parts	÷ 2	
gives fixed part width FB	= 270	

# Artweger MOVE

Brings your bathroom to life.

- Barrier free entry
- Overhead guided sliding doors
- Framed and frameless models
- Framed models including a 20 mm adjustment range
- Frameless models made to measure according to requirements
- 6 mm single-pane safety glass
- Standard height 2000 mm
- Custom sizes available



With SOFT OPEN / SOFT CLOSE (optional) the most up to date technology is hidden behind the elegant inside panel. The door is gently slowed down just before the end and then glides smoothly into the stop position.



The patent pending magnetic closure enables the door to swing open by lightly pressing it. This makes cleaning much easier.







CE sording to FN 14428





The linear, simply designed handle is comfortable to hold and is easy to clean.



VARIO sealing system: You decide either for 100 % FLUSH-TO-FLOOR ACCESS or ...



... for an optional surge bar which is only 12 mm high and provides IMPROVED SEALING of the door.

## **ACCESSORIES**

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

Art. no.	
M 0	
	Base price

Art. no.

Comfort system SOFT OPEN/SOFT CLOSE Upgrade for existing Artweger MOVE sliding doors. (Two sets are required for quadruple sliding door and corner entry.)	M00 01	141

## PROMPT DELIVERY

Artweger MOVE - height 2000 mm	Shower tray measurement (WM)	Art. no. Price in EUR
MOVE Double sliding door in alcove  High-gloss metal, glass clear 6 mm with ARTCLEAR SOFT OPEN / SOFT CLOSE 1 door part and 1 fixed part	1200 left MG51 1400 left MG51 1200 right MG52	I B9 MH EKCS 1,733 I E9 MH EKCS 1,794 2 B9 MH EKCS 1,733 2 E9 MH EKCS 1,794
MOVE Double sliding doornext to side screen  High-gloss metal, glass clear 6 mm with ARTCLEAR SOFT OPEN / SOFT CLOSE 1 door part and 1 fixed part	1000 left MG21 1200 left MG21 1000 right MG22	1 69 MH EKCS 1,658 1 B9 MH EKCS 1,716 2 69 MH EKCS 1,658 2 B9 MH EKCS 1,716
MOVE Side screen  High-gloss metal, glass clear 6 mm with ARTCLEAR	1000 left <b>MG11</b> 900 right <b>MG12</b>	1 59 MH EK C 948 1 69 MH EK C 977 2 59 MH EK C 948 2 69 MH EK C 977

### PROMPT DELIVERY

Artweger MOVE - height 2000 mr	m	Shower tray measi (WM)	urement	Art. no.	Price in EUR
	MOVE Walk In  High-gloss metal, glass clear 6 mm with ARTCLEAR, SOFT OPEN / SOFT CLOSE 1 door part and 1 fixed part	1200 left 1400 left 1200 1400	5	MGF1 B9 MH EK CS MGF1 E9 MH EK CS MGF2 B9 MH EK CS MGF2 E9 MH EK CS	1,819 1,877 1,819 1,877
	MOVE Corner entry  High-gloss metal, glass clear 6 mm with ARTCLEAR, SOFT OPEN / SOFT CLOSE 2 Sliding doors and 2 fixed parts	900 × 900 1000 × 1000		MGE0 59 MH EK C S MGE0 69 MH EK C S	2,515 2,545



Artweger MovE sliding door with frame

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

Fixed part left	Fixed part right	Height	Shower tray measurement (WM)	Shower tray installation measurement	Fixed part width	Entrance width		
Sliding door for partia	ally bricked niche	2000	1000 - 1200 1201 - 1400 1401 - 1600	ESG 6mm -70-	measured width dimension sketch.			
1 door part inside the	abower eree			6 - Measurement sketch needed. ver tray installation measurement 100	00 - 1800 mm			
		Tiolght 1000	ZZGGTTIITI. GTTGV	or tray motalication modernment rev				
Double sliding door	in alcove	2000	1000 1200 1400 1600	980 - 1000 1180 - 1200 1380 - 1400 1580 - 1600	457 - 477 557 - 577 657 - 677 757 - 777	390 - 410 490 - 510 590 - 610 690 - 710		
1 door part and 1 fixed	d part	CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1800 - 2200 mm. Shower tray installation measurement 1000 - 1800 mm.						
Quadruple sliding do	oor in alcove	2000	1400 1600 1800 2000	1360 - 1400 1560 - 1600 1760 - 1800 1960 - 2000	318 - 338 368 - 388 418 - 438 468 - 488	535 - 575 635 - 675 735 - 775 835 - 875		
2 door parts and 2 fixe	ed parts			6 - Measurement sketch needed. ver tray installation measurement 140	00 - 2000 mm.			
Double sliding door	Walk In		1000	Width	457 477			
		2000	1000 1100 1200 1400 1600 Incl. stabi	970 - 990 1070 - 1090 1170 - 1190 1370 - 1390 1570 - 1590 liser, length 1250 mm. Length has to	457 - 477 512 - 532 557 - 577 657 - 677 757 - 777 be adjusted on site.	- - - -		
1 door part and 1 fixed	d part							

Glass	
finishing (optional)	Comfort system

			Glass
Art. no.	Frame colour	Glazing	finishing (optional) Comfort system
MG			

Base price	Surcharge

left	right	MH High-gloss metal	WS White SM Matt black LB Silver	WM Matt white GF Graphite metallic CN Champagne MK Mokka BZ Bronze . Additional colours	EK Glass clear RW Strip Satin SA Satin	C ARTCLEAR GLAZING	S SOFT OPEN SOFT CLOSE
MGV1 B9 MGV1 E9 MGV1 K9	MGV2 B9 MGV2 E9 MGV2 K9	1,286 1,346 1,426	1,511 1,571 1,651	1,746 1,806 1,886	EK ( RW 204 SA 35	4 211	116
MGV1 88	MGV288	1,654	1,879	2,114			
MG51 69 MG51 B9 MG51 E9 MG51 K9	MG52 69 MG52 B9 MG52 E9 MG52 K9	1,347 1,406 1,467 1,547	1,572 1,631 1,692 1,772	1,807 1,866 1,927 2,007	EK ( RW 258 SA 388	9 211	116
MG51 88	MG5288	1,794	2,019	2,254			
MGI MGI	00 E9 00 K9 00 P9 00 U9	2,031 2,094 2,155 2,355	2,256 2,319 2,380 2,580	2,491 2,554 2,615 2,815	EK ( RW 46 SA 692	1 417	232
MGI	00 88	2,591	2,816	3,051			
MGF1 69 MGF1 09 MGF1 B9 MGF1 E9 MGF1 K9	MGF2 69 MGF2 09 MGF2 B9 MGF2 E9 MGF2 K9	1,386 1,416 1,447 1,505 1,568	1,611 1,641 1,672 1,730 1,793	1,846 1,876 1,907 1,965 2,028	EK ( RW 259 SA 388	9 256	116

<sup>•</sup> When ordering please indicate assembly on shower tray or flush with floor.

Artweger MovE sliding door with frame

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

Fixed part left	Fixed part right	Height	Shower tray measurement (WM)	Shower tray installation measurement	Fixed part width	Entrance width
Double sliding door ne	ext to side screen					
		2000	1000 1200 1400	980 - 1000 1180 - 1200 1380 - 1400	452 - 472 552 - 572 652 - 672	395 - 415 495 - 515 595 - 615
1 door part and 1 fixed p	part			<b>3 -</b> Measurement sketch needed. wer tray installation measurement 100	00 - 1600 mm.	
Side screen		2000	800 900 1000 1200	780 - 800 880 - 900 980 - 1000 1180 - 1200	- - -	- - - -
CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1800 - 2200 mm. Shower tray installation measurement 500 - 1200 Surcharge for triangular and rectangular cut-outs.					0 - 1200 mm.	
Double sliding door ne side screen	ext to shortened					
		2000	1000 1200 1400	980 - 1000 1180 - 1200 1380 - 1400	457 - 477 557 - 577 657 - 677	408 - 428 508 - 528 608 - 628
1 door part and 1 fixed p	part			<b>S -</b> Measurement sketch needed. wer tray installation measurement 100	00 - 1600 mm	
Shortened side screen		Tioignt 1000	ZZOOTIIII. OHOV	voi tray installation moderation for	50 100011111.	
CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1000 - 2200 mm. Shower tray installation measurement 500 - 1200 mm.				-	-	
		Surcharge	for triangular and	d rectangular cut-outs.		
Corner entry	<i>v</i>	2000	800 × 800 900 × 900 900 × 800 800 × 900 1000 × 1000 1200 × 1200	780 - 800 880 - 900 880 - 900 × 780 - 800 780 - 800 × 880 - 900 980 - 1000 1180 - 1200	339 - 359 389 - 409 389 - 409 × 339 - 359 339 - 359 × 389 - 409 439 - 459 539 - 559	410 - 438 480 - 508 445 - 473 445 - 473 550 - 578 690 - 718
2 Sliding doors and 2 fix	ed parts			6 - Measurement sketch needed. ver tray installation measurement 70	0 - 1200 mm.	

Glass	
finishing (optional)	Comfort system

			Glass
Art. no.	Frame colour	Glazing	finishing (optional) Comfort system
MG			

Base price Surcharge

left	right	MH High-gloss metal	WS White SM Matt black LB Silver	WM Matt white GF Graphite metallic CN Champagne MK Mokka BZ Bronze Additional colours	EK Glass clear RW Strip Satin SA Satin	C ARTCLEAR GLAZING	S SOFT OPEN SOFT CLOSE
MG21 69 MG21 B9 MG21 E9	MG22 69 MG22 B9 MG22 E9	1,331 1,389 1,450	1,556 1,614 1,675	1,791 1,849 1,910	EK 0 RW 259 SA 388	211	116
MG21 88	MG2288	1,595	1,820	2,055			
MG11 49 MG11 59 MG11 69 MG11 B9	MG1249 MG1259 MG1269 MG12B9	711 737 766 847	734 760 789 870	745 771 800 881	EK 0 RW 204 SA 351	211	-
MG11 88	MG1288	931	954	965			
		322	322	322			
MG31 69 MG31 B9 MG31 E9 MG31 88	MG32 69 MG32 B9 MG32 E9 MG32 88	1,418 1,478 1,537	1,643 1,703 1,762 1,916	1,878 1,938 1,997 2,151	<b>EK</b> 0 <b>RW</b> 259 <b>SA</b> 388	211	116
MG61 88	MG6288	931	954	965	EK 0 RW 204 SA 351	211	-
		322	322	322			
MGE MGE	E0 49 E0 59 E0 99 E0 79	1,866	2,091	2,326	<b>EK</b> 0 <b>RW</b> 518 <b>SA</b> 692	417	232
	E0 69 E0 B9	1,896 2,088	2,121 2,313	2,356 2,548			
	E0 88	2,298	2,523	2,758			

<sup>•</sup> When ordering please indicate assembly on shower tray or flush with floor.

Artweger MovE sliding door frameless

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

Fixed part left	Fixed part right	Height	Shower tray measurement (WM)	Width	Fixed part width	Entrance width
Sliding door for partia	ally bricked niche	2000	1000 - 1200 1201 - 1400 1401 - 1600	According to  S-Measurement sketch needed.	measured width dimension sketch.	
1 door part inside the	shower area			ver tray installation measurement 10	00 - 1800 mm.	
Double sliding door	n alcove					
		2000	1000 - 1200 1201 - 1400 1401 - 1600	According to	dimension sketch.	
1 door part and 1 fixed	I part			S - Measurement sketch needed. ver tray installation measurement 10	00 - 1800 mm.	
Quadruple sliding do	oor in alcove	2000	1400 - 1600 1601 - 1800 1801 - 2000	According to	dimension sketch.	
1300	3					
2 door parts and 2 fixe	d parts			<b>S -</b> Measurement sketch needed. ver tray installation measurement 140	00 - 2000 mm.	
Double sliding door		12.9.10.000		,		
Eduble shalling addit	TTGIN III					
	c V	2000	1000 - 1200 1201 - 1400 1401 - 1600	Incl. stabilise	dimension sketch. r, length 1250 mm. be adjusted on site.	
1 door part and 1 fixed	l part			<b>3 -</b> Measurement sketch needed. ver tray installation measurement 10	00 - 1600 mm.	

Glass	
finishina (optional)	Comfort system

			Ciass
Art. no.	Frame colour	Glazing	finishing (optional) Comfort system
MR			

Base price Surcha	rge

left	right	MH High-gloss metal	WS White SM Matt black LB Silver	WM Matt white GF Graphite metallic CN Champagne MK Mokka BZ Bronze Additional colours	EK Glass clear RW Strip Satin SA Satin	C ARTCLEAR GLAZING	S SOFT OPEN SOFT CLOSE
MRV1 B9 MRV1 E9 MRV1 K9	MRV2 B9 MRV2 E9 MRV2 K9	1,544 1,616 1,712	1,769 1,841 1,937	2,004 2,076 2,172	EK 0 RW 204 SA 351	211	116
MRV1 88	MRV288	1,934	2,159	2,394			
MR51 B9 MR51 E9 MR51 K9	MR52 B9 MR52 E9 MR52 K9	1,688 1,760 1,856	1,913 1,985 2,081	2,148 2,220 2,316	<b>EK</b> 0 <b>RW</b> 259 <b>SA</b> 388	211	116
MR51 88	MR5288	2,153	2,378	2,613			
MRI	00 K9 00 P9 00 U9	2,513 2,586 2,828	2,738 2,811 3,053	2,973 3,046 3,288	EK 0 RW 461 SA 692	417	232
MRI	88 00	3,195	3,420	3,655			
MRF1 B9 MRF1 E9 MRF1 K9	MRF2 B9 MRF2 E9 MRF2 K9	1,735 1,807 1,882	1,960 2,032 2,107	2,195 2,267 2,342	<b>EK</b> 0 <b>RW</b> 259 <b>SA</b> 388	256	116
MRF1 88	MRF288	1,933	2,158	2,393			

## IMPORTANT

<sup>•</sup> When ordering please indicate assembly on shower tray or flush with floor.

Artweger MovE sliding door frameless

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

Fixed part left	Fixed part right	Height	Shower tray measurement (WM)	Width	Fixed part width	Entrance width		
Double sliding door	next to side screen	2000	1000 - 1200 1201 - 1400		g to dimension sketch.			
1 door part and 1 fixed	d part		MEASUREMENTS - Measure 0 - 2200 mm. Shower tray ins		0 - 1600 mm.			
Side screen		2000 CUSTOM N	800 - 1000 1001 - 1200 <b>1EASUREMENTS -</b> Measure	Accordin ement sketch needed.	g to dimension sketch.			
		Height 1800 - 2200 mm. Shower tray installation measurement 500 - 1200 mm.  Surcharge for triangular and rectangular cut-outs.						
Double sliding door side screen	next to shortened	2000	1000 - 1200 1201 - 1400	Accordin	g to dimension sketch.			
1 door part and 1 fixed	dipart		MEASUREMENTS - Measure		0. 1600 mm			
Shortened side scre		neight 1600	- 2200 mm. Shower tray ins	taliation measurement 100	0 - 1000 mm.			
ollorened slace screen		CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1000 - 2200 mm. Shower tray installation measurement – 500 - 1200 mm.				-		
		Surcharge	for triangular and rectangu	ılar cut-outs.				
Corner entry	e V	2000	800 - 1000 × 800 - 1000 1001 - 1200 × 1001 - 1200		g to dimension sketch.			
2 Sliding doors and 2	fixed parts		MEASUREMENTS - Measure 0 - 2200 mm. Shower tray ins		- 1200 mm.			

		Glass			
Art.no.	Frame colour	Glazing	finishing (optional) Comfort system		
MD					

Base price Surcharge

left	right	MH High-gloss metal	WS White SM Matt black LB Silver	WM Matt white GF Graphite metallic CN Champagne MK Mokka BZ Bronze Additional colours	EK Glass clear RW Strip Satin SA Satin	C ARTCLEAR GLAZING	S SOFT OPEN SOFT CLOSE
MR21 B9 MR21 E9	MR22 B9 MR22 E9	1,669 1,740	1,894 1,965	2,129 2,200	EK 0 RW 259 SA 388	211	116
MR21 88	MR2288	1,966	2,191	2,426			
MR11 69 MR11 B9	MR1269 MR12B9	885 1,017	908 1,040	919 1,051	EK 0 RW 204 SA 351	211	-
MR11 88	MR1288	1,116	1,139	1,150			
		275	275	275			
MR31 B9 MR31 E9	MR32 B9 MR32 E9	1,775 1,845	2,000 2,070	2,235 2,305	EK 0 RW 259 SA 388	211	116
MR31 88	MR3288	2,085	2,310	2,545			
MR61 88	MR6288	1,116	1,139 275	1,150 275	EK 0 RW 204 SA 351	211	-
		275	2/3	215			
	E0 69 E0 B9	2,275 2,506	2,500 2,731	2,735 2,966	<b>EK</b> 0 <b>RW</b> 518 <b>SA</b> 692	417	232
MRE	E0 88	2,857	3,082	3,317			

### IMPORTANT

<sup>•</sup> When ordering please indicate assembly on shower tray or flush with floor.

# LIFELINE and LIFELINE MOBIL

## Sliding doors

- Framed design for the best stability
- Frameless swing-out sliding door parts
- Ball-bearing and spring-loaded carriers
- Generous adjustment range 30 mm
- Concealed vertical silicone joints
- 6 mm single-pane safety glass

- Standard height 1900 or 1930 mm
- Custom sizes available
- MOBIL: standard height 1930 2080 mm
- MOBIL: customized solutions
- MOBIL: grab poles for more safety
- MOBIL: barrier-free, also suitable for wheelchair users



# Artweger









Sliding-door handle



Easy care of shower




LIFELINE MOBIL Grab poles



SPRING-LOADED BALL-BEARING roller system. For especially soft and smooth opening and closing of the sliding doors.

The EXTRA-WIDE BARRIER-FREE entrance ensures greatest comfort. The LIFELINE MOBIL models were developed for barrier-free installation. Due to the access with no sill water can escape. We therefore recommend installing a shower gutter.

Installing on a shower tray is not recommended.



### **IMPORTANT**

## **ACCESSORIES**

Art. no.	Colour	
L		
	Base price	

		Height	Art. no.	WS White LB Silver Additional colours	MH High-gloss metal
	Compound bracket 20 mm  Extends adjustment range of all products by	1500	LP12	115	132
1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	20 mm.	1650	LP1A	122	140
<u> </u>	In combination with side screen there is a height difference of 30 mm.	1900	LP 17	141	162
20		Custom size	LP18	168	193
	Combination of showers in a row Attachment is without additional profile. The two doors are attached directly by means of the glass pane of the side screen which is manufactured exactly to measure. The custom price is valid for the side screen. Necessary additional information: measurement sketch.	Custom size	-	-	-
	Combination of door flush with side screen. Connects without additional bracket. Necessary additional information: measurement sketch.	Custom size	-	-	-



	Height	Shower tray measurement (WM) length a x width b	Shower tray installation measurement	Fixed part width	Entrance width
Pentagonal shower	1900	900 × 900 I M=707 900 × 900 II M=600 900 × 900 IV M=636 900 × 800 I M=707 1000 × 1000 IV M=630,6 1EASUREMENTS - Measure	875 - 905 875 - 905 875 - 905 875 - 905 × 775 - 805 975 - 1005 975 - 1005 ment sketch needed.	350 - 380 420 - 450 400 - 430 350 - 380 × 250 - 280 450 - 480 500 - 530	460 - 510 420 460 350 - 400 510 460
2 sliding doors and 2 fixed parts	fixed-part custom width (narrower or wider) per side. Surcharge for custom heights up to a maximum of 2000 mm. Wider than 300 mm (11.8 in.) on request.				
Corner entry  2 sliding doors and 2 fixed parts	Height 1500 Price for cor	750 × 750 800 × 800 900 × 900 1000 × 1000  800 × 750 900 × 750 900 × 800 1000 × 700 1000 × 800  ■ FASUREMENTS - Measure 1 - 2000 mm. Shower tray instantion of custom and started to + standard price) / 2.	allation measurement 750 - 12	310 - 340 340 - 370 390 - 420 440 - 470 340 - 370 × 310 - 340 390 - 420 × 340 - 370 440 - 470 × 290 - 320 440 - 470 × 340 - 370	360 - 400 400 - 440 470 - 510 540 - 580 380 - 420 420 - 460 430 - 470 440 - 480 470 - 510
Corner entry  4 sliding doors and 2 fixed parts	1930	700 × 700 750 × 750 800 × 800 900 × 900 1000 × 1000 800 × 750 900 × 750 900 × 800 1000 × 700 1000 × 800	675 - 705 725 - 755 775 - 805 875 - 905 975 - 1005 775 - 805 × 725 - 755 875 - 905 × 725 - 755 875 - 905 × 775 - 805 975 - 1005 × 675 - 705 975 - 1005 × 775 - 805	200 - 230 220 - 250 240 - 270 270 - 300 300 - 330 240 - 270 × 220 - 250 270 - 300 × 220 - 250 270 - 300 × 240 - 270 300 - 330 × 240 - 270	430 - 470 480 - 520 530 - 570 620 - 660 710 - 760 500 - 540 560 - 600 580 - 620 590 - 630 630 - 670
	Height 1500 Price for cor	MEASUREMENTS - Measure 0 - 2030 mm. Shower tray instantion of custom and start the + standard price) / 2.	allation measurement 700 - 11	100 mm.	

			Glass	
Art. no.	Frame colour	Glazing	finishing (optional)	Handle colour
L				
	Base price		Surcharge	

					0	
WM	Art. no.	WS White LB Silver Additional colours	MH High-gloss metal	EK Glass clear SA Satin	C ARTCLEAR GLAZING	same as frame <sup>1</sup> VC Chrome
900 I 900 II 900 IV 900/800 I	LF 57 LF 17 LF 37 LF 77	2,825	-	<b>EK</b> 0 <b>SA</b> 677	417	0 VC 0
1000 IV	LF 67 LF 97	3,050	-			
	LF 88	3,369	-			
		469	-			
750 800 900	L5 37 L5 47 L5 57	2,292	2,636			
1000 800/750 900/750 900/800 1000/700 1000/800	L5 67 L5 B7 L5 C7 L5 D7 L5 A7 L5 E7	2,434	2,799	<b>EK</b> 0 <b>SA</b> 692	417	0 <b>vc</b> 0
	L5 88	2,979	-			
700 750 800	L317 L337 L347	2,837	3,263			
900 1000 800/750 900/750 900/800 1000/700 1000/800	L3 57 L3 67 L3 B7 L3 C7 L3 D7 L3 A7 L3 E7	2,982	3,429	<b>EK</b> 0 <b>SA</b> 692	417	0 <b>vc</b> 0
	L3 88	3,510	-			



Can be installed so that door opens to left or right.	Height	Shower tray measure- ment (WM)	Shower tray installation measurement	Fixed part width	Entrance width		
Triple sliding door in alcove or with shorter side		800	750 - 810	270 - 300	360 - 400		
screen		850	800 - 860	280 - 310	390 - 430		
		900	850 - 910	300 - 330	420 - 460		
	1930*	950	900 - 960	320 - 350	450 - 490		
		1000	950 - 1010	330 - 360	490 - 530		
		1100	1050 - 1110	370 - 400	550 - 590		
		1200	1150 - 1210	400 - 430	620 - 660		
2 door parts and 1 fixed part			NTS - Measurement sketch needed. Shower tray installation measurement 70	00 - 1800 mm.			
Triple sliding door for one side screen		800	785 - 845	270 - 300	360 - 400		
		850	835 - 895	280 - 310	390 - 430		
		900	885 - 945	300 - 330	420 - 460		
	1930*	950	935 - 995	320 - 350	450 - 490		
	1000	1000	985 - 1045	330 - 360	490 - 530		
		1100	1086 - 1145	370 - 400	550 - 590		
		1200	1185 - 1245	400 - 430	620 - 660		
	011070141						
2 door parts and 1 fixed part	CUSTOM MEASUREMENTS - Measurement sketch needed.  Height 1500 - 2030 mm. Shower tray installation measurement 700 - 1800 mm.						
Triple sliding door for two side screens		800	800 - 860	270 - 300	360 - 400		
		850	850 - 910	280 - 310	390 - 430		
		900	900 - 960	300 - 330	420 - 460		
	1930*	950	950 - 1010	320 - 350	450 - 490		
		1000	1000 - 1060	330 - 360	490 - 530		
		1100	1100 - 1160	370 - 400	550 - 590		
		1200	1200 - 1260	400 - 430	620 - 660		
	CUSTOM N	  IEASUREME	NTS - Measurement sketch needed.				
2 door parts and 1 fixed part	Height 1500 - 2030 mm. Shower tray installation measurement 700 - 1800 mm.						

			Glass	
Art. no.	Frame colour	Glazing	finishing (optional)	Handle colour
L				

Surcharge

Base price

C ARTCLEAR WM Art. no. WS White MH High-gloss metal EK Glass clear .. same as frame<sup>1</sup> VC Chrome SA Satin LB Silver GLAZING . . Additional colours 800 L9 47 1,451 1,669 850 L977 L9 57 900 1,532 1,762 ΕK 0 VC L997 211 950 351 SA 0 1000 L9 67 1100 L907 2,017 2,320 L9 B7 1200 L988 2,313 L9 47 1,451 1,669 800 L977 850 L9 57 900 1,532 1,762 ΕK 0 L9 97 211 950 VC SA 351 0 L967 1000 1100 L9 07 2,017 2,320 L9 B7 1200 L988 2,313 800 L947 1,451 1,669 850 L977 900 L9 57 1,532 1,762 0 ΕK L9 97 211 **VC** 0 950 SA 351 L967 1000 1100 L9 07 2,017 2,320 1200 L9 B7 L988 2,313



Can be installed so that door opens to left or right.	Height	Shower tray measure- ment (WM)	Shower tray installation measurement	Fixed part width	Entrance width
Double sliding door in alcove or with shorter					
side screen		1200	1150 - 1210	570 - 600	440 - 480
	1900	1300	1250 - 1310	620 - 650	490 - 530
	1000	1400	1350 - 1410	670 - 700	540 - 580
			ITS - Measurement sketch needed.	'	'
1 door part and 1 fixed part	Height 1500	0 - 2000 mm. Sh	nower tray installation measurement 12	200 - 1500 mm.	
Double sliding door for one side screen					
			1105 1015		
		1200	1185 - 1245	570 - 600	440 - 480
	1900	1300	1285 - 1345	620 - 650	490 - 530
		1400	1385 - 1445	670 - 700	540 - 580
	CUSTOM N	MEASUREMEN	ITS - Measurement sketch needed.	ı	
1 door part and 1 fixed part	Height 1500	0 - 2000 mm. Sh	nower tray installation measurement 12	200 - 1500 mm.	
Double sliding door for two side screens					
Double sliding door for two side screens					
1					
		1200	1200 - 1260	570 - 600	440 - 480
	1900	1300	1300 - 1360	620 - 650	490 - 530
		1400	1400 - 1460	670 - 700	540 - 580
1 door part and 1 fixed part			ITS - Measurement sketch needed.  nower tray installation measurement 12	200 - 1500 mm.	
Side screen		700	600 705		
		700	680 - 705	_	_
	1000	750	730 - 755	_	_
	1900	800	780 - 805	_	_
		900	880 - 905	_	_
		1000	980 - 1005	_	_
			ITS - Measurement sketch needed.	'	'
	_		nower tray installation measurement 3	00 - 1000 mm.	
	Surcharge	for triangular	and rectangular cut-outs.		
Shortened side screen					
	CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1000 - 2000 mm. Shower tray installation measurement 300 - 1000 mm. With short side screen always state height difference between shower tray and bathtub (dimension F).				
F	_				
	Surcharge for triangular and rectangular cut-outs.				

ш
LIFELIN

	L					
		Base	orice		Surcharge	
WM	Art. no.	WS White LB Silver Additional colours	MH High-gloss metal	EK Glass clear SA Satin	C ARTCLEAR GLAZING	same as frame <sup>1</sup> <b>VC</b> Chrome
1200 1300 1400	L2B7 L2D7 L2E7	1,919	2,207	<b>EK</b> 0 <b>SA</b> 351	211	0 <b>VC</b> 0
	L2 88	2,258	_			
1200 1300 1400	L2B7 L2D7 L2E7	1,919	2,207	<b>EK</b> 0 <b>SA</b> 351	211	0 VC 0
	L2 88	2,258	-			
1200 1300 1400	L2 B7 L2 D7 L2 E7	<b>1</b> ,919	2,207	<b>EK</b> 0 <b>SA</b> 351	211	0 VC 0
700 750 800 900 1000	L1 17 L1 37 L1 47 L1 57 L1 67	900	932	<b>EK</b> 0 <b>SA</b> 351	211	_
	L1 88	1,103	-			
	L1 88	1,103	1,268	<b>EK</b> 0 <b>SA</b> 351	211	-
		220	-			

Frame colour

Art. no.

Glass

finishing (optional)

Handle colour

Glazing

<sup>&</sup>lt;sup>1</sup> Only VC chrome-plated available with MH high-gloss metal frames.



Fixed part left	Fixed part right	Height	Width	Fixed part width	Entrance width				
Quadruple sliding door		1930 - 2080	1400 1401 - 1600 1601 - 1800 1801 - 2000 2001 - 2500	410 - 440 460 - 490 510 - 540 560 - 590 690 - 720	510 - 570 510 - 670 610 - 770 710 - 870 810 - 1120				
2 door parts and 2	fixed parts	State desired	A shower gutter is required. measurements when ordering. Combination	with side screen on	request.				
2 door parts and 2 fixed parts  Triple sliding door		1930 - 2080	1000 1001 - 1200 1201 - 1400 1401 - 1600 1601 - 1800 1801 - 2000 <b>A shower gutter is required.</b>	330 - 360 400 - 430 460 - 490 530 - 560 600 - 630 670 - 700	490 - 530 490 - 660 620 - 800 760 - 930 890 - 1060 1020 - 1200				
2 door parts and 1		State desired	measurements when ordering. Combination	with side screen on i	request.				
Double sliding door		1930 - 2080	1200 1201 - 1400 1401 - 1600 1601 - 1800 1801 - 2000 A shower gutter is required.	570 - 600 670 - 700 770 - 800 870 - 900 970 - 1000	440 - 480 440 - 580 540 - 680 640 - 780 740 - 880				
1 door part and 1 fi	ixed part	State desired	desired measurements when ordering. Combination with side screen on request.						
Triple corner-entr		1930 - 2080	801 - 1000 1001 - 1200 1201 - 1400	300 - 330 370 - 400 440 - 470	520 - 750 710 - 940 900 - 1130				
2 door parts and 1	fixed part		A shower gutter is required. State desired measurements when ordering.						
Double corner-entry half		1930 - 2080	801 - 1000 1001 - 1200 1201 - 1400 1401 - 1600 A shower gutter is required.	440 - 470 540 - 570 640 - 670 740 - 770	410 - 590 550 - 730 690 - 870 830 - 1010				
1 door part and 1 fi	ixed part		State desired measurements when or	dering.					

### **IMPORTANT**

- The EXTRA-WIDE BARRIER-FREE entrance ensures greatest comfort. The LIFELINE MOBIL models were developed for barrier-free installation. Due to the access with no sill water can escape. We therefore recommend installing a shower gutter. • LIFELINE MOBIL shower enclosures are adapted exactly to the individual installation situation.
- Exact measurements including sketch required. Execution without lower floor rail in the entry area. In the door area between door and

Handle colour

Glass finishing (optional)

Base price Surcharge

Fixed part left	Fixed part right	WS White LB Silver . Additional colours	MH High-gloss metal	EK Glass clear SA Satin	C ARTCLEAR GLAZING	same as frame <sup>1</sup> <b>LB</b> Silver
LBD LBD LBD LBD	0 K8 0 P8 0 U8	3,113 3,225 3,231 3,237 3,652	3,580 3,709 3,716 3,723 4,200	<b>EK</b> 0 <b>SA</b> 677	417	0 LB 0
LB91 68 LB91 B8 LB91 E8 LB91 K8 LB91 P8 LB91 U8	LB92 68 LB92 B8 LB92 E8 LB92 K8 LB92 P8 LB92 U8	2,652 2,715 2,859 3,062 3,188 3,311	3,050 3,122 3,288 3,521 3,666 3,808	<b>EK</b> 0 <b>SA</b> 677	417	0 LB 0
LB21 B8 LB21 E8 LB21 K8 LB21 P8 LB21 U8	LB22 B8 LB22 E8 LB22 K8 LB22 P8 LB22 U8	2,498 2,560 2,616 2,681 2,741	2,873 2,944 3,008 3,083 3,152	<b>EK</b> 0 <b>SA</b> 677	417	0 LB 0
LB31 68 LB31 B8 LB31 E8	LB32 68 LB32 B8 LB32 E8	2,227 2,285 2,330	2,561 2,628 2,680	<b>EK</b> 0 <b>SA</b> 345	211	0 LB 0
			The prices apply to For the total price add the	one corner-entry half resp e prices of the individual ha	ectively. alves together.	
LB51 68 LB51 B8 LB51 E8 LB51 K8	LB52 68 LB52 B8 LB52 E8 LB52 K8	2,009 2,068 2,130 2,191	2,310 2,378 2,450 2,520	<b>EK</b> 0 <b>SA</b> 345	211	0 LB 0

The prices apply to one corner-entry half respectively. For the total price add the prices of the individual halves together.

### **IMPORTANT**

- The wheelchair suitability depends on the applicable standard or individual requirements.
- Installing on a shower tray is not recommended.
- Synthetic parts in white.

  1 Only LB silver available with MH high-gloss metal frames.
- \* In combination with side screen there is a height difference of 30 mm.

# Artweger SLIDE

Opens new perspectives

- Sliding doors
- Can be swung out for easy cleaning
- Fixed overflow moulding in the door area
- Incl. ARTCLEAN glass coating without surcharge
- 6 mm single-pane safety glass
- Height 2000 mm



Especially practical: The door elements can be swung out at the bottom to enable easier cleaning.



Behind the stylish wall profiles there is room for an adjustment range of up to 15 mm. This enables the Artweger SLIDE to also be mounted on sloping/uneven walls.



# Artweger



### **HANDLES**





Modern yet impermeable. Floor profiles for the door ensure smoothness and imperviousness. The frameless glass panels create a dynamic appearance.

# **PROMPT DELIVERY**

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

Artweger SLI	DE - height 2000 mm	Shower tray measurement (WM)	Shower tray installation measurement	Entrance- width	Fixed part width	Art. no.	Price in EUR
	SLIDE 1/4-round shower	800× 800 I	785 - 800	490	295 - 310	VSR 49 MH EK	1,308
	SHOWEI	900× 900 I	885 - 900	490	395 - 410	VSR 19 MH EK	1,371
	High-gloss metal, glass clear 6 mm with	900× 900 II	885 - 900	560	345 - 360	VSR 29 MH EK	1,371
	ARTCLEAN coating 2 sliding doors and 2 fixed parts	1000×1000 II	985 - 1000	560	445 - 460	VSR 69 MH EK	1,434
	· ·		Re	adius I = 500, ra	adius II = 550		
	SLIDE Corner entry	800× 800	785 - 800	420	345 - 360	VSE 49 MH EK	1,182
	High-gloss metal,	900× 900	885 - 900	440	435 - 450	VSE 59 MH EK	1,246
	glass clear 6 mm with ARTCLEAN coating	900× 750	885 - 900	410	435 - 450	VSE D9 MH EK	1,182
	2 sliding doors and 2 fixed parts	750× 900	735 - 750 735 - 750	410	320 - 335 320 - 335	VSE C9 MH EK	1,182
		900× 800	885 - 900 885 - 900	430	435 - 450 435 - 450	VSE 99 MH EK	1,214
		800× 900	785 - 800 785 - 800	430	345 - 360 345 - 360	VSE 79 MH EK	1,214
			885 - 900		435 - 450		
	011	1000 × 1000	985 - 1000	440	535 - 550	VSE 69 MH EK	1,306
	Oti	ner size combinat	ions of the above	standard sizes	are possible.	VSE 89 MH EK	1,306
	SLIDE Triple sliding door in alcove	800 left	770 - 800	425	265 - 280	VS9 C9 MH EK	838
		900 left	870 - 900	490	300 - 315	VS9 E9 MH EK	883
	High-gloss metal, glass clear 6 mm with	1000 left	970 - 1000	560	330 - 345	VS9 G9 MH EK	928
	ARTCLEAN coating 2 door parts and 1 fixed part	800 right	770 - 800	425	265 - 280	VS9 D9 MH EK	838
		900 right	870 - 900	490	300-315	VS9 F9 MH EK	883
		1000 right	970 - 1000	560	330 - 345	VS9 H9 MH EK	928
	SLIDE Triple sliding	800 left	785 - 800	425	265 - 280	VS9 C9 MH EK	838
	door next to side screen	900 left	885 - 900	490	300-315	VS9 E9 MH EK	883
<i>₹</i> 2	High-gloss metal, glass clear 6 mm with	1000 left	985 - 1000	560	330 - 345	VS9 G9 MH EK	928
	ARTCLEAN coating	800 right	785 - 800	425	265 - 280	VS9 D9 MH EK	838
	2 door parts and 1 fixed part	900 right	885 - 900	490	300-315	VS9 F9 MH EK	883
		1000 right	985 - 1000	560	330 - 345	VS9 H9 MH EK	928
1						VOOTIONITEIC	
	SLIDE Side screen	800	788 - 800	_	_	VS1 49 MH EK	464
	High-gloss metal,	900	888 - 900	-	-	VS1 59 MH EK	488
	glass clear 6 mm with ARTCLEAN coating	1000	988 - 1000	_	_	VS1 69 MH EK	514
			A	Assembly on th	e left or right.		
<b>8</b>	SLIDE Compound brack	ket 22 mm				VS0P49MH	83

<del>----</del> 22

**High-gloss metal** Extends adjustment range of the corner entry and 1/4-round shower by 22 mm. Height 2000 mm.

# BASELINE

## Always well designed

- Sliding doors and swinging doors
- Spring-loaded roller-carriers for sliding doors
- Framed design for the best seal and stability.
- Swing-out sliding doors
- 3 mm single-pane safety glass or synthetic glazing
- Standard height 1850 or 2000 mm
- Generous adjustment range 25 mm
- Custom sizes available



The robust frame combined with heavyduty sealing strips guarantee many years of trouble-free showering pleasure, even under heavy use.



The robust handles lie very well in the hand.











Art. no.	Colour
G	
	Base price

		Height	Art. no.	NX Natural anodised	WS White
	Compound bracket 18 mm	1850	GP1D	103	113
	Extends adjustment range of all products by 18 mm.	2000	GP 19	103	113
<del>-  -</del> 18		Custom size	GP 18	125	138
- T-	Mounting bracket 25 × 25 mm	1850	GP 2D	228	251
	For attaching side screens to wall projections.  Necessary additional information: measurement	2000	GP 29	228	251
25 +	sketch.	Custom size	GP 28	273	300
	Connection bracket for a row of shower units	1850	GP 3D	228	251
+ 25 +	25 x 25 mm. For use with triple sliding door. The custom price is	2000	GP 39	228	251
	valid for the side screen.  Necessary additional information: measurement sketch.	Custom size	GP 38	273	300



	Height	Shower tray measurement (WM) length a x width b	Shower tray installation measurement	Fixed part width	Entrance width
1/4-round shower		800 × 800   R=500	780 - 805	275 - 300	460
		900 × 900 I R=500	880 - 905	375 - 400	530
	1850*	900 × 900 II R=550	880 - 905	325 - 350	550
		1000 × 1000 II R=550	980 - 1005	425 - 450	600
		900 × 800 I R=500	880 - 905 × 780 - 805	375 - 400 × 275 - 300	500
		Combina	ation with side screen on r	equest.	
Oalidian days and Office I parts	fixed-part cu	ustom width (narrower or	, ,		
2 sliding doors and 2 fixed parts	Wider than 3	300 mm (11.8 in.) on requ	est. Custom heights not a	vailable.	
Corner entry		800× 800	780 - 805	390 - 415	440
		900× 900	880 - 905	440 - 465	510
	1850	± 1000 × 1000 ± ± ± ± ± ± ± ± ± ± ± ± ± ± ± ± ±	980 - 1005	490 - 515	580
		900× 750	880 - 905 × 730 - 755	440 - 465 × 365 - 390	460
		750× 900	730 - 755 × 880 - 905	365 - 390 × 440 - 465	460
		800× 800	780 - 805	390 - 415	440
		900× 900	880 - 905	440 - 465	510
2 sliding doors and 2 fixed parts	2000	± 1000 × 1000 ± 5	980 - 1005	490 - 515	580
		900× 750	880 - 905 × 730 - 755	440 - 465 × 365 - 390	460
		750× 900	730 - 755 × 880 - 905	365 - 390 × 440 - 465	460

**CUSTOM MEASUREMENTS - Measurement sketch needed.** 

Height 1500 - 2000 mm. Shower tray installation measurement 700 - 1200 mm. Price for combination of custom and standard measurement:

Combination with side screen on request.

(custom price + standard price) / 2.



### \*1/4-round shower with sliding doors and height 2000 mm.

On page 157 you can find the Artweger SLIDE 1/4-round shower. High-gloss metal and single-pane safety glass 6 mm.

	Art. no.	Coloui	Colour		Glass finishing for glass clear
		Base prid	ce	Sui	rcharge
WM	Art. no.	NX Natural anodised	WS White	DD Synthetic glazing EK DIAMOND Glass clear	C ARTCLEAR GLAZING
8001	GR4D GR1D	1,667	1,834 1,865		
900 II 1000 II 900/800 I	GR 2D GR 6D GR 9D	1,830 1,695	2,013 1,865	DD not available EK 234	417
	GR 88	1,870	2,057		
800	GE 4D	1,155	1,271		
900	GE 5D GE 6D	1,181 1,210	1,299 1,331		
900/750 750/900	GEGD GEHD	1,178	1,296	<b>DD</b> 0	
800 900	GE 49 GE 59	1,155 1,181	1,271 1,299	<b>EK</b> 170	417
1000 900/750 750/900	GE G9 GE H9	1,210	1,331		
	GE 88	1,372	1,509		
	GE 88	1,372	1,509		

## BASELINE

Fixed part left	Fixed part right	Height	Shower tray measurement (WM)	Shower tray installation measurement	Fixed part width	Entrance width				
Triple sliding door in al	cove or for shortened		800	760 - 810	280 - 305	380				
side screen	Y <sub>1</sub>	1850	900	860 - 910	310 - 335	450				
			1000	960 - 1010	345 - 370	520				
			800	760 - 810	280 - 305	380				
		2000	900	860 - 910	310 - 335	450				
		2000	1000	960 - 1010	345 - 370	520				
2 door parts and 1 fixed		Height 1500		surement sketch needed. installation measurement with synthetic glazing.	800 - 1200 mm.					
Triple sliding door for o	one side screen		800	780 - 805	280 - 305	380				
		1850	900	880 - 905	310 - 335	450				
			1000	980 - 1005	345 - 370	520				
			800	780 - 805	280 - 305	380				
		2000	900	880 - 905	310 - 335	450				
			1000	980 - 1005	345 - 370	520				
2 door parts and 1 fixed	part	CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1500 - 2000 mm. Shower tray installation measurement 800 - 1200 mm. Widths over 1000 mm available only with synthetic glazing.								
Triple sliding door for t	wo side screens		800	800 - 835	280 - 305	380				
	1	1850	900	900 - 935	310 - 335	450				
			1000	1000 - 1035	345 - 370	520				
			800	800 - 835	280 - 305	380				
		2000	900	900 - 935	310 - 335	450				
		2000	1000	1000 - 1035	345 - 370	520				
2 door parts and 1 fixed	part	CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1500 - 2000 mm. Shower tray installation measurement 800 - 1200 mm. Widths over 1000 mm available only with synthetic glazing.								
Swinging door in alcove	e or for shortened side									
screen		1050	800	760 - 810	_	610				
		1850	900	860-910	-	710				
		Height 1500		surement sketch needed. installation measurement with synthetic glazing.	800 - 1100 mm.					
Swinging door for one	side screen									
			800	780 - 805	_	610				
		1850	900	880 - 905	_	710				
		CUSTOM	  FASHBEMENTS   Mag							
			CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1500 - 1850 mm. Shower tray installation measurement 800 - 1000 mm.							


Art. no. Colour Glazing for glass clear

Base price Surcharge

WM	Fixed part left	Fixed part right	NX Natural anodised	WS White	DD Synthetic glazing EK DIAMOND Glass clear	C ARTCLEAR GLAZING
800	G9 CD	G9 DD	756	832		
900	G9 ED	G9 FD	772	849		
1000	G9 GD	G9 HD	848	933	<b>DD</b> 0	
800	G9 C9	G9 D9	756	832	<b>EK</b> 113	211
900	G9 E9	G9 F9	772	849		
1000	G9 G9	G9 H9	848	933		
	G9 Y8	G9 Z8	922	1,014		
800	G9 CD	G9 DD	756	832		
900	G9 ED	G9 FD	772	849		
1000	G9 GD	G9 HD	848	933	<b>DD</b> 0	
800	G9 C9	G9 D9	756	832	<b>EK</b> 113	211
900	G9 E9	G9 F9	772	849		
1000	G9 G9	G9 H9	848	933		
	G9 Y8	G9 Z8	922	1,014		
800	G9 CD	G9 DD	756	832		
900	G9 ED	G9 FD	772	849		
1000	G9 GD	G9 HD	848	933	<b>DD</b> 0	044
800	G9 C9	G9 D9	756	832	<b>EK</b> 113	211
900	G9 E9	G9 F9	772	849		
1000	G9 G9	G9 H9	848	933		
	G9 Y8	G9 Z8	922	1,014		
200		45	040	004		
800 900		4D 5D	810 826	891 909	<b>DD</b> 0 <b>EK</b> 113	211
000		.02	020			
	G2	88	986	1,085		
800	G2	4D	810	891	<b>DD</b> 0	211
900	G2	5D	826	909	<b>EK</b> 113	211
	G2	88	986	1,085		
						I



Can be installed on left or right.	Height	Shower tray measurement (WM)	Shower tray installation measurement
Side screen		800	780 - 805
	1850	900	880 - 905
		1000	980 - 1005
		800	780 - 805
	2000	900	880 - 905
		1000	980 - 1005
			installation measurement 300 - 1000 mm.
Shortened side screen			





CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1000 - 2000 mm. Shower tray installation measurement from 300 up to 1000 mm.

	Art. no.	Colour		Glazing for glass clear			
	G						
		Base pric	e	•	Surcha	rge	
WM	Art. no.	NX Natural anodised	WS White	DD Synthet EK DIAMO Glass c	ND	C ARTCLEAR GLAZING	
				Glass C	iloai		
800	G1 4D	420	462				
900	G1 5D	426	469				
1000	G1 6D	437	481	DD	0	211	
800	G1 49	420	462	EK	65	211	
900	G1 59	426	469				
1000	G1 69	437	481				
	G1 88	584	642				
	G1 X8	506	557	DD EK	0 65	211	

Did you not find a suitable model?
We have the right solution for your very special wishes for your own bathroom.
Contact us!

ARTWEGER – Your specialist for customized, individual solutions!

Glass finishing

# ARTWEGER 360

### Bathtub enclosures

- 180° rotating-cylinder wall connector, 360° TWIN hinges or winged door hinges
- · Raise and lower mechanism
- Wall profile with 3D adjustment and concealed silicone joints in models with fixed parts
- 6 mm single-pane safety glass
- Standard height 1500 mm
- Custom sizes available



# Anniversary Edition Artweger PRO:TEC

### · Mounting without drilling

- 360° TWIN hinges with raise and lower mechanism
- Wall profile with 3D adjustment
- 6 mm single-pane safety glass
- Standard height 1500 mm
- Adjustment range 20 mm
- Custom sizes available










Single part folding door on fixed part (see top fig.) and on extra-wide fixed part.







Quick and safe with adhesive technique.

is universally applicable for all substrates that are fully load-bearing, flat, dry, free of dust and grease, sealed against moisture and free of adhesion-reducing substances.



Especially EASY TO CLEAN. In case of the 360° TWIN hinge a second pivot allows the moving element to be opened inwards and outwards.

# Artweger MOVE

## Sliding doors on bathtub

- Overhead guided sliding doors
- Framed models including a 20 mm adjustment range
- Frameless models made to measure according to requirements
- 6 mm single-pane safety glass
- Standard height 1500 mm
- Custom sizes available



# BASELINE

### Bathtub folding screens

- Folding screens without fixed part
- Framed design for the best stability
- Swings totally away
- 3 mm single-pane safety glass or synthetic glazing
- Standard height 1500 mm
- Adjustment range 25 mm
- Custom sizes available







With SOFT OPEN / SOFT CLOSE (optional) the most up to date technology is hidden behind the elegant inside panel. The door is gently slowed down just before the end and then glides smoothly into the stop position.





according to EN 14428



The folding sreen can be swung out on the 180-degree hinge. For even less work cleaning the BASELINE tub folding screen can also be equipped with ARTCLEAN glass coating on request.



The patent pending magnetic closure enables the door to swing open by lightly pressing it. This makes cleaning much easier.



BASELINE: The BASELINE tub folding screen saves lots of space when folded together.

DIMENSIONS IN MILLIN	METRES.							
left	right	Height	Bathtub measure- ment (WM)	Width tub folding screen	Width of	folding pieces		
Single folding screen								
		1500	700 750	650 - 668 700 - 718	a=660, x=675 a=710, x=725	×		
			EASUREMENTS - 1600 mm. Width	5 - Measurement sketch needen 500 - 950 mm.	ed.			
		Surcharge f	or triangular and	d rectangular cut-outs.				
Double folding scree	n							
		1500	All sizes	1282 - 1300	a=700 b=595 x=725	a b		
				Only watertight when fully exte				
				<b>3 -</b> Measurement sketch neede n 1100 - 1300 mm.	ed.			
				d rectangular cut-outs. Triar	ngular cut-out poss	ible only on last part.		
		- C		ı		, ,		
Triple folding screen		1500	All sizes	1382 - 1400	a = 545 b = 450 c = 400 x = 570	T a b c		
		Only watertight when fully extended.						
		CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1400 - 1500 mm. Width 1100 - 1400 mm.						
	\$		Surcharge for triangular and rectangular cut-outs. Triangular cut-out possible only on last part.					
Side screen incl. ceilir	ng support		700	682 - 700	_	_		
	1	1500	750	732 - 750	_	_		
			800	782 - 800	_	_		
		Can be combined with single, double and triple folding screen. Ceiling support extendable up to 1000 mm. Assembly without folding screen on request.						
		CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1400 - 1500 mm. Shower tray installation measurement 300 - 900 mm.						
Single folding screen	attached on fixed							
part	6	1500	All sizes	880 - 900	a=235 b=660 x=710	T x a b		
				Cannot be combined with	a side screen.			
		CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1400 - 1700 mm. Overall width 900 - 1200 mm, moving element max. 650 mm. Surcharge for triangular and rectangular cut-outs.						
Single folding screen	attached on fixed	3,	<b>0</b>					
part extra wide		1500	All sizes	1180 - 1200	a = 635 b = 560 x = 610	T X a b		
		1						

**CUSTOM MEASUREMENTS - Measurement sketch needed.** 

Surcharge for triangular and rectangular cut-outs.

**IMPORTANT** 

Incl. stabiliser. Cannot be combined with a side screen.

Height 1400 - 1700 mm. Overall width 1200 - 1400 mm, moving element max. 650 mm.

Art. no.	Frame colour	Glazing	Glass finishing (optional)	Hinge colour
9 T				
	Base price		Surcharge	

WM	left	right	MH High-gloss metal WS White/chrome Additional colours	EK Glass clear RW Strip Satin	C ARTCLEAR GLAZING	same as frame <sup>1</sup> VC Chrome
700 750	9TKK1 12 9TKK1 32	9TKK212 9TKK232	1,223 1,286	<b>EK</b> 0 <b>RW</b> 259	211	0
	9TKK1 18	9TKK218	1,455 275			
			215			
	9TKK1 52	9TKK2 52	1,654	<b>EK</b> 0 <b>RW</b> 259	211	0
	9TKK1 58	9TKK2 58	1,919			
			275			
	9TKK1 72	9TKK272	2,194	<b>EK</b> 0 <b>RW</b> 351	211	0
	9TKK1 78	9TKK278	2,609			
			275			
700		(012	802	<b>EK</b> 0		
750 800	9T6K0 32 9T6K0 42		849	<b>RW</b> 204	211	_
	9T6	<b>&lt;</b> 088	989			
	9TKP1 52	9TKP2 52	1,218	<b>EK</b> 0 <b>RW</b> 259	211	0
	9TKP1 88	9TKP288	1,304			
			275			
	9TKP3 B2	9TKP4 B2	1,366	<b>EK</b> 0 <b>RW</b> 259	211	0
	9TKP388	9TKP488	1,460			
	PORTANT		275			

## IMPORTANT

Folding screen attached on fixed part: Required installation height is total height + 30 mm.
 Only VC chrome-plated available with MH high-gloss metal frames.

Anniversary Edition
Artweger PRO:TECT
ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

left right	Height	Bathtub measure- ment (WM)	Width tub folding screen	Width of folding pieces				
Single folding screen attached on fixed part	1500	All sizes	883 - 903	a=238 b=660 x=710				
	Height 1400	CUSTOM MEASUREMENTS - Measurement sketch needed.  Height 1400 - 1700 mm. Overall width 900 - 1200 mm, moving element max. 650 mm.  Surcharge for triangular and rectangular cut-outs.						
Single folding screen attached on fixed part extra wide	1500	All sizes	1183 - 1203	a = 638 b = 560 x = 610				
	Incl. stabiliser.							
	Height 1400	CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1400 - 1700 mm. Overall width 1200 - 1400 mm, moving element max. 650 mm. Surcharge for triangular and rectangular cut-outs.						



Art. no. Frame colour Glazing Glass finishing (optional)

PR Base price Surcharge

left	right	MA High-gloss metal Matt aluminium  MP High-gloss metal Graphite	WP Matt white Graphite SP Matt black Graphite	EK Glass clear RW Strip Satin	C ARTCLEAR GLAZING  ANNIVERSARY EDITION: ARTCLEAR GLAS including ARTSHOWER Softedge hand shower PLUS.
PRK1 52	PRK2 52	1,272	1,497	<b>EK</b> 0 <b>RW</b> 259	211 +
PRK1 88	PRK2 88	1,359	1,584		
		275	275		
PRK3 B2	PRK4B2	1,420	1,645	<b>EK</b> 0 <b>RW</b> 259	211 +
PRK3 88	PRK4 88	1,515	1,740		
		275	275		









High-gloss metal Graphite



Matt white Graphite



Matt black Graphite





Fixed part left	Fixed part right	Height	Nominal width	Width	Fixed part width	Entrance width			
Double sliding doo free-standing on bat									
		1500	1200 1400	1170 - 1190 1370 - 1390	557 - 577 657 - 677				
1 door part and 1 fixe	ed part	CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1300 - 1800 mm. Shower tray installation measurement 1000 - 1600 mm.							
Double sliding doo free-standing on bat									
		1500	1000 - 1200 1201 - 1400	According	to dimension sketch.	1			
1 door part and 1 fixe	ed part	CUSTOM MEASUREMENTS - Measurement sketch needed. Height 1300 - 1800 mm. Shower tray installation measurement 1000 - 1600 mm.							

Glass
finishing (optional) Comfort system
Surcharge

Base price Surcharge

Glazing

left	right	MH High-gloss metal	WS White SM Matt black LB Silver	WM Matt white GF Graphite metallic CN Champagne MK Mokka BZ Bronze . Additional colours	Graphite metallic Champagne SA Satin SA Satin		S SOFT OPEN SOFT CLOSE
MGK1 B2 MGK1 E2 MGK1 88	MGK2 E2	1,356 1,402 1,542	1,581 1,627 1,767	1,816 1,862 2,002	EK 0 RW 204 SA 351	211	116
Waltioo	WAKEGO	1,042	1,707	2,002			
MRK1 B2 MRK1 E2	MRK2 E2	1,626 1,681	1,851 1,906	2,086 2,141	EK 0 RW 204 SA 351	211	116
MRK1 88	MRK288	1,849	2,074	2,309			

Frame colour

Art. no.

M



Can be installed on left or right.	Height	Bathtub measure- ment (WM)	Width tub folding screen	Width of fold	ding pieces
Single folding screen	1500	700 750 <b>IEASUREMENTS</b>	690 - 705 740 - 755 <b>3 -</b> Measurement sketch ne	a=690-705, x=653 a=740-755, x=703 eded.	×
	0	- 1600 mm. Width for triangular and	n 300 - 900 mm. d rectangular cut-outs.		
Double folding screen					
	1500	All sizes	1240 - 1255	a = 675 - 690 b = 565 x = 655	a b
	Height 1100	- 1600 mm. Width	S - Measurement sketch ne n 1100 - 1400 mm. d rectangular cut-outs. Ti		le only on last part.
Triple folding screen	1500	All sizes	1390 - 1405	a=540-555 b=440 c=410 x=520	a b c
	Height 1100	- 1600 mm. Width	S-Measurement sketch ne n 1100 - 1600 mm. d rectangular cut-outs. Th		le only on last part.
Side screen incl. ceiling support		700	678 - 708	_	-
1 1	1500	750	728 - 758	_	-
	CUSTOM M	ling support exter	778 - 808  combined with single, doul adable up to 1000 mm. Ass  6 - Measurement sketch ne a 300 - 1000 mm.	sembly without folding scre	
Side screen incl. ceiling support	1000 - 1600	Custom measure- ments	300 - 700	-	a b
	Always cust	The attach	combined with single, doul Ceiling support extendab ed side screen can be swu Measurement sketch need	ole up to 1000 mm. Ing in or out a maximum of	f 90°.

Art. no. Colour Glazing for glass clear

Base price	Surcharge

WM	Art. no.	NX Natural anodised	WS White LB Silver Additional colours	DD Synthetic glazing DIAMOND EK Glass clear	C ARTCLEAR GLAZING
700 750	GK 12 GK 32	665 716	798 859	<b>DD</b> 0 <b>EK</b> 65	211
	GITTOL	7.10			
	GK18	818	982		
		186	186		
	GK 42	858	1,030	<b>DD</b> 0 <b>EK</b> 213	211
	GK 48	1,007	1,208		
		186	186		
	GK 72	932	1,118	<b>DD</b> 0 <b>EK</b> 227	211
	GK 78	1,149	1,379		
		186	186		
700 750 800	G6 12 G6 32 G6 42	483 508 510	580 610 612	<b>DD</b> 0 <b>EK</b> 65	211
	G6 88	544	653		
	4000	011	000		
	G6 Z8	544	653	<b>DD</b> 0 <b>EK</b> 65	211

# BODY+SOUL

## ELEMENTS OF BALANCE

- Individual custom-made steam showers
- Partially framed or frameless design
- Winged doors with fixed parts
- Barrier-free with Vario sealing system
- Certified adhesion technique
- Raise and lower mechanism

- Wall profile with 3D adjustment and concealed silicone joint
- 6 mm single-pane safety glass
- Standard height 2046 mm
- Custom sizes available
- Including ARTCLEAR GLASS without surcharge

### HANDLE TYPES



Knob K

Horizontal R



Vertical H

Bow-type  ${\bf G}$ 



Folding seat Individual seat or bench, folding.



Artweger





according to EN 14428

**INCLUDED** 

Integrated coloured-light



system (optional).



Integrated audio system (optional).



Steam box with aroma drawer.



Especially EASY TO CLEAN.

# **BODY+SOUL** FEATURES

ARTWEGER price list 03/2023. For specialised trade outlets only.

### Attachment to the wall



PARTIALLY FRAMED With wall profile. Adjustment of up to 20 mm (±10 mm) to allow for uneven or sloped walls.



**FRAMELESS** Brackets inwards. Attachment to wall is on the interior of the shower.



FRAMELESS optional Brackets outwards. Wall bracket on the outside of the shower. Please indicate when ordering.

BODY+SOUL Steam showers

### LEFT/RIGHT in the case of an asymmetric shower tray

LEFT 7R81 HH 7P81 HH Door on wide

fixed part













RIGHT 7R82UH 7P82UH Door on narrow fixed part

# $\mathsf{RODY}\mathsf{+}\mathsf{SOUL}$ overview of product features

ARTWEGER price list 03/2023. For specialised trade outlets only.

### SHOWER TRAYS

- BODY+SOUL can optionally be installed on a shower tray or flush with the floor.
- Matching acrylic shower trays see page 226, ARTSTONE mineral cast shower trays see page 224.

### SHOWER ENCLOSURE WITH ROOF ELEMENT

- Shower enclosure made of 6 mm single-pane saftey glass including ARTCLEAR GLASS.
- Winged door opening outwards with lifting/sinking hinges and sealing and magnetic strips.
- Your choice of hinge on left or right.
- Artweger adhesive technology for smooth glass inner surfaces and especially easy cleaning.
- · Optionally with wall moulding to compensate for dimensional tolerances and/or sloping wall.
- Alternatively frameless for transparent look. Measurement sketch needed.
- Assembly on shower tray or flush with floor. Dimension sketch required when installing flush with floor.
- Standard height 2046 mm. Total height of steam shower depends on the chosen installation variation.
   Required installation height is total height + 150 mm.
- Overflow moulding to enhance watertightness in the entrance area is included. Installation optional.
- Individual dimensions available. Custom designs always on request.

### **ROOF ELEMENT**

- Plastic plate with aluminium frame, white. Required to ensure steam does not escape.
- Optional audio unit with speaker, USB port for MP3 and 3.5 mm stereo jack.
   Can be extended using a standard USB cable up to 5 m long. Optional LED coloured light unit with 7 directly selectable colours. In addition free choice of colour and adjustable colour intensity. Audio unit includes Bluetooth adapter for wireless enjoyment of music from Smartphone/Tablet/PC/Mac. The audio and coloured light units are operated by remote control.
- Flow rate of overhead showerhead at 3 bar pressure ca. 11 I/min.

### STEAM BOX

- Steam generator including aroma drawer and adjustable steam exit nozzle.
- Aroma drawer optionally for herbs or oils. Space required to pull out aroma drawer 200 mm.
- Adjustable heat
- Decalcification function taking into account the local water hardness, automatic rinsing procedure.
- Boiler empties automatically with protection against scalding.
- Control of the steam functions. Steam duration, temperature, decalcification.
- Remote control for operating the audio and light functions. Audio source, volume, coloured light selection, light intensity. Charging station for remote control mounted on steam box.
- Easy-to-clean surfaces, available in various colours.
- Total filling volume 880 ml. Vaporized amount of water about 4.5 l per hour.
- Space volume 2.6 m³ maximum per steam generator.

### **BODY+SOUL DESIGN RECOMMENDATION**

### Winged door with side screen 900 x 900 mm



Hinge on left

Please order fittings and showering equipment separately.

When used on tiled floors a furrow or slant in the floor (toward the drain within the shower area) is necessary.

Components

On tiled floor

Shower enclosure with roof element

PARTIALLY FRAMED

Winged door width: 900 mm
Side screen width: 900 mm
Height of shower enclosure: 2046 mm

Frame colour: High-gloss metal

Glazing: glass clear incl. ARTCLEAR GLASS
Handle type: horizontal

Handle and hinge: Chrome

Roof element: without accessories

Art. no. left: 7P91 5HMHEKR1

Steam box

Aroma drawer: left

Colour: Anthracite/silver

Art. no.: 7D11 11 AT

Seat

Seat with backrest

Colour: Anthracite/silver

Art. no.: 7SE0 11 AT 1,120

Total price in EUR:

8,886

Prices in EUR

3,425

4,341

# DDY+SOUL overview of product features

ARTWEGER price list 03/2023. For specialised trade outlets only.

#### SEAT

- · Folding seats are mounted on the tiled side walls. A load-bearing wall must be available to mount the seat.
- With integrated motion damper for smooth folding.
- At a width of 1100 mm or more, the bench with 2 seating surfaces and continuous backrest can be used.
- Easy-to-clean surfaces, available in various colours.

#### **GENERAL NOTES**

- · Notice to persons with pacemakers: In the seat back and in the front cover of the steam generator are magnets.
- Please note our pre-installation information.
- When installing and operating for the first time, please observe DIN 1986, DIN 1988 and EN 1717 as well as current country-specific standards.
- The electrical installation may only be carried out by a licensed specialist under consideration of regulation VDE 0100-701.
- Ensure sufficient heat insulation including moisture barrier in the wall before installing the BODY+SOUL. Otherwise the attainment of a comfortable operating temperature cannot be guaranteed.
- Plan for electrical conduits for external audio wires if needed.
- · BODY+SOUL has a variety of adjustment possibilities for individually desired application variations and is conceived exclusively for use in private bathrooms.

#### ELECTRICAL CONNECTION 230V/500/60Hz

 Connected load max. 3,4 kW

• Separate power supply  $3 \times 1,5 \,\text{mm2} \,(\text{H}05\text{-VV-F})$ 

Fuse 16 A 0,8W Standby • Standby with remote control 1.6W

 Wiring over FI circuit breaker. RCDI∆n ≤ 30mA. Conduit from above, diameter at least 20 mm, laid at least 50 mm deep. The wiring must be installed over a bipolar switch which is at least outside protected zone 2. Observe current regulations for potential equalisation.

#### WATER CONNECTION

DN 15 1/2" set corner control valve, outlet 3/8". Water connection for steam box:

DN 15 1/2" Water connection for overhead showerhead:

 Water connection for fittings: According to the fittings selected.

(Please order fittings and showering equipment separately.)

• Minimum flow pressure: 1.5 bar

#### **BODY+SOUL DESIGN RECOMMENDATION**

#### Winged door with side screen 1200 x 1000 mm



Hinge on left

Please order fittings and showering equipment separately.

Total height depends on installation height of the shower tray.

#### Components

Shower tray Artweger SIMONE 1200 × 1000 × 45 mm, white

With set of shower-tray feet, mounting brackets and drain set.

Art. no.: WV 19 WS 816 Art. no.: WH 06 95 Art. no.: WH 04 44 100 W0 01 VC Art. no.:

#### Shower enclosure with roof element

PARTIALLY FRAMED

Winged door width: 1200 mm Side screen width: 1000 mm Height of shower enclosure: 2046 mm Frame colour: High-gloss metal

glass clear incl. ARTCLEAR GLASS Glazing:

Handle type: horizontal Handle and hinge: Chrome

Roof element: with audio, coloured light and overhead showerhead

Art. no. left: 7P91 GHMHEKR3K 7,739

Steam box

With controls for audio and coloured light Aroma drawer: left

Colour: Anthracite/silver

Art. no.: 7D31 11 AT 5,643

Seat

Bench with continuous backrest

Colour: Anthracite/silver

2,400 Art. no.: 7SB0 21 AT

Steam showers **BODY+SOUL** 

Total price in EUR:

16,837

Prices in EUR

# BODY+SOUL PARTIALLY FRAMED

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

Hinge left	Hinge right	Height	Shower tray measurement (WM) length a x width b	Shower tray installation measurement	Fixed part width	Entrance width
1/4-round shower wi	ith roof		900 × 900 II R=550	880 - 900	375 - 395	650
			1000 × 1000 II R=550	980 - 1000	475 - 495	650
		2046	1200 × 1200 II R=550	1180 - 1200	675 - 695	650
	de l	2040	1200 × 900 II R=550	1180 - 1200 × 880 - 900 Door on wide fix	675 - 695 × 375 - 395 red part	650
			1200 × 900 II R=550	1180 - 1200 × 880 - 900 Door on narrow f	675 - 695 × 375 - 395 ixed part	650
		OLIOTOLI I	AEAGUBENAENTO NA			

1 winged door and 2 fixed parts

#### **CUSTOM MEASUREMENTS -** Measurement sketch needed.

Maximum width: 1200 x 1200 mm. Height 2046 mm - custom heights not available.

fixed-part custom width (narrower or wider) per side.

Radius of glazing =  $518 \, \text{mm}$ . The manufacture of individually curved glass is not possible. Dimension tolerances to the tiled shower area are possible for technical reasons.

#### Surcharge for triangular and rectangular cut-outs.

#### Corner entry with roof



2 winged doors and 2 fixed parts

		900× 900		880 - 900	240 - 260	840
	1000×1000	980 - 1000	340 - 360	840		
2046	left	1000× 800	right	980 - 1000 × 780 - 800	340 - 360 × 240 - 260	770
2040	<u> </u>	800 × 1000	-5	780 - 800 × 980 - 1000	240 - 260 × 340 - 360	770
		1000× 900		980 - 1000 × 880 - 900	340 - 360 × 240 - 260	840
		900 × 1000		880 - 900 × 980 - 1000	240 - 260 × 340 - 360	840

**CUSTOM MEASUREMENTS - Measurement sketch needed.** 

Floor area at most 1.3 m<sup>2</sup> at 2046 mm height.

Maximum widths:  $1400 \times 900 \, \text{mm}$  or  $1300 \times 1000 \, \text{mm}$ .

Heights up to 2200 mm on request.

Price for combination of custom and standard measurement:

(custom price + standard price) / 2.

Surcharge for triangular and rectangular cut-outs.


left	right	MH High-gloss metal Additional colours	EK Glass RW Strip S incl. ARTO		K Knob R Horizontal H Vertical G Bow-type		<ul><li>1 without features</li><li>3 Audio and coloured light</li></ul>		K with overhead showerhead (optional)
7P81 2H	7P822H	4,029							
7P81 6H	7P826H	4,413			К	0			
7P81 0H	7P820H	4,881	EK	0	R	0	1	0	648
7P81 HH	7P82 HH		RW	-	H G	0 -	3	3,442	
7P81 UH	7P82 UH	4,594							
7P81 88	7P8288	5,076							
		322							
7PE	0 5H	3,553							
7PE 7PE	0 AH	3,919	EK RW	0 518	K R H	0 0 0	1 3	0 3,442	648
7PE(	0 CH				G	331			
7PE	0 88	4,224							
		322		K	R	G 35	50 mm		

# BODY+SOUL PARTIALLY FRAMED

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

Hinge left	Hinge right	Height	Shower tray measure- ment (WM)	Shower tray installation r	measurement	Fixed part width	Entrance width
Winged door in alco		Floor area a	t most 1.3 m² a	880 - 900 980 - 1000 980 - 1000 × 780 - 800 980 - 1000 × 880 - 900 1180 - 1200 × 780 - 800 1180 - 1200 × 880 - 900 1180 - 1200 × 980 - 1000 1380 - 1400 × 880 - 900 ITS - Measurement sketch mat 2046 mm height.		150 - 170 150 - 170 150 - 170 150 - 170 250 - 270 250 - 270 250 - 270 350 - 370	530 630 630 630 630 630 630
		door 1300 m Heights up t	nm/depth of alc to 2200 mm on		mm or		
Winged door in alco	ove with roof	2046	900 × 900 1000 × 1000 1000 × 800 1000 × 900	880 - 900 980 - 1000 980 - 1000 × 780 - 800 980 - 1000 × 880 - 900	Door at 1000 Door at 1000	150 - 170 250 - 270 250 - 270 250 - 270	680 680 680 680
1 door part and 1 fixe	ed part	Floor area a Door 1200 n Heights up t	t most 1.3 m² a nm/depth of alc to 2200 mm on		eeded.		
Winged door with s			  IEASUREMEN		Door at 1000 Door at 1200 Door at 1200 Door at 1200 the wall side.	150 - 170 250 - 270 250 - 270 250 - 270 450 - 470 450 - 470 450 - 470	680 680 580 680 580 680 680
1 door part, 1 fixed part, 1 side screen  CUSTOM MEASUREMENTS - Measurement sketch needed. Floor area at most 1.3 m² at 2046 mm height.  Maximum widths: Door 1400 mm/side screen 900 mm or door 1300 mm/side screen 1000 mm.							

**Winged door** with shorter side screen and roof



1 door part, 1 fixed part, 1 side screen

**CUSTOM MEASUREMENTS - Measurement sketch needed.** 

Floor area at most 1.3 m<sup>2</sup> at 2046 mm height.

Maximum widths: Door 1400 mm/side screen 900 mm or

Surcharge for triangular and rectangular cut-outs.

door 1300 mm/side screen 1000 mm.

Heights up to 2200 mm on request.

Heights up to 2200 mm on request.

Hinge always on the wall side.

Surcharge for triangular and rectangular cut-outs.

Art. no. Colour Glazing Handle type/ Overhead showerhead

Base price	Surcharge
Baco price	Garonargo

left	right	MH High-gloss metal Additional colours	EK Glass clear RW Strip Satin incl. ARTCLEAR GL	K Knob R Horizontal H Vertical G Bow-type T Towel holder	without features     Audio and coloured light	K with overhead showerhead (optional)
7P41 CH 7P41 EH 7P41 FH	7P425H 7P426H 7P42AH 7P42CH 7P42EH 7P42FH 7P42GH		<b>EK</b> 0 <b>RW</b> 259	K 0 R 0 H 0 G 166 T -	1 0 3 3,442	648
7P41 HH 7P41 88	7P42 HH 7P42 88	3,118 3,190 322				
	7P525H 7P526H 7P52AH 7P52CH	2,621	<b>EK</b> 0 <b>RW</b> 259	K 0 R 0 H 0 G 166 T -	1 0 3 3,442	648
7P51 88	7P5288	2,923 322				
7P91 CH 7P91 EH	7P925H 7P926H 7P92AH 7P92CH 7P92EH		<b>EK</b> 0 <b>RW</b> 461	K 0 R 0 H 0 G 166 T 252	1 0 3 3,442	648
7P91 FH 7P91 GH 7P91 88	7P92 FH 7P92 GH 7P92 88	3,649				
		322				
7P71 88	7P7288	3,729	<b>EK</b> 0 <b>RW</b> 461	K 0 R 0 H 0 G 166 T 252	1 0 3 3,442	648
		322		K R H	mm	

# BODY+SOUL FRAMELESS

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

Hinge left	Hinge right	Height	Shower tray measurement	Shower tray installation measurement	Entrance width		
leit	ngnt		length a x width b		Width		
1/4-round shower with roof		2046	900 x 900    R=550 1000 x 1000    R=550 1200 x 1200    R=550 1200 x 900    R=550 Door on wide fixed part 1200 x 900    R=550 Door on narrow fixed part	According to dimension sketch.	650 650 650 650		
1 winged door and 2	2 fixed parts	fixed-part ex	IEASUREMENTS - Measureme ktra width per side. Custom heig for triangular and rectangular	ghts not available.			
		Surcharge	Tor triangular and rectangular	cut-outs.			
Corner entry with re	oof	2046	up to 1000 × 1000	<ul> <li>According to dimension sketch.</li> <li>Door 640 mm max.</li> <li>fixed-part at least 170 mm wide.</li> </ul>	up to 840		
2 winged doors and	2 fixed parts	CUSTOM MEASUREMENTS - Measurement sketch needed. Floor area at most 1.3 m <sup>2</sup> at 2046 mm height. Maximum widths: 1400 × 900 mm or 1300 × 1000 mm. Heights up to 2200 mm on request. Price for combination of custom and standard measurement: (custom price + standard price) / 2. Surcharge for triangular and rectangular cut-outs.					
Winged door in alcove with roof		2046	up to 1000 up to 1400	<ul> <li>According to dimension sketch.</li> <li>Door max. 750 mm wide.</li> <li>fixed-part at least 170 mm wide.</li> <li>Width of alcove 1400 mm max.</li> <li>Depth of alcove 1000 mm max.</li> </ul>	up to 630		
8		CUSTOM MEASUREMENTS - Measurement sketch needed. Floor area at most 1.3 m² at 2046 mm height. Maximum widths: Door 1400 mm/depth of alcove 900 mm or door 1300 mm/depth of alcove 1000 mm. Door max. 750 mm wide. Heights up to 2200 mm on request.					
1 door part and 2 fix	ed parts	Surcharge	for triangular and rectangular	cut-outs.			
Winged door in alco	ove with roof	2046	up to 1000	According to dimension sketch. Door max. 750 mm wide. fixed-part at least 170 mm wide. Width of alcove 1200 mm max. Depth of alcove 1000 mm max.	up to 680		
		CUSTOM MEASUREMENTS - Measurement sketch needed. Floor area at most 1.3 m² at 2046 mm height. Maximum widths: Door 1200 mm/depth of alcove 1000 mm. Door max. 750 mm wide. Heights up to 2200 mm on request.					
1 door part and 1 fix	ed part	Surcharge	for triangular and rectangular	cut-outs.	1		
Winged door with s	side screen and roof	2046	up to 1000 × 1000 up to 1200 × 1000	<ul> <li>According to dimension sketch.</li> <li>Door max. 750 mm wide.</li> <li>fixed-part at least 170 mm wide.</li> <li>Door at 1200 mm, side screen at 1000 mm.</li> <li>Hinge always on the wall side.</li> </ul>	up to 680		
			I <b>IEASUREMENTS -</b> Measureme				
Floor area at most 1.3 m² at 2046 mm height.  Maximum widths: Door 1400 mm/side screen 900 mm or door 1300 mm/side screen 1000 mm.  Door max 750 mm wide Heights up to 2200 mm on request							

Door max. 750 mm wide. Heights up to 2200 mm on request. Surcharge for triangular and rectangular cut-outs.

1 door part, 1 fixed part, 1 side screen

Art. no. Colour Glazing Handle type/
Towel holder Roof element showerhead

7 R Base price Surcharge

left	right	VC Chrome WS White	<b>EK</b> Glass <b>RW</b> Strip S incl. ARTC		K Knob R Horiz H Vertic G Bow- T Towe	ontal cal type	1 witho 3 Audio light	ut features and coloured	K with overhead showerhead (optional)
	7R826H 7R820H 7R82HH	4,062 4,447 4,904 • 4,621	EK RW	0 _	K R H G	0 0 0 -	1 3	0 3,442	648
7R81 88	7R8288	5,251 275							
7RE0	0 6H	4,010	EK RW	0 518	K R H G	0 0 0 331	1 3	0 3,442	648
7RE	088	4,580							
		275							
7R41 6H 7R41 HH		2,993 3,274	EK RW	0 259	K R H G	0 0 0 166 –	1 3	0 3,442	648
7R41 88	7R4288	3,571							
7R51 6H	7R526H	2,931	EK RW	0 259	K R H G	0 0 0 166 -	1 3	0 3,442	648
7R51 88	7R5288	3,119							
		275							
7R91 6H 7R91 BH		3,662 3,783	EK RW	0 461	K R H G T	0 0 0 166 252	1 3	0 3,442	648
7R91 88	7R9288	4,126				la € G	350 mm 500 mm		
		275		K	R	H	SOO INM		

# BODY+SOUL STEAM BOX, SEAT, BENCH

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

left	right	Height	Width	Depth	Product description
Steam box	(	500	385	100	<ul> <li>Steam generator, 3.4 kW, 230 V, 50/60Hz incl. aroma drawer for herbs and oils.</li> <li>Temperature adjustable in 7 levels. Comfortable steam enjoyment by means of adjustable heat level.</li> <li>Empties automatically after each use. Decalcification programme</li> <li>High quality surfaces in attractive colours.</li> <li>Also suitable for installation in existing showers. (Connection to electricity and cold water must be available, walls must be sufficiently insulated, and shower enclosure must not allow steam to escape.)</li> <li>Space volume 2.6 m³ maximum per steam generator.Not suitable for the use in Switzerland. For this purpose, use Art. No. 7D13 11/ 7D14 11.</li> </ul>
Steam box with audio and co	loured light controls	500	385	100	<ul> <li>Steam generator, 3.4 kW, 230 V, 50/60Hz incl. aroma drawer for herbs and oils.</li> <li>Incl. remote control for audio and coloured light (roof element with audio and coloured light required).</li> <li>Temperature adjustable in 7 levels. Comfortable steam enjoyment by means of adjustable heat level.</li> <li>Empties automatically after each use. Decalcification programme</li> <li>High quality surfaces in attractive colours.</li> <li>Space volume 2.6 m³ maximum per steam generator.Not suitable for the use in Switzerland. For this purpose, use Art. No. 7D33 11/ 7D34 11.</li> </ul>
Seat		500	385	70/90	Front: Audio Back: Coloured light  Folding seat with backrest, generously dimensioned. High quality surfaces in attractive colours. Folding mechanism with motion damper and magnetic catch. A load-bearing wall must be available to mount the seat. For special types of walls such as aerated concrete the fixation materials have to be suitable ones recommended by the construction company. Capacity up to 130 kg. Overhang: 510 mm
Bench		500	770	70/90	<ul> <li>Can be used in spaces 1100 mm and wider.</li> <li>2 folding seats with a continuous backrest, generously dimensioned.</li> <li>High quality surfaces in attractive colours.</li> <li>Folding mechanism with motion damper and magnetic catch.</li> <li>A load-bearing wall must be available to mount the seat.</li> <li>For special types of walls such as aerated concrete the fixation materials have to be suitable ones recommended by the construction company.</li> <li>Capacity up to 130 kg per folding seat.</li> <li>Overhang: 510 mm</li> </ul>

Colour

BODY+SOUL Steam showers

left	right	Pla BD Bordeaux/silver	stic AT Anthracite/silver SA Sand/silver	Glass GH Glass clear/silver GT Glass anthracite/silver GB Glass Bordeaux/silver
7D1111	7D1211	_	4,341	4,487
7D3111	7D3211	_	5,643	5,789
7SE	O 11	1,120	1,120	_
7SB	30 21	2,400	2,400	_

When installing wall heating please request drilling position sketch beforehand.Custom sizes not available.

# TWINLINE 1

# Bath and shower. The Artweger TWINLINE makes it possible.

- Shower bathtub with extra large shower area
- Full-sized walk-in door opens inwards
- Mechanical closure
- Certified adhesion technique
- Wall profile with 3D adjustment and concealed silicone joint
- 6 mm single-pane safety glass
- Standard height 1900 or 2045 mm
- Entry height of 180 mm, which can be reduced to 70 mm
- Optionally as Airpool



The handle engages automatically when the door is closed.



The tub's special drain shortens the water's draining time.



Neck support and seat are soft and removable.



Artweger
TWIN:LINE





# **ACCESSORIES**

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.



		Height	Art. no.	WS White LB Silver Additional colours	MH High-gloss metal
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Compound bracket 12 mm	1500	TL0P32	132	145
+ 12	Extends adjustment range of the shower door by 12 mm. Required when installing on already tiled wall.	1355	TL0P31	123	135








	Length	Art. no.	Colour not specified
Flexible connection hose, 3/4" For inlet/drain/overflow set.	1500	TL0H 33	50
Sealing tape For sealing and sound installation between the tub, the structure and the tiles. Including the tile tape.	3600	W012	97


## TWINLINE 1 DESIGN RECOMMENDATION





Corner installation left	Art. no.	Prices in EUR
Bathtub 1800 × 1000/800 mm  With mechanical closure.  Plastic tub in white.  Door skirt with fastener.  Drain, overflow included.  Seat and neck support in white.  With pre-mounted assembly angles and tub feet.	A TLM1 04 WS WS	4,690
Shower door  Colour: high-gloss metal Glazing: glass clear incl. ARTCLEAR GLASS	B TL8187MHEKCVC	2,270
Skirt 05 (optional)  • Plastic skirt in white.	C TL0E03WS	1,150
	Total price in FUR:	8.110

# TWINLINE 1 DIMENSIONS

ARTWEGER price list 03/2023. For specialised trade outlets only. DIMENSIONS IN MILLIMETRES.









TWINLINE 1 1700 × 950 / 750 depth 430


Tub capacity ca. 180 litres.





TWINLINE 1 1800 × 1000 / 800 depth 430

Tub capacity ca. 225 litres.



# TWINLINE 1 overview of product features

ARTWEGER price list 03/2023. For specialised trade outlets only.

#### Bathtub

- · Plastic tub in white.
- Door skirt in white (GRP) with fastener. GRP: Glassfibre Reinforced Plastic
- Drain, overflow chrome-plated (standard) Inlet/drain/overflow chrome-plated (optional).
- Seat and neck support.
- · Generous shower area.
- With pre-mounted assembly angles and tub feet. Including height-adjustable feet.
- Optional: ART-Grip anti-slip zone anti-slip coating class C according to DIN 51097.
- Tub capacity: Approximate average water consumption of a full bath with one person.

#### With mechanical closure for installation without electricity.

#### Shower door

- Door opens to inside. Entrance width 460 mm. Handle with locking mechanism. Single-pane safety glass 6 mm.
- When installing the shower door on the already tiled wall a 12 mm compound bracket is required. See page 189.

#### Shower door with side screen

- Door opens to inside. Entrance width 460 mm. Handle with locking mechanism. Single-pane safety glass 6 mm.
- Includes side screen with ceiling support and a special skirt for tilling. This skirt provides additional stability to the bathtub edge and is to be installed during installation of the bathtub. Otherwise proper functioning of the TWINLINE 1 cannot be ensured.
- Ceiling support extendable up to 700 mm. Solid ceiling required for fixing the ceiling support.
- When installing the shower door on the already tiled wall a 12 mm compound bracket is required. See page 189.

#### Skirt

- To allow for maintenance and service we recommend installing the TWINLINE 1 skirting or tile backing board.
- The door skirt is generally supplied in white plastic. Door skirt not available with glass surface.


#### TWINLINE 1 AIR - The other kind of Airpool.

- Control element built into tub's edge.
- Due to the air system used, no regular disinfection is necessary. Automatic blowing-out of the jets after every use of bath and shower.
- 24 × Air jets in bottom area. 2 × LED coloured light with 7 colours. Air membrane pump 45 W.
- 230V/50/60Hz electrical connection required.
- Power consumption max. 50 W. Standby 8 W.
- Deeper set installation on rough concrete not possible.

#### ART-Grip Skid-resistant zone (scheme)



#### TWINLINE 1 AIR arrangement of equipment



- 1 = LED coloured light, 2 = control element AIR,
- 3 = electrical connection and electronic control, 4 = membrane pump

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

SHOWER AREA		Product description/ features	Length × width
left	right		
Bathtub		With mechanical closure.     Please order shower door extra.	1700× 950/750 1800×1000/800
		<ul> <li>TWINLINE 1 AIR with mechanical closure.</li> <li>Please order shower door extra.</li> <li>Installation of an Artweger tub skirt is required for maintenance and service.</li> <li>Please order tub skirt separately. See page 194.</li> <li>Deeper set installation on rough concrete not possible.</li> <li>230V/50/60Hz electrical connection required.</li> </ul>	1700 × 950/750 1800 × 1000/800

SHOWER AREA		Product description/ features	Height/ door height	Suitable for bathtub
left	right			
Shower door				
		Please order bathtub extra.	<b>2045</b> / 1920	All sizes
	Flease order barrious extra.	<b>1900</b> / 1775 lower height	All sizes	
		<b>CUSTOM MEASUREMENTS -</b> Measurement sketch needed. fixed-part custom width (narrower or wider).		
Shower door with side s	creen	Please order bathtub extra.	<b>2045</b> /1920	1700 × 950/750 1800 × 1000/800
	<ul> <li>Includes side screen with ceiling support.</li> <li>Ceiling support extendable up to 700 mm.</li> <li>Solid ceiling required for fixing the ceiling support.</li> </ul>	<b>1900</b> / 1775 lower height	1700 × 950/750 1800 × 1000/800	
		CUSTOM MEASUREMENTS - Measurement sketch needed. Side screen custom width (narrower or wider).		

Seat and Additional features neck support2 Art. no. Colour TL Base price Surcharge

SHOWE	R AREA	WS White	A ART-Grip (optional)	E Inlet/drain/overflow <sup>1</sup> (optional)	WS White SB Silver
left	right			Flexible connection hose ¾" see page 189.	When the colour is not stated, execution will be in white (WS).
TLM1 01 TLM1 04	TLM2 01 TLM2 04	4,083 4,690	220	346	<b>WS</b> 0 <b>SB</b> 79
TLA311 TLA314	TLA411 TLA414	7,827 8,433	-	346	<b>WS</b> 0 <b>SB</b> 79

Art.	no.	Frame	colour	Glazing	Glass finishing (optional)	Handle and hinge colour
TL						
		Base	price		Surcharge	
SHOWE	R AREA	WS White LB Silver Additional colours	MH High-gloss metal	EK Glass clear SA Satin	C ARTCLEAR GLAZING	same as frame² VC Chrome
left	right					
TL81 87	TL8287					
		1,872	2,059	<b>EK</b> 0 <b>SA</b> –	211	0 <b>VC</b> 0
TL81 85	TL82 85					
TL81 88	TL8288	2,074	2,262			
TLS1 37	TLS2 37					
TLS1 47	TLS2 47			<b>EK</b> 0		0
		2,826	3,109	<b>EK</b> 0 <b>SA</b> 351	417	vc 0
TLS1 35	TLS2 35			Glass satin (SA) for side screen		
TLS1 45	TLS2 45			only.  Not available for shower door.		
TLS1 88	TLS288	3,028	3,310			

 $<sup>^1</sup>$  In case of the integrated tub inlet a pipe interrupter type A2 according to EN 1717 is to be installed.  $^2$  Only VC chrome-plated available with MH high-gloss metal frames.

# TWINLINE 1 SKIRTS AND TILE SUBSTRATE

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

SHOWER AREA	Applications	Suitable for bathtub
left right		
Skirt 01 alcove installation	The TWINLINE 1 bathtub can be lowered by exactly 110 mm if required. (Installation on raw concrete). If so required please indicate when ordering. Skirts with the ARTWALL or GLASS surfaces have to be adjusted to this requirement at the factory.	1700 × 950/750 1800 × 1000/800
Skirt 02 corner installation	Skirt 03, 04 and 06:     Requires shower door with side screen.     With skirt D the desired surface is to be attached to the supplied tile substrate on site.	1700 × 950/750 1800 × 1000/800
Skirt 03 corner installation		
A		1700 × 950/750 1800 × 1000/800
Skirt 04 installation on straight wall		
D A B B A		1700 × 950/750 1800 × 1000/800
Tile substrate alcove installation  a b a	<ul> <li>Moulded EPS as substrate for tiling.</li> <li>Suitable for bathtub on left and right.</li> <li>Exactly matching form. Easy to assemble.</li> <li>Not suited for TWINLINE 1 AIR.</li> </ul>	1700 1800
Tile substrate corner installation, installation on straight wall	a b c 1700 × 950/750: 510 640 730 1800 × 1000/800: 510 740 780	1700 × 950/750 1800 × 1000/800

TL

Base price

SHOWER AREA	Plastic	ARTWALL 3.0	Glass
left right	WS White	WM White BT Concrete MB Beige glossy marble WG Glossy white RS Rust CY Canyon SC Slate NB Stone beige NH Light stone colour NV Stone Verdello EI Oak MG Grey glossy marble ML Light glossy marble	GH Glass clear AT Glass Anthracite BD Glass Bordeaux
71.07.04	504		054
TLOB 04	581	581	651
TL0B 05	622	622	692
TL0E 02	1,073	1,073	1,153
TL0E 03	1,150	1,150	1,230
TL0E 05	1,073	1,073	1,153
TL0E 06	1,150	1,150	1,230
TL0E 08	1,565	1,565	1,655
TL0E 09	1,678	1,678	1,768
	Colour not specifie	ed	
TI 01144	0.7		
TL0H11 TL0H16	87 108		
1201110	100		
		-	
TL0H12	171		
TL0H17	210		

# TWINLINE 2

## The bathtub of the future.

- Shower bathtub in modern linear design
- Choose between full-sized or partitioned door opening inwards
- Mechanical closure
- Certified adhesion technique
- Wall profile with 3D adjustment and concealed silicone joint
- 6/8 mm single-pane safety glass
- Standard height 2110 mm or custom size
- Entry height of 180 mm, which can be reduced to 55 mm
- Optionally as Airpool



A special seal extends to just below the edge of the tub and holds the water safely in the tub even when full.



Due to the straight shape of the tub, TWINLINE 2 needs no more space than a conventional bathtub. A widening of the tub in the shower area ensures plenty of room for showering.



Clear stylistic elements with strong accents: The tub skirts are available in a high-quality white plastic version, with a glass skirt in the colours Glass clear, Bordeaux and Anthracite as well as in all of the ARTWALL colours. A special tile substrate allows individual tiling.



An ingenious mechanical locking system combines water spout with door lock, thus ensuring safety while bathing.









Swinging splash protection for the shower door of the TWINLINE 2 and ARTLIFT.

Optional accessories. Can also be installed later.


## **ACCESSORIES**

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

Art. no.	Colour
	Base price

		Art. no.	WS White LB Silver . Additional colours	MH High Colo	
**************************************	Compound bracket 10 mm Height 1500 mm. Extends adjustment range of all products by 10 mm. Required when installing on already tiled wall.	T20P 32	132	МН	145
	Folding seat Height 320 mm, width 385 mm, depth 92 mm. Capacity: 130 kg. Overhang: 335 mm. Colour Silver. Folding mechanism with motion damper and magnetic catch. For installation on tiled walls. A load-bearing wall must be available to mount the seat. For special types of walls such as aerated concrete the fixation materials have to be suitable ones recommended by the construction company.	T20BKS	_		957
0	Tub corner seat Height 40 mm, width 566 mm, depth 290 mm. Capacity: 130 kg. Colour anthracite. Can also be retrofitted to existing TWINLINE 2 shower bathtubs. Can be removed at any time and easy to clean.	T20BES	_		309
	Backrest Height 360 mm, width 300 mm, depth 20 mm. Colour anthracite. Can also be retrofitted to existing TWINLINE 2 shower bathtubs. Fixation with suction cups. Can be removed at any time and easy to clean.	T20B RL	-		219
	Sealing tape Length 3600 mm. For sealing and sound installation between the tub, the structure and the tiles. Including the tile tape.	W012	-		97


## TWINLINE 2 DESIGN RECOMMENDATION



Corner installation left with shower door.	Art. no.	Prices in EUR
<ul> <li>Bathtub 1700 x 750 mm</li> <li>Plastic tub in white.</li> <li>Drain, overflow included.</li> <li>With pre-mounted assembly angles and tub feet.</li> </ul>	A T2W1 01 WS	3,688
<ul><li>Shower door</li><li>Colour: high-gloss metal</li><li>Glazing: glass clear incl. ARTCLEAR GLASS</li></ul>	B T281 8FMHEKCVC	1,560
Skirt 02 (optional)  • Plastic skirt in white.	C T2B1 22 WS	1,203
Pivoting splashguard (optional) • Can also be installed later.	D T2L1 Z1 MH EK C	548
	Total price in EUR:	6,999

# TWINLINE 2 DIMENSIONS

ARTWEGER price list 03/2023. For specialised trade outlets only. DIMENSIONS IN MILLIMETRES.



# TWINLINE 2 overview of product features

ARTWEGER price list 03/2023. For specialised trade outlets only.

#### Bathtub

- · Plastic tub in white.
- Drain, overflow chrome-plated (standard) Inlet/drain/overflow chrome-plated (optional).
- With pre-mounted assembly angles and tub feet. Including height-adjustable feet.
- With mechanical closure for installation without electricity.
- Optional: ART-Grip anti-slip zone anti-slip coating class C according to DIN 51097.
- The control element is, as a standard, positioned on the front side of the bathtub.
- Tub capacity: Approximate average water consumption of a full bath with one person.

#### Shower door, bathtub door

- Door opens to inside. Entrance width 535 mm. Handle with locking mechanism. Single-pane safety glass 8 mm.
- When installing the shower door on the already tiled wall a 10 mm compound bracket is required. See page 197.

#### Shower door with side screen

- Door opens to inside. Entrance width 535 mm. Handle with locking mechanism. Single-pane safety glass 8 mm.
- Includes side screen with ceiling support. Single-pane safety glass 6 mm. Ceiling support extendable up to 700 mm. Solid ceiling required for fixing the ceiling support.
- When installing the shower door on the already tiled wall a 10 mm compound bracket is required. See page 197.

#### Pivoting splashguard next to shower door (optional)

- Single-pane safety glass 6 mm.
- Can also be installed later.
- Cannot be combined with shower screen for bathtub door.

#### Shower screen next to bathtub door (optional)

- Can be opened inwards as well as outwards. Entrance width 535 mm. Handle with locking mechanism. Single-pane safety glass 6 mm.
- Can also be installed later.
- Cannot be combined with moveable splash screen.

#### Skirt

- To allow for maintenance and service we recommend installing TWINLINE 2 skirting or tile backing board.
- Please order tub skirt or tile carrier separately. See page 206.


#### TWINLINE 2 AIR - The other kind of Airpool.

- Control element built into tub's edge.
- Due to the air system used, no regular disinfection is necessary. Automatic blowing-out of the jets after every use of bath and shower.
- 24 × Air jets in bottom area. 2 × LED coloured light with 7 colours. Air membrane pump 45 W.
- 230V/50/60Hz electrical connection required.
- Power consumption max. 50 W. Standby 8 W.
- Deeper set installation on rough concrete not possible.

#### ART-Grip Skid-resistant zone (scheme)

# TWINLINE 2 AIR arrangement of equipment





- 1 = LED coloured light, 2 = control element AIR,
- 3 = electrical connection and electronic control, 4 = membrane pump

# Artweger TWINLINE 2 PROMPT DELIVERY

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

TWINLINE 2 - with continous door,	total height 2110 mm	Length × width	Art. no.	Price in EUR
	TWINLINE 2 Shower bathtub High-gloss metal, glass clear,	1700 × 750 Alcove installation left	T2W1 01 WS E T281 8F MH EK VC T2B1 12 WS	3,849 1,349 679
	with integrated inlet, plastic tub and skirt in white	1700 × 750 Alcove installation right	T2W2 01 WS E T282 8F MH EK VC T2B2 12 WS	3,849 1,349 679
		1700 × 750 Corner installation left	T2W1 01 WS E T281 8F MH EK VC T2B1 22 WS	3,849 1,349 1,203
		1700× 750 Corner installation right	T2W2 01 WS E T282 8F MH EK VC	3,849 1,349

T2B2 22 WS

1,203

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

SHOWER AREA		Product description/ features	Length × width
left	right		
Bathtub		With mechanical closure.     Please order shower door extra.	1600 × 750 1700 × 750 1700 × 800 1800 × 800
		<ul> <li>TWINLINE 2 AIR with mechanical closure.</li> <li>Please order shower door extra.</li> <li>Installation of an Artweger tub skirt or a tile carrier is required for maintenance and service. Please order tub skirt separately.</li> <li>See page 206. Deeper set installation on rough concrete not possible.</li> <li>230V/50/60Hz electrical connection required.</li> </ul>	1600 × 750 1700 × 750 1700 × 800 1800 × 800

Why not make provisions for the future? By purchasing an ARTLIFT pre-installation set your customer can equip their shower bathtub with an ARTLIFT seat lift at any time!

You can find the ARTLIFT pre-installation set on page 212.

SHOWER AREA	Product description/ features	Height/ door height	Suitable for bathtub
left right			
Shower door	Please order bathtub extra.	<b>2110</b> /1970	All sizes
	CUSTOM MEASUREMENTS - Measurement sketch needed. fixed-part custom width (narrower or wider). Triangular cut-out on request.  Surcharge for custom heights up to a maximum of 2110 mm.		
Shower door with side screen	<ul> <li>Please order bathtub extra.</li> <li>Includes side screen with ceiling support.</li> <li>Ceiling support extendable up to 700 mm.</li> </ul>	<b>2110</b> /1970	1600×750 1700×750
	Solid ceiling required for fixing the ceiling support.  CUSTOM MEASUREMENTS - Measurement sketch needed. Side screen custom width (narrower or wider). Surcharge for custom heights up to a maximum of 2110 mm.		1800×800
Pivoting splashguard			
	<ul> <li>Optional accessory</li> <li>Single-pane safety glass 6 mm.</li> <li>Can also be installed later.</li> </ul>	1350	All sizes
	CUSTOM HEIGHT - Custom widths not available. Surcharge for triangular cut-outs.	·	

- Shower door: Required installation height is total height + 40 mm.
   Shower door with side screen: Required installation height is total height + 100 mm. • When installing the shower door on the already tiled wall a 10 mm compound bracket is required. See page 197.

Art.	no.	Colour	Additional features	
T 2				
		Base price	Su	rcharge
SHOWE	R AREA	<b>WS</b> White	A ART-Grip (optional)	E Inlet/drain/overflow <sup>1</sup> (optional)
left	right			
T2W1 03	T2W2 03			
T2W1 01	T2W2 01	3,688	000	404
T2W1 05	T2W2 05	3,757	220	161
T2W1 04	T2W2 04	3,737		
T0D4.40	T0D040			
T2R1 13	T2R213	7,489		
T2R1 11 T2R1 15	T2R211		-	161
T2R1 15	T2R215 T2R214	7,558		
12.1114	12.12.14			

Art.	.no.	Frame	colour	Glazing	Glass finishing (optional)	Handle and hinge colour
T 2						
		Base	price		Surcharge	
SHOWE	R AREA	WS White LB Silver Additional colours	MH High-gloss metal	EK Glass clear	C ARTCLEAR GLAZING	same as frame² VC Chrome
left	right					
T281 8F	T282 8F	1,226	1,349	0	211	0 VC 0
T281 88	T282 88	1,432	1,554			
		414	455			
T2S1 3F T2S1 3F T2S1 4F T2S1 4F	T2S2 3F T2S2 3F T2S2 4F T2S2 4F	2,031	2,234	0	417	0 VC 0
T2S1 88	T2S288	2,239	2,443			
	120200	498	548			
T2L1 Z1	T2L2 Z1	481	481	0	67	-
T2L1 88	T2L288	576 278	576 278			

<sup>1</sup> Incl. connection hose 1/2", 1500 mm. In case of the integrated tub inlet a pipe interrupter type A2 according to EN 1717 is to be installed.
2 Only VC chrome-plated available with MH high-gloss metal frames.

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

SHOWER AREA	Product description/ features	Length × width
left right		
Bathtub with bathtub door	With mechanical closure.	1600 × 750 1700 × 750 1700 × 800 1800 × 800
	TWINLINE 2 AIR with mechanical closure. Installation of an Artweger tub skirt or a tile carrier is required for maintenance and service. Please order tub skirt separately. See page 206. Deeper set installation on rough concrete not possible. 230V/50/60Hz electrical connection required.	1600 × 750 1700 × 750 1700 × 800 1800 × 800

Why not make provisions for the future? By purchasing an ARTLIFT pre-installation set your customer can equip their shower bathtub with an ARTLIFT seat lift at any time!

You can find the ARTLIFT pre-installation set on page 216.

SHOWER AREA		Product description/ features	Height/ door height	Suitable for bathtub
left	right			
Shower screen		<ul> <li>Please order bathtub extra.</li> <li>Cannot be combined with moveable splash screen.</li> </ul>	<b>2110</b> /1500	All sizes
		CUSTOM MEASUREMENTS - Measurement sketch needed. fixed-part custom width (narrower or wider). Triangular cut-out on request. Surcharge for custom heights 1986 - 2109 mm/door height 1376	- 1499 mm.	
Shower screen with side screen		<ul> <li>Please order bathtub extra.</li> <li>Includes side screen with ceiling support.</li> <li>Ceiling support extendable up to 700 mm.</li> <li>Solid ceiling required for fixing the ceiling support.</li> <li>Cannot be combined with moveable splash screen.</li> </ul>	<b>2110</b> /1500	1600 × 750 1700 × 750 1700 × 800 1800 × 800
		CUSTOM MEASUREMENTS - Measurement sketch needed. Side screen custom width (narrower or wider). Surcharge for custom heights 1986 - 2109 mm/door height 1376	-1499 mm.	'

- Shower screen: Required installation height is total height + 40 mm.
   Shower screen with side screen: Required installation height is total height + 100 mm.

Art	Art. no. Colour Additional fea		al features	Glass finishing (optional)	
T 2					
		Base price		Surcharge	
SHOWE	ER AREA	WS White	A ART-Grip	E Inlet/drain/overflow <sup>1</sup> (optional)	C ARTCLEAR GLASS included
left	right	Tub in white Bathtub door high-gloss metal Glass clear incl. ARTCLEAR GLASS	(optional)	(Optional)	Included
	I Igrit				
T2GM1 03	T2GM2 03	4,215			
T2GM1 01	T2GM2 01	,	220	161	0
T2GM1 05	T2GM2 05	4,281			
T2GM1 04	T2GM2 04				
T2GA1 13	T2GA213	0.010			
T2GA1 11	T2GA211	8,013		101	0
T2GA1 15	T2GA214	8,083	_	161	0

Art.	no	Frame colour	Glazing	Glass finishing (optional)	Hinge colour
T 2		Traine Coloui		innorming (optional)	I milge colour
Base price			Surcharge		
SHOWE	R AREA	MH High-gloss metal WS White LB Silver	EK Glass clear	C ARTCLEAR GLAZING	same as frame² VC Chrome
left	right	Additional colours			
T2G81 82	T2G82 82	1,255	0	211	0 VC 0
T2G81 88	T2G8288	1,462			
		455			
T2GS1 32	T2GS232				
T2GS1 32	T2GS232				
		2,125	0	417	vc 0
T2GS1 42	T2GS2 42				
T2GS1 42	T2GS2 42				
T2GS1 88	T2GS288	2,329			
		548			

## IMPORTANT

T2GA1 14

T2GA214

TWINLINE 2 Shower bathtubs

<sup>1</sup> Incl. connection hose 1/2", 1500 mm. In case of the integrated tub inlet a pipe interrupter type A2 according to EN 1717 is to be installed.
2 Only VC chrome-plated available with MH high-gloss metal frames.

# TWINLINE 2 SKIRTS AND TILE SUBSTRATE

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

SHOWER AREA	Product description	Suitable for bathtub
left right		
Skirt 01 alcove installation		
		1600
A		1700
BBBB		1000
Skirt 02 corner installation		1600 × 750
		1700×750
A A		1700 × 800
B		1800 × 800
Skirt 03 corner installation		1600×750
C		1700×750
A B B A		1700 × 800
	Skirt 03 and 04 suitable for:	1800 × 800
Skirt 04 installation on straight wall	- Shower door with side screen - Bathtub door	
Skill 64 installation on straight wall	- Bathtub door and shower screen with side screen	1600 × 750
C		1700 × 750 1700 × 800
B C B		1800×800
Tile substrate 01 alcove installation		
		1600
a		1700
b <sup>1</sup> b <sup>2</sup> b <sup>1</sup>		1800
D	Mounting plate with attachment.     Exact positioning is adjustable on site.	
Tile substrate 02 corner installation	Suitable for tiles with a thickness of at most 10 mm.	1600×750
		1700 × 750
a	a b¹ b² c	1700 × 800
b <sup>1</sup> b <sup>2</sup> b <sup>1</sup>	1600×750: 445 210 755 750	1800 × 800
- B - C - B -	1700 × 750: 445 210 855 750 1700 × 800: 445 210 855 800	
Tile substrate 03 corner installation	<b>1800 × 800:</b> 445 210 855 800	1600 × 750
C		1700×750
a	Tile substrate 03 and 04 suitable for:     Shower door with side screen	1700 × 800
$b^1$ $b^2$ $b^2$	- Bathtub door	1800 × 800
Tile substrate 04 installation on straight wall	- Bathtub door and shower screen with side screen	
Cabotrato o i motanation on otraight wan		1600 × 750
C		1700 × 750 1700 × 800
a a		1800×800
$b^2$ $b^2$ $b^2$		

Base price

01:0:1:	D 4054	D	ADTIVAL	
SHOWE	K AKEA	Plastic	ARTWALL	Glass
left	right	WS White	WM White BT Concrete MB Beige glossy marble WG Glossy white RS Rust CY Canyon SC Slate NB Stone beige NH Light stone colour NV Stone Verdello EI Oak MG Grey glossy marble ML Light glossy marble	GH Glass clear AT Glass Anthracite BD Glass Bordeaux
T2B1 11	T2B211	679	679	799
T2B1 12	T2B212			
T2B1 13	T2B213	700	700	820
T2B1 21	T2B2 21	1,203	1 202	1 225
T2B1 22	T2B2 22	1,203	1,203	1,335
T2B1 24	T2B2 24	1,221	1,221	1,353
T2B1 23	T2B2 23	1,243	1,243	1,375
T2B1 31	T2B231	1,203	1,203	1,335
T2B1 32	T2B2 32			
T2B1 34	T2B2 34	1,221	1,221	1,353
T2B1 33	T2B2 33	1,243	1,243	1,375
T2B1 41	T2B2 41	1.710	1.740	1 070
T2B1 42	T2B2 42	1,718	1,718	1,879
T2B1 44	T2B2 44	1,754	1,754	1,915
T2B1 43	T2B2 43	1,779	1,779	1,940
		Colour not specifie	ed	
T2F111	T2F211	458		
T2F112	T2F212	458		
T2F1 13	T2F213	464		
T2F1 21	T2F2 21	819	-	
T2F1 22	T2F2 22	819		
T2F1 24	T2F2 24	831		
T2F1 23	T2F2 23	831		
T2F1 31	T2F231	819		
T2F1 32	T2F232	819		
T2F1 34	T2F234	831		
T2F1 33	T2F233	831		
T2F1 41	T2F241	1,177		
T2F1 42	T2F242	1,177		
T2F1 44	T2F2 44	1,199		
T2F1 43	T2F243	1,199		

# ARTLIFT

## Shower. Bathe. Seat lift.

- Shower bathtub with a comfort lifting seat
- Choose between full-sized or partitioned door opening inwards
- Mechanical closure
- Certified adhesion technique
- Wall profile with 3D adjustment and concealed silicone joint
- 6/8 mm single-pane safety glass
- Standard height 2110 mm or custom size
- Entry height of 180 mm, which can be reduced to 55 mm
- Optionally as Airpool
- Including ARTCLEAR GLASS without surcharge



As soon as you press a key the seat begins to move either up or down. When you release the key the seat stops automatically.



Your mobility guarantee in the bathroom. ARTLIFT from Artweger is the best example of what a modern bathroom should provide: Clear design, innovative technology and convincing comfort. The ARTLIFT unites the benefits of the unique shower and bath combination with a comfortable seat lift. In this way Artweger has been the first to create an all-inclusive mobility solution for the bathroom.



In the upmost position the backrest is vertical and in the optimal position for getting in. Now you can safely and easily be seated.

When lowering, the backrest slowly adjusts to

the angle of the tub, the seat always remains

# **Artweger**



You do not need the ARTLIFT? Fold away the seat and use your shower/bathtub in your accustomed manner for bathing and showering.



according to EN 14428





Being prepared can be so elegant. The comfortable backrest is delivered with the invisibly integrated pre-installation set.

#### **IMPORTANT**

horizontal.


## **ACCESSORIES**

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

Art. no.	Colour	
	Rase price	

		Art. no.	MH High-gloss metal	Colour not specified
**************************************	Compound bracket 10 mm Height 1500 mm. Extends adjustment range of all products by 10 mm. Required when installing on already tiled wall.	ALOP 42	145	-
	Seat lift for retro-fitting. Capacity up to 120 kg. Overhang: 330 mm. Height 600 mm, width 330 mm, depth 120/90 mm. Colour anthracite.  Addition to an ARTLIFT with pre-installation set.	ALHS 01	-	6,821
0	Tub corner seat Capacity: 130 kg. Height 40 mm, width 566 mm, depth 290 mm. Colour anthracite. Can also be retrofitted to existing ARTLIFT shower bathtubs. Can be removed at any time and easy to clean.	AL0B ES	-	309
	Sealing tape Length 3600 mm. For sealing and sound installation between the tub, the structure and the tiles. Including the tile tape.	W012	-	97


## ARTLIFT DESIGN RECOMMENDATION



Corner installation left	Art. no.	Prices in EUR
ARTLIFT 1700 x 750 mm with seat lift Shower door  Colour: high-gloss metal Glazing: glass clear incl. ARTCLEAR GLASS Bathtub with seat lift Plastic tub in white. Drain, overflow included. With pre-mounted assembly angles and tub feet. Seat lift included.	A AL1 01	12,510
Skirt 02 • Plastic skirt in white.	C ALB1 22 WS	1,203
Pivoting splashguard (optional)  • Can also be installed later.	D ALL1 Z1 MH EKC	548
	Total price in EUR:	14,261

# ARTLIFT DIMENSIONS

ARTWEGER price list 03/2023. For specialised trade outlets only. DIMENSIONS IN MILLIMETRES.



## ARTLIFT OVERVIEW OF PRODUCT FEATURES

ARTWEGER price list 03/2023. For specialised trade outlets only.

#### Pre-installation ARTLIFT

- Installations to be executed on-site according to DIN 1986, DIN 1988, DIN 4109, and VDE.
- Separate mains supply line H05-VV-F (flexible line) over a RCD IΔn ≤ 30mA. For connection a cable of approx. 3 m should be provided.
- Main switch as protection, bipolar, 20A, with min. 3 mm contact opening, controlled by light switch, e.g. with control display. Fuse switch FI, bipolar RCD IΔn ≤ 30mA.
- Potential compensation line, 4 mm² (Cu), for connection to standard earthing clip.
- Water inlet and outlet according to DIN 1986 and DIN 1986 as with a normal bathtub.
- In case of the integrated tub inlet (optional equipment) a pipe interrupter (type A2) according to EN 1717 is to be installed.
- Tub capacity: Approximate average water consumption of a full bath with one person.

#### Bathtub

- Plastic tub in white. The tub is prepared for the installation of a seat lift and its control element.
- Control element built into tub's edge. Blind cover in the case of a pre-installation set.. Detachable backrest with a high quality surface.
- Drain, overflow chrome-plated (standard). Inlet/drain/overflow chrome-plated (optional).
- With pre-mounted assembly angles and tub feet. Including height-adjustable feet.

#### Pre-installation / seat lift

- Electrical supply with 230V/50/60Hz is required. Operating voltage of the motor 24V DC, output max. 120 W. Standby 7 W.
- The pre-installation set enables retro-fitting of a seat lift. Seat lift for retro-fitting see page 209.
- Lifting speed ca. 8 mm/sec.

#### Shower door, bathtub door

- Door opens to inside. Entrance width 535 mm. Handle with locking mechanism. Single-pane safety glass 8 mm incl. ARTCLEAR GLASS.
- When installing the shower door on the already tiled wall a 10 mm compound bracket is required. See page 209.

#### Shower door with side screen

- Door opens to inside. Entrance width 535 mm. Handle with locking mechanism. Single-pane safety glass 8 mm incl. ARTCLEAR GLASS.
- Includes side screen with ceiling support. Single-pane safety glass 6 mm incl. ARTCLEAR GLASS. Ceiling support extendable up to 700 mm. Solid ceiling required for fixing the ceiling support.
- When installing the shower door on the already tiled wall a 10 mm compound bracket is required. See page 209.

#### Pivoting splashguard next to shower door (optional)

- Single-pane safety glass 6 mm incl. ARTCLEAR GLASS.
- Can also be installed later. Cannot be combined with shower screen for bathtub door.

#### Shower screen next to bathtub door (optional)

- Can be opened inwards as well as outwards. Entrance width 535 mm. Handle with locking mechanism. Single-pane safety glass 6 mm incl. ARTCL FAR GLASS.
- Can also be installed later. Cannot be combined with moveable splash screen.


#### Skirt

• Installation of an Artweger tub skirt or a tile carrier is required for maintenance and service. Please order tub skirt or tile carrier separately. See page 218.


#### ARTLIFT AIR - The other kind of Airpool.

- Control element built into tub's edge.
- Due to the air system used, no regular disinfection is necessary. Automatic blowing-out of the jets after every use of bath and shower.
- 24 × air jets in bottom area. 2 × LED coloured light with 7 colours. Air membrane pump 45 W.
- 230V/50/60Hz electrical connection required.
- Power consumption max. 170 W (ARTLIFT max. 120 W, AIR max. 50 W). Standby 8 W.
- Deeper set installation on rough concrete not possible.

#### ART-Grip Skid-resistant zone (scheme)



## TWINLINE 2 AIR arrangement of equipment



- 1 = LED coloured light, 2 = control element ARTLIFT,
- 3 = control element AIR, 4 = electrical connection and electronic control, 5 = membrane pump

# ARTLIFT with pre-installation set

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

SHOWER AREA	Product description/ features	Height/ door height	Length × width
ARTLIFT with pre-installation set, shower door and bathtub	<ul> <li>With mechanical closure.</li> <li>Electrical supply with 230V/50/60Hz is required.</li> </ul>	<b>2110</b> /1970	1600 × 750 1700 × 750 1700 × 800 1800 × 800
	CUSTOM MEASUREMENTS - Measurement sketch needed. fixed-part custom width (narrower or wider).  Triangular cut-out on request.  Surcharge for custom heights up to a maximum of 2110 mm.		
	<ul> <li>ARTLIFT AIR</li> <li>With mechanical closure.</li> <li>Electrical supply with 230V/50/60Hz is required.</li> <li>Deeper set installation on rough concrete not possible.</li> </ul>	<b>2110</b> /1970	1600×750 1700×750 1700×800 1800×800
	CUSTOM MEASUREMENTS - Measurement sketch needed. fixed-part custom width (narrower or wider). Triangular cut-out on request.  Surcharge for custom heights up to a maximum of 2110 mm.		
ARTLIFT with pre-installation set, shower door with side screen and bathtub	<ul> <li>With mechanical closure.</li> <li>Electrical supply with 230V/50/60Hz is required.</li> <li>Ceiling support extendable up to 700 mm. Solid ceiling required for fixing the ceiling support.</li> </ul>	<b>2110</b> /1970	1600×750 1700×750 1700×800 1800×800
	CUSTOM MEASUREMENTS - Measurement sketch needed. Side screen custom width (narrower or wider). Surcharge for custom heights up to a maximum of 2110 mm.		
	<ul> <li>ARTLIFT AIR</li> <li>With mechanical closure.</li> <li>Electrical supply with 230V/50/60Hz is required.</li> <li>Ceiling support extendable up to 700 mm. Solid ceiling required for fixing the ceiling support.</li> <li>Deeper set installation on rough concrete not possible.</li> </ul>	<b>2110</b> /1970	1600 × 750 1700 × 750 1700 × 800 1800 × 800
	CUSTOM MEASUREMENTS - Measurement sketch needed. Side screen custom width (narrower or wider). Surcharge for custom heights up to a maximum of 2110 mm.		

SHOWER AREA	right	Product description/ features	Height/ door height	Suitable for bathtub
Pivoting splashgua		<ul> <li>Optional accessory</li> <li>Single-pane safety glass 6 mm.</li> <li>Can also be installed later.</li> </ul>	1350	All sizes
	•	CUSTOM HEIGHT - Custom widths not available.  Surcharge for triangular cut-outs.		

**IMPORTANT** 

• Shower door with side screen: Required installation height is total height + 100 mm.

Art.	no.	Additional features			
		Base price	Surcharge		
SHOWE	R AREA	Tub in white	A ART-Grip (optional)	E Inlet/drain/overflow <sup>1</sup> (optional)	
		Shower door high-gloss metal     Glass clear incl. ARTCLEAR GLASS	(орнона)	(Ορτιοπαί)	
left	right				
ALA 03	ALB 03	0.050			
ALA 01	ALB 01	6,359	200	161	
ALA 05	ALB 05	6,427	220	161	
ALA 04	ALB 04	0,427			
ALA 88	ALB 88	6,632			
		455			
ALAR 13	ALBR13				
ALAR11	ALBR11	10,159			
ALAR15	ALBR15		_	161	
ALAR14	ALBR14	10,227			
ALAR 88	ALBR 88	10,432			
		455			
ALC 03	ALD 03	7.440			
ALC 01	ALD 01	7,416	220	161	
ALC 05	ALD 05	7,484	220	101	
ALC 04	ALD 04	7,404			
ALC 88	ALD 88	7,688			
		548			
		540			
ALCR13	ALDR13	11,216			
ALCR11	ALDR 11	,	_	161	
ALCR15	ALDR 15	11,284			
ALCR14	ALDR14	, -			
ALCR 88	ALDR 88	11,488			
		548			

Art.	no.	Frame colour	Glazing	Glass finishing (optional)	
AL					
		Base price	Base price Surcharge		
SHOWER AREA		MH High-gloss metal	EK Glass clear	C ARTCLEAR GLASS included	
left	right				
ALL1 Z1	ALL2Z1	548	0	0	
ALL1 88	ALL2 88	643			
		278			

<sup>•</sup> Incl. connection hose 1/2", 1500 mm. In case of the integrated tub inlet a pipe interrupter type A2 according to EN 1717 is to be installed.

# ARTLIFT WITH SEAT LIFT

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

SHOWER AREA	Product description/ features	Height/ door height	Length × width	
ARTLIFT with seat lift, shower door and bathtub	With mechanical closure. Electrical supply with 230V/50/60Hz is required.	<b>2110</b> /1970	1600 × 750 1700 × 750 1700 × 800 1800 × 800	
	CUSTOM MEASUREMENTS - Measurement sketch needed. fixed-part custom width (narrower or wider). Triangular cut-out on request. Surcharge for custom heights up to a maximum of 2110 mm.			
	<ul> <li>ARTLIFT AIR</li> <li>With mechanical closure.</li> <li>Electrical supply with 230V/50/60Hz is required.</li> <li>Deeper set installation on rough concrete not possible.</li> </ul>	<b>2110</b> /1970	1600 × 750 1700 × 750 1700 × 800 1800 × 800	
	CUSTOM MEASUREMENTS - Measurement sketch needed. fixed-part custom width (narrower or wider). Triangular cut-out on request. Surcharge for custom heights up to a maximum of 2110 mm.			
ARTLIFT with seat lift, shower door with side screen and bathtub	With mechanical closure. Electrical supply with 230V/50/60Hz is required. Ceiling support extendable up to 700 mm. Solid ceiling required for fixing the ceiling support.	<b>2110</b> /1970	1600 × 750 1700 × 750 1700 × 800 1800 × 800	
	CUSTOM MEASUREMENTS - Measurement sketch needed. Side screen custom width (narrower or wider). Surcharge for custom heights up to a maximum of 2110 mm.			
	<ul> <li>ARTLIFT AIR</li> <li>With mechanical closure.</li> <li>Electrical supply with 230V/50/60Hz is required.</li> <li>Ceiling support extendable up to 700 mm. Solid ceiling required for fixing the ceiling support.</li> <li>Deeper set installation on rough concrete not possible.</li> </ul>	<b>2110</b> /1970	1600 × 750 1700 × 750 1700 × 800 1800 × 800	
	CUSTOM MEASUREMENTS - Measurement sketch needed. Side screen custom width (narrower or wider). Surcharge for custom heights up to a maximum of 2110 mm.			

SHOWER AREA	right	Product description/ features	Height/ door height	Suitable for bathtub
Pivoting splashgua		<ul> <li>Optional accessory</li> <li>Single-pane safety glass 6 mm.</li> <li>Can also be installed later.</li> </ul>	1350	All sizes
~	*	CUSTOM HEIGHT - Custom widths not available.  Surcharge for triangular cut-outs.		

## **IMPORTANT**

• Shower door with side screen: Required installation height is total height + 100 mm.

Additional features Art. no. A L Base price Surcharge SHOWER AREA • Tub in white A ART-Grip E Inlet/drain/overflow1 (optional) (optional) • Shower door high-gloss metal • Glass clear incl. ARTCLEAR GLASS left right AL1 03 AL2 03 12,510 AL1 01 AL2 01 220 161 AL1 05 AL2 05 12,579 AL1 04 AL204 AL1 88 AL288 12,784 455 AL1R13 AL2R13 16,311 AL1R11 AL2R11 161 AL1R15 AL2R15 16,380 AL2R14 AL1R14 AL1R88 AL2R 88 16,585 455 AL3 03 AL4 03 13,567 AL3 01 AL4 01 220 161 AL3 05 AL4 05 13,636 AL3 04 AL4 04 AL388 AL488 13,840 548 AL4R13 AL3R13 17,368 AL3R11 AL4R11 161 AL3R15 AL4R15 17,437 AL3R14 **AL4R14** AL3R 88 AL4R 88 17,641 548

Art. no.		Frame colour	Glazing	Glass finishing (optional)
AL				
		Base price	Surcharge	
SHOWER AREA		MH High-gloss metal	EK Glass clear	C ARTCLEAR GLASS included
ALL1 Z1	ALL2Z1	548	0	0
ALL1 88	ALL288	643 278		

<sup>•</sup> Incl. connection hose 1/2", 1500 mm. In case of the integrated tub inlet a pipe interrupter type A2 according to EN 1717 is to be installed.

### ARTLIFT with pre-installation set / seat lift

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

SHOWER AREA	Product description/ features	Height/ door height	Length  ×  width
left right			
ARTLIFT with pre-installation set, bathtub door and bathtub	<ul> <li>With mechanical closure.</li> <li>Electrical supply with 230V/50/60Hz is required.</li> </ul>	610	1600×750 1700×750 1700×800 1800×800
	<ul> <li>ARTLIFT AIR</li> <li>With mechanical closure.</li> <li>Electrical supply with 230V/50/60Hz is required.</li> <li>Deeper set installation on rough concrete not possible.</li> </ul>	610	1600×750 1700×750 1700×800 1800×800
ARTLIFT with seat lift, bathtub door and bathtub	<ul><li>With mechanical closure.</li><li>Electrical supply with 230V/50/60Hz is required.</li></ul>	610	1600×750 1700×750 1700×800 1800×800
	ARTLIFT AIR     With mechanical closure.     Electrical supply with 230V/50/60Hz is required.     Deeper set installation on rough concrete not possible.	610	1600 × 750 1700 × 750 1700 × 800 1800 × 800

SHOWER AREA		Product description/ features	Height/ door height	Suitable for bathtub
left	right			
Shower screen		<ul> <li>Please order bathtub extra.</li> <li>Cannot be combined with moveable splash screen.</li> </ul>	<b>2110</b> /1500	All sizes
		CUSTOM MEASUREMENTS - Measurement sketch needed. fixed-part custom width (narrower or wider). Triangular cut-out on request. Surcharge for custom heights 1986 - 2109 mm/door height 1376 - 1499 mm.		
Shower screen with side screen		<ul> <li>Please order bathtub extra.</li> <li>Includes side screen with ceiling support.</li> <li>Ceiling support extendable up to 700 mm.</li> <li>Solid ceiling required for fixing the ceiling support.</li> <li>Cannot be combined with moveable splash screen.</li> </ul>	<b>2110</b> /1500	1600 × 750 1700 × 750 1700 × 800 1800 × 800
		CUSTOM MEASUREMENTS - Measurement sketch needed. Side screen custom width (narrower or wider). Surcharge for custom heights 1986 - 2109 mm/door height 1376 - 1499 mm.		

#### **IMPORTANT**

• Shower screen with side screen: Required installation height is total height + 100 mm.

Art. no.			Additional features		
AL					
		Base price	Su	rcharge	
SHOWE	R AREA	Tub in white Bathtub door high-gloss metal	A ART-Grip (optional)	E Inlet/drain/overflow <sup>1</sup> (optional)	
left	right	Glass clear incl. ARTCLEAR GLASS			
ALGMA 03	ALGMB 03	5.0.17			
ALGMA 01	ALGMB 01	5,347	220	161	
ALGMA 05	ALGMB 05	5,416	220	101	
ALGMA 04	ALGMB 04	5,5			
ALGAA 13	ALGAB 13				
ALGAA11	ALGAB11	9,148	-	161	
ALGAA15	ALGAB15	9,218			
ALGAA14	ALGAB14	5,=.5			
ALG1 03	ALG2 03				
ALG1 01	ALG2 01	11,499	220	161	
ALG1 05	ALG2 05	11,568	220	101	
ALG1 04	ALG2 04	11,000			
ALG1R13	ALG2R13				
ALG1R11	ALG2R11	15,300		161	
ALG1R15	ALG2R15	15,369	_	161	
ALG1R14	ALG2R14	10,000			

Art. no.		Frame colour	Glazing	Glass finishing (optional)	Hinge colour
AL					
		Base price		Surcharge	
SHOWER AREA		MH High-gloss metal	EK Glass clear C ARTCLEAR GLASS included		VC Chrome
left	right				
ALG81 82	ALG8282	1,466	0	0	0
ALG81 88	ALG8288	1,673			
		455			
ALGS1 32 ALGS1 32	ALGS2 32 ALGS2 32				
ALGS1 42 ALGS1 42	ALGS242 ALGS242	2,542	0	0	0
ALGOT 42	ALGGZ 42				
ALGS1 88	ALGS288	2,746			
		548			

<sup>•</sup> Incl. connection hose 1/2", 1500 mm. In case of the integrated tub inlet a pipe interrupter type A2 according to EN 1717 is to be installed.

### ARTLIFT SKIRTS AND TILE SUBSTRATE

SHOWER AREA	Product description	Suitable for bathtub
left right		
Skirt 01 alcove installation		
A o B B o A		1600 1700 1800
Skirt 02 corner installation		1600×750
A B C B A		1700×750 1700×800 1800×800
Skirt 03 corner installation		1600 × 750
C C B B O A	Skirt 03 and 04 suitable for:	1700 × 750 1700 × 800 1800 × 800
Skirt 04 installation on straight wall	- Shower door with side screen - Bathtub door	1600 × 750
C	- Bathtub door and shower screen with side screen	1700×750
A B Q C B		1700 × 800 1800 × 800
Tile substrate 01 alcove installation		
a b b b b b b b b b b b b b b b b b b b	<ul> <li>Mounting plate with attachment.</li> <li>Exact positioning is adjustable on site.</li> </ul>	1600 1700 1800
Tile substrate 02 corner installation	Suitable for tiles with a thickness of at most 10 mm.	1600×750
		1700×750
	<b>a b<sup>1</sup> b<sup>2</sup> c 1600×750:</b> 445 210 755 750 <b>1700×750:</b> 445 210 855 750	1700 × 800 1800 × 800
Tile substrate 03 corner installation	1700×800: 445 210 855 800 1800×800: 445 210 955 800	1600×750
C	1000 x 000. 440 210 900 000	1700×750
a bi bi bi	Tile substrate 03 and 04 suitable for: Shower door with side screen Bathtub door Bathtub door and shower screen with side screen	1700 × 800 1800 × 800
Tile substrate 04 installation on straight wall		1600 × 750
		1700 × 750 1700 × 800 1800 × 800

Base price

SHOWE	R AREA	Plastic	ARTWALL	Glass
left	right	WS White	WM White BT Concrete MB Beige glossy marble WG Glossy white RS Rust CY Canyon MB Stone beige NH Light stone colour NV Stone Verdello EI Oak MG Grey glossy marble ML Light glossy marble	GH Glass clear AT Glass Anthracite BD Glass Bordeaux
ALB1 11	ALB211			
ALBITI	ALB211	679	679	799
ALB1 13	ALB213	700	700	820
ALB1 21	ALB2 21	1,203	1,203	1,335
ALB1 22	ALB2 22	1,203	1,200	
ALB1 24	ALB2 24	1,221	1,221	1,353
ALB1 23	ALB2 23	1,243	1,243	1,375
ALB1 31	ALB2 31	1,203	1,203	1,335
ALB1 32	ALB232			
ALB1 34 ALB1 33	ALB234 ALB233	1,221 1,243	1,221 1,243	1,353 1,375
ALDISS	ALDZ 33	1,240	1,240	1,373
ALB1 41 ALB1 42	ALB2 41 ALB2 42	1,718	1,718	1,879
ALB1 44	ALB2 44	1,754	1,754	1,915
ALB1 43	ALB2 43	1,779	1,779	1,940
		Colour not specifie	ed	
ALF1 11	ALF211	458		
ALF1 12	ALF212	458		
ALF1 13	ALF213	464		
ALF1 21	ALF221	819		
ALF1 22	ALF2 22	819		
ALF1 24	ALF2 24	831		
ALF1 23	ALF2 23	831		
ALF1 31	ALF231	819		
ALF1 32	ALF232	819		
ALF1 34	ALF234	831		
ALF1 33	ALF233	831		
ALF1 41	ALF241	1,177		
ALF1 42	ALF242	1,177		
ALF1 44	ALF244	1,199		
ALF1 43	ALF243	1,199		

# ARTWALL 3.0

### New bathroom made easy!

- Wall-panels for an instant improvement without the need to tile. Glueing onto existing, professionally sealed tiles or walls.
- · Robust surface, waterproof and easy to process
- Fire protection class B2 according to DIN 4102
- Exact marrying of the wall panels and the corresponding profiles has to be done during on-site assembly. Appropriate tool
  required. Take care of positioning of fittings. Please order profiles and surface adhesive separately.
- ARTWALL surface adhesive is universally applicable for all substrates that are fully load-bearing, flat, dry, free of dust and grease, sealed against moisture and free of adhesion-reducing substances.

#### ARTWALL 3.0 COMPACT

- Compact panel 3 mm
- 2500 × 1250 mm
- Routing and folding technique for profile-free corner connections not possible
- Oversized dimension of 2520 × 1280 mm

#### **ARTWALL 3.0 TREND**

- Aluminium composite panel 3 mm
- 2550 × 1000 mm and 2550 × 1500 mm
- Dimensional tolerance ±5 mm



3 mm thin aluminium composite panels (TREND decors) or compact panels (COMPACT decors) with robust surface.




Matt smooth surface, hygienic and particularly easy to clean (marble and white in smooth, high-gloss surface).



The ARTWALL 3.0 wall panels are adhered directly to the existing tiles or wall surface. ARTWALL 3.0 is available in various colors and designs and can be elegantly integrated into your current bathroom. And the best thing about it is ARTWALL 3.0 saves time and money – costly retiling is not necessary.


### Artweger



The slim connection and end profiles made of aluminium are available in the colours high-gloss metal and matt black.



Only for TREND decors: panel and corner joints possible without visible aluminium profiles.






When installing ARTWALL 3.0 on existing tiles, a custom measurement for the shower screen may be required. If the ARTWALL 3.0 is installed over the existing wall covering on an existent shower tub, the installation dimensions of the shower tub are reduced by the panel thickness of 3 mm and by the thickness of the surface adhesive used. Therefore the tub installation dimensions are to be measured after the ARTWALL 3.0 has been installed.

- 2 Tiled wall



#### ARTWALL 3.0 DESIGN RECOMMENDATION WITH WALL PANEL TREND

Corner installation



Width 900 × 900 mm. Height 2000 mm. Projection to the shower screen 100 mm left and 100 mm right.

Components Wall panel TREND	Art. no.	Price/pc.	Pieces	Prices in EUR
Height 2550 mm, width 1000 mm	A3T 6Z NB	301	2	602
frames				
End-piece profile	A3P 2Z MH	51	2	102
Inner corner profile	A3P3ZMH	51	1	51
Surface adhesive*	A30 02	89	2	178
Total price in EUR:				933


<sup>\* 2</sup> x Art. no. **A30 02** for width 1000 mm.

#### READY FOR DISPATCH WITHIN 2 DAYS

Artweger Protect adhesion technology.

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.


#### ARTWALL 3.0 Colour Art. no. Price in EUR Wall panel COMPACT **A** = 2500 × **B** = 1250 mm White A3C DZ WM 291 Concrete A3C DZ BT Beige glossy marble A3C DZ MB 291 • Compact panel 3 mm A3C DZ WG Glossy white • Not suitable for Artweger Zero and Α



#### Wall panel TREND **A** = 2550 × **B** = 1000 mm

• Aluminium composite panel 3 mm

Rust	A3T 6Z RS
Canyon	A3T 6Z CY
Slate	A3T 6Z SC
Stone beige	A3T 6Z NB
Grey stone	<b>A3T 6Z NG</b> 301
Light stone colour	A3T 6Z NH
Stone Verdello	A3T 6Z NV
Oak	A3T 6Z EI
Light glossy marble	<b>A3T 6Z ML</b> 343
Grey glossy marble	A3T 6Z MG
Matterhorn glossy	A3T 6Z F1
Forest glossy	<b>A3T 6Z F2</b> 547
Beach glossy	A3T 6Z F3
Duet	A3TH7 DS



#### Wall panel TREND **A** = 2550 × **B** = 1500 mm

• Aluminium composite panel 3 mm


Rust	A3T HZ RS
Canyon	A3T HZ CY
Slate	A3T HZ SC
Stone beige	A3T HZ NB
Grey stone	A3T HZ NG
Light stone colour	A3T HZ NH
Stone Verdello	A3T HZ NV
Oak	A3T HZ EI
Light glossy marble	A3T HZ ML
Grey glossy marble	<b>A3T HZ MG</b> 523



#### Surface adhesive

Suitable for use on tiles, concrete, plaster, plasterboard, gypsum fiber plate, wood and metal.

1 x 600 ml	A30 01	39
3 x 600 ml for width 1000 mm	A30 02	89
4 x 600 ml for width 1250 mm	A30 03	109
5 x 600 ml for width 1500 mm	A30 04	129






ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.


Connection profiles c		Colour	Art. no.	Price in EUR
11,4	Connector profile Connects two wall panels in straight alignment. Length 2550 mm.	High-gloss metal Matt black	A3P1Z MH A3P1Z SM	51 85
<del>-</del> 6 <del>-</del>	End-piece profile  Necessary for covering the cut edges on the side.  Length 2550 mm.	High-gloss metal Matt black	A3P 2Z MH A3P 2Z SM	51 85
8	Inner corner profile Connects two wall panels at an angle to each other. Length 2550 mm.	High-gloss metal Matt black	A3P 3Z MH A3P 3Z SM	51 85
	Outer corner profile rounded Connects two wall panels at an angle to each other. Length 2550 mm.	High-gloss metal Matt black	A3P 4Z MH A3P 4Z SM	51 85
	Outer corner profile Connects two wall panels at an angle to each other. Length 2550 mm.	High-gloss metal Matt black	A3P 6Z MH A3P 6Z SM	51 85
10   15	End-piece profile For flush covering of the lateral cut edges and o build pedestals and disposal surfaces. Length 2550 mm.	High-gloss metal Matt black	A3P 7Z MH A3P 7Z SM	51 85
	Corner connection fits A3P7Z (2 pieces)	High-gloss metal Matt black	A3P EV MH A3P EV SM	22 37


Inst	Installation without visible profiles - only TREND wall panel					
<b>-</b>	100	Panel joint profile 100 mm  Connects two wall panels in straight alignment. Galvanised steel.  Length 3000 mm.	A3P PZ	99		
50		Magnetic stamp for A3P PZ  Mounting aid for flush pressing of the wall panels.  Only in combination with connection profile A3P PZ.  At a height of 2500 mm, 10 to 20 pieces are required per panel joint.	A3011	59		
\_\_	20	Angle profile 20 mm  Connects two wall panels at an angle to each other. Aluminium.  Length 2550 mm.	A3P 9Z	51		

#### Routing and folding technology for seamless corner joints.

Suitable panel cutters: Makita CA5000XJ, Mafell MF 26cc, Festool PF 1200.: Makita CA5000XJ, Mafell MF 26cc, Festool PF 1200. Routing and folding technique is not possible with glossy surfaces.







# Artweger ARTSTONE

Mineral cast shower trays

- Modern structured look in white and anthracite
- Massive, solid-coloured tub
- On site cutting and custom fitting possible
- Particularly stable and very flat (30 mm)
- Including anti-slip coating class B according to DIN 51097
- Polished stainless steel drain cover included

 ARTSTONE cast stone tubs are not suitable for installation on underfloor heating systems due to temperature fluctuations or material expansion.



### **Artweger**



Massive, solid-coloured tub. Colors white and anthracite.



Only 30 mm high: Extra-flat shower trays for installation on existing floors.



A real eye-catcher in the bathroom and non-slip shower tray is the shower tray ARTSTONE with its slate-look finish. Due to its high strength, it can be made particularly flat and is suitable for floor-level installation. When mounted on an existing floor, it provides almost barrier-free access with only 30 mm of tub height.


#### Suitable drain fittings Not available from Artweger.

- Geberit d90: Austria: art. no. 150.550.00.1,
   Germany: art. no. 150.553.00.1., Switzerland: art. no. 150.556.00.1,
   Netherlands: art. no. 150.550.00.1,
   France/Belgium: art. no. 150.550.00.1, art. no. 150.551.21.1
- Dallmer ORIO DN 50: art. no. 160010
- HL DN 40/50: art. no. HL520F.0

#### Installation sets:

- HL FlexBox: art. no. HL570.0 without cover
- Dallmer ORIO Dallbox DN 50: art. no. 161512

### Cutting to size Possible at the edges of the wall.





Non-cutting area.

- Any adjustment of dimensions can be made on site during installation. Appropriate tool required.
- The surface of the shower tray slopes towards the drain. After cutting, none of the edges will be absolutely horizontal.

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

ARTSTONE Mineral cast shower trays	Length WL × width	WB	Art. no. White slate	Art. no.  Anthracite slate	Price in EUR	
← 400→	800× 800×30		WMA 01 WF	WMA 01 AF	626	
	900× 900×30		WMA 02 WF	WMA 02 AF	695	
	1000 × 1000 × 30		WMA 03 WF	WMA 03 AF	812	
Ø90	For dimensions $900 \times 900$ and $1000 \times 1000$ the drain is not centered.					
	900 × 800 × 30		WME12WF	WME12AF	668	
WL ——	1000× 900×30	B+S	WME13WF	WME13AF	750	
	1200× 900×30	B+S	WME14WF	WME14AF	878	
WB	1200 × 1000 × 30	B+S	WME19WF	WME19AF	994	
Ø90	1400× 900×30	B+S	WME15WF	WME15AF	994	
<u> </u>	1400×1000×30		WME 20 WF	WME 20 AF	1,171	
WL up to 1600 mm: $\times = 400 \text{ mm}$ WL over 1600 mm: $\times = 600 \text{ mm}$	1600× 750×30		WME16WF	WME16AF	1,057	
	1600× 900×30		WME 21 WF	WME 21 AF	1,171	
	1600×1000×30		WME 23 WF	WME 23 AF	1,308	
Ø90   <del>4  </del>	1700× 750×30		WME17WF	WME17AF	1,103	
30 (////////////////////////////////////	1800× 800×30		WME18WF	WME18AF	1,171	
	1800× 900×30		WME 22 WF	WME 22 AF	1,316	

ACCESSORIES			Art. no.	Price in EUR
Surface adhesive 1 piece, capacity ca. 600 ml  Two pieces required with 1400 × 900 mm and larger. 1 piece, capacity ca. 600 ml.  Suitable for use on tiles, concrete, cement screeds and composite sealings.			WM0 01	48
	Drain set Ø 90 mm With sealing tape length 3600 mm.		WM0 07	161
	Sealing tape length 3600 mm For sealing and sound installation between the tub, the stre	ucture and the tiles. Includi	W012 ng the tile tape.	97
	Drain cover	White Anthracite	WM0 05 WM0 06	54 54
BUZZ	Blitz Blank	1 litre 6×1 litre	90 903 90 904	20 114
	Repair set	White Anthracite	WM0 03 WM0 04	83 83

• Drain set Ø 90 mm, Art. Nr. W001 not suitable for ARTSTONE. • B+S=The size of the shower tray is suitable for use with the BODY+SOUL steam shower.

# SHOWER TRAYS | BATHTUBS Acrylic









Artweger









#### Optional: ART-Grip - anti-slip zone anti-slip coating class C according to DIN 51097.











1000 × 900, 1200 × 1000





## SHOWER TRAYS Acrylic

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

Additional Art. no. Colour features W

Base price Surcharge

left	right	Length × Wi	dth	Height / Depth	Other dimensions		left	right	WS White	A ART-Grip (optional)	
		a×b		c/d	е	f	х				
SUSANNE											
<u></u>	800: R=500	800× 800		45/25	300	300	150	WE	322	481	
1×1	900: R=550	900× 900	R+S	45/25		350			323	505	
Ø 90 e	1000: R = 550	1000 × 1000		45/25		450			R 24	634	220
b R	1200: R = 550	1200 × 1200		45/25		650			R 29	1,040	
	1200.11-300	1200 × 1200	Б+О	40/20	000	000	100	, vvi	125	1,040	
c t											
SUSANNE 900 × 800 (R	R=500)										
Ø90 e	Ø 90 Ø 90	000 000		45 /05	000	400	150	WD 00	WD 00	004	000
b left R	R right b	900× 800		45/25	300	400	150	WR 33	WH 32	624	220
↓	0.5 ★ ★ ★										
c 35	35 c										
SUSANNE 1200 × 900 (	H=550) →   <del> </del>										
M											
Ø90	Ø 90 Ø 90	1200× 900	B+S	45/25	350	650	150	WR 31	WR 30	920	220
b left R	R right b	1200% 000	<i>D</i> 10	10720		000	100			020	220
<u> </u>											
c 35	35 c										
<b>SALLY</b> (M = 636)											
x, a							. = 0				
Ø 90		900 × 900		45/25		450			- 07	505	220
b		1000 × 1000		45/25	550	550	150	WF	80	644	
	c 1 35										
<u> </u>	c 35										
SABINE											
1 a a		800× 800		45/25	-	-	150	W۱	/12	445	
Ø 90		900× 900	B+S	45/25	-	-	150	W۱	/13	463	220
b		1000 × 1000	B+S	45/25	-	-	150	W۱	/14	561	
	c 35	1200 × 1200		45/25	-	-	150	W۱	/ 27	843	257
<u> </u>	<del>†</del>										
SIMONE		900× 750		45/25	_	_	150	W۱	/15	463	
2		1000× 800	B+S	45/25	-	-	150		/ 25	596	
1		1000× 900		45/25	-	-	150		/ 26	625	
Ø90		1200× 750		45/25	-	-	150	W۱	/16	625	220
b		1200× 800		45/25	-	-	150		/17	625	220
	c 35	1200 × 900		45/25	-	-	150		/18	736	
<u> </u>		1200 × 1000		45/25	-	-	150		/19	816	
		1400 × 900	B+S	45/25	-	-	150		/ 20 / 21	905	
		1600 × 750 1700 × 750		45/25 45/25	_	-	150 150	W\ W\	/ 21 / 22	984 1,011	257
		1100 / 100		70/20	-	-	100	"		1,011	

- Suitable for 90 mm drain.
  B+S=The size of the shower tray is suitable for use with the BODY+SOUL steam shower.

## READY FOR DISPATCH WITHIN 3 DAYS

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

SHOWER TRAYS Acrylic - colour white	Length <b>a</b> × width <b>b</b> Art. no. Price in EUR
SUSANNE	800 × 800 R=500       WR 22 WS       481         900 × 900 R=550       WR 23 WS       505         1000 × 1000 R=550       WR 24 WS       634         1200 × 1200 R=550       WR 29 WS       1,040
SUSANNE lef	900× 800 R=500 <b>WR 33 WS</b> 624
SUSANNE rigi	nt 900 × 800 R=500 <b>WR 32 WS</b> 624
SUSANNE lef	1200 × 900 R=550 <b>WR 31 WS</b> 920
SUSANNE rigi	nt 1200 × 900 R=550 <b>WR 30 WS</b> 920
SALLY	900 × 900 M=636 <b>WF 07 WS</b> 505 1000 × 1000 M=636 <b>WF 08 WS</b> 644
SABINE ct 35	800 × 800 WV12WS 445 900 × 900 WV13WS 463 1000 × 1000 WV14WS 561 1200 × 1200 WV27WS 843
SIMONE  c = 45 mm, x = 150 mm	900 × 750

Accessories see page 229.

# Artweger ACCESSORIES


ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

ACCESSORIES			Art. no.	Price in EUR
1	Set of feet For bathtubs. For shower trays. For shower trays. For shower trays 1000 mm and wider.	Adjustable from 125 - 195 mm. Adjustable from 87 - 115 mm. Adjustable from 125 - 185 mm. Adjustable from 87 - 115 mm.	WH 01 WH 02 WH 03 WH 06	50 53 53 95
1	Set of mounting brackets, length 670 mm	2 pieces 3 pieces	WH 04 WH 05	44 64
	Sealing tape, length 3600 mm For sealing and sound installation between the tub, the structure of the struct	cture and the tiles. Including the tile	W012 e tape.	97
***	Drain set Ø 90 mm For shower trays acrylic.	chrome	W0 01 VC	100
	Drain set Ø 50 mm, length 540 mm Without inlet With integrated inlet	chrome chrome	W0 02 VC W0 04 VC	133 424
	Drain set Ø 50 mm, length 720 mm Without inlet With integrated inlet	chrome chrome	W0 03 VC W0 05 VC	167 490
Gu g	Blitz Blank Environmentally friendly cleanser for bathtubs and showers.	1 litre 6 × 1 litre	90 903 90 904	20 114

ACCESSORIES			Art. no.	Price in EUR
	Polishing set Polishing cloth, polishing sponge, polishing paste, sandpaper.		W011	38
	Repair set for acryl	white	WH 11	170

#### READY FOR DISPATCH WITHIN 3 DAYS

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.




Accessories see page 229.

Delivery available with additional freight costs.

### READY FOR DISPATCH WITHIN 3 DAYS

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.



Accessories see page 229.

Delivery available with additional freight costs.

# FREEWAY

#### Free access to the bathtub

- Bathtub with door
- Easy one-handed operation of the integrated door (opens inwards)
- 6/8 mm single-pane safety glass
- Entry height 190 mm



Great comfort and safety are the main features of the FREEWAY bathtub.



Easy to use, simply lift the handle briefly to open the door. To close it just push the door until it snaps.



FREEWAY is a particularly comfortable bathtub, in which it is easy to relax. The inclined backrest with the optional headrest invites relaxation and well-being. With the other right end FREEWAY offers plenty of space even during long baths. An integrated door, opening inwards, allows to enter and exit safely.



A continuous seal, positioned on the inside, gives the FREEWAY bathtub a 100 % seal.

### **Artweger**





The optional non-slip coating makes the surface non-slip and provides secure support in the shower-tub. ARTGRIP is particularly durable and resistant.

ARTWEGER price list 03/2023. For specialised trade outlets only.

#### Bathtub

- · Plastic tub in white.
- Please order drain set extra.
- With pre-mounted assembly angles and tub feet. Including height-adjustable feet.
- With mechanical closure for installation without electricity.
- Tub capacity: Approximate average water consumption of a full bath with one person.

#### Bathtub door

• Door opens to inside. Entrance width 535 mm. Handle with locking mechanism. Single-pane safety glass 8 mm.

#### Tile substrate


- To allow for maintenance and service we recommend installing the FREEWAY tile backing board.
- Please order tile carrier separately.


### FREEWAY DIMENSIONS


ARTWEGER price list 03/2023. For specialised trade outlets only. DIMENSIONS IN MILLIMETRES.

#### SHOWER AREA

left









FREEWAY 1600 × 750 depth 430


Tub capacity ca. 130 litres.











ART-Grip Skid-resistant zone (scheme)



## FREEWAY BATHTUB WITH DOOR

SHOWER AREA		Product description/	Length × width	
left	right	features		
Bathtub with door				
		With mechanical closure.	1600×750	
		Please order drain set extra See below.	1700×750	

left	right	Height	Bathtub measurement (WM)	Wid	th tub folding	screen
Single folding scree	n ARTLINE	1400	750	814 - 832	a=820 x=760	72°
		Please ord	on the left or right. der bathtub extra. e locked with bathtub	door.		

		Product description
	Tile substrate front panel	<ul> <li>Assembly on the left or right.</li> <li>Exact positioning on site.</li> <li>Suitable for tiles with a thickness of at most 10 mm.</li> <li>Required tile substrate</li> </ul>
	<b>Tile substrate</b> side panel	alcove installation 1 × front panel
0	Tub corner seat	<ul> <li>Height: 40 mm, width: 566 mm, depth: 290 mm</li> <li>Capacity: 130 kg.</li> <li>Can also be retrofitted to existing FREEWAY bathtubs. Can be removed at any time and easy to clean.</li> </ul>
	Backrest	Height: 360 mm, width: 300 mm, depth: 20 mm     Can also be retrofitted to existing FREEWAY bathtubs. Can be removed at any time and easy to clean.
	Drain set Ø 50 mm, length 540 mm	Without inlet
		With integrated inlet
	Sealing tape	<ul> <li>Length 3600 mm</li> <li>For sealing and sound installation between the tub, the structure and the tiles. Including the tile tape.</li> </ul>

Art. no.	Frame colour	Glazing
DF		
	Base price	Surcharge
	MH High-gloss metal	EK Glass clear
DFN0 W1	581	0


Art. no.	Col	our
	Base	price
Art. no.	AT Anthracite	Colour not specified
DFF0 01	-	262
DFF011	-	136 per side
DF0B ES	309	-
DF0B RL	219	-
DF0B 02	-	129
DF0B 03	_	317
W012	_	97

# ARTSHOWER

The pure pleasure of showering


- Available in ROUND or SOFTEDGE versions
- 3 different hand showers
- Hand shower PLUS with SINGLE-shower-jet for cleaning the glasses of the shower enclosure and as a perfect complement to ARTCLEAR GLAS
- Overhead shower with Dropcontrol

#### 2 DESIGNS



#### OVERHEAD SHOWER WITH DROPCONTROL

No dripping after emptying the shower head, less limescale deposits



#### SHOWER RAIL FLEX

with one fixed and one flexible fixing point - Ideal for the renovation



#### HAND SHOWERS

PLUS and DUO with 2 types of shower sprays, STICK with wide-angle water jet. Hand shower PLUS with SINGLE-shower-jet supports the effect of ARTCLEAR GLASS ideally.



PLUS Single

artclear















### THERMOSTATIC SHOWER MIXER

With temperature limiter and scalding protection.





### ARTSHOWFR

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT.

Art. no.

Base price



	Art. no.	
Counter display The highlights from the range always at hand.		
<ul> <li>1 × ROUND - hand shower PLUS</li> <li>1 × SOFTEDGE - hand shower PLUS</li> <li>1 × SOFTEDGE - hand shower DUO</li> </ul>	VAV1 01	246

### PROMPT DELIVERY

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.


#### ARTSHOWER Round - colour chrome

Art. no.

Price in EUR

VAR 01 VC

949



250

#### Shower system 1


Thermostatic shower mixer, shower rail with one fixed and one flexible fixing point, swivelable and tiltable shower holder, overhead showerhead, hand shower PLUS, shower hose 1500 mm

#### Shower system 1 TELESKOP

VAR 04 VC

999

Thermostatic shower mixer, shower rail with one fixed and one flexible fixing point, swivelable and tiltable shower holder, overhead showerhead, hand shower PLUS, shower hose 1500 mm



#### Shower system 2

VAR 02 VC


695

For connection to existing fitting, shower rail with one fixed and one flexible fixing point, swivelable and tiltable shower holder, 3-way diverter: overhead shower or hand shower, overhead shower and hand shower together, overhead showerhead, hand shower PLUS, shower hose 1500 mm and connection hose



VAR 03 VC


189



Shower rail with one fixed and one flexible fixing point, swivelable and tiltable shower holder, hand shower PLUS, shower hose 1500 mm

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

#### ARTSHOWER Round - colour chrome



#### Thermostatic shower mixer

Regulated flow-rate 191/min. at 3 bar pressure, suitable for instant water heaterss, thermostatic shower mixer, DN 15 (G 1/2) with scalding protection at 38° C, thermostat body in brass, FEEL COOL safety housing, S-connections

VAR 11 VC 454


Price in EUR

82

Art. no.

VAR12VC







Ø 110 mm, 2 types of shower sprays RAIN / SINGLE, adjustable with push-button system, regulated flow-rate 121/min. at 3 bar pressure, EASY-TO-CLEAN silicone nubs EASY-TO-CLEAN, HIGHLIGHT: SINGLE-shower-jet for cleaning the glasses of the shower enclosure

> VAR 13 VC 65


#### Hand shower DUO





#### Overhead showerhead DROPCONTROL

Ø 250 mm, regulated flow-rate 16 l/min. at 3 bar pressure, patented DROPCONTROL-Technology for emptying residual water after showering, swivelling, silicone nubs EASY-TO-CLEAN



#### Wall coupling

Wall coupling for shower hose 1/2"

VAR 15 VC 42

VAR 14 VC

249

### Wall coupling with shower holder

Wall coupling for shower hose 1/2" with fixture for hand showers with cone

VAR 16 VC 69

VAR 17 VC 23

- 52

1/2

Shower holder

Fixture for hand showers with cone

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.


#### ARTSHOWER Softedge - colour chrome

Art. no.

Price in EUR

VAS 01 VC

999



250

#### Shower system 1

Thermostatic shower mixer, shower rail with one fixed and one flexible fixing point, swivelable and tiltable shower holder, overhead showerhead, hand shower PLUS, shower hose 1500 mm

#### Shower system 1 TELESKOP

VAS 04 VC


1,049

Thermostatic shower mixer, shower rail with one fixed and one flexible fixing point, swivelable and tiltable shower holder, overhead showerhead, hand shower PLUS, shower hose 1500 mm

#### Shower system 2

VAS 02 VC

735




For connection to existing fitting, shower rail with one fixed and one flexible fixing point, swivelable and tiltable shower holder, 3-way diverter: overhead shower or hand shower, overhead shower and hand shower together, overhead showerhead, hand shower PLUS, shower hose 1500 mm and connection hose

#### Shower set

VAS 03 VC

199



Shower rail with one fixed and one flexible fixing point, swivelable and

tiltable shower holder, hand shower PLUS, shower hose 1500 mm

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

#### ARTSHOWER Softedge - colour chrome

Art. no.

Price in EUR

150

#### Thermostatic shower mixer

VAS 11 VC

464

Regulated flow-rate 191/min. at 3 bar pressure, suitable for instant water heaterss, thermostatic shower mixer, DN 15 (G 1/2) with scalding protection at 38° C, thermostat body in brass, FEEL COOL safety housing, S-connections




#### Hand shower PLUS

VAS12VC

89

Width 120 mm, 2 types of shower sprays RAIN / SINGLE, adjustable with push-button system, regulated flow-rate 121/min. at 3 bar pressure, silicone nubs EASY-TO-CLEAN, HIGHLIGHT: SINGLE-shower-jet for cleaning the glasses of the shower enclosure




#### Hand shower DUO

VAS13VC

75

Width 120 mm, 2 types of shower sprays RAIN / SPRAY, adjustable with push-button system, regulated flow-rate 121/min. at 3 bar pressure, silicone nubs EASY-TO-CLEAN




#### Overhead showerhead DROPCONTROL

VAS14VC

288

250 × 250 mm, regulated flow-rate 16 l/min. at 3 bar pressure, patented DROPCONTROL-Technology for emptying residual water after showering, swivelling, silicone nubs EASY-TO-CLEAN




#### Wall coupling

VAS15VC

44

Wall coupling for shower hose 1/2"

Fixture for hand showers with cone



#### Wall coupling with shower holder

VAS16VC

72

ARTSHOWER, Accessories

Wall coupling for shower hose 1/2" with fixture for hand showers with cone

#### Shower holder

VAS17VC

24

### PROMPT DELIVERY

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

#### ARTSHOWER Uni - colour chrome Art. no. Price in EUR Bathtub set STICK VAU 01 VC 105 Hand shower STICK, shower holder, shower hose 1250 mm 42-Hand shower STICK VAU 11 VC 65 Stick Ø 25 × 187 mm, wide-angle water jet, regulated flow-rate 12 l/min. at 3 bar pressure, silicone nubs EASY-TO-CLEAN Shower hose 1250 mm 1 x VAU12VC 18 Colour silver, reinforced plastic hose, 5-ply, connection 1500 mm 1 x VAU 13 VC 18 swivel cone 1/2", tapered nut 1/2", tested according to DIN EN 1113 1750 mm VAU 14 VC 19 1 x 1250 mm VAUS 12 VC 165 10 x VAUS 13 VC 165 1500 mm 10 x 1750 mm 10 x VAUS 14 VC 174 Flexible connection hose 750 mm VAZ1 05 15 1 x Colour silver, for shower system 2 <del>-</del> 65 Shower rail FLEX VAU 15 VC 106 One fixed and one flexible fixing point, swivelable and tiltable shower holder. Ideal for the renovation 650 - 800

ARTSHOWER Uni - c	colour chrome		Art. no.	Price in EUR
	Wall bar for overhead shower head	length 300 mm	VAU 16 VC	89
14—  312—300 00 21 12 12	14 462 450 12" 12" 12"	length 450 mm	VAU18VC	99
00   24   00   1/2"   1	Ceiling bar for overhead shower	length 100 mm	VAU 17 VC	67

#### Artweger ACCESSORIES

### PROMPT DELIVERY

ACCESSORIES			Art. no.	Price in EUR
Time Time Time Time Time Time Time Time	Blitz Blank Environmentally friendly cleanser for bathtubs and showers.	1 litre 6 × 1 litre	90 903 90 904	20 114
Maga-	Care set Consisting of: 1 litre BLITZ BLANK, 1 squeegee and 3 cleaning cloths.	1 set 4 × 1 set	0B 21 0B 24	59 228
inveger /	Care set for ARTCLEAR GLASS  Consisting of: 1 litre BLITZ BLANK, 1 squeegee and 3 microfiber clear ARTCLEAR and glazing without ARTCLEAN glass coating.	ning cloths. For	0B 20	82
weger	Squeegee Width 240 mm	White Chrome	0B 22 0B 23	25 32
	Squeegee XL Width 360 mm especially for Artweger Walk In.	White Chrome	0B 27 0B 28	30 38
water by the same of the same	Microfiber cleaning cloths For ARTCLEAR and glazing without ARTCLEAN glass coating.	3 pcs. 15 pcs.	0B 29 0B 30	18 86
Besoluture .	ARTCLEAN refreshing set For freshening up ARTWEGER shower screens delivered from works with an ARTCLEAN coating.	1 set	0B 31	70
	Folding seat with backrest* For installation on tiled walls. Soft seat. Overhang: 380 mm, folded up 85 mm. Ø 300 mm. Carrying capacity 125 kg.	Greyish silver/chrome	0BKS	593

ACCESSORIES			Art. no.	Price in EUR
	TWINLINE 2 Folding seat* Folding mechanism with motion damper and magnetic catch. Height 320 mm, width 385 mm, depth 92 mm. Overhang: 335 mm. Capacity up to 130 kg.	Greyish silver/chrome	T20B KS	957
	BODY+SOUL Seat* Folding mechanism with motion damper and magnetic catch. Height 500 mm, width 385 mm, depth 70/90 mm. Capacity up to 130 kg. Overhang: 510 mm.	Anthracite/silver Bordeaux/silver Sand/silver	7SE011 AT 7SE011 BD 7SE011 SA	1,120 1,120 1,120
	BODY+SOUL Bench* Folding mechanism with motion damper and magnetic catch. Height 500 mm, width 770 mm, depth 70/90 mm. Overhang: 510 mm. Capacity up to 130 kg. Can be used in spaces 1100 mm and wider.	Anthracite/silver Bordeaux/silver Sand/silver	7SB0 21 AT 7SB0 21 BD 7SB0 21 SA	2,400 2,400 2,400
	Disinfecting agent liquid For cleaning and disinfecting the Airpool system. Suitable for TWINLINE 1 AIR, TWINLINE 2 AIR and ARTLIFT AIR.		TL0H D1	77

Art. no.

Base price

TWINLINE	1	Pieces			
	Drain cover Bathtub - Art. no.: TLM, TLW, TLA, TLR	1	Chrome	TLZ1 01	46
	Hinge seal set, vertical Shower door - Art. no.: TL81, TL82, TLS1, TLS2	1	-	TLZ2 03	40
	Neck support	1	White	TLZ1 12	146
	Bathtub - Art. no.: TLM, TLW, TLA, TLR	1	Silver	TLZ1 21	177
	Seat left	1	White	TLZ1 25	168
	Bathtub - Art. no.: TLM, TLW, TLA, TLR	1	Silver	TLZ1 27	209
	Seat right	1	White	TLZ1 24	168
	Bathtub - Art. no.: TLM, TLW, TLA, TLR	1	Silver	TLZ1 26	209
	Repair set, white Bathtub TWINLINE 1	1	White	TL0H 21	172


TWINLINE	2	Pieces			
	Drain cover Bathtub - Art. no.: T2W1, T2W2, T2GW1, T2GW2	1	Chrome	TLZ1 01	46
	Hinge seal set, vertical Shower door - Art. no.: T281, T282, T2S1, T2S2	1	-	T2Z2 01	41
	Bellows seal vertical Shower screen - Art. no.: T2G81, T2G82, T2GS1, T2GS2	1	-	T2Z2 05	44
	Drip moulding horizontal Shower screen - Art. no.: T2G81, T2G82, T2GS1, T2GS2	1	-	T2Z2 06	44
	Conversion set tub inlet				
	Bathtub left - Art. no.: T2W1	1	Chrome	T20B 01	161
3	Bathtub right - Art. no.: T2W2	1	Chrome	T20B 02	161
Marin Marin	Repair set, white Bathtub TWINLINE 2	1	_	T20B 04	172

ARTLIFT		Pieces			
	Drain cover	1	Chrome	ALZ1 19	46
	For all bathtubs.				
	Hinge seal set, vertical	1	-	ALZ2 01	41
	Shower door				
	Conversion set tub inlet				
	Bathtub left	1	Chrome	AL0B 01	161
3	Bathtub right	1	Chrome	AL0B 02	161
	Backrest	1	Anthracite	ALZ1 20	217
	Height: 360 mm Width: 300 mm				
	Depth: 20 mm				
	Repair set, white	1	_	AL0B 04	172
	Bathtub ARTLIFT				

Art. no.

Base price

ARTWEGE	R 360	Pieces		
	Magnetic seal, set 1	2	9Z201	62
	1/4-round shower 1 door part, winged door in alcove, winged door next to shortened side screen, quadruple folding door, folding door U-form assembly - Art. no.: 9R3F, 9R4F, 9R5F, 9R8F, 9T3F, 9T4F, 9T5F, 9T8F, 9TDT0			
	Magnetic seal, set 2 Winged door next to side screen, winged door for two side screens, double folding door next to side screen - Art. no.: 9R2F, 9RGF, 9T2F, 9TGF, 9T2T	1+1	9Z2 02	62
	Magnetic seal, set 7 Corner entry, swinging door with swinging side screen - Art. no.: 9RAP, 9RBP, 9REF0, 9REP0, 9TAP, 9TBP, 9TEP0, 9TET0	1 + 1	9Z2 07	62
	Magnetic seal, set 8 Corner entry with folding doors without fixed parts - Art. no.: 9TETW	1+1	9Z2 26	62
	Magnetic seal, set 3 Pentagonal shower - Art. no.: 9R7F 9T7F	1 + 1	9Z2 03	62
	Magnetic seal, set 9 Folding door solution for window 45° - Art. no.: 9TL1	1 + 1	9Z2 27	62
	Magnetic seal, set 4 Swinging door in alcove, swinging door next to shortened side screen, folding door in alcove - Art. no.: 9RTP, 9R5P, 9R9P, 9R4P, 9RDP0, 9R3P, 9T5P, 9T4P, 9TDP0, 9T3P, 9T5T	1 + 1	9Z2 04	62
	Magnetic seal, set 5  1/4-round shower 2 door parts, swinging door 2 door parts, quadruple folding door, folding door U-form assembly - Art. no.: 9RRF0, 9RRP0, 9RDP0, 9TRF0, 9TDP0, 9TDP0, 9TVP0, 9TL2	2	9Z205	62
	Magnetic seal, set 10 Folding door solution for window 90° - Art. no.: 9TL2	1 + 1	9Z228	62
	Magnetic seal, set 6 Swinging door next to side screen, swinging door for two side screens - Art. no.: 9R2P1, 9R2P2, 9RGP1, 9RGP2, 9T2P1, 9T2P2	1+1	9Z206	62
	fixed-part seal, set 1 vertical All winged doors (without corner entry and pentagonal shower)	1	9Z2 08	47
	fixed-part seal, set 2 vertical Corner entry with winged doors, 1/4-round shower 2 winged doors - Art. no.: 9REF0, 9TRF0, 9TRF1, 9TRF2, 9RRF1, 9RRF2	2	9Z2 09	54
	fixed-part seal, set 3 vertical Pentagonal shower - Art. no.: 9R7F	1	9Z210	47
	Bellows seal set 5 vertical All swinging doors attached on fixed part	2×1, 2×2	9Z215	77
	Bellows seal set 6 vertical All swinging doors without fixed part, swinging side element.	6×1	9Z216	73
	Bellows seal set 7 vertical ARTWEGER 360 Walk In VARIO left - Art. no.: 9WV1, 9WV3, 9WV5, 9WTV1, 9WTV3, 9WTV5	6×1	9Z217	73
	Bellows seal set 8 vertical ARTWEGER 360 Walk In VARIO right - Art. no.: 9WV2, 9WV4, 9WV6, 9WTV2, 9WTV4, 9WTV6	6×1	9Z218	73
	Bellows seal set 9 vertical Folding door in alcove, 1/2 × corner entry with folding doors - Art. no.: 9T5T, 1/2 × 9TET0	3×1, 4×1 2×2, 1×1	9Z219	116
	Bellows seal set 10 vertical 1/2 × Folding door U-form assembly (left folding door) - Art. no.: 9TVP0	1+1+2+2	9Z2 20	89
	Bellows seal set 11 vertical  1/2 × Folding door U-form assembly (right folding door) - Art. no.: 9TVP0	1+1+2+2	9Z2 21	89
	Bellows seal set 15 vertical  1/2 × Corner entry with folding doors - Art. no.: 9TETW	1+1+2+2	9Z2 29	102
	Sealing strip, set vertical  1/2 × Corner entry with folding doors, folding door solution for window - Art. no.: 9TETW, 9TL1, 9	2 )TL2	9Z225	50



ARTWEGE	R 360	Pieces		
0 0	Drip mouldings, set 1 horizontal  1/4-round shower 1 door part, winged door in alcove, winged door next to side screen, pentagonal shower, pivoting splashguard, swinging door with swinging side screen - Art. no.: 9R2F, 9R2P, 9R3F, 9R3F, 9R4F, 9R4P, 9R5F, 9R5F, 9R7F, 9R8F, 9R9P, 9RAP, 9RBP, 9RDP, 9RGF, 9RGP, 9RTP, 9T2F, 9T2P, 9T3F, 9T3P, 9T4F, 9T4P, 9T5F, 9T5F, 9T5P, 9T7F, 9T8F, 9TAP, 9TBP, 9TDP, 9TGF, 9TGP, 9WL0	1	9Z501	34
13-	Drip mouldings, set 3 horizontal 1/4-round shower 2 door parts, corner entry - Art. no.: 9RRF, 9RRP, 9TRF, 9TRP, 9REF, 9REP, 9TEP	2	9Z5 03	54
	Drip mouldings, set 7 horizontal  Double folding door - Art. no.: 9T5T, 9TWT, 9T2T	2	9 <b>Z</b> 5 07	54
	Drip mouldings, set 9 horizontal  Quadruple folding door, corner entry with folding doors - Art. no.: 9TDT0, 9TET0	4	9Z5 09	62
	Drip moulding 24 mm 1 horizontal  1/4-round shower 1 door part, winged door in alcove, winged door next to side screen, pentagonal shower, swinging door with swinging side screen, ARTWEGER 360 Walk In VARIO - Art. no.: 9R2F, 9R3F, 9R3F, 9R3F, 9R4F, 9R5F, 9R5F, 9R5F, 9R7F, 9R8F, 9R9P, 9RAP, 9RBP, 9RDP, 9RGP, 9RGP, 9RT2F, 9T2F, 9T3F, 9T3F, 9T3F, 9T4F, 9T4F, 9T5F, 9T5F, 9T5F, 9T7F, 9T6F, 9TGP, 9TGP, 9TAP, 9TBP, 9WTV1, 9WTV2, 9WTV3, 9WTV4, 9WTV5, 9WV16, 9WV1, 9WV2, 9WV3, 9WV4, 9WV5, 9WV6	1	9Z5 22	34
24-	Drip moulding 24 mm 2 horizontal  1/4-round shower 2 door parts, corner entry, swinging door with swinging side screen, double folding door - Art. no.: 9RRF, 9RRP, 9TRP, 9TRP, 9REF, 9REP, 9RAP, 9RBP, 9TEF, 9TEP, 9TAP, 9TBP, 9T5T1, 9T5T2, 9TWT1, 9TWT2, 9TZT1, 9T5T2	2	9Z5 23	54
	Drip moulding 24 mm 4 horizontal Corner entry with folding doors - Art. no.: 9TETW, 9TDT0, 9TET0	4	9 <b>Z</b> 5 24	62
	Drip mouldings, set 6 horizontal Folding door U-form assembly - Art. no.: 9TVP0	2	9Z5 06	100
R-1	<b>Drip mouldings, set 11 horizontal</b> Folding door solution for window 45° left - Art. no.: 9TL11	1+1	9Z511	71
£ ( )	<b>Drip mouldings, set 12 horizontal</b> Folding door solution for window 45° right - Art. no.: 9TL11	1+1	9 <b>Z</b> 512	71
	<b>Drip mouldings, set 13 horizontal</b> Folding door solution for window 90° left - Art. no.: 9TL21	1+1	9 <b>Z</b> 513	76
	<b>Drip mouldings, set 14 horizontal</b> Folding door solution for window 90° right - Art. no.: 9TL22	1+1	9Z514	76



Art. no.

Base price

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

ARTWEGE	ER 360 SLIDING DOOR	Pieces		
	Magnetic seal, set 1 Quadruple sliding door - Art. no.: 9GDS0	2	9Z7 01	62
	Magnetic seal, set 2 Double sliding door next to side screen - Art. no.: 9G2S	1+1	9 <b>Z</b> 7 02	62
	Magnetic seal, set 3 Corner entry - Art. no.: 9GES0, 9GESH	1+1	9 <b>Z</b> 712	62
n n	fixed-part seal, set 1 vertical Double sliding door - Art. no.: 9G2S, 9G5S	2	9 <b>Z</b> 7 03	65
	fixed-part seal, set 2 vertical  Quadruple sliding door, corner entry - Art. no.: 9GDS0, 9GES0, 9GESH	4	9 <b>Z</b> 7 04	110
	Drip mouldings, set 1 left Double sliding door in alcove - Art. no.: 9G5S	1+1	9 <b>Z</b> 7 05	53
	Drip mouldings, set 2 right  Double sliding door in alcove - Art. no.: 9G5S	1+1	9 <b>Z</b> 7 06	53
n n	Drip mouldings, set 3 left Double sliding door next to side screen - Art. no.: 9G2S	1+1	9 <b>Z</b> 7 07	53
	Drip mouldings, set 4 right  Double sliding door next to side screen - Art. no.: 9G2S	1+1	9Z7 08	53
	Drip mouldings, set 5 horizontal Quadruple sliding door - Art. no.: 9GDS0	2×2	9 <b>Z</b> 7 09	64
	Drip mouldings, set 6 horizontal Corner entry - Art. no.: 9GES0, 9GESH	4×1	9 <b>Z</b> 7 10	67

Λ.	ZEDO W. II. I			
Artweger .	ZERO Walk In	Pieces		
	Sealing strip, set			
3.	Wall profile, floor profile - Art. no.: RWV1, RWV2, RW11, RW12	1	RWZ201	57
	BASIC Wall profile - Art. no.: RWB, RWC	1	RWZ202	53
	Bellows seal set 2 left vertical VARIO without floor profile - Art. no.: RWV1, RWC1	6×1	RWZ2 04	75
	Bellows seal set 3 right vertical VARIO without floor profile - Art. no.: RWV2, RWC2	6×1	RWZ205	75
	Bellows seal set 5 left vertical VARIO without floor profile - Art. no.: RWV1, RWC1	6×1	RWZ207	75
	Bellows seal set 6 right vertical VARIO without floor profile - Art. no.: RWV2, RWC2	6×1	RWZ2 08	75
24	Drip mouldings, set 1 horizontal VARIO without floor profile - Art. no.: RWV1, RWV2, RWC1, RWC2	1	RWZ501	34
	Drip mouldings, set 3 left horizontal VARIO without floor profile - Art. no.: RWV1, RWC1	1	RWZ5 03	34
	Drip mouldings, set 4 right horizontal VARIO without floor profile - Art. no.: RWV2, RWC2	1	RWZ5 04	34

#### **IMPORTANT**

A clear product identification is given by means of Artweger guarantee number (see guarantee certificate or sticker on the product) or
article number (including all codes). Alternatively an indication of the Artweger delivery note number or invoice number is possible. If
no clear product identification is given when ordering, mouldings, seals and rails must be adapted on site. Costs of adjustment and
installation work are not accepted by Artweger.

Art. no.

Base price

TWISTLIN	E	Pieces		
	Magnetic seal, set 1 1/4-round shower, swinging door in alcove, swinging door next to shortened side screen, double swinging door next to side screen, double swinging door next to shortened side screen, folding door in alcove, folding door next to shortened side screen - Art. no.: 5TR, 5W4, 5W5, 5WD, 5T4, 5T5, 5TD, 5W3, 5T3, 5WS, 5WT, 5F3, 5F5	2	5TZ2 01	62
	Magnetic seal, set 2 Swinging door with swinging side screen, corner entry, corner entry with folding doors - Art. no.: 5TA, 5TB, 5WE, 5TE, 5FE	2	5TZ2 02	62
	Magnetic seal, set 3 Swinging door next to side screen, folding door next to side screen - Art. no.: 5W2, 5T2, 5F2	2	5TZ2 03	62
	Sealing strip, set 1 Products with 1 swinging door - Art. no.: 5W4, 5W5, 5T4, 5T5, 5W2, 5T2, 5W3, 5T3	2	5TZ2 04	50
	Sealing strip, set 2 Products with 2 swinging doors - Art. no.: 5TR, 5WD, 5TD, 5TA, 5TB, 5WE, 5TE, 5WS, 5WT	4	5TZ213	55
13-	<b>Drip mouldings, set 1 horizontal</b> Swinging door in alcove, swinging door next to side screen, swinging door next to shortened side screen, swinging door with swinging side screen - Art. no.: 5W4, 5W5, 5T4, 5T5, 5W2, 5T2, 5W3, 5T3, 5TA, 5TB	1	5TZ2 05	34
	<b>Drip mouldings, set 3 horizontal</b> 1/4-round shower, swinging door in alcove, corner entry, double swinging door next to side screen, double swinging door next to shortened side screen - Art. no.: 5TR, 5WD, 5TD, 5WE, 5TE, 5WS, 5WT	2	5TZ2 07	54
	<b>Drip mouldings, set 2 horizontal</b> Swinging door in alcove, swinging door next to side screen, swinging door next to shortened side screen, swinging door with swinging side screen - Art. no.: 5W4, 5W5, 5T4, 5T5, 5W2, 5T2, 5W3, 5T3, 5TA, 5TB	1	5TZ2 06	34
	<b>Drip mouldings, set 4 horizontal</b> 1/4-round shower, swinging door in alcove, corner entry, double swinging door next to side screen, double swinging door next to shortened side screen, folding door, 1/2 × corner entry with folding doors - Art. no.: 5TR, 5WD, 5TD, 5WE, 5TE, 5WS, 5WT, 5F21, 5F31, 5F32, 5F51, 5F52, 5FE0	2	5TZ208	54
	Sealing strip			
	Double folding door - Art. no.: 5F2, 5F3, 5F5	1	5TZ209	47
)	Corner entry with folding doors - Art. no.: 5FE0	2	5TZ210	54

Art. no.

Base price

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

Artweger [	DYNAMIC	Pieces		
	Magnetic seal, set Corner entry - Art. no.: 6E0	1+1	6Z2 01	62
	Magnetic seal, set			
	1/4-round shower-Art. no.: 6R0	2	6Z202	62
	Swinging door in alcove - Art. no.: 641, 642, 651, 652	2	6Z2 03	62
	Magnetic seal, set Double swinging door next to side screen - Art. no.: 621, 622	1+1	6Z2 04	62
	fixed-part seal, set			
	1/4-round shower, corner entry - Art. no.: 6R0, 6E0	1+1+2+2	6Z205	62
	Swinging door in alcove - Art. no.: 641, 642, 651, 652	2+2+2	6Z206	50
	Double swinging door next to side screen - Art. no.: 621, 622	2+2+2	6Z2 07	50
	Drip mouldings, set horizontal			
13-	1/4-round shower radius I 500 - Art. no.: 6R0 49, 6R0 19, 6R0 89	2+2	6Z5 01	54
$\perp \mathcal{J}$	1/4-round shower radius II 550 - Art. no.: 6R0 29, 6R0 69, 6R0 89	2+2	6Z5 02	54
n n	Corner entry 800 × 800 - Art. no.: 6E0 49	2+2	6Z5 03	54
THE	Corner entry 900 × 900, 1000 × 1000 - Art. no.: 6E0 59, 6E0 69	2+2	6Z5 04	54
24	Corner entry 900 left $\times$ 750 right, 900 left $\times$ 800 right - Art. no.: 6E0 D9, 6E0 99	2+2	6Z5 05	54
	Corner entry 750 left × 800 right, 750 left × 900 right - Art. no.: 6E0 C9, 6E0 89	2+2	6Z5 06	54
<u>+</u> U	Swinging door in alcove with 1 fixed part 800 left, swinging door in alcove with 2 fixed parts 1000 left - Art. no.: 651 49, 641 69	1+1	6Z5 07	48
	Swinging door in alcove with 1 fixed part 800 right, swinging door in alcove with 2 fixed parts 1000 right - Art. no.: 652 49, 642 69	1+1	6Z5 08	48
	Swinging door in alcove with 1 fixed part left, swinging door in alcove with 2 fixed parts left, swinging door next to side screen left - Art. no.: 651 59, 651 69, 651 89, 651 89, 641 89	1+1	6Z5 09	48
	Swinging door in alcove with 1 fixed part right, swinging door in alcove with 2 fixed parts right, swinging door next to side screen right - Art. no.: 65259, 65269, 65289, 65289, 64289	1+1	6Z510	48
	Swinging door in alcove with 2 fixed parts 900 left, swinging door next to side screen 800 left - Art. no.: 641 59, 621 49	1+1	6Z511	48
	Swinging door in alcove with 2 fixed parts 900 right, swinging door next to side screen 800 right - Art. no.: 642 59, 622 49	1+1	6Z512	48
	Swinging door next to side screen 900 left - Art. no.: 621 59	1+1	6Z513	48
	Swinging door next to side screen 900 right - Art. no.: 622 59	1+1	6Z514	48
	Corner entry 1200 x 1200 - Art. no.: 6E0 89	2+2	6Z515	54
	Corner entry 1200 left × 750 right, 1200 left × 800 right - Art. no.: 6E0 89	2+2	6Z516	54
	Corner entry 750 left × 1200 right, 800 left × 1200 right - Art. no.: 6E0 89	2+2	6Z517	54
	Corner entry 1200 left × 900 right, 1200 left × 1000 right - Art. no.: 6E0 89	2+2	6Z518	54
	Corner entry 900 left × 1200 right, 1000 left × 1200 right - Art. no.: 6E0 89	2+2	6Z519	54

#### **IMPORTANT**

Art. no.

Base price

Artweger I	MOVE	Pieces		
	Magnetic seal, set 1 - 180° Quadruple sliding door - Art. no.: MGD0, MRD0	2	MZ2 01	78
50	Magnetic seal, set 2 - 90° Double sliding door next to side screen - Art. no.: MG2, MR2	1+1	MZ2 02	73
	Magnetic seal, set 3 - 90° Corner entry - Art. no.: MGE0, MRE0	1+1	MZ2 03	73
	fixed-part seal, set 1 vertical  Double sliding door - Art. no.: MG2, MG3, MG5, MGF, MGK, MR2, MR3, MR5, MRF,  MRK	2	MZ2 04	64
	fixed-part seal, set 2 vertical Quadruple sliding door, corner entry - Art. no.: MGD0, MGE0, MRD0, MRE0	2	MZ2 05	78
	Door stop seal set 1 vertical Double sliding door - Art. no.: MG5, MGV	1	MZ2 06	64
	Door stop seal set 2 vertical Double sliding door - Art. no.: MR5, MRV	1	MZ2 07	64
	Door stop seal set 3 vertical Double sliding door - Art. no.: MGV, MRV	1+1	MZ2 08	69
	Wall connection seal  Double sliding door, quadruple sliding door, corner entry - Art. no.: MG2, MG3, MG5, MGD0, MGE0, MGF, MGK	2	MZ2 09	64
	Lower door seal set 1 horizontal Sliding door, double sliding door - Art. no.: MGV, MG2, MG3, MG5, MRV, MR2, MR3, MR5	1	MZ210	52
	Lower door seal set 2 horizontal Quadruple sliding door - Art. no.: MGD0, MRD0	2	MZ211	57
	Lower door seal set 3 horizontal Corner entry - Art. no.: MGE0, MRE0	2	MZ212	64
	Unhooking guard profile Sliding door, double sliding door, quadruple sliding door, corner entry - Art. no.: MG2, MG3, MG5, MGD0, MGE0, MGF, MGK, MGV, MR2, MR3, MR5, MRD0, MRE0, MRF, MRK MRV,	2	MZ213	57
0	Roller support Sliding door, double sliding door, quadruple sliding door, corner entry - Art. no.: MG2, MG3, MG5, MGD0, MGE0, MGF, MGV, MR2, MR3, MR5, MRD0, MRE0, MRF, MRV	2	MZ1 03	52

Art. no.

Base price

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

LIFELINE		Pieces		
	Magnetic seal, set 1  1/4-round shower, pentagonal shower, pivot door, quadruple sliding door - Art. no.: LR, LF, L6, LBD	2	LZ2 01	76
	Magnetic seal, set 2 Double corner entry, triple corner entry - Art. no.: L5, LB5, L3, LB3	1 × left 1 × right	LZ2 02	76
	Magnetic seal, set 3 Pentagonal shower - Art. no.: L7	1 × left 1 × right	LZ212	110
	Magnetic seal, set 4 1/4-round shower - Art. no.: L8	2	LZ213	76
0 0	fixed-part seal, set 1 vertical 1/4-round shower, pentagonal shower, double corner entry, triple corner entry, triple sliding door, double sliding door - Art. no.: LR, LF, L5, L3, L9, L2	2	LZ2 03	44
	<b>Door seal, vertical</b> 1/4-round shower, double corner entry, triple corner entry, triple sliding door, double sliding door, quadruple sliding door - Art. no.: LR, L5, LB5, L3, LB3, L9, LB9, L2, LBD.	2	LZ2 04	44
	Sealing strip, set, middle part, vertical Triple corner entry, triple sliding door - Art. no.: L3, L9	2	LZ2 05	44
	Sealing strip, set folding door (door part) Folding door - Art. no.: L4	1+2	LZ2 07	69
	Sealing strip, set folding door (fixed part) Folding door - Art. no.: L4	2	LZ2 08	49
	Sealing strip, set vertical Pentagonal shower - Art. no.: LF	2	LZ2 09	59
	Sealing strip, fixed part, vertical 1/4-round shower, pivot door - Art. no.: L8, L6	1	LZ210	38
13	Strip seal, horizontal 1/4-round shower, pivot door - Art. no.: L8, L6	1	LZ211	34
	Closure strip, set, vertical Triple sliding door, double sliding door - Art. no.: L9, LB9, L2, LB2	1	LZ2 06	42
	Roller support, set 1 1/4-round shower - Art. no.: LR	2 × left 2 × right	LZ1 01	62
A LOD	Roller support, set 2 Double corner entry, double sliding door - Art. no.: L5, L2	2 × left 2 × right	LZ1 02	60

#### **IMPORTANT**

• A clear product identification is given by means of Artweger guarantee number (see guarantee certificate or sticker on the product) or article number (including all codes). Alternatively an indication of the Artweger delivery note number or invoice number is possible. If no clear product identification is given when ordering, mouldings, seals and rails must be adapted on site. Costs of adjustment and installation work are not accepted by Artweger.

Art. no.

Base price

ARTWEGER price list 03/2023. For specialised trade outlets only. Suggested retail prices in EUR not including VAT. DIMENSIONS IN MILLIMETRES.

LIFELINE		Pieces		
	Roller support, set 3	3×left	LZ1 03	94
To Told	Triple corner entry, triple sliding door - Art. no.: L3, L9	3×right		
	Pulling and add	0 1:0	17404	40
	Roller support, set 4 Folding door - Art. no.: L4	2×left 2×right	LZ1 04	42
	Tolding door - Art. 110 L.+	2 Arigin		
	Roller support, set 5	1 × left	LZ1 05	65
	Pentagonal shower - Art. no.: LF	1 × right		
	Roller support, set MOBIL 1	3	LZ1 16	69
	Double sliding door, double corner entry - Art. no.: LB2			
	Roller support, set MOBIL 2	5	LZ1 17	103
9	Triple sliding door, triple corner entry - Art. no.: LB9, LB3	6	LZ1 18	118
	Roller support, set MOBIL 3  Quadruple sliding door - Art. no.: LBD	O	LZ1 10	110
	addition of the state of the st			
SLIDE		Diagos		
JLIDL	Magnetic seal, set	Pieces 2	VSZ2 01	41
	1/4-round shower - Art. no.: VSR	۷	V 322 U I	41
	Magnetic seal, set	2	VSZ2 02	41
	Corner entry - Art. no.: VSE			
	Sealing set fixed part	2	VSZ2 03	41
P 1	1/4-round shower, corner entry - Art. no.: VSR, VSE			
	Sealing set door part	2	VSZ2 04	41
	1/4-round shower, corner entry - Art. no.: VSR, VSE	0.1.1	V074.04	7.5
600	Roller support, set	2+1+1	VSZ1 01	75
	1/4-round shower, corner entry - Art. no.: VSR, VSE			
G L				
BASELINE		Pieces		
	Magnetic seal, set	2	GZ2 02	52
	1/4-round shower starting from 2013 - Art. no.: GR			
	Magnetic seal, set	2	GZ2 03	52
	Corner entry, swinging door - Art. no.: GE, G2			
	Corner entry, swinging door - Art. no al, al			
	1/4-round shower up to 12/2012 - Art. no.: GR			
	1/4-round shower up to 12/2012 - Art. no.: GR  Sealing set, vertical	2	GZ2 01	44
	1/4-round shower up to 12/2012 - Art. no.: GR  Sealing set, vertical 1/4-round shower - Art. no.: GR	2	GZ2 01	44
	1/4-round shower up to 12/2012 - Art. no.: GR  Sealing set, vertical 1/4-round shower - Art. no.: GR  Roller support, set 1			
	1/4-round shower up to 12/2012 - Art. no.: GR  Sealing set, vertical 1/4-round shower - Art. no.: GR  Roller support, set 1 1/4-round shower - Art. no.: GR	8	GZ1 01	48
	1/4-round shower up to 12/2012 - Art. no.: GR  Sealing set, vertical 1/4-round shower - Art. no.: GR  Roller support, set 1 1/4-round shower - Art. no.: GR 1/4-round shower starting with 2007 - Art. no.: GR			
	1/4-round shower up to 12/2012 - Art. no.: GR  Sealing set, vertical 1/4-round shower - Art. no.: GR  Roller support, set 1 1/4-round shower - Art. no.: GR	8	GZ1 01 GZ1 07	48
	1/4-round shower up to 12/2012 - Art. no.: GR  Sealing set, vertical 1/4-round shower - Art. no.: GR  Roller support, set 1 1/4-round shower - Art. no.: GR 1/4-round shower starting with 2007 - Art. no.: GR	8	GZ1 01	48
	1/4-round shower up to 12/2012 - Art. no.: GR  Sealing set, vertical 1/4-round shower - Art. no.: GR  Roller support, set 1 1/4-round shower - Art. no.: GR 1/4-round shower starting with 2007 - Art. no.: GR  Roller support, set 2	8	GZ1 01 GZ1 07	48 50
	1/4-round shower up to 12/2012 - Art. no.: GR  Sealing set, vertical 1/4-round shower - Art. no.: GR  Roller support, set 1 1/4-round shower - Art. no.: GR 1/4-round shower starting with 2007 - Art. no.: GR  Roller support, set 2  Corner entry - Art. no.: GE	8 8 8	GZ1 01 GZ1 07 GZ1 02	48 50 42
	1/4-round shower up to 12/2012 - Art. no.: GR  Sealing set, vertical 1/4-round shower - Art. no.: GR  Roller support, set 1 1/4-round shower - Art. no.: GR 1/4-round shower starting with 2007 - Art. no.: GR  Roller support, set 2  Corner entry - Art. no.: GE  Corner entry starting with 2007 - Art. no.: GE	8 8 8	GZ1 01 GZ1 07 GZ1 02	48 50 42
	1/4-round shower up to 12/2012 - Art. no.: GR  Sealing set, vertical 1/4-round shower - Art. no.: GR  Roller support, set 1 1/4-round shower - Art. no.: GR 1/4-round shower starting with 2007 - Art. no.: GR  Roller support, set 2 Corner entry - Art. no.: GE  Corner entry starting with 2007 - Art. no.: GE  Roller support, set 3	8 8 8	GZ1 01 GZ1 07 GZ1 02 GZ1 08	48 50 42 42
	1/4-round shower up to 12/2012 - Art. no.: GR  Sealing set, vertical 1/4-round shower - Art. no.: GR  Roller support, set 1 1/4-round shower - Art. no.: GR 1/4-round shower starting with 2007 - Art. no.: GR  Roller support, set 2  Corner entry - Art. no.: GE  Corner entry starting with 2007 - Art. no.: GE  Roller support, set 3  Triple sliding door - Art. no.: G9	8 8 8	GZ1 01 GZ1 07 GZ1 02 GZ1 08 GZ1 03	48 50 42 42 41

IMPORTANT

<sup>•</sup> All prices subject to shipping charge.

<sup>•</sup> Further individual parts on request.

Art. no.

Base price

ARTWEGE	R 360 Tub folding screens	Pieces		
	Drip mouldings, set 1 horizontal Single folding screen with fixed part - Art. no.: 9TKP	1	9Z5 01	34
	<b>Drip mouldings, set 15 horizontal</b> Single folding screen left - Art. no.: 9TKK11, 9TKK13	1	9Z515	34
n n	Drip mouldings, set 16 horizontal Single folding screen right - Art. no.: 9TKK21, 9TKK23	1	9Z516	34
13	Drip mouldings, set 17 horizontal  Double folding screen left - Art. no.: 9TKK15	1+1	9Z517	54
<i>±</i> Ø	Drip mouldings, set 18 horizontal  Double folding screen right - Art. no.: 9TKK25	1+1	9Z518	54
	Drip mouldings, set 19 horizontal Triple folding screen left - Art. no.: 9TKK17	1+1+1	9Z519	76
	Drip mouldings, set 20 horizontal  Triple folding screen right - Art. no.: 9TKK27	1+1+1	9Z5 20	76
75	<b>Drip mouldings, set 22</b> Single folding screen with fixed part - Art. no.: 9TKP.	1	9 <b>Z</b> 5 22	34
	Bellows seal set 14 vertical Single folding screen - Art. no.: 9TKP.	1+1+2	9Z224	96
D	Bellows seal set 17 vertical  Double folding screen - Art. no.: 9TKK15, 9TKK25	1+1+2	9Z231	90
	Bellows seal set 18 vertical Triple folding screen - Art. no.: 9TKK17, 9TKK27	1+1+2+1	9Z232	115

BASELINE	E Tub folding screens	Pieces		
	Strip seal, set, horizontal			
	Single folding screen 700 - Art. no.: GK12	1	GZ4 01	46
	Single folding screen 750 - Art. no.: GK32	1	GZ4 02	46
<u> ۲</u>	Double folding screen - Art. no.: GK42	2	GZ4 03	50
	Triple folding screen - Art. no.: GK72	3	GZ4 04	59

Art. no.

Base price

BODY+SOL	JL	Pieces		
	Magnetic seal, set 1 1/4-round shower, winged door in alcove - Art. no.: 7F4., 7F8., 7H4., 7H8.	2	7Z4 01	62
	Magnetic seal, set 2 Winged door with side screen, corner entry - Art. no.: 7F9., 7FE., 7H9., 7HE.	1 × left 1 × right	7Z4 02	62
	Magnetic seal, set 3 1/4-round shower, winged door in alcove - Art. no.: 7P4., 7P5., 7P8., 7R4., 7R5., 7R8.	2	7Z413	62
	Magnetic seal, set 4 Winged door with side screen - Art. no.: 7P9., 7R9.	1 × left 1 × right	7Z414	62
	Magnetic seal, set 5 Corner entry - Art. no.: 7PE., 7RE.	1 × left 1 × right	7Z415	62
	fixed-part seal, set 1 vertical 1/4-round shower, winged door in alcove, winged door with side screen - Art. no.: 7F4., 7F8., 7F9., 7H4., 7H8., 7H9., 7P4., 7P5., 7P7., 7P8., 7P9., 7R4., 7R5., 7R8., 7R9.	1	7Z4 03	47
7	fixed-part seal, set 2 vertical Corner entry - Art. no.: 7HE., 7FE., 7RE	2	7Z4 04	54
	Roof element seal set 1 1/4-round shower, winged door in alcove, winged door with side screen Art. no.: 7F4., 7F8., 7F9., 7H4., 7H8., 7H9., 7P4., 7P5., 7P7., 7P8., 7P9., 7R4., 7R5., 7R8., 7R9.	2	7Z4 07	23
	Roof element seal set 2 Corner entry - Art. no.: 7FE., 7HE., 7PE., 7RE.	4	7Z4 08	49
	<b>Drip mouldings, set 1 horizontal</b> 1/4-round shower, winged door in alcove, winged door with side screen - Art. no.: 7F4., 7F8., 7F9., 7H4., 7H8., 7H9.	1	7Z4 05	23
<u> </u>	<b>Drip mouldings, set 2 horizontal</b> Corner entry - Art. no.: 7FE., 7HE.	2	7Z4 06	38
13	Drip mouldings, set 1 horizontal 1/4-round shower, winged door in alcove, winged door with side screen - Art. no.: 7P4., 7P5., 7P7., 7P8., 7P9., 7R4., 7R5., 7R8., 7R9.	1	7Z4 09	34
	Drip mouldings, set 3 horizontal Corner entry - Art. no.: 7PE., 7RE.	2	7Z411	54
24	Drip mouldings, set 2 horizontal 1/4-round shower, winged door in alcove, winged door with side screen - Art. no.: 7P4., 7P5., 7P7., 7P8., 7P9., 7R4., 7R5., 7R8., 7R9.	1	7Z410	34
<u> </u>	Drip mouldings, set 4 horizontal Corner entry - Art. no.: 7PE., 7RE.	2	7 <b>Z</b> 412	54

Art. no.

Base price

ARTSHOWER	Pieces		
Thermostat cartridge	1	VAZ1 01	139
Flow control cartridge	1	VAZ1 02	59
Shower holder	1	VAZ1 03	49

ACCESSORIES		Pieces			
Π	Replacement lip for squeegee	Width 240 mm	1	0Z1 17	15
		Width 360 mm	1	0Z1 18	17

### SINGLE-PANE SAFETY GLASS (ESG)



Glass clear



Satin



Strip Satin






ARTCLEAR GLAZING

GLASS FINISHING (ESG)

#### SYNTHETIC GLAZING



Diamond

#### ARTWALL 3.0 for ARTWALL 3.0, TWINLINE 1, TWINLINE 2 and ARTLIFT



White



Concrete



Rust



Canyon



Slate



Stone beige



Grey stone



Light stone colour



Stone Verdello



Oak



Glossy white



Beige glossy marble



Grey glossy marble

Light glossy marble







Photo motifs only for ARTWALL 3.0 TREND wall panels  $2550 \times 1000 \, \text{mm}$ .

#### **BODY+SOUL**

ML



Anthracite/silver

Glass clear/Silver

GH



Glass anthracite/silver

Sand/silver

GΤ



Bordeaux/silver



Glass Bordeaux/silver

Plastic

glass

#### TWINLINE 1, TWINLINE 2, ARTLIFT glass for skirts



Glass clear



Glass Anthracite



glass



Artweger GmbH. & Co. KG Sulzbacherstraße 60 | 4820 Bad Ischl | Austria

Tel. +43 6132 205-20 | Fax +43 6132 205-5003 info@artweger.com | www.artweger.com



Via your Artweger Guarantee Partner.