

Specification Book Bath 2025

EXPORT

gross prices –
does not include statutory VAT

Valid from 01.04.2025



NEW as of now:

The digital
price list*



Finishes



	Chrome	Brushed Chrome **	Platinum	Brushed Platinum	Light Gold	Brushed Light Gold	Champagne (22kt Gold)	Brushed Champagne (22kt Gold)
Colour Code	-00	-93	-08	-06	-26	-27	-47	-46
RAL/NCS Classification								
Manufacturing Process	Electroplating				PVD Technique		Electroplating	
Multiplier (Base: Chrome 00) for x-tra Service	-	x 1,5	x 1,8	x 1,8	x 1,7	x 1,7	x 2,4	x 2,4
Bathroom								
CL. 1	●	x-tra	x-tra	●	-	-	●	●
CYO	●	x-tra	x-tra	●	-	-	x-tra	x-tra
IMO	●	●	x-tra	●	-	●	x-tra	x-tra
LISSÉ	●	●	x-tra	●	-	●	x-tra	x-tra
LULU	●	x-tra	x-tra	●	-	-	x-tra	x-tra
MADISON	●	x-tra	●	●	-	-	x-tra	x-tra
MEM	●	x-tra	●	●	-	-	●	●
META	●	●	● / x-tra	●	●	●	x-tra	x-tra
TARA	●	●	●	●	-	-	●	●
VAIA	●	x-tra	●	●	-	-	●	●
Accessories	●	●	-	●	-	●	-	-
Supplementary Products	●	x-tra	●	●	-	●	x-tra	x-tra
Kitchen								
ELIO	●	●	●	●	-	-	●	●
ENO	●	●	●	●	-	-	●	●
LOT	●	x-tra	●	●	-	-	●	●
MEM	●	●	●	●	-	-	●	●
META SQUARE	●	●	●	●	-	-	●	●
SYNC	●	●	●	●	-	-	●	●
TARA*	●	●	●	●	-	-	●	●
TARA ULTRA*	●	●	●	●	-	-	●	●
VAIA	●	●	●	●	-	-	●	●
Miscellaneous*	●	●	●	●	-	-	●	●

● Standard

x-tra x-tra Service: Variants (booking via Customer Service), or checking via the x-tra Service

- Not realisable

* Professional fittings only available in 00, 93, 08, 06, 42,19 and 99.

** The comparable finish to Brushed Chrome (-93) for all kitchen products is its equivalent, the finish Brushed Chrome (stainless steel) (-91).

Need a unique solution? We provide unlimited options on request.
Special designs, made-to-measure, logo and signage, and custom finishes just to name a few. Our x-tra Service team is here to turn your vision into a reality.



Durabronze (23kt Gold)	Brushed Durabronze (23kt Gold)	Brushed Dark Brass	Brushed Bronze	Dark Chrome	Brushed Dark Platinum	Matte Black	Matte White	Red	Orange	Dark Green
-09	-28	-39	-42	-19	-99	-33	-10	-29	-30	-31
						Similar to RAL 9011		Equivalent NCS S 2570-R	Equivalent NCS S 1080- Y60R	Equivalent NCS S 6030- B70G

Plating		PVD technique		Electroplating		Powder and wet paint coating				
x 2,3	x 2,3	x 1,8	x 1,8	x 1,7	x 2,0	x 1,55	x 1,55	x 1,55	x 1,55	x 1,55





x-tra	x-tra	-	-	●	●	x-tra	x-tra	-	-	-
x-tra	●	-	●	●	●	x-tra	x-tra	-	-	-
x-tra	x-tra	-	-	●	●	●	x-tra	-	-	-
x-tra	x-tra	-	-	●	●	●	x-tra	-	-	-
x-tra	x-tra	-	-	-	-	x-tra	x-tra	-	-	-
●	●	●	●	x-tra	●	x-tra	x-tra	-	-	-
x-tra	●	●	●	●	●	x-tra	x-tra	-	-	-
x-tra	x-tra	●	●	●	●	●	x-tra	●/-	●/-	●/-
x-tra	●	●	●	●	●	●	x-tra	-	-	-
x-tra	●	●	●	●	●	-	-	-	-	-
-	-	-	-	●	●	●	-	-	-	-
x-tra	●	-	●	●	●	●	x-tra	-	-	-

x-tra	●	-	●	●	●	x-tra	x-tra	-	-	-
x-tra	●	-	●	●	●	x-tra	x-tra	-	-	-
x-tra	●	-	●	●	●	x-tra	x-tra	-	-	-
x-tra	●	-	●	●	●	●	x-tra	-	-	-
x-tra	●	-	●	●	●	●	x-tra	-	-	-
x-tra	●	-	●	●	●	●	x-tra	-	-	-
●	●	-	●	●	●	●	x-tra	-	-	-
●	●	-	●	●	●	●	x-tra	-	-	-
●	●	-	●	●	●	●	x-tra	-	-	-
●	●	-	●	●	●	●	x-tra	-	-	-

Valid from 01.04.2025 | Errors and omissions excepted.
All previous overviews shall become ineffective with the publication of this overview.

Curated finishes for more individuality

Dornbracht finishes have a charismatic beauty and radiance that is captivating. Crafted with utmost care and great manual precision, these finishes guarantee exceptional durability and longevity. They give access to a timeless sense of style and unsurpassed freedom of design - thanks to a diverse array of finishes ranging from curated colour collections to customised creations.



*New as of now: The digital price list

From now on our price list is also available online, in a digital version. How this benefits you:

- Easy searching for item numbers, series, concepts and much more – search easily and find quickly
- All item numbers are linked to the respective products on our website – for more information and for creating wish lists
- Advanced download options are available (pdf files of selected pages or the entire price list) – a price list for your specific needs

Simply scan the QR code and explore your digital options.



Specification Book Bath 2025

Gross prices – does not include statutory VAT – Valid from 01.04.2025

EXPORT

5 YEARS
WARRANTY

For detailed warranty terms and conditions, see dornbracht.com/warranty

Gross prices – does not include statutory VAT – Valid from 01.04.2025

Models, programmes and technical modifications as well as errors are excepted.

All previous price lists shall become ineffective with the publication of this price list.

List of contents


Modifications 2025

008 - 009

Index

010 - 038

Bathroom



CL.1

039 - 082




CYO

083 - 132



IMO

133 - 180




LISSÉ

181 - 214




LULU

215 - 242



MADISON

243 - 274




MEM

275 - 334




META

335 - 404




TARA

405 - 478




VAIA

479 - 542




Touchfree Faucets

543 - 556



Shower

557 - 626



Accessories - Bathroom

627 - 636



Concealed articles

637 - 658



Miscellaneous


659 - 672

Kitchen



Single-lever mixer

673 - 684




Single-lever mixer Pull-down/
Pull-out

685 - 694



Profi single-lever mixer

695 - 700



Accessories - Kitchen

701 - 706

Modifications 2025

Programme additions bathroom

Finishes Starting in April, the Brushed Bronze finish (-42) will be available as standard for the MADISON, MEM and CYO series. The new Brushed Dark Brass finish (-39) will also be added to our range of finishes. It will be available as standard for the META, TARA, VAIA (April), MADISON (July) and MEM (September) series.

	New Art. No.	Name	In stock from
IMO	33 502 671-FF	Single-lever basin mixer with pop-up waste	01.06.2025
	33 522 671-FF	Single-lever basin mixer without pop-up waste	01.06.2025
Lighted mirror	83 150 979-FF	Lighted mirror round	01.06.2025
	83 151 979-FF	Lighted mirror round	01.06.2025
	83 150 980-FF	Lighted mirror angular	01.06.2025
	83 151 980-FF	Lighted mirror angular	01.06.2025
Towel warmer	83 304 979-FF	Towel warmer, 4-fold, projection left, without control element	01.04.2025
	83 314 979-FF	Towel warmer, 4-fold, projection right, without control element	01.04.2025
	83 306 979-FF	Towel warmer, 6-fold, projection left, without control element	01.04.2025
	83 316 979-FF	Towel warmer, 6-fold, projection right, without control element	01.04.2025
	83 304 980-FF	Towel warmer, 4-fold, projection left, without control element	01.04.2025
	83 314 980-FF	Towel warmer, 4-fold, projection right, without control element	01.04.2025
	83 306 980-FF	Towel warmer, 6-fold, projection left, without control element	01.04.2025
	83 316 980-FF	Towel warmer, 6-fold, projection right, without control element	01.04.2025
	36 390 979-FF	Electronic control elements for heated towel rail	01.06.2025
	36 390 980-FF	Electronic control elements for heated towel rail	01.06.2025
	35 311 970 90	Concealed wall installation box for heated towel rail, 4-fold, without control element	01.04.2025
	35 312 970 90	Concealed wall installation box for heated towel rail, 4-fold, with control element	01.06.2025
	35 313 970 90	Concealed wall installation box for heated towel rail, 6-fold, without control element	01.04.2025
	35 314 970 90	Concealed wall installation box for heated towel rail, 6-fold, with control element	01.06.2025

Programme modifications / Discontinuations

The delivery time for the Champagne (22kt Gold) finish will be increased to 8 weeks.

The following items will be withdrawn from the product ranges within the respective series. The items will remain in stock until 30/09/2025.

	Art. No.	Name	Alternative Art. No.	Name
CL.1	20 002 705-FF	Deck valve clockwise closing cold	20 001 705-FF	Deck valve clockwise closing cold
	20 002 706-FF	Deck valve anti-clockwise closing hot	20 001 706-FF	Deck valve anti-clockwise closing hot
	20 013 705-FF	Deck valve clockwise closing cold		
	20 013 706-FF	Deck valve anti-clockwise closing hot		
	20 014 705-FF	Deck valve clockwise closing cold		
	20 014 706-FF	Deck valve anti-clockwise closing hot		
	36 108 705-FF	Concealed two- and three-way diverter		
	36 627 705-FF	Wall valve clockwise closing 1/2"	36 617 705-FF	Wall valve clockwise closing 1/2"
	36 627 706-FF	Wall valve clockwise closing cold 1/2"	36 617 706-FF	Wall valve clockwise closing cold 1/2"
	36 627 707-FF	Wall valve anti-clockwise closing hot 1/2"	36 617 707-FF	Wall valve anti-clockwise closing hot 1/2"
	36 628 705-FF	Wall valve clockwise closing 3/4"	36 618 705-FF	Wall valve clockwise closing 3/4"
	36 667 705-FF	Wall valve clockwise closing 1/2"		
	36 667 706-FF	Wall valve clockwise closing cold 1/2"		
	36 667 707-FF	Wall valve anti-clockwise closing hot 1/2"		
	36 668 705-FF	Wall valve clockwise closing 3/4"		
	36 212 705-FF	Concealed three-way diverter	36 211 705-FF	Concealed three-way diverter
	36 202 705-FF	Concealed two-way diverter	36 201 705-FF	Concealed two-way diverter

	Art. No.	Name	Alternative Art. No.	Name
CYO	20 710 821-FF	Three-hole basin mixer with pop-up waste		
	20 713 821-FF	Three-hole basin mixer with pop-up waste		
	27 523 821-FF	Five-hole bath mixer for bath rim or tile edge installation		
	36 707 821-FF	Wall-mounted basin mixer without pop-up waste		
	36 712 821-FF	Wall-mounted basin mixer without pop-up waste		
META	33 537 662-FF	META SLIM Single-lever basin mixer with raised base without pop-up waste	33 537 660-FF	Single-lever basin mixer with raised base without pop-up waste
	33 539 662-FF	META SLIM Single-lever basin mixer with raised base without pop-up waste	33 539 660-FF	Single-lever basin mixer with raised base without pop-up waste
	36 805 661-FF	Wall-mounted single-lever basin mixer without pop-up waste	36 805 660-FF	Wall-mounted single-lever basin mixer without pop-up waste
	In addition to this, all items in the Champagne (22kt Gold) and Brushed Champagne (22kt Gold) finishes will be removed from the standard META range and will only be available via our x-tra Service.			
TARA	83 435 892	Dispenser wall model	83 435 970-FF	Dispenser wall model
Series Specific	83 061 979-FF	Towel bar in two parts		
	83 210 979-FF	Towel bar in two parts non-swivel		
	83 500 980 -FF	Tissue holder without cover	83 500 976-FF	Tissue holder
Series-Variou	36 050 970-FF	Concealed single-lever mixer with integrated shower connection	36 046 660-FF	Concealed single-lever mixer with cover plate with integrated shower connection
	10 050 970-FF	Siphon for bidet 1 1/4"	10 060 970-FF	Siphon for basin
	12 720 660-FF	Rosette		
	12 720 980-FF	Rosette		
	12 179 970 90	Extension 25 mm		
	12 381 970 90	Attachment set	12 340 970 90	xGRID Attachment set for integrating in the dry wall construction
	12 382 970 90	Attachment set		
	29 020 970 90	Single holder for 12 mm and 15 mm copper pipes	29 024 970 90	Single holder for 16 mm AluPEX pipes
	29 022 970 90	Single holder for 15 mm PEX pipes	29 024 970 90	Single holder for 16 mm AluPEX pipes
	29 023 970 90	Single holder for ALU-PEX pipe	29 024 970 90	Single holder for 16 mm AluPEX pipes
	35 816 970 90	Concealed wall-mounted single-lever mixer mixer on right		
	42 766 970 90	eSET Touchfree Basin mixer without temperature setting		

Index

Article number	Euro	Page	Article number	Euro	Page	Article number	Euro	Page
10			-27	134.30	662	-06	90.70	118, 119
10 040 970-00	487.90	247, 663	-28	188.00	662	-08	90.70	118, 119
-06	780.40	247, 663	-33	120.80	662	-09	119.10	118, 119
-08	780.40	247, 663	-39	143.20	662	-19	85.00	118, 119
-09	1,024.60	247, 663	-42	143.20	662	-28	119.10	118, 119
-19	731.90	663	-46	196.90	662	-42	90.60	118, 119
-28	1,024.60	247, 663	-47	196.90	662	-99	102.10	118, 119
-39	780.60	247, 663	-93	116.40	662	11 185 811-00	56.70	118, 119
-42	780.60	247, 663	-99	161.30	662	-06	90.70	118, 119
-46	975.80	663	10 126 970-00	90.10	663	-08	90.70	118, 119
-47	975.80	663	-06	144.10	663	-09	119.10	118, 119
-99	878.30	247, 663	-08	144.10	663	-19	85.00	118, 119
10 060 780-00	387.40	47, 94, 143, 288, 663	-09	189.20	663	-28	119.10	118, 119
-06	619.90	47, 94, 143, 288, 663	-19	135.10	663	-42	90.60	118, 119
-08	619.90	288, 663	-26	135.20	663	-99	102.10	118, 119
-19	581.10	47, 94, 143, 288, 663	-27	135.20	663	11 187 811-00	56.70	94, 114, 115, 116, 118, 118, 119, 119
-27	581.10	143, 663	-28	189.20	663	-06	90.70	94, 114, 115, 116, 118, 118, 118, 118, 119, 119, 119, 119
-28	813.50	94, 288, 663	-33	121.70	663	-19	85.00	94, 114, 115, 116, 118, 118, 119, 119
-33	523.20	143, 288, 663	-39	144.20	663	-28	119.10	94, 114, 115, 116, 118, 118, 118, 118, 119, 119, 119, 119
-39	619.90	288, 663	-42	144.20	663	-42	90.60	94, 114, 115, 116, 118, 118, 119, 119
-42	619.80	94, 288, 663	-46	198.20	663	-99	102.10	94, 114, 115, 116, 118, 118, 119, 119
-46	774.70	47, 288, 663	-47	198.20	663	11 188 811-00	56.70	86, 87, 94
-47	774.70	47, 288, 663	-93	117.10	663	-06	90.70	86, 86, 87, 87, 94
-93	503.60	143, 663	-99	162.30	663	-19	85.00	86, 87, 94
-99	697.30	47, 94, 143, 288, 663	10 300 970-00	78.60	662	-28	119.10	86, 87, 94
10 060 970-00	338.60	186, 219, 351, 418, 492, 663	-06	125.90	662	-42	90.60	86, 87
-06	541.90	186, 219, 351, 418, 492, 663	-08	125.90	662	-99	102.10	86, 87, 94
-08	541.90	351, 418, 492, 663	-09	165.10	662	11 189 811-00	56.70	86, 87
-09	711.10	418, 492, 663	-19	117.90	662	-06	90.70	86, 87
-19	507.90	186, 351, 418, 492, 663	-26	117.80	662	-08	90.70	86, 87
-26	508.00	351, 663	-27	117.80	662	-09	119.10	86, 87
-27	508.00	186, 351, 663	-28	165.10	662	-19	85.00	86, 87
-28	711.10	418, 492, 663	-33	106.20	662	-28	119.10	86, 87
-33	457.20	186, 351, 418, 492, 663	-39	125.80	662	-42	90.60	86, 87
-39	541.70	351, 418, 492, 663	-42	125.80	662	-99	102.10	86, 87
-42	541.80	351, 418, 492, 663	-46	172.90	662	11 283 811-00	113.50	87, 88, 90, 91, 94, 122
-46	744.90	418, 492, 663	-47	172.90	662	-06	181.50	87, 87, 88, 88, 90, 90, 91, 91, 94, 122
-47	744.90	418, 492, 663	-93	102.10	662	-19	170.20	87, 88, 90, 91, 94, 122
-93	440.20	186, 351, 418, 663	-99	141.40	662	-28	238.40	87, 87, 88, 88, 90, 90, 91, 91, 94, 122
-99	609.50	186, 351, 418, 492, 663	10 710 970-00	193.30	703	-42	181.60	87, 88, 90, 91, 94, 122
10 100 970-00	44.30	664	-06	309.20	703	-99	204.20	87, 88, 90, 91, 94, 122
-06	70.70	664	-08	309.20	703	11 284 811-00	113.50	87, 88, 90, 91, 122
-08	70.70	664	-09	405.90	703	-06	181.50	87, 88, 90, 91, 122
-09	93.00	664	-19	289.90	703	-08	181.50	87, 88, 90, 91, 122
-19	66.60	664	-28	405.90	703	-09	238.40	87, 88, 90, 91, 122
-26	66.50	664	-33	261.10	703	-19	170.20	87, 88, 90, 91, 122
-27	66.50	664	-42	309.30	703	-28	238.40	87, 88, 90, 91, 122
-28	93.00	664	-46	425.30	703	-42	181.60	87, 88, 90, 91, 122
-39	70.90	664	-47	425.30	703	-99	204.20	87, 88, 90, 91, 122
-42	71.00	664	-93	251.30	703	11 285 811-00	113.50	87, 88, 90, 91, 122
-46	97.50	664	-99	289.80	703	-06	181.50	87, 88, 90, 91, 122
-47	97.50	664	10 712 970-00	193.30	703	-08	181.50	87, 88, 90, 91, 122
-93	57.70	664	-06	309.20	703	-09	238.40	87, 88, 90, 91, 122
-99	79.80	664	-08	309.20	703	-19	170.20	87, 88, 90, 91, 122
10 105 970-00	58.40	664	-09	405.90	703	-28	238.40	87, 88, 90, 91, 122
-06	93.30	664	-19	289.90	703	-42	181.60	87, 88, 90, 91, 122
-08	93.30	664	-28	405.90	703	-99	204.20	87, 88, 90, 91, 122
-09	122.60	664	-33	261.10	703	11 288 811-00	113.50	87, 88, 90, 91, 122
-19	87.70	664	-42	309.30	703	-06	181.50	87, 88, 90, 91, 122
-26	87.70	664	-46	425.30	703	-08	181.50	87, 88, 90, 91, 122
-27	87.70	664	-47	425.30	703	-09	238.40	87, 88, 90, 91, 122
-28	87.70	664	-93	251.30	703	-19	170.20	87, 88, 90, 91, 122
-28	122.60	664	-99	289.80	703	-28	238.40	87, 88, 90, 91, 122
-33	78.80	664	11			-42	181.60	87, 88, 90, 91, 122
-39	93.40	664	11 000 980-00	279.30	671	-99	204.20	87, 88, 90, 91, 122
-42	93.50	664	-06	446.90	671	11 420 360-00	287.60	251, 575
-46	128.50	664	-33	377.20	671	-06	460.00	251, 575
-47	128.50	664	11 170 370-00	114.30	246, 247	-08	460.00	251, 575
-93	75.90	664	-06	183.00	246, 247	-09	604.00	251, 575
-99	105.00	664	-08	183.00	246, 247	-28	604.00	251, 575
10 110 970-00	58.40	664	-09	240.00	246, 247	-39	460.10	251, 575
-06	93.30	664	-28	240.00	246, 247	-42	460.10	251, 575
-08	93.30	664	-39	182.90	246, 247	-99	517.60	251, 575
-09	122.60	664	-42	182.90	246, 247	11 431 809-00	124.70	518
-19	87.70	664	-99	205.80	246, 247	-06	199.60	518
-26	87.70	664	11 170 882-33	83.70	419	-08	199.60	518
-27	87.70	664	11 171 882-00	77.00	419	-19	187.20	518
-28	122.60	664	-06	123.20	419	-28	261.90	518
-33	78.80	664	-08	123.20	419	-39	199.60	518
-39	93.40	664	-19	115.50	419	-42	199.50	518
-42	93.50	664	-28	161.70	419	-46	274.30	518
-46	128.50	664	-33	104.00	419	-47	274.30	518
-47	128.50	664	-39	123.30	419	-99	224.50	518
-93	75.90	664	-42	123.20	419	11 431 892-00	124.70	451
-99	105.00	664	-46	169.40	419	-06	199.60	451
10 110 970-00	58.40	664	-47	169.40	419	-08	199.60	451
-06	93.30	664	-93	100.10	419	-19	187.20	451
-08	93.30	664	-99	138.60	419	-28	261.90	451
-09	122.60	664	11 182 811-00	56.70	118, 119	-33	168.40	451
-19	87.70	664	-06	90.70	118, 119	-39	199.60	451
-26	87.70	664	-08	90.70	118, 119	-42	199.50	451
-27	87.70	664	-09	119.10	118, 119	-46	274.30	451
-28	122.60	664	-19	85.00	118, 119	11 183 811-00	56.70	118, 119
-33	78.80	664	-28	119.10	118, 119			
-39	93.40	664	-42	90.60	118, 119			
-42	93.50	664	-46	169.40	419			
-46	128.50	664	-93	100.10	419			
-47	128.50	664	-99	138.60	419			
-93	75.90	664						
-99	105.00	664						
10 125 970-00	89.50	662						
-06	143.40	662						
-08	143.40	662						
-09	188.00	662						
-19	134.50	662						
-26	134.30	662						

Article number	Euro	Page	Article number	Euro	Page	Article number	Euro	Page
-47	274.30	451	-33	1,150.60	177, 209, 329, 400, 473, 538, 630	-39	1,820.70	255, 304, 372, 446, 513, 622
-93	162.10	451	-39	1,363.70	270, 329, 400, 473, 538, 630	-42	1,820.70	108, 255, 304, 372, 446, 513, 622
-99	224.50	451	-42	1,363.80	128, 270, 329, 400, 473, 538, 630	-46	2,503.40	59, 304, 446, 513, 622
12			-46	1,875.10	79, 329, 473, 538, 630	-47	2,503.40	59, 304, 446, 513, 622
12 055 970 90	165.00	654	-47	1,875.10	79, 329, 473, 538, 630	-93	1,479.30	158, 198, 372, 446, 622
12 177 970 90	61.10	655	-93	1,108.10	177, 209, 400, 473, 630	-99	2,048.20	59, 108, 158, 198, 255, 304, 372, 446, 513, 622
12 178 970 90	61.10	655	-99	1,534.30	79, 128, 177, 209, 270, 329, 400, 473, 538, 630	13 420 979-00	1,625.60	59, 108, 158, 199, 226, 256, 305, 373, 447, 514, 623
12 190 970 90	180.30	654	12 665 979-00	485.30	128, 177, 210, 239, 270, 400, 473, 538, 630	-06	2,601.50	59, 108, 158, 199, 226, 256, 305, 373, 447, 514, 623
12 191 970 90	185.40	655	-06	776.50	128, 177, 210, 239, 270, 400, 473, 538, 630	-08	2,601.50	256, 305, 373, 447, 514, 623
12 202 979-00	50.10	671	-08	776.50	270, 400, 473, 538, 630	-19	2,438.60	59, 108, 158, 199, 305, 373, 447, 514, 623
-06	80.50	671	-09	1,019.10	270, 473, 538, 630	-26	2,438.50	373, 623
-08	80.50	671	-19	728.00	128, 177, 210, 400, 473, 538, 630	-27	2,438.50	158, 199, 373, 623
-28	105.20	671	-26	728.00	400, 630	-28	3,413.80	108, 256, 305, 447, 514, 623
-33	67.60	671	-27	728.00	177, 210, 400, 630	-33	2,194.90	158, 199, 305, 373, 447, 514, 623
-99	90.20	671	-28	1,019.10	128, 270, 473, 538, 630	-39	2,601.10	256, 305, 373, 447, 514, 623
12 305 970 90	36.10	655	-33	655.20	177, 210, 400, 473, 538, 630	-42	2,601.10	108, 256, 305, 373, 447, 514, 623
12 340 970 90	113.00	655	-39	776.50	270, 400, 473, 538, 630	-46	3,576.30	59, 305, 447, 514, 623
12 360 970 90	112.20	655	-42	776.50	128, 270, 400, 473, 538, 630	-47	3,576.30	59, 305, 447, 514, 623
12 370 970 90	196.20	655	-46	1,067.70	473, 538, 630	-93	2,113.40	158, 199, 373, 447, 623
12 380 970 90	280.60	655	-47	1,067.70	473, 538, 630	13 425 979-00	1,208.00	60, 109, 159, 199, 227, 256, 305, 373, 447, 514, 623
12 570 970-00	137.00	62, 111, 161, 201, 228, 258, 309, 376, 450, 517, 669	-99	873.60	128, 177, 210, 270, 400, 473, 538, 630	-06	1,932.80	60, 109, 159, 199, 227, 256, 305, 373, 447, 514, 623
-06	219.50	62, 111, 161, 201, 228, 258, 309, 376, 450, 517, 669	-06	485.30	79, 330, 630	-08	1,932.80	256, 305, 373, 447, 514, 623
-08	219.50	258, 309, 376, 450, 517, 669	-08	776.50	79, 330, 630	-19	1,811.80	60, 109, 159, 199, 305, 373, 447, 514, 623
-19	205.40	62, 111, 161, 201, 309, 376, 450, 517, 669	-09	1,019.10	330, 630	-26	1,812.00	373, 623
-26	205.50	376, 669	-19	728.00	79, 330, 630	-27	1,812.00	159, 199, 373, 623
-27	205.50	161, 201, 376, 669	-26	728.00	630	-28	2,536.80	109, 256, 305, 447, 514, 623
-28	287.70	111, 258, 309, 450, 517, 669	-27	728.00	630	-33	1,630.70	159, 199, 305, 373, 447, 514, 623
-33	185.20	161, 201, 309, 376, 450, 517, 669	-28	1,019.10	330, 630	-39	1,932.80	256, 305, 373, 447, 514, 623
-39	219.20	258, 309, 376, 450, 517, 669	-33	655.20	330, 630	-42	1,932.80	109, 256, 305, 373, 447, 514, 623
-42	219.20	111, 258, 309, 376, 450, 517, 669	-39	776.50	330, 630	-46	2,657.60	60, 305, 447, 514, 623
-46	301.40	62, 309, 450, 517, 669	-42	776.50	330, 630	-47	2,657.60	60, 305, 447, 514, 623
-47	301.40	62, 309, 450, 517, 669	-46	1,067.70	79, 330, 630	-93	1,570.30	159, 199, 373, 447, 623
-93	178.10	161, 201, 376, 450, 669	-47	1,067.70	79, 330, 630	-99	2,174.10	60, 109, 159, 199, 256, 305, 373, 447, 514, 623
-99	246.80	62, 111, 161, 201, 258, 309, 376, 450, 517, 669	-93	631.00	177, 210, 400, 473, 630	13 430 740-00	1,694.90	322
12 580 970-00	137.00	62, 111, 161, 201, 228, 258, 309, 376, 450, 517, 669	-99	873.60	79, 330, 630	-06	2,711.60	322
-06	219.50	62, 111, 161, 201, 228, 258, 309, 376, 450, 517, 669	12 665 980-00	485.30	79, 330, 630	-08	2,711.60	322
-08	219.50	258, 309, 376, 450, 517, 669	-06	776.50	79, 330, 630	-19	2,542.20	322
-19	205.40	62, 111, 161, 201, 309, 376, 450, 517, 669	-08	776.50	330, 630	-28	3,559.30	322
-26	205.50	376, 669	-09	1,019.10	330, 630	-33	2,288.20	322
-27	205.50	161, 201, 376, 669	-19	728.00	79, 330, 630	-39	2,711.80	322
-28	287.70	111, 258, 309, 450, 517, 669	-26	728.00	630	-42	2,711.80	322
-33	185.20	161, 201, 309, 376, 450, 517, 669	-27	728.00	630	-46	3,728.80	322
-39	219.20	258, 309, 376, 450, 517, 669	-28	1,019.10	330, 630	-47	3,728.80	322
-42	219.20	111, 258, 309, 376, 450, 517, 669	-33	655.20	330, 630	-99	3,050.70	322
-46	301.40	62, 309, 450, 517, 669	-39	776.50	330, 630	13 612 705-00	1,210.90	74, 74
-47	301.40	62, 309, 450, 517, 669	-42	776.50	330, 630	-06	1,937.20	74, 74
-93	178.10	161, 201, 376, 450, 669	-46	1,067.70	79, 330, 630	-19	1,816.30	74, 74
-99	246.80	62, 111, 161, 201, 258, 309, 376, 450, 517, 669	-47	1,067.70	79, 330, 630	-46	2,664.00	74, 74
12 614 970 90	1,794.10	646	-93	631.00	177, 210, 400, 473, 630	-47	2,664.00	74, 74
12 660 979-00	852.30	79, 128, 177, 209, 239, 270, 329, 400, 473, 538, 630	-99	873.60	79, 330, 630	-99	2,179.50	74, 74
-06	1,364.00	79, 128, 177, 209, 239, 270, 329, 400, 473, 538, 630	12 715 970-00	43.00	662	13 630 740-00	2,274.40	322
-08	1,364.00	270, 329, 400, 473, 538, 630	-06	68.70	662	-06	3,639.20	322
-19	1,278.40	79, 128, 177, 209, 329, 400, 473, 538, 630	-08	68.70	662	-08	3,639.00	322
-26	1,278.50	400, 630	-09	90.30	662	-19	3,411.60	322
-27	1,278.50	177, 209, 400, 630	-19	64.40	662	-28	4,776.20	322
-28	1,789.80	128, 270, 329, 473, 538, 630	-26	64.50	662	-39	3,639.10	322
			-27	64.50	662	-42	5,003.70	322
			-28	64.50	662	-46	5,003.70	322
			-33	58.00	662	-99	4,093.80	322
			-39	68.70	662			
			-42	68.70	662			
			-46	68.70	662			
			-47	94.60	662			
			-93	94.60	662			
			-99	55.90	662			
			12 820 970 90	77.40	662			
			12 821 970 90	78.30	704			
			12 823 970 90	64.30	704			
			12 869 970 90	75.10	705			
			12 870 970 90	155.50	654			
			12 880 970 90	212.60	654			
			13	212.60	654			
			13 415 979-00	1,137.90	59, 108, 158, 198, 226, 255, 304, 372, 446, 513, 622			
			-06	1,820.60	59, 108, 158, 198, 226, 255, 304, 372, 446, 513, 622			
			-08	1,820.60	255, 304, 372, 446, 513, 622			
			-19	1,707.00	59, 108, 158, 198, 304, 372, 446, 513, 622			
			-26	1,706.90	372, 622			
			-27	1,706.90	158, 198, 372, 622			
			-28	2,389.60	108, 255, 304, 446, 513, 622			
			-33	1,535.90	158, 198, 304, 372, 446, 513, 622			

Index

Article number	Euro	Page	Article number	Euro	Page	Article number	Euro	Page
13 672 661-00	1,630.90	393	-99	1,377.40	286	17		
-06	2,609.50	393	13 800 809-00	783.30	490, 491, 553	17 500 660-00	344.00	344
-19	2,446.50	393	-06	1,253.50	490	-06	550.60	344
-26	2,446.50	393	-08	1,253.40	490	-19	516.10	344
-27	2,446.50	393	-19	1,175.20	490	-26	516.10	344
-33	2,201.60	393	-28	1,644.90	490	-27	516.10	344
-39	2,609.40	393	-39	1,253.30	490	-33	464.40	344
-42	2,609.50	393	-42	1,253.40	490	-39	550.40	344
-93	2,120.30	393	-46	1,723.30	490	-42	550.50	344
-99	2,935.70	393	-47	1,723.30	490	-93	447.30	344
13 672 780-00	2,443.40	320	-99	1,409.90	490	-99	619.20	344
-06	3,909.50	320	13 800 811-00	685.40	91, 93, 554	17 500 661-00	365.30	345
-08	3,909.50	320	-06	1,096.80	91	-06	584.50	345
-19	3,665.00	320	-19	1,028.10	91	-19	547.90	345
-28	5,131.10	320	-28	1,439.30	91	-26	547.90	345
-39	3,909.40	320	-36	1,096.80	91	-27	547.90	345
-42	3,909.40	320	-38	1,439.30	91	-33	493.00	345
-46	5,375.50	320	-42	1,096.50	91	-39	584.50	345
-47	5,375.50	320	-99	1,233.80	91	-42	584.50	345
13 700 845-00	406.70	185, 186, 549	13 800 882-00	491.60	351, 418, 554	-93	474.80	345
-06	650.80	185	13 801 660-00	516.80	394	-99	657.50	345
-19	610.20	185	-06	826.70	394	17 500 662-00	474.00	345
-27	610.20	185	-19	775.40	394	-06	758.50	345
-33	549.20	185	-26	775.30	394	-19	711.00	345
-93	528.90	185	-27	775.30	394	-26	711.00	345
-99	732.20	185	-33	697.80	394	-27	711.00	345
13 714 705-00	837.00	43, 44	-39	826.80	394	-33	639.90	345
-06	1,339.30	43, 44	-42	826.80	394	-39	758.40	345
-19	1,255.60	43, 44	-93	671.90	394	-93	616.20	345
-46	1,841.40	43, 44	-99	930.20	394	-99	853.20	345
-47	1,841.40	43, 44	13 801 670-00	623.40	172	17 500 671-00	430.00	139
-99	1,506.80	43, 44	-06	997.50	172	-06	688.10	139
13 715 705-00	907.30	43, 44, 46, 549	-19	935.10	172	-19	645.00	139
-06	1,451.30	43, 44	-27	935.10	172	-27	645.00	139
-19	1,360.90	43, 44	-33	841.60	172	-33	580.60	139
-46	1,996.10	43, 44	-93	810.50	172	-39	559.10	139
-47	1,996.10	43, 44	-99	1,122.10	172	-99	774.10	139
-99	1,633.00	43, 44	13 801 705-00	816.40	75	17 500 809-00	438.10	486
13 715 782-00	1,055.10	282	-06	1,306.10	75	-06	700.90	486
-06	1,688.30	282	-19	1,224.70	75	-08	700.90	486
-08	1,688.30	282	-46	1,796.10	75	-19	657.00	486
-19	1,582.60	282	-47	1,796.10	75	-28	920.00	486
-28	2,215.70	282	-99	1,469.50	75	-39	700.90	486
-39	1,688.20	282	13 801 710-00	646.10	235	-42	700.90	486
-42	1,688.20	282	-06	1,033.50	235	-46	963.80	486
-46	2,321.20	282	-19	935.10	322	-47	963.80	486
-47	2,321.20	282	-28	1,535.10	322	-99	788.60	486
-99	1,899.30	282	-39	1,169.60	322	17 500 892-00	407.60	413
13 715 811-00	907.30	88, 92, 550	-42	1,169.60	322	-06	651.90	413
-06	1,451.30	88	-46	1,608.20	322	-08	651.90	413
-19	1,360.90	88	-47	1,608.20	322	-19	611.20	413
-28	1,905.30	88	-99	1,315.90	322	-28	856.00	413
-36	1,451.30	88	13 801 809-00	669.40	532	-33	550.20	413
-38	1,905.30	88	-06	1,071.00	532	-39	652.10	413
-42	1,451.70	88	-08	1,071.10	532	-42	652.00	413
-99	1,633.00	88	-19	1,004.10	532	-46	896.70	413
13 716 671-00	553.40	142, 548	-28	1,405.70	532	-47	896.70	413
13 716 782-00	1,031.60	282, 287, 550	-39	1,071.00	532	-93	529.80	413
-06	1,650.70	282	-42	1,071.10	532	-99	733.50	413
-08	1,650.70	282	-46	1,472.70	532	20		
-19	1,547.60	282	-47	1,472.70	532	20 000 705-00	329.20	70, 74
-28	2,166.40	282	-99	1,204.90	532	-06	526.50	70, 74
-39	1,650.70	282	13 801 811-00	816.40	123	-19	493.80	70, 74
-42	1,650.70	282	-06	1,306.30	123	-46	724.20	70, 74
-46	2,269.50	282	-19	1,224.70	123	-47	724.20	70, 74
-47	2,269.50	282	-28	1,714.40	123	-99	592.50	70, 74
-99	1,857.10	282	-42	1,306.20	123	20 000 706-00	329.20	70, 74
13 716 809-00	907.30	491, 551	-99	1,469.60	123	-06	526.50	70, 74
13 716 882-00	582.10	350, 417, 551	13 801 845-00	582.40	204	-19	493.80	70, 74
13 717 705-00	1,140.10	44, 44	-06	931.80	204	-46	724.20	70, 74
-06	1,824.00	44, 44	-19	873.50	204	-47	724.20	70, 74
-19	1,710.20	44, 44	-27	873.50	204	-99	592.50	70, 74
-46	2,508.20	44, 44	-33	786.20	204	20 000 715-00	399.40	71, 120
-47	2,508.20	44, 44	-93	757.10	204	-06	639.10	71, 120
-99	2,052.20	44, 44	-99	1,048.20	204	-19	599.20	71, 120
13 717 811-00	952.50	88, 93, 552	13 801 892-00	625.00	464	-42	639.10	120
-06	1,523.80	88	-06	1,000.00	464	-46	878.70	71
-19	1,428.90	88	-08	1,000.00	464	-47	878.70	71
-28	2,000.30	88	-19	937.40	464	-99	718.90	71, 120
-36	1,523.80	88	-28	1,312.50	464	20 000 716-00	399.40	71, 120
-38	2,000.30	88	-33	843.70	464	-06	639.10	71, 120
-42	1,524.10	88	-39	1,000.00	464	-19	599.20	71, 120
-99	1,714.60	88	-42	999.90	464	-42	639.10	120
13 800 671-00	544.90	143, 548	-47	1,375.00	464	-46	878.70	71
13 800 705-00	783.30	45, 45, 46, 552	-93	812.60	464	-47	878.70	71
-06	1,253.50	45, 45	-99	1,125.10	464	-99	718.90	71, 120
-19	1,175.00	45, 45	13 805 811-00	724.60	92, 94, 555	20 000 740-00	321.50	72, 120
-46	1,723.30	45, 45	-06	1,159.60	92	-06	514.10	72, 120
-47	1,723.30	45, 45	-19	1,087.00	92	-19	482.20	72, 120
-99	1,410.00	45, 45	-28	1,521.70	92	-28	675.20	120
13 800 782-00	765.30	286, 287, 553	-36	1,159.60	92	-42	514.40	120
-06	1,223.90	286	-38	1,521.70	92	-46	707.30	72
-08	1,223.90	286	-42	1,159.40	92	-47	707.30	72
-19	1,147.90	286	-99	1,304.30	92	-99	578.40	72, 120
-28	1,607.10	286						
-39	1,224.50	286						
-42	1,224.50	286						
-46	1,683.70	286						
-47	1,683.70	286						

Article number	Euro	Page	Article number	Euro	Page	Article number	Euro	Page
20 000 741-00	321.50	72, 120	-19	641.90	318	-08	2,027.30	411
-06	514.10	72, 120	-28	898.60	318	-19	1,900.80	411
-19	482.20	72, 120	-39	684.50	318	-28	2,660.90	411
-28	675.20	120	-42	684.50	318	-33	1,710.70	411
-42	514.40	120	-46	941.40	318	-39	2,027.30	411
-46	707.30	72	-47	941.40	318	-42	2,027.50	411
-47	707.30	72	-99	770.20	318	-46	2,787.60	411
-99	578.40	72, 120	20 005 705-00	399.40	71	-47	2,787.60	411
20 000 782-00	329.20	318	-06	639.10	71	-93	1,647.30	411
-06	526.50	318	-19	599.20	71	-99	2,280.80	411
-08	526.50	318	-46	878.70	71	20 710 811-00	1,501.60	87
-19	493.80	318	-47	878.70	71	-06	2,402.60	87
-28	691.30	318	-99	718.90	71	-19	2,252.50	87
-39	526.70	318	20 005 706-00	399.40	71	-28	3,153.40	87
-42	526.70	318	-06	639.10	71	-36	2,402.60	87
-46	724.20	318	-19	599.20	71	-38	3,153.40	87
-47	724.20	318	-46	878.70	71	-42	2,402.60	87
-99	592.50	318	-47	878.70	71	-99	2,703.00	87
20 000 783-00	329.20	318	-99	718.90	71	20 710 882-00	1,315.30	412
-06	526.50	318	20 005 782-00	427.90	318	-06	2,104.60	412
-08	526.50	318	-06	684.50	318	-08	2,104.60	412
-19	493.80	318	-08	684.50	318	-19	1,973.20	412
-28	691.30	318	-19	641.90	318	-28	2,762.10	412
-39	526.70	318	-28	898.60	318	-33	1,775.60	412
-42	526.70	318	-39	684.50	318	-39	2,104.50	412
-46	724.20	318	-42	684.50	318	-42	2,104.60	412
-47	724.20	318	-46	941.40	318	-46	2,893.70	412
-99	592.50	318	-47	941.40	318	-47	2,893.70	412
20 000 811-00	321.50	119	-99	770.20	318	-93	1,710.00	412
-06	514.10	119	20 005 783-00	427.90	319	-99	2,367.70	412
-19	482.20	119	-06	684.50	319	20 710 892-00	1,195.70	412
-28	675.20	119	-08	684.50	319	-06	1,913.10	412
-36	514.10	119	-19	641.90	319	-08	1,913.10	412
-38	675.20	119	-28	898.60	319	-19	1,793.50	412
-42	514.40	119	-39	684.50	319	-28	2,511.00	412
-99	578.40	119	-42	684.50	319	-33	1,614.20	412
20 000 892-00	225.00	459	-46	941.40	319	-39	1,913.10	412
-06	359.70	459	-47	941.40	319	-42	1,913.10	412
-08	359.70	459	-99	770.20	319	-46	2,630.50	412
-19	337.30	459	20 700 360-00	1,561.80	246	-47	2,630.50	412
-28	472.50	459	-06	2,499.10	246	-93	1,554.40	412
-33	303.50	459	-08	2,499.10	246	-99	2,152.50	412
-39	359.90	459	-09	3,279.80	246	20 713 661-00	993.40	344
-42	360.00	459	-28	3,279.80	246	-06	1,589.60	344
-46	495.00	459	-39	2,498.90	246	-19	1,490.10	344
-47	495.00	459	-42	2,498.90	246	-26	1,490.10	344
-93	292.40	459	-99	2,811.50	246	-27	1,490.10	344
-99	404.50	459	20 700 370-00	1,522.80	246	-33	1,341.10	344
20 001 705-00	399.40	70	-06	2,436.30	246	-39	1,589.40	344
-06	639.10	70	-08	2,436.30	246	-42	1,589.40	344
-19	599.20	70	-09	3,197.90	246	-93	1,291.40	344
-46	878.70	70	-28	3,197.90	246	-99	1,788.10	344
-47	878.70	70	-39	2,436.40	246	20 713 671-00	1,142.30	139
-99	718.90	70	-42	2,436.40	246	-06	1,827.60	139
20 001 706-00	399.40	70	-99	2,740.80	246	-19	1,713.50	139
-06	639.10	70	20 705 782-00	1,635.50	280	-27	1,713.50	139
-19	599.20	70	-06	2,616.80	280	-33	1,542.10	139
-46	878.70	70	-08	2,616.80	280	-93	1,485.00	139
-47	878.70	70	-19	2,453.40	280	-99	2,056.10	139
-99	718.90	70	-28	3,434.60	280	20 713 710-00	1,341.80	218
20 004 705-00	329.20	43, 43, 44, 70	-39	2,616.80	280	-06	2,147.10	218
-06	526.50	43, 43, 44, 70	-42	2,616.80	280	20 713 782-00	1,635.50	281
-19	493.80	43, 43, 44, 70	-46	3,598.10	280	-06	2,617.10	281
-46	724.20	43, 43, 44, 70	-47	3,598.10	280	-08	2,617.10	281
-47	724.20	43, 43, 44, 70	-99	2,943.90	280	-19	2,453.40	281
-99	592.50	43, 43, 44, 70	20 705 809-00	1,393.90	485	-28	3,434.60	281
20 004 706-00	329.20	43, 43, 44, 70	-06	2,230.20	485	-39	2,616.80	281
-06	526.50	43, 43, 44, 70	-08	2,230.20	485	-42	2,616.80	281
-19	493.80	43, 43, 44, 70	-19	2,090.90	485	-46	3,598.10	281
-46	724.20	43, 43, 44, 70	-28	2,927.20	485	-47	3,598.10	281
-47	724.20	43, 43, 44, 70	-39	2,230.30	485	-99	2,944.00	281
-99	592.50	43, 43, 44, 70	-42	2,230.40	485	20 713 809-00	1,393.90	486
20 004 715-00	399.40	71, 120	-46	3,066.60	485	-06	2,230.10	486
-06	639.10	71, 120	-47	3,066.60	485	-08	2,230.20	486
-19	599.20	71, 120	-99	2,509.00	485	-19	2,090.90	486
-42	639.10	120	20 705 819-00	1,393.90	485	-28	2,927.20	486
-46	878.70	71	-06	2,230.20	485	-39	2,230.30	486
-47	878.70	71	-08	2,230.20	485	-42	2,230.40	486
-99	718.90	71, 120	-19	2,090.90	485	-46	3,066.60	486
20 004 716-00	399.40	71, 120	-28	2,927.20	485	-47	3,066.60	486
-06	639.10	71, 120	-39	2,230.30	485	-99	2,508.90	486
-19	599.20	71, 120	-42	2,230.40	485	20 713 811-00	1,580.80	88
-42	639.10	120	-46	3,066.60	485	-06	2,529.10	88
-46	878.70	71	-47	3,066.60	485	-19	2,371.30	88
-47	878.70	71	-99	2,509.00	485	-28	3,319.70	88
-99	718.90	71, 120	20 705 882-00	1,371.40	411	-36	2,529.10	88
20 004 782-00	427.90	318	-06	2,194.30	411	-38	3,319.70	88
-06	684.50	318	-08	2,194.30	411	-42	2,529.40	88
-08	684.50	318	-19	2,057.10	411	-99	2,845.40	88
-19	641.90	318	-28	2,879.90	411	20 713 819-00	1,393.90	486
-28	898.60	318	-33	1,851.30	411	-06	2,230.10	486
-39	684.50	318	-39	2,194.30	411	-08	2,230.20	486
-42	684.50	318	-42	2,194.30	411	-19	2,090.90	486
-46	941.40	318	-46	3,017.10	411	-28	2,927.20	486
-47	941.40	318	-47	3,017.10	411	-39	2,230.30	486
-99	770.20	318	-93	1,782.80	411	-42	2,230.40	486
20 004 783-00	427.90	318	-99	2,468.40	411	-46	3,066.60	486
-06	684.50	318	20 705 892-00	1,267.10	411	-47	3,066.60	486
-08	684.50	318	-06	2,027.30	411	-99	2,508.90	486

Index

Article number	Euro	Page	Article number	Euro	Page	Article number	Euro	Page
20 713 845-00	860.50	185	-06	1,589.20	411	22 901 782-00	215.10	46, 143, 287, 661
-06	1,376.60	185	-08	1,589.20	411	-06	344.20	46, 143, 287, 661
-19	1,290.70	185	-19	1,489.70	411	-08	344.20	287, 661
-27	1,290.70	185	-28	2,085.30	411	-19	322.70	46, 143, 287, 661
-33	1,161.50	185	-33	1,340.80	411	-27	322.60	143, 661
-93	1,118.60	185	-39	1,588.90	411	-28	451.70	287, 661
-99	1,548.80	185	-42	1,588.80	411	-33	290.60	143, 287, 661
20 713 882-00	1,371.40	413	-46	2,184.60	411	-39	344.10	287, 661
-06	2,194.60	413	-47	2,184.60	411	-42	344.10	287, 661
-08	2,194.60	413	-93	1,291.00	411	-46	473.20	46, 287, 661
-19	2,057.10	413	-99	1,787.60	411	-47	473.20	46, 287, 661
-28	2,879.90	413	22 584 660-00	1,717.90	341	-93	279.50	143, 661
-33	1,851.80	413	-06	2,748.50	341	-99	387.30	46, 143, 287, 661
-39	2,194.30	413	-19	2,576.70	341	22 901 979-00	188.60	186, 218, 351, 492, 661
-42	2,194.30	413	-26	2,576.80	341	-06	301.70	186, 218, 351, 492, 661
-46	3,017.10	413	-27	2,576.80	341	-08	301.70	351, 492, 661
-47	3,017.10	413	-33	2,319.10	341	-09	396.10	492, 661
-93	1,782.80	413	-39	2,748.60	341	-19	282.80	186, 351, 492, 661
-99	2,468.70	413	-42	2,748.60	341	-26	282.90	351, 661
20 713 892-00	1,267.10	412	-93	2,233.30	341	-27	282.90	186, 351, 661
-06	2,027.20	412	-99	3,092.20	341	-28	282.90	492, 661
-08	2,027.20	412	22 584 661-00	1,833.70	341	-33	254.60	186, 351, 492, 661
-19	1,900.80	412	-06	2,933.80	341	-42	301.70	351, 492, 661
-28	2,660.90	412	-19	2,750.40	341	-46	414.90	492, 661
-33	1,710.60	412	-26	2,750.50	341	-47	414.90	492, 661
-39	2,027.30	412	-27	2,750.50	341	-93	245.20	186, 351, 661
-42	2,027.50	412	-33	2,475.40	341	-99	339.30	186, 351, 492, 661
-46	2,787.60	412	-39	2,933.90	341	24		
-47	2,787.60	412	-42	2,933.80	341	24 510 360-00	1,228.50	248
-93	1,647.30	412	-93	2,383.70	341	-06	1,965.40	248
-99	2,280.90	412	-99	3,300.60	341	-08	1,965.40	248
20 715 782-00	1,713.20	281	22 585 671-00	1,889.70	138	-09	2,579.90	248
-06	2,741.20	281	-06	3,023.50	138	-28	2,579.90	248
-08	2,741.20	281	-19	2,834.50	138	-39	1,965.50	248
-19	2,569.90	281	-27	2,834.50	138	-42	1,965.50	248
-28	3,597.70	281	-33	2,551.00	138	-99	2,211.40	248
-39	2,741.10	281	-93	2,466.60	138	24 510 892-00	889.00	420
-42	2,741.10	281	-99	3,401.40	138	-06	1,422.50	420
-46	3,769.00	281	22 585 809-00	2,156.50	485	-08	1,422.50	420
-47	3,769.00	281	-06	3,450.40	485	-19	1,333.50	420
-99	3,083.90	281	-08	3,450.40	485	-28	1,866.90	420
22			-19	3,234.80	485	-33	1,200.40	420
22 302 892-00	676.00	410	-28	4,528.70	485	-39	1,422.40	420
-06	1,081.20	410	-39	3,450.40	485	-42	1,422.40	420
-08	1,081.20	410	-42	3,450.40	485	-46	1,955.80	420
-19	1,013.80	410	-46	4,744.30	485	-47	1,955.80	420
-28	1,419.60	410	-47	4,744.30	485	-93	1,155.80	420
-33	912.40	410	-99	3,881.80	485	-99	1,600.00	420
-39	1,081.60	410	22 585 892-00	2,020.30	409	25		
-42	1,081.50	410	-06	3,232.60	409	25 023 360-00	1,708.00	264
-46	1,487.20	410	-08	3,232.60	409	-06	2,732.60	264
-47	1,487.20	410	-19	3,030.60	409	-08	2,732.60	264
-93	878.70	410	-28	4,242.60	409	-09	3,586.80	264
-99	1,216.60	410	-33	2,727.30	409	-28	3,586.80	264
22 500 360-00	982.70	246	-39	3,232.60	409	-39	2,732.90	264
-06	1,572.70	246	-42	3,232.40	409	-42	2,732.90	264
-08	1,572.70	246	-46	4,444.70	409	-99	3,074.60	264
-09	2,063.70	246	-47	4,444.70	409	25 133 882-00	1,647.90	463
-28	2,063.70	246	-93	2,626.40	409	-06	2,636.20	463
-39	2,063.70	246	-99	3,636.60	409	-08	2,636.20	463
-42	1,572.40	246	22 815 892-00	609.70	681	-19	2,471.90	463
-46	1,572.40	246	-06	975.50	681	-28	3,460.60	463
-47	1,572.40	246	-08	975.50	681	-33	2,224.00	463
-99	1,769.00	246	-09	1,280.40	681	-39	2,636.60	463
22 512 892-00	711.80	410	-19	914.50	681	-42	2,636.60	463
-06	1,138.90	410	-28	1,280.40	681	-46	3,625.40	463
-08	1,138.90	410	-33	823.10	681	-47	3,625.40	463
-19	1,067.70	410	-42	975.40	681	-93	2,142.30	463
-28	1,494.80	410	-46	1,341.30	681	-99	2,966.00	463
-33	960.80	410	-47	1,341.30	681	25 133 892-00	1,505.90	462
-39	1,139.00	410	-93	792.60	681	-06	2,410.00	462
-42	1,138.90	410	-99	914.50	681	-08	2,410.00	462
-46	1,566.00	410	22 900 360-00	214.10	247, 661	-19	2,258.80	462
-47	1,566.00	410	-06	342.70	247, 661	-28	3,162.40	462
-93	925.40	410	-08	342.70	247, 661	-33	2,033.20	462
-99	1,281.30	410	-09	449.60	247, 661	-39	2,409.40	462
22 513 809-00	910.10	484	-28	449.60	247, 661	-42	2,409.40	462
-06	1,456.10	484	-39	342.60	247, 661	-46	3,313.00	462
-08	1,456.10	484	-42	342.60	247, 661	-47	3,313.00	462
-19	1,365.30	484	-99	385.30	247, 661	-93	1,957.60	462
-28	1,911.20	484	22 900 361-00	214.10	247, 661	-99	2,710.80	462
-39	1,456.20	484	-06	342.70	247, 661	25 863 661-00	3,316.30	392, 461
-42	1,456.20	484	-08	342.70	247, 661	-06	5,306.30	392, 461
-46	2,002.20	484	-09	449.60	247, 661	-19	4,974.50	392, 461
-47	2,002.20	484	-28	449.60	247, 661	-26	4,974.50	392
-99	1,638.20	484	-39	342.60	247, 661	-27	4,974.50	392
22 513 892-00	754.20	410	-42	342.60	247, 661	-28	6,964.20	461
-06	1,206.40	410	-46	385.30	247, 661	-33	4,478.00	392, 461
-08	1,206.40	410	-99	206.10	418, 661	-39	5,306.00	392, 461
-19	1,131.10	410	22 900 892-00	206.10	418, 661	-42	5,306.10	392, 461
-28	1,583.80	410	-06	329.70	418, 661	-46	7,295.90	461
-33	1,017.70	410	-08	329.70	418, 661	-47	7,295.90	461
-39	1,206.60	410	-19	309.20	418, 661	-93	4,311.30	392, 461
-42	1,206.60	410	-28	432.80	418, 661			
-46	1,659.20	410	-33	278.30	418, 661			
-47	1,659.20	410	-39	329.80	418, 661			
-93	980.40	410	-42	329.80	418, 661			
-99	1,357.30	410	-46	453.40	418, 661			
22 533 892-00	993.00	411	-47	453.40	418, 661			
			-99	371.10	418, 661			

Article number	Euro	Page	Article number	Euro	Page	Article number	Euro	Page
-99	5,969.50	392, 461	-08	8,023.40	356, 428, 498, 580	-93	546.40	146, 188, 353, 422, 566
25 863 671-00	4,024.70	171	-19	7,521.90	356, 428, 498, 580	-99	756.40	50, 97, 146, 188, 291, 353, 422, 495, 566
-06	6,439.60	171	-26	7,522.00	356, 580	26 413 980-00	701.90	49, 96, 145, 290, 563
-19	6,037.10	171	-27	7,522.00	356, 580	-06	1,122.50	49, 96, 145, 290, 563
-27	6,037.10	171	-28	10,530.90	428, 498, 580	-08	1,122.50	290, 563
-33	5,433.30	171	-33	6,769.70	356, 428, 498, 580	-19	1,052.80	49, 96, 145, 290, 563
-93	5,232.10	171	-39	8,023.50	356, 428, 498, 580	-27	1,052.90	145, 563
-99	7,244.40	171	-42	8,023.40	356, 428, 498, 580	-28	1,474.00	96, 290, 563
25 863 705-00	4,858.80	74	-46	11,032.30	428, 498, 580	-33	947.20	145, 290, 563
-06	7,774.00	74	-47	11,032.30	428, 498, 580	-39	1,123.10	290, 563
-19	7,288.20	74	-93	6,519.00	356, 428, 580	-42	1,123.10	96, 290, 563
-46	10,689.40	74	-99	9,026.30	356, 428, 498, 580	-46	1,544.20	49, 290, 563
-47	10,689.40	74	26 025 661-00	5,014.70	356, 428, 498, 580	-47	1,544.20	49, 290, 563
-99	8,745.70	74	-06	8,023.40	356, 428, 498, 580	-93	912.50	145, 563
25 863 710-00	4,858.80	234	-08	8,023.40	356, 428, 498, 580	-99	1,262.90	49, 96, 145, 290, 563
-06	7,774.00	234	-19	7,522.00	356, 428, 498, 580	26 622 892-00	2,959.00	424, 573
25 863 782-00	4,858.80	320	-26	7,522.00	356, 580	-06	4,734.40	424, 573
-06	7,774.00	320	-27	7,522.00	356, 580	-08	4,734.40	424, 573
-08	7,774.00	320	-28	10,530.90	428, 498, 580	-19	4,438.60	424, 573
-19	7,288.30	320	-33	6,769.80	356, 428, 498, 580	-28	6,213.90	424, 573
-28	10,203.50	320	-39	8,023.50	356, 428, 498, 580	-33	3,994.60	424, 573
-39	7,774.10	320	-42	8,023.40	356, 428, 498, 580	-39	4,734.40	424, 573
-42	7,774.10	320	-46	11,032.30	428, 498, 580	-42	4,734.40	424, 573
-46	10,689.40	320	-47	11,032.30	428, 498, 580	-46	6,509.80	424, 573
-47	10,689.40	320	-93	6,519.00	356, 428, 580	-47	6,509.80	424, 573
-99	8,745.80	320	-99	9,026.30	356, 428, 498, 580	-93	3,846.70	424, 573
25 863 809-00	4,865.20	530	26 413 370-00	772.10	249, 562	-99	5,326.20	424, 573
-06	7,784.60	530	-06	1,235.60	249, 562	26 623 892-00	2,891.80	425, 574
-08	7,784.30	530	-08	1,235.60	249, 562	-06	4,626.90	425, 574
-19	7,298.00	530	-09	1,621.40	249, 562	-08	4,626.90	425, 574
-28	10,216.90	530	-28	1,621.40	249, 562	-19	4,337.70	425, 574
-39	7,784.30	530	-39	1,235.40	249, 562	-27	4,337.70	574
-42	7,784.30	530	-42	1,235.40	249, 562	-28	6,072.80	425, 574
-46	10,703.40	530	-46	1,389.90	249, 562	-33	3,903.90	425, 574
-47	10,703.40	530	26 413 625-00	700.90	354, 423, 567	-39	4,627.00	425, 574
-99	8,757.50	530	-06	1,121.90	354, 423, 567	-42	4,626.90	425, 574
25 863 811-00	4,858.80	122	-08	1,121.90	354, 423, 567	-46	6,362.00	425, 574
-06	7,774.00	122	-19	1,051.40	354, 423, 567	-47	6,362.00	425, 574
-19	7,288.20	122	-26	1,051.40	354, 567	-93	3,759.40	425, 574
-28	10,203.50	122	-27	1,051.40	354, 567	-99	5,205.20	425, 574
-42	7,774.10	122	-28	1,471.90	423, 567	26 632 360-00	3,186.10	250, 572
-99	8,745.70	122	-33	946.00	354, 423, 567	-06	5,097.70	250, 572
25 943 360-00	4,194.60	264	-39	1,121.50	354, 423, 567	-08	5,097.70	250, 572
-06	6,711.30	264	-42	1,121.60	354, 423, 567	-09	6,690.80	250, 572
-08	6,711.30	264	-46	1,542.00	423, 567	-28	6,690.80	250, 572
-09	8,808.70	264	-47	1,542.00	423, 567	-39	5,097.80	250, 572
-28	8,808.70	264	-93	911.20	354, 423, 567	-42	5,097.80	250, 572
-39	6,711.30	264	-99	1,262.10	354, 423, 567	-99	5,735.00	250, 572
-42	6,711.30	264	26 413 710-00	702.00	221, 561	26 632 892-00	2,959.00	424, 573
-99	7,550.40	264	-06	1,122.70	221, 561	-06	4,734.00	424, 573
25 943 809-00	4,241.80	530	26 413 809-00	701.80	494, 565	-08	4,734.00	424, 573
-06	6,786.70	530	-06	1,122.70	494, 565	-19	4,734.00	424, 573
-08	6,786.80	530	-08	1,122.50	494, 565	-42	6,509.80	424, 573
-19	6,362.70	530	-19	1,052.60	494, 565	-46	6,509.80	424, 573
-28	8,907.80	530	-28	1,473.80	494, 565	-47	6,509.80	424, 573
-39	6,787.00	530	-39	1,122.90	494, 565	-93	3,846.70	424, 573
-42	6,786.90	530	-42	1,122.90	494, 565	-99	5,326.20	424, 573
-46	9,332.00	530	-46	1,544.00	494, 565	26 633 360-00	3,186.10	250, 572
-47	9,332.00	530	-47	1,544.00	494, 565	-06	5,097.70	250, 572
-99	7,635.40	530	-99	1,262.80	494, 565	-08	5,097.70	250, 572
25 943 819-00	4,241.80	531	26 413 892-00	701.80	421, 564	-09	6,690.80	250, 572
-06	6,786.70	531	-06	1,122.40	421, 564	-28	6,690.80	250, 572
-08	6,786.80	531	-08	1,122.40	421, 564	-39	5,097.80	250, 572
-19	6,362.70	531	-19	1,052.60	421, 564	-42	5,097.80	250, 572
-28	8,907.80	531	-28	1,473.80	421, 564	-99	5,734.90	250, 572
-39	6,787.00	531	-33	947.10	421, 564	26 633 892-00	2,891.80	425, 574
-42	6,786.90	531	-39	1,122.90	421, 564	-06	4,626.10	425, 574
-46	9,332.00	531	-42	1,122.90	421, 564	-08	4,626.10	425, 574
-47	9,332.00	531	-46	1,544.00	421, 564	-19	4,337.70	425, 574
-99	7,635.40	531	-47	1,544.00	421, 564	-28	6,072.80	425, 574
25 943 882-00	4,199.50	462	-93	912.40	421, 564	-33	3,903.50	425, 574
-06	6,719.10	462	-99	1,262.80	421, 564	-39	4,627.00	425, 574
-08	6,719.10	462	26 413 979-00	420.30	50, 97, 146, 188, 221, 291, 353, 422, 495, 566	-42	4,626.90	425, 574
-19	6,299.50	462	-06	685.60	50, 97, 146, 188, 221, 291, 353, 422, 495, 566	-46	6,362.00	425, 574
-28	8,819.00	462	-08	672.50	291, 353, 422, 495, 566	-47	6,362.00	425, 574
-33	5,669.40	462	-19	630.70	50, 97, 146, 188, 291, 353, 422, 495, 566	-93	3,759.40	425, 574
-39	6,719.20	462	-26	630.60	353, 566	-99	5,205.10	425, 574
-42	6,719.30	462	-27	630.60	146, 188, 353, 566	27		
-46	9,238.90	462	-28	882.60	97, 291, 422, 495, 566	27 412 670-00	2,215.40	171
-47	9,238.90	462	-33	578.30	146, 188, 291, 353, 422, 495, 566	-06	3,544.70	171
-93	5,459.40	462	-39	672.60	291, 353, 422, 495, 566	-19	3,323.20	171
-99	7,559.40	462	-42	672.60	97, 291, 353, 422, 495, 566	-27	3,323.20	171
25 943 892-00	3,856.20	461	-46	924.70	50, 291, 422, 495, 566	-33	2,990.80	171
-06	6,169.80	461	-47	924.70	50, 291, 422, 495, 566	-39	2,880.10	171
-08	6,169.80	461	26			-93	2,880.10	171
-19	5,784.30	461	26 024 661-00	5,014.70	356, 428, 498, 580	-99	2,221.90	234
-28	8,098.00	461	-06	8,023.30	356, 428, 498, 580	-06	3,555.10	234
-33	5,205.60	461				27 412 782-00	2,757.60	321
-39	6,169.90	461						
-42	6,170.00	461						
-46	8,483.60	461						
-47	8,483.60	461						
-93	5,013.10	461						
-99	6,940.90	461						

Index

Article number	Euro	Page	Article number	Euro	Page	Article number	Euro	Page
-39	943.20	257, 374, 448, 515, 626	-28	642.60	249, 250, 562, 572, 602	-08	313.60	606
-42	943.30	257, 374, 448, 515, 626	-28 0010	642.60	602	-08 0010	313.50	606
-46	1,296.90	448, 515, 626	-39	489.70	249, 250, 562, 572, 602	-19	293.80	606
-47	1,296.90	448, 515, 626	-39 0010	489.70	602	-19 0010	293.80	606
-93	766.30	200, 374, 448, 626	-42	489.70	249, 250, 562, 572, 602	-26	293.80	606
-99	1,061.00	200, 257, 374, 448, 515, 626	-42 0010	489.70	602	-26 0010	293.80	606
27 838 979-00	903.00	60, 109, 159, 306, 624	-93	397.90	602	-27	293.80	606
-06	1,444.70	60, 109, 159, 306, 624	-93 0010	397.90	602	-27 0010	293.80	606
-08	1,444.70	306, 624	-99	550.60	249, 250, 562, 572, 602	-28	411.20	606
-19	1,354.60	60, 109, 159, 306, 624	-99 0010	550.60	602	-28 0010	411.20	606
-27	1,354.60	159, 624	28 002 978-00	236.10	251, 575, 607	-33	264.40	606
-28	1,896.30	109, 306, 624	-00 0010	236.10	607	-33 0010	264.40	606
-33	1,219.00	159, 306, 624	-06	377.70	251, 575, 607	-39	313.30	606
-39	1,444.80	306, 624	-06 0010	377.70	607	-39 0010	313.30	606
-42	1,444.80	109, 306, 624	-08	377.70	251, 575, 607	-42	313.30	606
-46	1,986.60	60, 306, 624	-08 0010	377.70	607	-46	430.80	606
-47	1,986.60	60, 306, 624	-09	495.80	251, 575, 607	-47	430.80	606
-93	1,173.90	159, 624	-09 0010	495.80	607	-47 0010	430.80	606
-99	1,625.20	60, 109, 159, 306, 624	-28	495.80	251, 575, 607	-93	254.50	606
27 841 979-00	685.30	61, 110, 160, 307, 625	-28 0010	495.80	607	-93 0010	254.50	606
-06	1,096.50	61, 110, 160, 307, 625	-39	377.70	251, 575, 607	-99	352.60	606
-08	1,096.50	307, 625	-39 0010	377.70	607	-99 0010	352.60	606
-19	685.30	61, 110, 160, 307, 625	-42	377.70	251, 575, 607	28 017 979-00	181.90	604
-27	1,028.00	160, 625	-42 0010	377.70	607	-06	291.10	604
-28	1,439.10	110, 307, 625	-99	425.00	251, 575, 607	-08	291.10	604
-33	925.10	160, 307, 625	-99 0010	425.00	607	-19	272.80	604
-39	1,096.40	307, 625	28 012 979-00	236.10	49, 96, 145, 221, 290, 494, 561, 563, 565, 607	-26	272.80	604
-42	1,096.40	110, 307, 625	-00 0010	236.10	607	-27	272.80	604
-46	1,507.70	61, 307, 625	-06	377.70	49, 96, 145, 221, 290, 494, 561, 563, 565, 607	-28	382.00	604
-47	1,507.70	61, 307, 625	-06 0010	377.70	607	-33	245.70	604
-93	891.00	160, 625	-08	377.70	290, 494, 563, 565, 607	-39	291.10	604
-99	1,233.50	61, 110, 160, 307, 625	-19	354.10	607	-42	291.00	604
27 843 979-00	589.50	200, 227, 257, 374, 448, 515, 626	-19 0010	354.10	49, 96, 145, 290, 494, 563, 565, 607	-46	400.20	604
-06	943.30	200, 227, 257, 374, 448, 515, 626	-26	354.10	607	-47	400.20	604
-08	943.30	257, 374, 448, 515, 626	-26 0010	354.10	607	-93	236.40	604
-19	884.30	200, 374, 448, 515, 626	-27	354.10	145, 563, 607	-99	327.30	604
-26	884.30	374, 626	-27 0010	354.10	607	28 018 979-00	135.80	50, 51, 97, 98, 99, 146, 147, 148, 188, 189, 221, 222, 291, 292, 353, 354, 355, 421, 422, 423, 424, 425, 427, 495, 497, 564, 566, 567, 573, 574, 578, 579, 605
-27	884.30	200, 374, 626	-28	495.80	96, 290, 494, 563, 565, 607	-06 0010	135.80	50, 51, 97, 98, 99, 146, 147, 148, 188, 189, 221, 222, 291, 292, 353, 354, 355, 421, 422, 423, 424, 425, 427, 495, 497, 564, 566, 567, 573, 574, 578, 579, 605
-28	1,238.00	257, 448, 515, 626	-33	318.70	145, 290, 563, 607	-06	217.10	50, 51, 97, 98, 99, 146, 147, 148, 188, 189, 221, 222, 291, 292, 353, 354, 355, 421, 422, 423, 424, 425, 427, 495, 497, 564, 566, 567, 573, 574, 578, 579, 605
-33	795.90	200, 374, 448, 515, 626	-33 0010	318.70	607	-08 0010	217.10	291, 292, 353, 354, 355, 421, 422, 423, 424, 425, 427, 495, 497, 564, 566, 567, 573, 574, 578, 579, 605
-39	943.20	257, 374, 448, 515, 626	-39	377.70	290, 494, 563, 565, 607	-19	203.60	50, 51, 97, 98, 99, 146, 147, 148, 188, 189, 291, 292, 353, 354, 355, 421, 422, 423, 424, 425, 427, 495, 497, 564, 566, 567, 573, 574, 578, 579, 605
-42	943.30	257, 374, 448, 515, 626	-42	377.70	607	-19 0010	203.60	50, 51, 97, 98, 99, 146, 147, 148, 188, 189, 291, 292, 353, 354, 355, 421, 422, 423, 424, 425, 427, 495, 497, 564, 566, 567, 573, 574, 578, 579, 605
-46	1,296.90	448, 515, 626	-46	519.40	49, 290, 494, 563, 565, 607	-26	203.60	353, 354, 355, 566, 567, 578, 605
-47	1,296.90	448, 515, 626	-46 0010	519.40	607	-27	203.60	146, 147, 148, 188, 189, 353, 354, 355, 566, 567, 574, 578, 579, 605
-93	766.30	200, 374, 448, 626	-47	519.40	49, 290, 494, 563, 565, 607	-27 0010	203.60	97, 98, 99, 291, 292, 421, 422, 423, 424, 425, 427, 495, 497, 564, 566, 567, 573, 574, 578, 579, 605
-99	1,061.10	200, 257, 374, 448, 515, 626	-47 0010	519.40	607	-28	285.20	97, 98, 99, 291, 292, 421, 422, 423, 424, 425, 427, 495, 497, 564, 566, 567, 573, 574, 578, 579, 605
27 858 979-00	903.00	60, 109, 159, 306, 624	-93	306.80	145, 563, 607	-28 0010	285.20	146, 147, 148, 188, 189, 291, 292, 353, 354, 355, 421, 422, 423, 424, 425, 427, 495, 497, 564, 566, 567, 573, 574, 578, 579, 605
-06	1,444.80	60, 109, 159, 306, 624	-93 0010	306.80	607	-33	183.20	146, 147, 148, 188, 189, 291, 292, 353, 354, 355, 421, 422, 423, 424, 425, 427, 495, 497, 564, 566, 567, 573, 574, 578, 579, 605
-08	1,444.80	306, 624	-99	425.00	49, 96, 145, 290, 494, 563, 565, 607			
-19	1,354.60	60, 109, 159, 306, 624	-99 0010	425.00	607			
-27	1,354.60	159, 624	28 015 979-00	126.30	426, 496, 576, 577, 603			
-28	1,896.30	109, 306, 624	-06	202.30	426, 496, 576, 577, 603			
-33	1,219.00	159, 306, 624	-08	202.30	426, 496, 576, 577, 603			
-39	1,444.80	306, 624	-19	189.40	426, 496, 576, 577, 603			
-42	1,444.80	109, 306, 624	-26	189.40	603			
-46	1,986.60	60, 306, 624	-27	189.40	603			
-47	1,986.60	60, 306, 624	-28	265.20	426, 496, 576, 577, 603			
-93	1,173.90	159, 624	-33	170.30	426, 576, 603			
-99	1,625.30	60, 109, 159, 306, 624	-39	202.10	426, 496, 576, 577, 603			
28			-42	202.00	426, 496, 576, 577, 603			
28 002 970-00	306.00	249, 250, 562, 572, 602	-46	277.90	426, 496, 576, 577, 603			
-00 0010	306.00	602	-47	277.90	426, 496, 576, 577, 603			
-06	489.40	249, 250, 562, 572, 602	-93	164.20	426, 576, 603			
-06 0010	489.40	602	-99	227.20	426, 496, 576, 577, 603			
-08	489.40	249, 250, 562, 572, 602	28 016 979-00	195.80	606			
-08 0010	489.40	602	-00 0010	195.80	606			
-09	642.60	249, 250, 562, 572, 602	-06	313.60	606			
-09 0010	642.60	602	-06 0010	313.50	606			

Article number	Euro	Page	Article number	Euro	Page	Article number	Euro	Page
-39	217.20	291, 292, 353, 354, 355, 421, 422, 423, 424, 425, 427, 495, 497, 564, 566, 567, 573, 574, 578, 579, 605	-46	522.30	428, 498, 580, 602	-47	1,643.20	53, 295, 592
-39 0010	217.20	605	-46 0010	522.30	602	-93	971.00	152, 592
-42	217.10	97, 98, 99, 291, 292, 353, 354, 355, 421, 422, 423, 424, 425, 427, 495, 497, 564, 566, 567, 573, 574, 578, 579, 605	-47	522.30	428, 498, 580, 602	-99	1,344.40	53, 102, 152, 295, 592
-42 0010	217.10	605	-47 0010	522.30	602	28 042 980-00	1,122.20	53, 102, 152, 224, 296, 593
-46	298.80	50, 51, 291, 292, 421, 422, 423, 424, 425, 427, 495, 497, 564, 566, 567, 573, 574, 578, 579, 605	-93	308.70	356, 428, 580, 602	-06	1,795.50	53, 102, 152, 224, 296, 593
-46 0010	298.80	605	-93 0010	308.70	602	-08	1,795.50	296, 593
-47	298.80	50, 51, 291, 292, 421, 422, 423, 424, 425, 427, 495, 497, 564, 566, 567, 573, 574, 578, 579, 605	-99	427.30	356, 428, 498, 580, 602	-19	1,683.20	53, 102, 152, 296, 593
-47 0010	298.80	605	-99 0010	427.30	602	-27	1,683.20	152, 593
-93	176.50	146, 147, 148, 188, 189, 353, 354, 355, 421, 422, 423, 424, 425, 427, 564, 566, 567, 573, 574, 578, 579, 605	28 031 970-00	746.90	194, 363, 435, 505, 592	-28	2,356.60	102, 296, 593
-93 0010	176.50	605	-06	1,195.10	194, 363, 435, 505, 592	-33	1,514.80	152, 296, 593
-99	244.30	50, 51, 97, 98, 99, 146, 147, 148, 188, 189, 291, 292, 353, 354, 355, 421, 422, 423, 424, 425, 427, 564, 566, 567, 573, 574, 578, 579, 605	-08	1,195.10	363, 435, 505, 592	-39	1,795.50	296, 593
28 025 979-00 0010	126.30	603	-19	1,120.30	194, 363, 435, 505, 592	-42	1,795.50	102, 296, 593
-06 0010	202.00	603	-26	1,120.30	363, 592	-46	2,468.80	53, 296, 593
-08 0010	202.00	603	-27	1,120.30	194, 363, 592	-47	2,468.80	53, 296, 593
-19 0010	189.40	603	-28	1,568.50	435, 505, 592	-93	1,458.80	152, 593
-26 0010	189.40	603	-33	1,008.30	194, 363, 435, 505, 592	-99	2,020.00	53, 102, 152, 296, 593
-27 0010	189.40	603	-39	1,195.00	363, 435, 505, 592	28 043 980-00	1,497.40	54, 103, 153, 224, 296, 594
-28 0010	265.20	603	-42	1,194.90	363, 435, 505, 592	-06	2,395.80	54, 103, 153, 224, 296, 594
-33 0010	170.50	603	-46	1,643.20	435, 505, 592	-08	2,395.80	296, 594
-39 0010	202.10	603	-47	1,643.20	435, 505, 592	-19	2,246.10	54, 103, 153, 296, 594
-42 0010	202.00	603	-93	971.00	194, 363, 435, 592	-27	2,246.20	153, 594
-46 0010	277.90	603	-99	1,344.40	194, 363, 435, 505, 592	-28	3,144.50	103, 296, 594
-47 0010	277.90	603	28 032 970-00	1,122.20	194, 364, 436, 506, 593	-33	2,021.50	153, 296, 594
-93 0010	164.20	603	-06	1,795.50	194, 364, 436, 506, 593	-39	2,395.90	296, 594
-99 0010	227.30	603	-08	1,795.50	364, 436, 506, 593	-42	2,395.90	103, 296, 594
28 027 979-00 0010	181.90	604	-19	1,683.20	194, 364, 436, 506, 593	-46	3,294.30	54, 296, 594
-06 0010	291.00	604	-26	1,683.20	364, 593	-47	3,294.30	54, 296, 594
-08 0010	291.00	604	-27	1,683.20	194, 364, 593	-93	1,946.70	153, 594
-19 0010	272.80	604	-28	2,356.60	436, 506, 593	-99	2,695.30	54, 103, 153, 296, 594
-26 0010	272.80	604	-33	1,514.80	194, 364, 436, 506, 593	28 044 980-00	2,248.00	54, 103, 153, 224, 297, 595
-27 0010	272.80	604	-39	1,795.50	364, 436, 506, 593	-06	3,596.80	54, 103, 153, 224, 297, 595
-28 0010	382.00	604	-42	1,795.50	364, 436, 506, 593	-08	3,596.80	297, 595
-33 0010	245.60	604	-46	2,468.80	436, 506, 593	-19	3,371.90	54, 103, 153, 297, 595
-39 0010	291.10	604	-47	2,468.80	436, 506, 593	-27	3,372.00	153, 595
-42 0010	291.00	604	-93	1,458.80	194, 364, 436, 593	-28	4,720.80	103, 297, 595
-46 0010	400.20	604	-99	2,020.00	194, 364, 436, 506, 593	-33	3,034.80	153, 297, 595
-47 0010	400.20	604	28 033 970-00	1,497.40	194, 364, 436, 506, 594	-39	3,596.80	297, 595
-93 0010	236.40	604	-06	2,395.80	194, 364, 436, 506, 594	-42	3,596.80	103, 297, 595
-99 0010	327.30	604	-08	2,395.80	364, 436, 506, 594	-46	4,945.60	54, 297, 595
28 029 979-00	237.40	356, 428, 498, 580, 602	-19	2,246.10	194, 364, 436, 506, 594	-47	4,945.60	54, 297, 595
-00 0010	237.40	602	-26	2,246.20	364, 594	-93	2,922.30	153, 595
-06	379.90	356, 428, 498, 580, 602	-27	2,246.20	194, 364, 594	-99	4,046.30	54, 103, 153, 297, 595
-06 0010	379.90	602	-28	3,144.50	436, 506, 594	28 050 625-00	161.60	375, 450, 668
-08	379.90	356, 428, 498, 580, 602	-33	2,021.50	194, 364, 436, 506, 594	-06	258.60	375, 450, 668
-08 0010	379.90	602	-39	2,395.90	364, 436, 506, 594	-19	242.30	375, 450, 668
-19	356.20	356, 428, 498, 580, 602	-42	2,395.90	364, 436, 506, 594	-26	242.40	375, 668
-19 0010	356.20	602	-46	3,294.30	436, 506, 594	-27	242.40	375, 668
-26	356.20	356, 580, 602	-47	3,294.30	436, 506, 594	-28	339.40	450, 668
-26 0010	356.20	602	-93	1,946.70	194, 364, 436, 594	-33	218.30	375, 450, 668
-27	356.20	356, 580, 602	-99	2,695.30	194, 364, 436, 506, 594	-39	258.50	375, 450, 668
-27 0010	356.20	602	28 034 970-00	2,248.00	195, 365, 437, 507, 595	-42	258.50	375, 450, 668
-28	498.50	428, 498, 580, 602	-06	3,596.80	195, 365, 437, 507, 595	-46	355.50	450, 668
-28 0010	498.50	602	-08	3,596.80	365, 437, 507, 595	-47	355.50	450, 668
-33	320.50	356, 428, 498, 580, 602	-19	3,371.90	195, 365, 437, 507, 595	-93	210.00	375, 450, 668
-33 0010	320.50	602	-26	3,372.00	365, 595	-99	290.70	375, 450, 668
-39	379.90	356, 428, 498, 580, 602	-27	3,372.00	195, 365, 595	28 050 809-00	203.80	516, 668
-39 0010	379.90	602	-28	4,720.80	437, 507, 595	-06	326.80	516, 668
-42	379.90	356, 428, 498, 580, 602	-33	3,034.80	195, 365, 437, 507, 595	-08	326.10	516, 668
-42 0010	379.90	602	-39	3,596.80	365, 437, 507, 595	-19	305.70	516, 668
-46	379.90	356, 428, 498, 580, 602	-42	3,596.80	365, 437, 507, 595	-28	428.00	516, 668
-46 0010	379.90	602	-46	4,945.60	437, 507, 595	-39	326.10	516, 668
-47	379.90	356, 428, 498, 580, 602	-47	4,945.60	437, 507, 595	-42	326.10	516, 668
-47 0010	379.90	602	-93	2,922.30	195, 365, 437, 595	-46	448.40	516, 668
-93	379.90	356, 428, 498, 580, 602	-99	4,046.30	195, 365, 437, 507, 595	-47	448.40	516, 668
-93 0010	379.90	602	28 041 980-00	746.90	53, 102, 152, 223, 295, 592	-99	367.20	516, 668
-99	379.90	356, 428, 498, 580, 602	-06	1,195.10	53, 102, 152, 223, 295, 592	28 050 845-00	155.10	201, 667
-99 0010	379.90	602	-08	1,195.10	295, 592	-06	248.00	201, 667
-99	379.90	356, 428, 498, 580, 602	-19	1,120.30	53, 102, 152, 295, 592	-19	232.60	201, 667
-99 0010	379.90	602	-27	1,120.30	152, 592	-27	232.60	201, 667
-99	379.90	356, 428, 498, 580, 602	-28	1,568.50	102, 295, 592	-33	209.30	201, 667
-42 0010	379.90	602	-33	1,008.30	152, 295, 592	-39	201.60	201, 667
-42	379.90	356, 428, 498, 580, 602	-39	1,195.00	295, 592	-93	201.60	201, 667
-42 0010	379.90	602	-42	1,195.00	102, 295, 592	-99	279.10	201, 667
-46	379.90	356, 428, 498, 580, 602	-46	1,643.20	53, 295, 592	28 050 892-00	185.40	449, 668

Index

Article number	Euro	Page	Article number	Euro	Page	Article number	Euro	Page
28 050 980-00	214.40	62, 111, 161, 308, 668	-42	167.80	110, 257, 307, 374, 448, 515, 625, 626	-19	201.30	516, 666
-06	343.40	62, 111, 161, 308, 668	-46	230.80	61, 307, 448, 515, 625, 626	-28	282.00	516, 666
-08	343.40	308, 668	-47	230.80	61, 307, 448, 515, 625, 626	-39	214.90	516, 666
-19	321.70	62, 111, 161, 308, 668	-93	136.30	160, 200, 374, 448, 625, 626	-42	214.90	516, 666
-27	321.70	161, 668	-99	188.70	61, 110, 160, 200, 257, 307, 374, 448, 515, 625, 626	-46	295.50	516, 666
-28	450.20	111, 308, 668	28 304 970-00	157.50	672	-47	295.50	516, 666
-33	289.50	161, 308, 668	-06	252.80	672	-99	241.50	516, 666
-39	343.10	308, 668	-08	252.80	672	28 450 845-00	120.40	200, 665
-42	343.10	111, 308, 668	-09	330.80	672	-06	192.60	200, 665
-46	471.70	62, 308, 668	-19	236.40	672	-19	180.60	200, 665
-47	471.70	62, 308, 668	-26	236.30	672	-26	180.70	665
-93	278.70	161, 668	-27	236.30	672	-33	162.50	200, 665
-99	385.90	62, 111, 161, 308, 668	-28	330.80	672	-42	192.60	665
28 060 970-00	197.80	62, 111, 161, 201, 227, 258, 308, 375, 450, 516, 669	-33	212.60	672	-93	156.60	200, 665
-06	316.60	62, 111, 161, 201, 227, 258, 308, 375, 450, 516, 669	-39	251.90	672	-99	216.70	200, 665
-08	316.60	258, 308, 375, 450, 516, 669	-42	251.90	672	28 450 980-00	165.10	62, 111, 161, 308, 667
-19	296.60	62, 111, 161, 201, 308, 375, 450, 516, 669	-46	346.50	672	-06	264.40	62, 111, 161, 308, 667
-26	296.50	375, 669	-47	346.50	672	-08	264.40	308, 667
-27	296.50	161, 201, 375, 669	-93	204.80	672	-19	247.90	62, 111, 161, 308, 667
-28	415.40	111, 258, 308, 450, 516, 669	-99	283.90	672	-26	247.70	667
-33	267.20	161, 201, 308, 375, 450, 516, 669	28 322 970-00	170.00	672	-27	247.70	161, 667
-39	316.40	258, 308, 375, 450, 516, 669	-06	273.00	672	-28	346.70	111, 308, 667
-42	316.30	111, 258, 308, 375, 450, 516, 669	-08	273.00	672	-33	223.00	161, 308, 667
-46	435.20	62, 308, 450, 516, 669	-09	358.10	672	-39	264.20	308, 667
-47	435.20	62, 308, 450, 516, 669	-19	256.00	672	-42	264.20	111, 308, 667
-93	257.10	161, 201, 375, 450, 669	-26	256.00	672	-46	363.20	62, 308, 667
-99	356.10	62, 111, 161, 201, 258, 308, 375, 450, 516, 669	-27	256.00	672	-47	363.20	62, 308, 667
28 104 970-00	104.00	671	-28	358.10	672	-93	214.80	161, 667
-06	165.80	671	-33	233.00	672	-99	297.40	62, 111, 161, 308, 667
-08	224.50	671	-39	146.70	672	28 490 660-00	225.00	375, 449, 516, 665
-09	218.40	671	-42	275.00	672	-06	359.60	375, 449, 516, 665
-19	220.40	671	-46	375.10	672	-08	359.60	375, 449, 516, 665
-26	154.40	671	-47	375.10	672	-19	337.30	375, 449, 516, 665
-27	154.40	671	-93	225.00	672	-26	337.40	375, 665
-28	218.40	671	-99	308.00	672	-27	337.40	375, 665
-33	140.10	671	28 323 970-00	134.90	671	-28	472.50	449, 516, 665
-39	166.40	671	-06	207.00	671	-33	303.70	375, 449, 516, 665
-42	164.70	671	-09	283.30	671	-39	359.90	375, 449, 516, 665
-46	228.80	671	-19	253.40	671	-42	360.00	375, 449, 516, 665
-47	328.60	671	-26	201.70	671	-46	495.00	449, 516, 665
-93	133.80	671	-27	201.70	671	-47	495.00	449, 516, 665
-99	185.30	671	-28	283.30	671	-93	292.40	375, 449, 665
28 204 970-00	119.50	672	-33	205.90	671	-99	404.30	375, 449, 516, 665
-06	190.60	672	-39	215.90	671	28 490 970-00	238.30	61, 110, 160, 308, 665
-08	263.70	672	-42	215.20	671	-06	381.70	61, 110, 160, 308, 665
-09	251.00	672	-46	296.80	671	-08	381.70	308, 665
-19	220.40	672	-47	397.70	671	-19	357.70	61, 110, 160, 308, 665
-26	178.10	672	-93	174.80	671	-27	357.60	160, 665
-27	178.10	672	-99	253.40	671	-28	500.40	110, 308, 665
-28	251.00	672	28 404 970-00	133.30	672	-33	321.80	160, 308, 665
-33	195.70	672	-06	213.30	672	-39	381.30	308, 665
-39	191.20	672	-08	213.30	672	-42	381.30	110, 308, 665
-42	189.90	672	-09	279.90	672	-46	524.30	61, 308, 665
-46	262.90	672	-19	200.00	672	-47	524.30	61, 308, 665
-47	388.60	672	-28	279.90	672	-93	309.90	160, 665
-93	154.30	672	-33	179.90	672	-99	428.70	61, 110, 160, 308, 665
-99	214.20	672	-93	173.20	672	28 504 670-00	613.10	51, 99, 148, 293, 568
28 285 979-00	104.90	61, 110, 160, 200, 227, 257, 307, 374, 448, 515, 625, 626	-99	239.70	672	-06	972.80	51, 99, 148, 293, 568
-06	167.80	61, 110, 160, 200, 227, 257, 307, 374, 448, 515, 625, 626	28 450 370-00	118.00	257, 666	-08	980.90	293, 568
-08	167.70	257, 307, 374, 448, 515, 625, 626	-06	188.90	257, 666	-19	919.50	51, 99, 148, 293, 568
-19	157.30	61, 110, 160, 200, 307, 374, 448, 515, 625, 626	-08	188.90	257, 666	-27	919.60	148, 568
-26	157.30	374, 626	-42	188.90	257, 666	-28	1,287.50	99, 293, 568
-27	157.30	160, 200, 374, 625, 626	-46	212.60	257, 666	-33	827.60	148, 293, 568
-28	220.30	110, 257, 307, 448, 515, 625, 626	-99	106.80	258, 666	-39	980.90	293, 568
-33	141.50	160, 200, 307, 374, 448, 515, 625, 626	-06	170.90	258, 666	-42	980.90	99, 293, 568
-39	167.80	257, 307, 374, 448, 515, 625, 626	-08	170.90	258, 666	-46	1,348.80	51, 293, 568
			-47	254.50	258, 666	-47	1,348.80	51, 293, 568
			-93	150.40	258, 666	-93	797.00	148, 568
			-99	208.30	258, 666	-99	1,103.40	51, 99, 148, 293, 568
			28 450 410-00	106.80	258, 666	28 504 979-00	591.60	189, 357, 429, 499, 568
			-06	170.90	258, 666	-06	946.90	189, 357, 429, 499, 568
			-08	170.90	258, 666	-08	946.80	357, 429, 499, 568
			-09	224.30	258, 666	-19	887.60	189, 357, 429, 499, 568
			-28	224.30	258, 666	-26	887.40	357, 568
			-39	170.90	258, 666	-27	887.40	189, 357, 568
			-42	170.90	258, 666	-28	1,242.40	429, 499, 568
			-46	254.50	449, 667	-33	798.80	189, 357, 429, 499, 568
			-47	254.50	449, 667	-39	946.60	357, 429, 499, 568
			-93	150.40	375, 449, 667	-42	946.60	357, 429, 499, 568
			-99	208.30	375, 449, 667	-46	1,301.50	429, 499, 568
			28 450 710-00	172.60	227, 666	-47	1,301.50	429, 499, 568
			-06	275.80	227, 666			
			28 450 809-00	134.30	516, 666			
			-06	214.30	516, 666			
			-08	214.70	516, 666			

Article number	Euro	Page	Article number	Euro	Page	Article number	Euro	Page
-93	769.00	189, 357, 429, 568	-33	918.60	149, 293, 571	-09	1,953.20	253, 587
-99	1,065.10	189, 357, 429, 499, 568	-33 0010	918.60	149, 293, 571	-28	1,953.20	253, 587
28 505 979-00	368.70	190, 358, 430, 500, 571	-39	1,088.70	293, 571	-39	1,488.10	253, 587
-06	590.00	190, 358, 430, 500, 571	-39 0010	1,088.70	293, 571	-42	1,488.10	253, 587
-08	590.00	358, 430, 500, 571	-42	1,088.70	100, 293, 571	-99	1,674.10	253, 587
-19	553.10	190, 358, 430, 500, 571	-42 0010	1,088.70	100, 293, 571	28 648 670-00	1,020.00	100, 149, 581
-26	553.10	358, 571	-46	1,496.90	52, 293, 571	-06	1,632.00	100, 149, 581
-27	553.10	190, 358, 571	-46 0010	1,496.90	52, 293, 571	-08	1,632.00	581
-28	774.30	430, 500, 571	-47	1,496.90	52, 293, 571	-19	1,530.10	100, 149, 581
-33	497.90	190, 358, 430, 500, 571	-47 0010	1,496.90	52, 293, 571	-27	1,530.10	149, 581
-39	590.00	358, 430, 500, 571	-93	884.50	149, 571	-28	2,142.00	100, 581
-42	590.00	358, 430, 500, 571	-93 0010	884.50	149, 571	-33	1,645.60	149, 581
-46	811.10	430, 500, 571	-99	1,224.90	52, 100, 149, 293, 571	-42	1,632.00	100, 581
-47	811.10	430, 500, 571	-99 0010	1,224.90	52, 100, 149, 293, 571	-46	2,244.00	581
-93	479.40	190, 358, 430, 571	28 518 782-00	378.40	57, 106, 156, 301	-47	2,244.00	581
-99	663.80	190, 358, 430, 500, 571	-06	605.60	57, 106, 156, 301	-93	1,326.00	149, 581
28 508 360-00	661.80	252, 569	-08	605.60	301	-99	1,836.10	100, 149, 581
-00 0010	661.80	252, 569	-19	567.60	57, 106, 156, 301	28 648 970-00	964.10	191, 358, 430, 500, 582
-06	1,058.60	252, 569	-27	567.60	156	-06	1,542.50	191, 358, 430, 500, 582
-06 0010	1,058.60	252, 569	-28	794.60	106, 301	-08	1,542.50	358, 430, 500, 582
-08	1,058.60	252, 569	-33	510.90	156, 301	-19	1,446.00	358, 430, 500, 582
-08 0010	1,058.60	252, 569	-39	605.40	301	-26	1,446.00	358, 582
-09	1,389.80	252, 569	-42	605.40	106, 301	-27	1,446.00	191, 358, 582
-09 0010	1,389.80	252, 569	-46	832.50	57, 301	-28	2,024.60	430, 500, 582
-28	1,389.80	252, 569	-47	832.50	57, 301	-33	1,301.50	191, 358, 430, 500, 582
-28 0010	1,389.80	252, 569	-99	681.30	57, 106, 156, 301	-39	1,542.50	358, 430, 500, 582
-39	1,058.80	252, 569	28 518 979-00	313.00	196, 369, 443, 510	-42	1,542.50	358, 430, 500, 582
-39 0010	1,058.80	252, 569	-06	500.90	196, 369, 443, 510	-46	2,121.00	430, 500, 582
-42	1,058.80	252, 569	-08	500.90	369, 443, 510	-47	2,121.00	430, 500, 582
-42 0010	1,058.80	252, 569	-09	657.30	443, 510	-93	1,253.30	191, 358, 430, 582
-99	1,191.00	252, 569	-19	469.50	196, 369, 443, 510	-99	1,735.20	191, 358, 430, 500, 582
-99 0010	1,191.00	252, 569	-26	469.50	369	28 649 670-00	1,020.00	100, 149, 581
28 508 710-00	657.80	222, 568	-27	469.50	196, 369	-06	1,632.20	100, 149, 581
-00 0010	657.80	222, 568	-28	657.30	443, 510	-08	1,632.20	581
-06	1,052.70	222, 568	-33	422.40	196, 369, 443, 510	-19	1,530.10	100, 149, 581
-06 0010	1,052.70	222, 568	-39	500.80	369, 443, 510	-27	1,530.10	149, 581
28 508 979-00	661.80	190, 357, 429, 499, 570	-42	500.70	369, 443, 510	-28	2,142.00	100, 581
-00 0010	661.80	190, 357, 429, 499, 570	-46	688.60	443, 510	-33	1,377.00	149, 581
-06	1,058.50	190, 357, 429, 499, 570	-47	688.60	443, 510	-42	1,632.00	100, 581
-06 0010	1,058.50	190, 357, 429, 499, 570	-93	406.90	196, 369, 443	-46	2,244.00	581
-08	1,058.50	357, 429, 499, 570	-99	563.30	196, 369, 443, 510	-47	2,244.00	581
-08 0010	1,058.50	357, 429, 499, 570	28 528 782-00	378.40	57, 106, 156, 301	-93	1,326.00	149, 581
-19	992.60	190, 357, 429, 499, 570	-06	605.40	57, 106, 156, 301	-99	1,836.30	100, 149, 581
-19 0010	992.60	190, 357, 429, 499, 570	-08	605.40	301	28 649 970-00	964.10	191, 358, 430, 500, 582
-26	992.70	357, 570	-19	567.60	57, 106, 156, 301	-06	1,542.50	191, 358, 430, 500, 582
-26 0010	992.70	357, 570	-27	567.60	156	-08	1,542.50	358, 430, 500, 582
-27	992.70	190, 357, 570	-28	794.60	106, 301	-19	1,446.10	191, 358, 430, 500, 582
-27 0010	992.70	190, 357, 570	-33	510.90	156, 301	-26	1,446.00	358, 582
-28	1,389.80	429, 499, 570	-39	605.40	301	-27	1,446.00	191, 358, 582
-28 0010	1,389.80	429, 499, 570	-42	605.40	106, 301	-28	2,024.60	430, 500, 582
-33	893.30	190, 357, 429, 499, 570	-46	832.50	57, 301	-33	1,301.60	191, 358, 430, 500, 582
-33 0010	893.30	190, 357, 429, 499, 570	-47	832.50	57, 301	-39	1,542.50	358, 430, 500, 582
-39	1,058.80	357, 429, 499, 570	-93	492.00	156	-42	1,542.50	358, 430, 500, 582
-39 0010	1,058.80	357, 429, 499, 570	-99	681.20	57, 106, 156, 301	-46	2,121.00	430, 500, 582
-42	1,058.80	357, 429, 499, 570	28 528 979-00	313.00	196, 369, 443, 510	-47	2,121.00	430, 500, 582
-42 0010	1,058.80	357, 429, 499, 570	-06	500.70	196, 369, 443, 510	-93	1,253.30	191, 358, 430, 582
-46	1,456.00	429, 499, 570	-08	500.70	369, 443, 510	-99	1,735.30	191, 358, 430, 500, 582
-46 0010	1,456.00	429, 499, 570	-09	657.30	443, 510	28 658 970-00	1,988.40	192, 360, 432, 502, 585
-47	1,456.00	429, 499, 570	-19	469.50	196, 369, 443, 510	-06	3,181.50	192, 360, 432, 502, 585
-47 0010	1,456.00	429, 499, 570	-26	469.50	369	-08	3,181.50	360, 432, 502, 585
-93	860.40	190, 357, 429, 570	-27	469.50	196, 369	-19	2,982.60	192, 360, 432, 502, 585
-93 0010	860.40	190, 357, 429, 570	-28	657.30	443, 510	-26	2,982.60	360, 585
-99	1,191.00	190, 357, 429, 499, 570	-33	422.50	196, 369, 443, 510	-27	2,982.60	192, 360, 585
-99 0010	1,191.00	190, 357, 429, 499, 570	-39	500.80	369, 443, 510	-28	4,175.60	432, 502, 585
28 508 980-00	680.40	52, 100, 149, 293, 571	-42	500.70	369, 443, 510	-33	2,684.30	192, 360, 432, 502, 585
-00 0010	680.40	52, 100, 149, 293, 571	-46	688.60	443, 510	-39	3,181.50	360, 432, 502, 585
-06	1,088.30	52, 100, 149, 293, 571	-47	688.60	443, 510	-42	3,181.50	360, 432, 502, 585
-06 0010	1,088.30	52, 100, 149, 293, 571	-93	406.90	196, 369, 443	-46	4,374.50	432, 502, 585
-08	1,088.60	293, 571	-99	563.30	196, 369, 443, 510	-47	4,374.50	432, 502, 585
-08 0010	1,088.60	293, 571	28 544 977-00	1,230.60	252, 581	-93	2,584.90	192, 360, 432, 585
-19	1,020.50	52, 100, 149, 293, 571	-06	1,969.10	252, 581	-99	3,579.00	192, 360, 432, 502, 585
-19 0010	1,020.50	52, 100, 149, 293, 571	-08	1,969.10	252, 581	28 659 970-00	1,988.40	192, 360, 432, 502, 585
-27	1,020.50	149, 571	-09	2,584.30	252, 581	-06	3,181.50	192, 360, 432, 502, 585
-27 0010	1,020.50	149, 571	-28	2,584.30	252, 581	-08	3,181.50	360, 432, 502, 585
-28	1,428.80	100, 293, 571	-39	1,969.10	252, 581	-19	2,982.70	192, 360, 432, 502, 585
-28 0010	1,428.80	100, 293, 571	-42	1,969.10	252, 581	-26	2,982.60	360, 585
			-46	2,215.10	252, 581	-27	2,982.60	192, 360, 585
			-99	2,215.10	252, 581	-28	4,175.60	432, 502, 585
			28 545 977-00	1,230.60	252, 581	-33	2,684.30	192, 360, 432, 502, 585
			-06	1,968.80	252, 581			
			-08	1,968.80	252, 581			
			-09	2,584.30	252, 581			
			-28	2,584.30	252, 581			
			-39	1,969.10	252, 581			
			-42	1,969.10	252, 581			
			-46	2,215.10	252, 581			
			-99	2,215.10	252, 581			
			28 564 977-00	930.10	253, 587			
			-06	1,488.10	253, 587			
			-08	1,488.10	253, 587			
			-09	1,953.20	253, 587			
			-28	1,953.20	253, 587			
			-39	1,488.10	253, 587			
			-42	1,488.10	253, 587			
			-99	1,674.20	253, 587			
			28 565 977-00	930.10	253, 587			
			-06	1,488.20	253, 587			
			-08	1,488.20	253, 587			

Index

Article number	Euro	Page	Article number	Euro	Page	Article number	Euro	Page
-39	3,181.50	360, 432, 502, 585	-19	1,703.60	191, 359, 431, 501, 584	-33	2,063.70	150, 294, 586
-42	3,181.50	360, 432, 502, 585	-26	1,703.50	359, 584	-39	2,445.80	294, 586
-46	4,374.50	432, 502, 585	-27	1,703.50	191, 359, 584	-42	2,445.80	294, 586
-47	4,374.50	432, 502, 585	-28	2,385.00	431, 501, 584	-46	3,362.90	52, 294, 586
-93	2,584.90	192, 360, 432, 585	-33	1,533.70	191, 359, 431, 501, 584	-47	3,362.90	52, 294, 586
-99	3,578.90	192, 360, 432, 502, 585	-39	1,817.10	359, 431, 501, 584	-93	1,987.20	150, 586
28 668 970-00	819.30	101, 151, 192, 361, 433, 503, 588	-42	1,817.10	359, 431, 501, 584	-99	2,751.50	52, 150, 294, 586
-06	1,310.90	101, 151, 192, 361, 433, 503, 588	-46	2,498.50	431, 501, 584	28 765 980-00	1,528.60	52, 150, 294, 586
-08	1,310.90	361, 433, 503, 588	-47	2,498.50	431, 501, 584	-06	2,445.70	52, 150, 294, 586
-19	1,228.90	101, 151, 192, 361, 433, 503, 588	-93	1,476.40	191, 359, 431, 584	-08	2,445.70	294, 586
-26	1,228.90	361, 588	-99	2,044.30	191, 359, 431, 501, 584	-19	2,293.00	52, 150, 294, 586
-27	1,228.90	151, 192, 361, 588	28 688 970-00	965.90	151, 193, 362, 434, 504, 589	-27	2,293.00	150, 586
-28	1,720.50	101, 433, 503, 588	-06	1,545.40	151, 193, 362, 434, 504, 589	-28	3,210.10	294, 586
-33	1,106.00	151, 192, 361, 433, 503, 588	-08	1,545.40	362, 434, 504, 589	-33	2,063.70	150, 294, 586
-39	1,310.80	361, 433, 503, 588	-19	1,448.90	151, 193, 362, 434, 504, 589	-39	2,445.80	294, 586
-42	1,310.90	101, 361, 433, 503, 588	-26	1,448.90	362, 589	-42	2,445.80	294, 586
-46	1,802.50	433, 503, 588	-27	1,448.90	151, 193, 362, 589	-46	3,362.90	52, 294, 586
-47	1,802.50	433, 503, 588	-28	2,028.40	434, 504, 589	-47	3,362.90	52, 294, 586
-93	1,065.00	151, 192, 361, 433, 588	-33	1,304.00	151, 193, 362, 434, 504, 589	-93	1,987.20	150, 586
-99	1,474.70	101, 151, 192, 361, 433, 503, 588	-39	1,545.50	362, 434, 504, 589	-99	2,751.50	52, 150, 294, 586
28 669 970-00	819.30	101, 151, 192, 361, 433, 503, 588	-42	1,545.40	362, 434, 504, 589	28 766 710-00	1,256.10	223, 590
-06	1,311.20	101, 151, 192, 361, 433, 503, 588	-46	2,125.00	434, 504, 589	-06	2,009.80	223, 590
-08	1,311.20	361, 433, 503, 588	-47	2,125.00	434, 504, 589	28 774 980-00	1,299.30	53, 102, 152, 295, 591
-19	1,228.90	101, 151, 192, 361, 433, 503, 588	-93	1,255.70	151, 193, 362, 434, 589	-06	2,079.10	53, 102, 152, 295, 591
-26	1,228.90	361, 588	-99	1,738.60	151, 193, 362, 434, 504, 589	-08	2,079.10	295, 591
-27	1,228.90	151, 192, 361, 588	28 689 970-00	965.90	151, 193, 362, 434, 504, 589	-19	1,949.10	53, 102, 152, 295, 591
-28	1,720.50	101, 433, 503, 588	-06	1,544.90	151, 193, 362, 434, 504, 589	-27	1,949.10	152, 591
-33	1,106.40	151, 192, 361, 433, 503, 588	-08	1,544.90	362, 434, 504, 589	-28	2,728.50	102, 295, 591
-39	1,310.80	361, 433, 503, 588	-19	1,448.90	151, 193, 362, 434, 504, 589	-33	1,754.20	152, 295, 591
-42	1,310.90	101, 361, 433, 503, 588	-26	1,448.90	362, 589	-39	2,079.00	295, 591
-46	1,802.50	433, 503, 588	-27	1,448.90	151, 193, 362, 589	-42	2,079.00	102, 295, 591
-47	1,802.50	433, 503, 588	-28	2,028.40	434, 504, 589	-46	2,858.50	53, 295, 591
-93	1,065.00	151, 192, 361, 433, 588	-33	1,303.70	151, 193, 362, 434, 504, 589	-47	2,858.50	53, 295, 591
-99	1,474.80	101, 151, 192, 361, 433, 503, 588	-39	1,545.50	362, 434, 504, 589	-93	1,689.20	152, 591
28 678 670-00	1,197.10	101, 150, 583	-42	1,545.40	362, 434, 504, 589	-99	2,338.80	53, 102, 152, 295, 591
-06	1,915.30	101, 150, 583	-46	2,125.00	434, 504, 589	28 775 980-00	1,299.30	53, 102, 152, 295, 591
-08	1,915.30	583	-47	2,125.00	434, 504, 589	-06	2,079.10	53, 102, 152, 295, 591
-19	1,795.60	101, 150, 583	-93	1,255.70	151, 193, 362, 434, 589	-08	2,079.10	295, 591
-27	1,795.60	150, 583	-99	1,738.50	151, 193, 362, 434, 504, 589	-19	1,949.00	53, 102, 152, 295, 591
-28	2,513.90	101, 583	28 698 970-00	1,778.20	193, 363, 435, 505, 590	-27	1,949.10	152, 591
-33	1,616.10	150, 583	-06	2,845.10	193, 363, 435, 505, 590	-28	2,728.50	102, 295, 591
-42	1,915.30	101, 583	-08	2,845.10	363, 435, 505, 590	-33	1,754.20	152, 295, 591
-46	2,633.60	583	-19	2,667.30	193, 363, 435, 505, 590	-39	2,079.00	295, 591
-47	2,633.60	583	-26	2,667.30	363, 590	-42	2,079.00	102, 295, 591
-93	1,556.10	150, 583	-27	2,667.30	193, 363, 590	-46	2,858.50	53, 295, 591
-99	2,154.70	101, 150, 583	-28	3,734.20	435, 505, 590	-47	2,858.50	53, 295, 591
28 678 970-00	1,135.70	191, 359, 431, 501, 584	-33	2,400.50	193, 363, 435, 505, 590	-93	1,689.20	152, 591
-06	1,817.10	191, 359, 431, 501, 584	-39	2,845.10	363, 435, 505, 590	-99	2,338.70	53, 102, 152, 295, 591
-08	1,817.10	359, 431, 501, 584	-42	2,845.10	363, 435, 505, 590	28 784 710-00	1,477.50	223, 585
-19	1,703.50	191, 359, 431, 501, 584	-46	3,912.00	435, 505, 590	-06	2,364.10	223, 585
-26	1,703.50	359, 584	-47	3,912.00	435, 505, 590	28 786 710-00	1,477.50	223, 585
-27	1,703.50	191, 359, 584	-93	2,311.60	193, 363, 435, 590	-06	2,364.30	223, 585
-28	2,385.00	431, 501, 584	-99	3,200.60	193, 363, 435, 505, 590	28 796 710-00	1,256.10	223, 590
-33	1,533.30	191, 359, 431, 501, 584	28 699 970-00	1,778.20	193, 363, 435, 505, 590	-06	2,009.80	223, 590
-39	1,817.10	359, 431, 501, 584	-06	2,845.00	193, 363, 435, 505, 590	29		
-42	1,817.10	359, 431, 501, 584	-08	2,845.00	363, 435, 505, 590	29 024 970 90		657
-46	2,498.50	431, 501, 584	-19	2,667.10	193, 363, 435, 505, 590	29 140 660-00	645.30	395
-47	2,498.50	431, 501, 584	-26	2,667.30	363, 590	-06	1,032.80	395
-93	1,476.40	191, 359, 431, 584	-27	2,667.30	193, 363, 590	-19	967.90	395
-99	2,044.20	191, 359, 431, 501, 584	-28	3,734.20	435, 505, 590	-26	967.90	395
28 679 670-00	1,197.10	101, 150, 583	-33	2,400.30	193, 363, 435, 505, 590	-27	967.90	395
-06	1,915.30	101, 150, 583	-39	2,845.10	363, 435, 505, 590	-33	871.30	395
-08	1,915.30	583	-42	2,845.10	363, 435, 505, 590	-39		1,032.50
-19	1,795.70	101, 150, 583	-46	3,912.00	435, 505, 590	-42		1,032.50
-27	1,795.60	150, 583	-47	3,912.00	435, 505, 590	-46	838.90	395
-28	2,513.90	101, 583	-93	2,311.60	193, 363, 435, 590	-93		395
-33	1,616.10	150, 583	-99	3,200.50	193, 363, 435, 505, 590	-99		1,161.50
-42	1,915.30	101, 583	28 764 980-00	1,528.60	52, 150, 294, 586	29 140 670-00	872.00	74, 123, 172, 323
-46	2,633.60	583	-06	2,445.80	52, 150, 294, 586	-06		1,395.20
-47	2,633.60	583	-08	2,445.80	294, 586	-08		1,395.20
-93	1,556.10	150, 583	-19	2,293.00	52, 150, 294, 586	-19		1,307.90
-99	2,154.80	101, 150, 583	-27	2,293.00	150, 586	-27		1,308.00
28 679 970-00	1,135.70	191, 359, 431, 501, 584	-28	3,210.10	294, 586	-28		1,831.20
-06	1,817.60	191, 359, 431, 501, 584	-39			-33		1,177.20
-08	1,817.60	359, 431, 501, 584	-42			-39		1,395.20
			-46			-42		1,395.20
			-47			-46		1,918.40
			-93			-47		1,918.40
			-99			-93		1,133.60
						-99		1,569.60
						29 140 809-00	883.20	74, 123, 172, 323
						-06		533
						-08		533
						-19		533
						-28		533
						-39		533
						-42		533
						-46		533
						-47		533
						-99		533

Article number	Euro	Page	Article number	Euro	Page	Article number	Euro	Page
29 140 892-00	803.00	465	-99	825.80	487	33 233 660-00	1,000.50	392
-06	1,284.70	465	30 010 892-00	430.80	416	-06	1,601.10	392
-08	1,284.70	465	-06	689.50	416	-19	1,500.90	392
-19	1,204.50	465	-08	689.50	416	-26	1,500.90	392
-28	1,686.30	465	-19	646.30	416	-27	1,500.90	392
-33	1,084.00	465	-28	904.70	416	-33	1,351.40	392
-39	1,284.80	465	-33	581.70	416	-39	1,600.80	392
-42	1,284.80	465	-39	689.40	416	-42	1,600.90	392
-46	1,766.60	465	-42	689.40	416	-93	1,300.80	392
-47	1,766.60	465	-46	947.80	416	-99	1,801.10	392
-93	1,043.90	465	-47	947.80	416	33 300 660-00	605.60	377
-99	1,445.20	465	-93	560.10	416	-06	968.90	377
29 140 979-00	797.40	465	-99	775.80	416	-19	908.60	377
-06	1,275.70	465				-26	908.60	377
-08	1,275.70	465	32			-27	908.60	377
-19	1,196.10	465	32 815 680-00	1,779.60	675	-33	819.10	377
-28	1,674.50	465	-06	2,847.40	675	-39	969.00	377
-33	1,076.40	465	-08	2,847.40	675	-42	969.00	377
-39	1,275.90	465	-19	2,669.50	675	-93	787.40	377
-42	1,275.90	465	-28	3,737.20	675	-99	1,090.30	377
-46	1,754.30	465	-42	2,847.40	675	33 300 845-00	688.80	202
-47	1,754.30	465	-46	3,915.10	675	-06	1,101.80	202
-93	1,036.60	465	-47	3,915.10	675	-19	1,033.20	202
-99	1,435.20	465	-99	2,669.50	675	-27	1,033.20	202
29 217 671-00	1,085.20	139	32 815 682-00	1,352.20	677	-33	929.80	202
-06	1,736.20	139	-06	2,163.60	677	-93	895.40	202
-19	1,627.80	139	-08	2,163.60	677	-99	1,239.80	202
-27	1,627.80	139	-19	2,028.40	677	33 301 670-00	668.90	162
-33	1,465.00	139	-28	2,839.60	677	-06	1,069.60	162
-93	1,410.80	139	-33	1,825.60	677	-19	1,003.40	162
-99	1,953.30	139	-42	2,163.50	677	-27	1,003.40	162
29 217 811-00	1,304.20	86	-46	2,974.80	677	-33	903.00	162
-06	2,086.70	86	-47	2,974.80	677	-93	869.60	162
-19	1,956.30	86	-93	1,757.90	677	33 500 661-00	672.20	343
-28	2,738.80	86	-99	2,028.40	677	-06	1,075.60	343
-36	2,086.70	86	32 815 861-00	981.30	679	-19	1,008.40	343
-38	2,738.80	86	-06	1,570.00	679	-26	1,008.30	343
-42	2,086.70	86	-08	1,570.00	679	-33	907.50	343
-99	2,347.60	86	-19	1,471.90	679	-39	1,075.50	343
29 218 671-00	1,142.30	139	-28	2,060.70	679	-42	1,075.50	343
-06	1,827.60	139	-33	1,324.70	679	-93	873.80	343
-19	1,713.50	139	-42	1,570.00	679	-99	1,209.90	343
-27	1,713.50	139	-46	2,158.90	679	33 500 671-00	521.80	137
-33	1,542.10	139	-47	2,158.90	679	-06	835.00	137
-93	1,485.00	139	-93	1,275.70	679	-19	782.70	137
-99	2,056.10	139	-99	1,471.90	679	-27	782.70	137
29 218 811-00	1,383.10	87	32 815 875-00	958.70	683	-33	704.50	137
-06	2,212.90	87	-06	1,533.90	683	-93	678.40	137
-19	2,074.70	87	-08	1,533.90	683	-99	939.30	137
-28	2,904.50	87	-19	1,438.10	683	33 500 710-00	982.50	218
-36	2,212.90	87	-28	2,013.30	683	-06	1,572.00	218
-38	2,904.50	87	-33	1,294.20	683	33 500 782-00	1,245.80	279
-42	2,213.00	87	-42	1,534.00	683	-06	1,993.10	279
-99	2,489.60	87	-46	2,109.10	683	-08	1,993.10	279
29 300 660-00	558.90	395	-47	2,109.10	683	-19	1,868.80	279
-06	894.30	395	-93	1,246.30	683	-28	2,616.20	279
-19	838.40	395	-99	1,438.10	683	-39	1,993.30	279
-26	838.40	395	32 816 888-00	1,073.50	681	-42	1,993.30	279
-27	838.40	395	-06	1,717.50	681	-46	2,740.80	279
-33	754.70	395	-08	1,717.50	681	-47	2,740.80	279
-39	894.20	395	-09	2,254.40	681	-99	2,242.20	279
-42	894.20	395	-19	1,610.20	681	33 500 809-00	909.50	484
-46	726.60	395	-28	2,254.40	681	-06	1,454.90	484
-93	1,006.10	395	-33	1,449.20	681	-08	1,455.30	484
29 300 670-00	676.00	75, 123, 172, 323	-42	1,717.50	681	-19	1,364.40	484
-06	1,081.50	75, 123, 172, 323	-46	2,361.70	681	-28	1,910.00	484
-08	1,081.50	323	-47	2,361.70	681	-39	1,455.20	484
-19	1,013.80	75, 123, 172, 323	-93	1,395.50	681	-42	1,455.20	484
-27	1,013.90	172	-99	1,610.20	681	-46	2,000.90	484
-28	1,419.60	123, 323				-47	2,000.90	484
-33	912.60	172, 323	33			-99	1,637.10	484
-39	1,081.60	323	33 200 660-00	675.90	392	33 500 811-00	1,240.90	86
-42	1,081.60	123, 323	-06	1,081.30	392	-06	1,985.70	86
-46	1,487.20	75, 323	-19	1,013.80	392	-19	1,861.40	86
-47	1,487.20	75, 323	-26	1,013.80	392	-28	2,605.90	86
-93	878.70	172	-27	1,013.80	392	-42	1,985.50	86
-99	1,216.60	75, 123, 172, 323	-33	912.40	392	-99	2,233.90	86
30			-39	1,081.40	392	33 500 845-00	548.30	184
30 010 662-00	439.70	345	-42	1,081.40	392	-06	877.00	184
-06	703.60	345	-46	878.60	392	-19	822.60	184
-19	659.60	345	-93	1,216.50	392	-27	822.60	184
-26	659.60	345	33 200 671-00	872.70	171	-33	740.20	184
-27	659.60	345	-06	1,396.40	171	-93	712.90	184
-33	593.60	345	-19	1,309.10	171	-99	986.90	184
-39	703.50	345	-27	1,309.10	171	33 500 882-00	787.40	409
-42	703.60	345	-33	1,178.20	171	-06	1,259.90	409
-93	571.60	345	-93	1,134.50	171	-08	1,259.90	409
-99	791.50	345	-99	1,570.90	171	-19	1,181.20	409
30 010 809-00	458.90	487	33 200 710-00	1,192.50	234	-28	1,653.50	409
-06	734.20	487	-06	1,908.20	234	-33	1,063.10	409
-08	734.20	487	33 200 845-00	806.90	204	-39	1,259.90	409
-19	688.20	487	-06	1,290.90	204	-42	1,259.90	409
-28	963.70	487	-19	1,210.30	204	-46	1,732.30	409
-39	734.20	487	-27	1,210.30	204	-47	1,732.30	409
-42	734.30	487	-33	1,089.10	204	-93	1,023.70	409
-46	1,009.60	487	-93	1,049.00	204	-99	1,417.40	409
-47	1,009.60	487	-99	1,452.30	204	33 501 660-00	417.50	339
						-06	668.10	339

Index

Article number	Euro	Page	Article number	Euro	Page	Article number	Euro	Page
-19	626.30	339	-06	2,080.80	86	-42	678.90	339
-26	626.30	339	-19	1,950.50	86	-93	551.60	339
-27	626.30	339	-28	2,730.80	86	-99	763.80	339
-33	563.30	339	-42	2,080.60	86	33 522 671-00	558.20	137
-39	668.00	339	-99	2,340.70	86	-06	893.10	137
-42	668.00	339	33 506 845-00	919.40	184	-19	837.30	137
-93	542.70	339	-06	1,471.00	184	-27	837.30	137
-99	751.40	339	-19	1,379.20	184	-33	753.60	137
33 501 662-00	510.10	340	-27	1,379.20	184	-93	725.70	137
-06	816.20	340	-33	1,241.30	184	-99	1,004.80	137
-08	816.20	340	-93	1,195.20	184	33 522 782-00	1,109.20	279
-19	765.30	340	-99	1,654.90	184	-06	1,774.80	279
-26	765.20	340	33 510 661-00	635.90	342	-08	1,774.80	279
-27	765.20	340	-06	1,017.50	342	-19	1,663.90	279
-29	688.70	340	-19	953.80	342	-28	2,329.30	279
-30	688.70	340	-26	953.80	342	-39	1,774.70	279
-31	688.70	340	-27	953.80	342	-42	1,774.70	279
-33	688.60	340	-33	858.40	342	-46	2,440.20	279
-39	816.20	340	-39	1,017.40	342	-47	2,440.20	279
-42	816.20	340	-42	1,017.30	342	-99	1,996.70	279
-93	663.10	340	-93	826.60	342	33 522 809-00	450.40	483
-99	918.20	340	-99	1,144.50	342	-06	720.60	483
33 501 782-00	1,304.20	280	33 510 809-00	860.20	483	-08	720.60	483
-06	2,086.50	280	-06	1,376.10	483	-19	675.70	483
-08	2,086.50	280	-08	1,376.10	483	-28	945.80	483
-19	1,956.30	280	-19	1,290.40	483	-39	720.70	483
-28	2,738.80	280	-28	1,806.40	483	-42	720.60	483
-39	2,086.70	280	-39	1,376.30	483	-46	990.90	483
-42	2,086.70	280	-42	1,376.20	483	-47	990.90	483
-46	2,869.20	280	-46	1,892.40	483	-99	810.70	483
-47	2,869.20	280	-47	1,892.40	483	33 525 660-00	343.60	339
-99	2,347.60	280	-99	1,548.30	483	-06	549.70	339
33 502 660-00	456.20	339	33 513 882-00	826.70	409	-08	549.80	339
-06	729.80	339	-06	1,322.70	409	-19	515.40	339
-19	684.40	339	-08	1,322.70	409	-26	515.50	339
-26	684.40	339	-19	1,240.00	409	-27	515.50	339
-27	684.40	339	-28	1,736.10	409	-29	463.90	339
-33	615.40	339	-33	1,116.00	409	-30	463.90	339
-39	729.90	339	-39	1,322.70	409	-31	463.90	339
-42	730.00	339	-42	1,322.70	409	-33	463.80	339
-93	593.10	339	-46	1,818.70	409	-39	549.80	339
-99	821.20	339	-47	1,818.70	409	-42	549.80	339
33 502 671-00	600.10	137	-93	1,074.80	409	-93	446.80	339
-06	960.20	137	-99	1,488.00	409	-99	618.50	339
-19	900.20	137	33 521 671-00	485.40	137	33 525 661-00	583.80	342
-27	900.20	137	-06	776.60	137	-06	934.10	342
-33	810.10	137	-19	728.20	137	-19	875.80	342
-93	780.10	137	-27	728.20	137	-26	875.80	342
-99	1,080.20	137	-33	655.40	137	-27	875.80	342
33 502 782-00	1,166.70	279	-93	631.10	137	-33	788.20	342
-06	1,866.60	279	-99	873.70	137	-39	934.10	342
-08	1,866.60	279	33 521 705-00	1,187.60	43	-42	934.10	342
-19	1,750.00	279	-06	1,900.40	43	-93	759.00	342
-28	2,450.10	279	-19	1,781.40	43	-99	1,050.90	342
-39	1,866.70	279	-46	2,612.70	43	33 525 671-00	515.50	137
-42	1,866.70	279	-47	2,612.70	43	-06	824.80	137
-46	2,566.70	279	-99	2,137.80	43	-19	773.30	137
-47	2,566.70	279	33 521 710-00	933.30	218	-27	773.30	137
-99	2,100.10	279	-06	1,493.50	218	-33	695.90	137
33 504 660-00	542.00	340	33 521 782-00	1,187.60	279	-93	670.10	137
-06	867.20	340	-06	1,900.50	279	-99	927.90	137
-19	812.90	340	-08	1,900.50	279	33 525 809-00	789.80	483
-26	813.00	340	-19	1,781.50	279	-06	1,263.70	483
-27	813.00	340	-28	2,494.00	279	-08	1,263.70	483
-33	731.60	340	-39	1,900.10	279	-19	1,184.80	483
-39	867.20	340	-42	1,900.10	279	-28	1,658.60	483
-42	867.20	340	-46	2,612.70	279	-39	1,263.70	483
-93	704.60	340	-47	2,612.70	279	-42	1,263.80	483
-99	975.60	340	-99	2,137.80	279	-46	1,737.60	483
33 505 660-00	542.00	341	33 521 809-00	839.10	484	-47	1,737.60	483
-06	867.20	341	-06	1,342.20	484	-99	1,421.60	483
-19	812.90	341	-08	1,342.40	484	33 525 811-00	1,246.80	86
-26	813.00	341	-19	1,258.60	484	-06	1,995.40	86
-27	813.00	341	-28	1,762.10	484	-19	1,870.30	86
-39	867.20	341	-39	1,342.60	484	-28	2,618.30	86
-42	867.20	341	-42	1,342.60	484	-42	1,994.90	86
-93	704.60	341	-46	1,846.00	484	-99	2,244.40	86
-99	975.60	341	-47	1,846.00	484	33 526 660-00	388.30	339
33 505 661-00	620.30	343	-99	1,510.30	484	-06	621.30	339
-06	992.20	343	33 521 811-00	1,187.60	86	-19	582.60	339
-19	930.40	343	-06	1,900.40	86	-26	582.50	339
-26	930.40	343	-19	1,781.40	86	-27	582.50	339
-27	930.40	343	-28	2,494.00	86	-33	524.00	339
-33	837.40	343	-42	1,900.10	86	-39	621.30	339
-39	992.50	343	-99	2,137.80	86	-42	621.30	339
-42	992.50	343	33 521 845-00	475.60	184	-93	504.80	339
-93	806.30	343	-06	760.90	184	-99	699.00	339
-99	1,116.50	343	-19	713.30	184	33 526 662-00	474.50	340
33 505 809-00	492.50	483	-27	713.30	184	-06	759.20	340
-06	788.00	483	-33	642.00	184	-19	711.80	340
-08	788.00	483	-93	618.20	184	-26	711.80	340
-19	738.80	483	-99	855.90	184	-27	711.80	340
-28	1,034.30	483	33 522 660-00	424.30	339	-33	640.50	340
-39	788.10	483	-06	678.70	339	-39	759.20	340
-42	788.10	483	-19	636.50	339	-42	759.20	340
-46	1,083.50	483	-26	636.50	339	-93	616.90	340
-47	1,083.50	483	-27	636.50	339	-99	854.10	340
-99	886.50	483	-33	572.60	339	33 526 671-00	825.00	138
33 505 811-00	1,300.40	86	-39	678.90	339	-06	1,320.00	138

Article number	Euro	Page	Article number	Euro	Page	Article number	Euro	Page
-19	1,237.50	138	-42	960.70	343	-42	1,393.90	684
-27	1,237.50	138	-93	780.60	343	-46	1,916.60	684
-33	1,113.70	138	-99	1,080.90	343	-47	1,916.60	684
-93	1,072.40	138	33 560 661-00	672.20	342	-93	1,132.60	684
-99	1,484.90	138	-06	1,075.60	342	-99	1,306.80	684
33 526 782-00	1,242.90	280	-19	1,008.40	342	33 800 861-00	768.90	678
-06	1,989.10	280	-26	1,008.30	342	-06	1,230.20	678
-08	1,989.10	280	-27	1,008.30	342	-08	1,230.20	678
-19	1,864.50	280	-33	907.50	342	-19	1,153.50	678
-28	2,610.10	280	-39	1,075.50	342	-28	1,614.70	678
-39	1,988.60	280	-42	1,075.50	342	-33	1,038.10	678
-42	1,988.60	280	-93	873.80	342	-42	1,230.20	678
-46	2,734.40	280	-99	1,209.90	342	-46	1,691.60	678
-47	2,734.40	280	33 565 661-00	620.30	342	-47	1,691.60	678
-99	2,237.50	280	-06	992.20	342	-93	999.60	678
33 526 845-00	800.20	184	-19	930.40	342	-99	1,153.50	678
-06	1,280.50	184	-26	930.40	342	33 800 875-00	712.30	682
-19	1,200.50	184	-27	930.40	342	-06	1,139.90	682
-27	1,200.50	184	-33	837.40	342	-08	1,139.90	682
-33	1,080.40	184	-39	992.50	342	-19	1,068.40	682
-93	1,040.30	184	-42	992.50	342	-28	1,495.80	682
-99	1,440.50	184	-93	806.30	342	-33	961.60	682
33 528 671-00	894.00	138	-99	1,116.50	342	-42	1,139.80	682
-06	1,430.40	138	33 600 660-00	662.80	352	-46	1,567.10	682
-19	1,341.10	138	-06	1,060.30	352	-47	1,567.10	682
-27	1,341.10	138	-19	994.20	352	-93	926.00	682
-33	1,207.00	138	-26	994.30	352	-99	1,068.40	682
-93	1,162.30	138	-27	994.30	352	33 800 888-00	819.90	680
-99	1,609.30	138	-33	894.70	352	-06	1,311.90	680
33 529 660-00	504.20	340	-39	1,060.50	352	-08	1,311.90	680
-06	806.70	340	-42	1,060.50	352	-09	1,721.80	680
-19	756.30	340	-93	861.70	352	-19	1,229.80	680
-26	756.30	340	-99	1,192.80	352	-28	1,721.80	680
-27	756.30	340	33 600 671-00	836.60	144	-33	1,106.90	680
-33	680.60	340	-06	1,338.50	144	-42	1,311.80	680
-39	806.70	340	-19	1,254.90	144	-46	1,803.80	680
-42	806.70	340	-27	1,254.90	144	-47	1,803.80	680
-93	655.50	340	-33	1,129.40	144	-93	1,065.80	680
-99	907.50	340	-93	1,087.60	144	-99	1,230.00	680
33 530 660-00	504.20	341	-99	1,505.90	144	33 815 682-00	1,048.60	676
-06	806.70	341	33 600 705-00	1,536.20	48	-06	1,677.80	676
-19	756.30	341	-06	2,457.90	48	-08	1,677.80	676
-26	756.30	341	-19	2,304.50	48	-19	1,572.90	676
-27	756.30	341	-46	3,379.60	48	-28	2,202.10	676
-39	806.70	341	-47	3,379.60	48	-33	1,415.50	676
-42	806.70	341	-99	2,765.20	48	-42	1,677.90	676
-93	655.50	341	33 600 782-00	1,536.20	95, 289	-46	2,306.90	676
-99	907.50	341	-06	2,458.00	95, 289	-47	2,306.90	676
33 534 661-00	872.30	344	-08	2,458.00	289	-93	1,363.20	676
-06	1,395.70	344	-19	2,304.50	95, 289	-99	1,572.90	676
-19	1,308.50	344	-28	3,226.00	95, 289	33 815 861-00	794.10	678
-26	1,308.50	344	-39	2,458.00	289	-06	1,270.60	678
-27	1,308.50	344	-42	2,458.00	95, 289	-08	1,270.60	678
-33	1,177.80	344	-46	3,379.60	289	-19	1,191.30	678
-39	1,395.70	344	-47	3,379.60	289	-28	1,667.60	678
-42	1,395.70	344	-99	2,765.20	95, 289	-33	1,072.10	678
-93	1,134.00	344	33 600 809-00	1,130.70	493	-42	1,270.60	678
-99	1,570.20	344	-06	1,809.10	493	-46	1,747.00	678
33 534 809-00	1,180.10	484	-08	1,809.10	493	-47	1,747.00	678
-06	1,888.00	484	-19	1,696.20	493	-93	1,032.50	678
-08	1,888.10	484	-28	2,374.50	493	-99	1,191.30	678
-19	1,770.10	484	-39	1,809.20	493	33 815 888-00	868.10	680
-28	2,478.20	484	-42	1,809.20	493	-06	1,389.00	680
-39	1,888.10	484	-46	2,487.50	493	-08	1,389.00	680
-42	1,888.00	484	-47	2,487.50	493	-09	1,823.00	680
-46	2,596.20	484	-99	2,035.20	493	-19	1,302.20	680
-47	2,596.20	484	33 600 845-00	826.70	187	-28	1,823.00	680
-99	2,124.10	484	-06	1,322.50	187	-33	1,171.90	680
33 537 660-00	569.50	343	-19	1,240.10	187	-42	1,389.00	680
-06	911.30	343	-27	1,240.10	187	-46	1,909.80	680
-19	854.10	343	-93	1,074.80	187	-47	1,909.80	680
-26	854.30	343	-99	1,488.00	187	-93	1,128.60	680
-27	854.30	343	33 800 680-00	1,443.90	675	-99	1,302.30	680
-33	768.60	343	-06	2,310.20	675	33 816 809-00	903.40	684
-39	911.20	343	-08	2,310.20	675	-06	1,445.40	684
-42	911.20	343	-19	2,165.80	675	-08	1,445.40	684
-93	740.30	343	-28	3,032.20	675	-09	1,897.10	684
-99	1,025.00	343	-42	2,310.20	675	-19	1,355.20	684
33 537 671-00	757.40	138	-46	3,176.60	675	-28	1,897.10	684
-06	1,211.80	138	-47	3,176.60	675	-33	1,219.60	684
-19	1,136.10	138	-99	2,165.80	675	-42	1,445.50	684
-27	1,136.10	138	33 800 682-00	1,026.80	676	-46	1,987.50	684
-33	1,022.40	138	-06	1,643.00	676	-47	1,987.50	684
-93	984.60	138	-08	1,643.00	676	-93	1,174.50	684
-99	1,363.20	138	-19	1,540.30	676	-99	1,355.20	684
33 537 845-00	1,022.50	184	-28	2,156.30	676	33 816 875-00	731.00	682
-06	1,636.20	184	-33	1,386.30	676	-06	1,169.60	682
-19	1,533.70	184	-42	1,642.90	676	-08	1,169.60	682
-27	1,533.70	184	-46	2,259.00	676	-19	1,096.50	682
-33	1,380.30	184	-47	2,259.00	676	-28	1,535.10	682
-93	1,329.20	184	-93	1,334.90	676	-33	987.00	682
-99	1,840.40	184	-99	1,540.30	676	-42	1,169.60	682
33 539 660-00	600.50	343	33 800 809-00	871.20	684	-46	1,608.20	682
-06	960.90	343	-06	1,393.80	684	-47	1,608.20	682
-19	900.90	343	-08	1,393.80	684	-93	950.30	682
-26	900.80	343	-09	1,829.50	684	-99	1,096.50	682
-27	900.80	343	-19	1,306.80	684	33 840 790-00	834.50	687
-33	810.40	343	-28	1,829.50	684	-06	1,335.40	687
-39	960.80	343	-33	1,176.10	684	-08	1,335.40	687

Index

Article number	Euro	Page	Article number	Euro	Page	Article number	Euro	Page
-19	1,251.80	687	-47	1,553.90	688	-28	6,681.80	251, 575
-28	1,752.50	687	-93	918.10	688	-39	5,090.90	251, 575
-42	1,335.20	687	-99	1,059.50	688	-42	5,090.90	251, 575
-46	1,835.90	687	33 871 790-00	878.00	687	-99	5,727.10	251, 575
-47	1,835.90	687	-06	1,404.70	687	34 458 892-00	3,081.60	426, 576
-93	1,084.90	687	-08	1,404.70	687	-06	4,930.40	426, 576
-99	1,252.00	687	-19	1,317.00	687	-08	4,930.40	426, 576
33 845 875-00	1,380.30	683	-28	1,843.80	687	-28	6,471.40	426, 576
-06	2,208.40	683	-42	1,404.70	687	-33	4,160.10	426, 576
-08	2,208.40	683	-46	1,931.60	687	-39	4,930.50	426, 576
-19	2,070.40	683	-47	1,931.60	687	-42	4,930.50	426, 576
-28	2,898.60	683	-93	1,141.30	687	-46	6,779.50	426, 576
-42	2,208.50	683	-99	1,317.00	687	-47	6,779.50	426, 576
-46	3,036.70	683	33 875 895-00	970.30	690	-93	4,006.00	426, 576
-47	3,036.70	683	-06	1,552.10	690	-99	5,546.80	426, 576
-93	1,794.40	683	-08	1,552.10	690	34 458 980-00	3,079.20	51, 99, 148, 292, 579
-99	2,070.50	683	-19	1,455.40	690	-06	4,926.70	51, 99, 148, 292, 579
33 860 875-00	1,518.00	699	-28	2,037.60	690	-08	4,926.70	292, 579
-06	2,428.70	699	-33	1,309.90	690	-19	4,618.80	51, 99, 148, 292, 579
-08	2,428.70	699	-42	1,552.40	690	-27	4,618.80	148, 579
-19	2,276.60	699	-46	2,134.70	690	-28	6,466.30	99, 292, 579
-42	2,428.80	699	-47	2,134.70	690	-33	4,156.90	148, 292, 579
-93	1,973.50	699	-93	1,261.30	690	-39	4,926.70	292, 579
-99	2,276.60	699	-99	1,455.40	690	-42	4,926.70	99, 292, 579
33 865 895-00	1,484.00	697	33 876 760-00	779.20	688	-46	6,774.20	51, 292, 579
-06	2,018.20	697	-06	1,246.70	688	-47	6,774.20	51, 292, 579
-08	2,018.20	697	-08	1,246.70	688	-93	4,003.00	148, 579
-19	1,892.20	697	-19	1,168.80	688	-99	5,542.50	51, 99, 148, 292, 579
-28	3,116.40	697	-28	1,636.30	688	34 459 360-00	3,181.80	251, 575
-33	1,703.00	697	-42	1,246.70	688	-06	5,091.10	251, 575
-42	2,374.50	697	-46	1,714.20	688	-08	5,091.10	251, 575
-46	3,264.80	697	-47	1,714.20	688	-09	6,681.80	251, 575
-47	3,264.80	697	-93	1,013.00	688	-28	6,681.80	251, 575
-93	1,639.90	697	-99	1,168.80	688	-39	5,090.90	251, 575
-99	1,891.90	697	33 880 888-00	1,801.60	698	-42	5,090.90	251, 575
33 870 809-00	1,085.80	693	-06	2,882.60	698	-99	5,727.20	251, 575
-06	1,737.30	693	-08	2,882.60	698	34 459 809-00	3,081.60	496, 577
-08	1,737.30	693	-19	2,702.10	698	-06	4,930.40	496, 577
-09	2,280.20	693	-42	2,882.60	698	-08	4,930.40	496, 577
-19	1,628.70	693	-93	2,342.00	698	-19	4,622.20	496, 577
-28	2,280.20	693	-99	2,702.10	698	-28	6,471.40	496, 577
-33	1,465.80	693	34			-39	4,930.50	496, 577
-42	1,737.30	693	34 201 979-00	963.80	393	-42	4,930.50	496, 577
-46	2,388.80	693	-06	1,542.00	393	-46	6,779.50	496, 577
-47	2,388.80	693	-19	1,445.60	393	-47	6,779.50	496, 577
-93	1,411.60	693	-26	1,445.70	393	-99	5,546.80	496, 577
-99	1,628.70	693	-27	1,445.70	393	34 459 979-00	2,596.40	98, 147, 189, 222, 355, 427, 497, 578
33 870 861-00	923.40	689	-33	1,301.00	393	-06	4,061.00	98, 147, 189, 222, 355, 427, 497, 578
-06	1,477.30	689	-39	1,542.00	393	-08	4,061.00	355, 427, 497, 578
-08	1,477.30	689	-42	1,542.10	393	-19	3,894.60	98, 147, 189, 355, 427, 497, 578
-19	1,385.10	689	-46	1,734.80	393	-26	3,894.60	355, 578
-28	1,939.10	689	-47	1,362.00	393	-27	3,894.60	147, 189, 355, 578
-33	1,246.50	689	-93	2,179.20	393	-28	5,452.40	98, 427, 497, 578
-42	1,477.40	689	-99	2,043.20	393	-33	3,426.70	147, 189, 355, 427, 497, 578
-46	2,031.50	689	34 234 979-00	2,043.00	393	-39	4,154.30	355, 427, 497, 578
-47	2,031.50	689	-06	2,043.00	393	-42	4,061.00	98, 355, 427, 497, 578
-93	1,200.50	689	-08	1,838.80	393	-46	5,712.10	427, 497, 578
-99	1,385.10	689	-19	2,179.20	393	-47	5,712.10	427, 497, 578
33 870 875-00	878.00	692	-26	1,770.60	393	-93	3,375.40	147, 189, 355, 427, 578
-06	1,404.60	692	-27	2,451.60	393	-99	4,568.80	98, 147, 189, 355, 427, 497, 578
-08	1,404.60	692	34 442 979-00	701.50	162, 202, 229, 310, 377, 451, 518	34 459 980-00	3,079.20	51, 99, 148, 292, 579
-19	1,317.10	692	-06	1,122.20	162, 202, 229, 310, 377, 451, 518	-06	4,926.80	51, 99, 148, 292, 579
-28	1,843.80	692	-08	1,122.20	310, 377, 451, 518	-08	4,926.70	292, 579
-33	1,185.40	692	-19	1,052.20	162, 202, 310, 377, 451, 518	-19	4,618.90	51, 99, 148, 292, 579
-42	1,404.70	692	-26	1,052.20	377	-27	4,618.80	148, 579
-46	1,931.60	692	-27	1,052.20	162, 202, 377	-28	6,466.30	99, 292, 579
-47	1,931.60	692	-28	1,473.20	310, 451, 518	-33	4,157.10	148, 292, 579
-93	1,141.30	692	-33	946.80	162, 202, 310, 377, 451, 518	-39	4,926.70	292, 579
-99	1,316.80	692	-39	1,122.50	310, 377, 451, 518	-42	4,926.70	99, 292, 579
33 870 888-00	1,009.40	691	-42	1,122.40	310, 377, 451, 518	-46	6,774.20	51, 292, 579
-06	1,615.00	691	-46	1,543.30	310, 451, 518	-47	6,774.20	51, 292, 579
-08	1,615.00	691	-47	1,543.30	310, 451, 518	-93	4,003.00	148, 579
-09	2,119.70	691	-93	912.00	162, 202, 377, 451	-99	5,542.50	51, 99, 148, 292, 579
-19	1,514.10	691	-99	1,262.30	162, 202, 310, 377, 451, 518	34 460 809-00	3,081.60	496, 577
-28	2,119.70	691	34 443 979-00	607.90	451, 518	-06	4,930.50	496, 577
-33	1,362.70	691	-06	972.50	451, 518	-08	4,930.50	496, 577
-42	1,615.00	691	-08	972.50	451, 518	-19	4,622.30	496, 577
-46	2,220.70	691	-19	911.80	451, 518	-28	6,471.40	496, 577
-47	2,220.70	691	-28	1,276.60	451, 518	-39	4,930.50	496, 577
-93	1,312.20	691	-33	820.40	451	-42	4,930.50	496, 577
-99	1,514.10	691	-39	972.60	451, 518	-46	6,779.50	496, 577
33 870 895-00	970.30	690	-42	972.60	451, 518	-47	6,779.50	496, 577
-06	1,552.10	690	-46	1,337.40	451, 518	-99	5,546.80	496, 577
-08	1,552.10	690	-47	1,337.40	451, 518	34 458 360-00	6,681.80	251, 575
-19	1,455.40	690	-93	790.20	451	-06	5,090.80	251, 575
-28	2,037.60	690	-99	1,094.10	451, 518	-08	5,090.80	251, 575
-33	1,309.90	690	34 458 360-00	3,181.80	251, 575	-46	6,779.50	496, 577
-42	1,552.40	690	-06	5,090.80	251, 575	-47	6,779.50	496, 577
-46	2,134.70	690	-08	5,090.80	251, 575	-99	5,546.80	496, 577
-47	2,134.70	690	-09	6,681.80	251, 575			
-93	1,261.30	690						
-99	1,455.40	690						
33 871 760-00	706.30	688						
-06	1,130.00	688						
-08	1,130.00	688						
-19	1,059.50	688						
-28	1,483.20	688						
-42	1,130.00	688						
-46	1,553.90	688						

Article number	Euro	Page	Article number	Euro	Page	Article number	Euro	Page
34 460 892-00	3,081.60	426, 576						
-06	4,930.50	426, 576	-33	630.90	378, 452	-28	1,203.70	519, 533
-08	4,930.50	426, 576	-39	747.70	378, 452	-39	917.10	519, 533
-19	4,622.30	426, 576	-42	747.70	378, 452	-42	917.20	519, 533
-28	6,471.40	426, 576	-46	1,028.10	452	-46	1,261.00	519, 533
-33	4,160.10	426, 576	-47	1,028.10	452	-47	1,261.00	519, 533
-39	4,930.50	426, 576	-93	607.50	378, 452	-99	1,032.10	519, 533
-42	4,930.50	426, 576	-99	841.10	378, 452			
-46	6,779.50	426, 576	36 046 970-00	573.80	63, 112, 162, 310	36 120 845-00	535.50	202, 205
-47	6,779.50	426, 576	-06	918.10	63, 112, 162, 310	-06	856.90	202, 205
-93	4,006.00	426, 576	-08	918.10	310	-19	803.30	202, 205
-99	5,546.80	426, 576	-19	860.80	63, 112, 162, 310	-27	803.30	202, 205
34 460 979-00	2,734.90	98, 147, 189, 222,	-27	860.80	63, 112, 162, 310	-33	723.10	202, 205
		355, 427, 497, 578	-28	1,205.00	112, 310	-93	696.20	202, 205
-06	4,375.70	98, 147, 189, 222,	-33	774.70	162, 310	-99	964.00	202, 205
		355, 427, 497, 578	-39	918.10	310	36 122 710-00	903.90	229, 235
-08	4,375.50	355, 427, 497, 578	-42	918.10	112, 310	-06	1,446.50	229, 235
-19	4,102.30	98, 147, 189, 355,	-46	1,262.40	63, 310	36 200 361-00	552.70	263
		427, 497, 578	-47	1,262.40	63, 310	-06	884.00	263
-26	4,102.30	355, 578	-93	746.00	162	-08	884.00	263
-27	4,102.30	147, 189, 355, 578	-99	1,033.00	63, 112, 162, 310	-09	1,160.70	263
-28	5,743.30	98, 427, 497, 578	36 060 660-00	370.70	377, 451	-28	1,160.70	263
-33	3,692.00	147, 189, 355, 427,	-06	592.90	377, 451	-39	884.40	263
		497, 578	-08	592.90	377, 451	-42	884.40	263
-39	4,375.70	355, 427, 497, 578	-19	556.10	377, 451	-99	994.70	263
-42	4,375.70	98, 355, 427, 497,	-26	556.00	377	36 200 661-00	565.50	390
		578	-27	556.00	377	-06	904.60	390
-46	6,016.80	427, 497, 578	-28	778.50	451	-19	848.20	390
-47	6,016.80	427, 497, 578	-33	500.60	377, 451	-26	848.10	390
-93	3,555.30	147, 189, 355, 427,	-39	593.10	377, 451	-27	848.10	390
		578	-42	593.10	377, 451	-33	763.20	390
-99	4,922.60	98, 147, 189, 355,	-46	815.50	451	-39	904.80	390
		427, 497, 578	-47	815.50	451	-42	904.60	390
35			-93	481.80	377, 451	-93	735.10	390
35 003 970 90	320.80	640	-99	667.70	377, 451	36 200 705-00	651.20	72
35 020 970 90	236.90	641	36 060 670-00	469.70	63, 112, 162, 310	-06	1,041.80	72
35 021 970 90	338.50	641	-06	758.50	63, 112, 162, 310	-19	976.70	72
35 033 970 90	998.30	647	-08	758.50	310	-46	1,432.60	72
35 034 970 90	1,498.70	647	-19	704.70	63, 112, 162, 310	-47	1,432.60	72
35 041 970 90	497.90	648	-27	704.60	162	-99	1,172.00	72
35 042 970 90	748.00	648	-28	986.40	112, 310	36 200 710-00	621.20	232
35 043 970 90	998.30	647	-33	634.20	162, 310	-06	994.00	232
35 044 970 90	1,498.70	648	-39	751.50	310	36 200 740-00	341.80	72, 120, 391
35 050 970 90	320.80	640	-42	751.50	112, 310	-06	546.90	72, 120, 391
35 085 970 90	122.80	645	-46	1,033.30	63, 310	-19	512.80	72, 120, 391
35 087 970 90	267.60	645	-47	1,033.30	63, 310	-26	512.70	391
35 202 970 90	295.90	644	-93	610.60	162	-27	512.70	391
35 203 970 90	360.40	644	-99	845.60	63, 112, 162, 310	-28	717.80	120
35 205 970 90	223.00	645	36 060 809-00	426.10	518	-33	461.40	391
35 206 970 90	301.70	645	-06	681.90	518	-39	546.80	391
35 311 970 90	750.00	651	-08	681.90	518	-42	546.80	120, 391
35 312 970 90	850.00	651	-19	639.30	518	-46	752.00	72
35 313 970 90	1,000.00	652	-28	894.80	518	-47	752.00	72
35 314 970 90	1,100.00	652	-39	681.80	518	-99	615.20	72, 120, 391
35 425 970 90	435.80	641	-42	681.90	518	36 200 782-00	640.70	319
35 426 970 90	457.70	641	-46	937.40	518	-06	1,025.10	319
35 427 970 90	456.60	642	-47	937.40	518	-08	1,025.10	319
35 428 970 90	479.00	642	-99	767.10	518	-19	961.00	319
35 503 970 90	864.70	642	36 060 845-00	412.80	202	-28	1,345.50	319
35 511 970 90	708.30	642	-06	660.40	202	-39	1,025.10	319
35 521 970 90	1,180.70	643	-19	619.20	202	-42	1,025.10	319
35 524 970 90	1,167.70	643	-27	619.20	202	-46	1,409.50	319
35 531 970 90	1,268.90	643	-33	557.20	202	-47	1,409.50	319
35 534 970 90	1,374.60	643	-93	536.60	202	-99	1,153.20	319
35 607 970 90	90.90	644	-99	742.80	202	36 200 809-00	496.50	528
35 608 970 90	119.20	644	36 120 660-00	559.30	378, 395, 452, 466	-06	794.00	528
35 610 970 90	7,157.90	649	-06	894.60	378, 395, 452, 466	-19	744.60	528
35 615 970 90	7,157.90	649	-08	894.90	378, 452, 466	-28	1,042.70	528
35 620 970 90	7,622.40	650	-19	839.10	378, 395, 452, 466	-39	794.30	528
35 625 970 90	7,622.40	650	-26	839.00	378, 395	-42	794.20	528
35 630 970 90	7,622.40	651	-27	839.00	378, 395	-46	1,092.30	528
35 700 970 90	193.30	640	-28	1,174.50	452, 466	-47	1,092.30	528
35 720 970 90	154.20	640	-33	755.50	378, 395, 452, 466	-99	893.40	528
35 740 970 90	313.70	646	-39	894.90	378, 395, 452, 466	36 200 819-00	496.50	528
35 741 970 90	313.70	646	-42	894.90	378, 395, 452, 466	-06	794.00	528
35 750 970-00	5,166.10	652	-46	1,230.50	452, 466	-19	744.60	528
-06	5,166.10	652	-47	1,230.50	452, 466	-28	1,042.70	528
-33	5,166.10	652	-93	727.10	378, 395, 452, 466	-39	794.30	528
-46	5,166.10	652	-99	1,006.80	378, 395, 452, 466	-42	794.20	528
-47	5,166.10	652	36 120 670-00	602.70	63, 75, 112, 124,	-46	1,092.30	528
35 770 970 90	2,042.90	653	-06	964.20	163, 173, 311, 323	-47	1,092.30	528
35 771 970 90	2,723.80	653	-08	964.20	311, 323	-99	893.40	528
35 780 970 90	2,723.80	653	-19	903.80	63, 75, 112, 124,	36 200 882-00	547.20	459
35 781 970 90	3,401.20	654	-27	903.90	163, 173, 311, 323	-06	875.90	459
35 860 970 90	224.60	640	-28	1,265.70	112, 124, 311, 323	-08	875.90	459
35 944 970 90	537.90	644	-33	813.60	163, 173, 311	-19	821.00	459
35 945 970 90	840.10	644	-39	964.30	311, 323	-28	1,149.10	459
			-42	964.30	112, 124, 311, 323	-33	738.90	459
			-46	1,325.90	63, 75, 311, 323	-39	875.60	459
			-47	1,325.90	63, 75, 311, 323	-42	875.60	459
			-93	783.40	163, 173	-46	1,203.80	459
			-99	1,084.60	63, 75, 112, 124,	-47	1,203.80	459
					163, 173, 311, 323	-93	711.40	459
36			36 120 809-00	573.20	519, 533	-99	985.30	459
36 046 660-00	467.30	378, 452	-06	916.80	519, 533	36 200 892-00	473.60	459
-06	747.70	378, 452	-08	917.40	519, 533	-06	757.90	459
-08	747.70	378, 452	-19	859.80	519, 533	-08	757.90	459
-19	700.90	378, 452				-19	710.40	459
-26	700.90	378				-28	994.60	459
-27	700.90	378				-33	639.50	459
-28	981.30	452						

Article number	Euro	Page	Article number	Euro	Page	Article number	Euro	Page
-27	1,178.00	203	-06	1,534.50	64, 113, 164, 312	-46	2,499.90	454, 457
-33	1,060.30	203	-08	1,489.70	312	-47	2,499.90	454, 457
-93	1,020.90	203	-19	1,425.60	64, 113, 164, 312	-93	1,477.20	454, 457
-99	1,413.60	203	-27	1,425.70	164	-99	2,045.40	454, 457
36 425 892-00	673.90	453	-28	1,996.10	113, 312	36 501 977-00	1,137.70	260, 262
-06	1,078.40	453	-33	1,294.90	164, 312	-06	1,820.30	260, 262
-08	1,078.40	453	-39	1,520.80	312	-08	1,820.30	260, 262
-19	1,011.00	453	-42	1,520.80	113, 312	-09	2,389.20	260, 262
-28	1,415.20	453	-46	2,091.10	64, 312	-28	2,389.20	260, 262
-33	910.00	453	-47	2,091.10	64, 312	-39	1,820.40	260, 262
-39	1,078.30	453	-93	1,235.60	164	-42	1,820.40	260, 262
-42	1,078.30	453	-99	1,710.70	64, 113, 164, 312	-99	2,047.80	260, 262
-46	1,482.60	453	36 427 710-00	1,038.40	230	36 501 979-00	1,136.30	380, 381, 381, 388, 521
-47	1,482.60	453	-06	1,661.40	230	-06	1,818.10	380, 381, 381, 388, 521
-93	876.20	453	36 427 809-00	835.70	520	-08	1,818.10	388, 521
-99	1,213.20	453	-06	1,337.20	520	-19	1,704.40	380, 381, 381, 388, 521
36 425 970-00	673.90	379	-08	1,337.20	520	-26	1,704.40	380, 381, 381, 388
-06	1,078.40	379	-19	1,253.80	520	-27	1,704.40	380, 381, 381, 388
-08	1,078.40	379	-28	1,755.00	520	-28	2,386.20	521
-19	1,011.00	379	-39	1,337.10	520	-33	1,534.30	380, 381, 381, 388
-26	1,010.90	379	-42	1,337.20	520	-39	1,818.10	380, 381, 381, 388, 521
-27	1,010.90	379	-46	1,838.50	520	-42	1,818.20	380, 381, 381, 388, 521
-33	910.10	379	-47	1,838.50	520	-46	2,499.90	521
-39	1,078.30	379	-49	1,504.40	520	-47	2,499.90	521
-42	1,078.30	379	36 427 845-00	966.00	203	-93	1,477.20	380, 381, 381, 388
-93	876.20	379	-06	1,545.70	203	-99	2,045.30	380, 381, 381, 388, 521
-99	1,213.50	379	-19	1,449.10	203	36 501 985-00	1,319.50	67, 117, 168, 316
36 425 977-00	762.00	259	-27	1,449.10	203	-06	2,111.40	67, 117, 168, 316
-06	1,218.90	259	-33	1,304.20	203	-08	2,111.40	316
-08	1,218.90	259	-93	1,255.90	203	-19	1,979.60	67, 117, 168, 316
-09	1,600.20	259	-99	1,738.80	203	-27	1,979.40	168
-28	1,600.20	259	36 427 892-00	835.70	454	-28	2,771.00	117, 316
-39	1,219.20	259	-06	1,337.20	454	-33	1,781.20	168, 316
-42	1,219.20	259	-08	1,337.20	454	-39	2,111.30	316
-99	1,371.50	259	-19	1,253.80	454	-42	2,111.30	117, 316
36 426 670-00	896.40	64, 113, 163, 312	-28	1,755.00	454	-46	2,902.90	67, 316
-06	1,447.60	64, 113, 163, 312	-33	1,128.40	454	-47	2,902.90	67, 316
-08	1,447.60	312	-39	1,337.10	454	-93	1,715.40	168
-19	1,344.70	64, 113, 163, 312	-42	1,337.20	454	-99	2,375.20	67, 117, 168, 316
-27	1,344.60	163	-46	1,838.50	454	36 503 710-00	1,307.50	231, 231, 232
-28	1,882.40	113, 312	-47	1,838.50	454	-06	2,091.40	231, 231, 232
-33	1,221.60	163, 312	-93	1,086.50	454	36 503 780-00	1,291.30	65, 66, 66, 115, 116, 116, 165, 165, 166, 167, 167, 313, 314, 315
-39	1,434.30	312	-99	1,504.40	454	-06	2,066.50	65, 66, 66, 115, 116, 116, 165, 165, 166, 167, 167, 313, 314, 315
-42	1,434.30	113, 312	36 427 970-00	835.70	380	-19	1,937.10	66, 115, 116, 116, 165, 165, 166, 167, 167, 313, 314, 315
-46	1,972.10	64, 312	-06	1,337.20	380	-27	1,937.00	165, 165, 166, 167, 167
-47	1,972.10	64, 312	-08	1,337.20	380	-28	2,711.70	115, 116, 116, 313, 314, 315
-93	1,165.30	163	-19	1,253.80	380	-33	1,742.70	165, 165, 166, 167, 167, 315
-99	1,613.40	64, 113, 163, 312	-26	1,253.70	380	-39	2,066.10	313, 314, 315
36 426 710-00	1,000.70	229	-27	1,253.70	380	-42	2,066.10	115, 116, 116, 313, 314, 315
-06	1,601.20	229	-33	1,128.90	380	-46	2,840.90	65, 66, 66, 313, 314, 315
36 426 809-00	800.90	520	-39	1,337.10	380	-47	2,840.90	65, 66, 66, 313, 314, 315
-06	1,281.60	520	-42	1,337.20	380	-93	1,678.70	165, 165, 166, 167, 167
-08	1,281.60	520	-93	1,086.50	380	-99	2,324.60	65, 66, 66, 115, 116, 116, 165, 165, 166, 167, 167, 313, 314, 315
-19	1,201.60	520	-99	1,504.40	380	36 503 809-00	1,136.30	523, 525, 526
-28	1,681.90	520	36 427 977-00	947.20	260	-06	1,818.20	523, 525, 526
-39	1,281.50	520	-06	1,515.10	260	-08	1,818.20	523, 525, 526
-42	1,281.50	520	-08	1,515.10	260	-19	1,704.40	523, 525, 526
-46	1,762.00	520	-09	1,989.10	260	-28	2,386.20	523, 525, 526
-47	1,762.00	520	-28	1,989.10	260	-39	1,818.10	521, 526
-99	1,441.80	520	-39	1,515.50	260	-42	1,818.20	521, 526
36 426 845-00	931.40	203	-42	1,515.50	260	-46	2,499.90	523, 525, 526
-06	1,490.50	203	-99	1,705.10	260	-99	2,045.40	523, 525, 526
-19	1,397.20	203	36 501 710-00	1,307.50	230, 232	36 503 892-00	1,136.30	455, 456, 457
-27	1,397.20	203	-06	2,091.40	230, 232	-06	1,818.20	455, 456, 457
-33	1,257.40	203	36 501 780-00	1,291.30	65, 66, 114, 116, 164, 167, 313, 315	-08	1,818.20	455, 456, 457
-93	1,211.00	203	-06	2,066.50	65, 66, 114, 116, 164, 167, 313, 315	-28	2,386.20	455, 456, 457
-99	1,676.60	203	-19	1,937.10	66, 114, 116, 164, 167, 313, 315	-33	1,534.10	455, 456, 457
36 426 892-00	800.90	453	-27	1,937.00	164, 167	-39	1,818.10	455, 456, 457
-06	1,281.60	453	-28	2,711.70	114, 116, 313, 315	-42	1,818.20	455, 456, 457
-08	1,281.60	453	-33	1,742.70	164, 167, 315	-46	2,499.90	523, 525, 526
-19	1,201.60	453	-39	2,066.10	313, 315	-99	2,045.40	523, 525, 526
-28	1,681.90	453	-42	2,066.10	114, 116, 313, 315	36 503 892-00	1,136.30	455, 456, 457
-33	1,081.30	453	-46	2,840.90	65, 66, 313, 315	-06	1,818.20	455, 456, 457
-39	1,281.50	453	-47	2,840.90	65, 66, 313, 315	-08	1,818.20	455, 456, 457
-42	1,281.50	453	-93	1,678.70	164, 167	-19	1,704.40	455, 456, 457
-46	1,762.00	453	-99	2,324.60	65, 66, 114, 116, 164, 167, 313, 315	-28	2,386.20	455, 456, 457
-47	1,762.00	453	36 501 809-00	1,136.30	521, 526	-33	1,534.10	455, 456, 457
-93	1,041.20	453	-06	1,818.20	521, 526	-39	1,818.10	455, 456, 457
-99	1,441.80	453	-08	1,818.20	521, 526	-42	1,818.20	455, 456, 457
36 426 970-00	800.90	379	-19	1,704.40	521, 526	-46	2,499.90	455, 456, 457
-06	1,281.30	379	-28	2,386.20	521, 526	-47	2,499.90	455, 456, 457
-08	1,281.30	379	-39	1,818.10	521, 526	36 501 892-00	1,136.30	454, 457
-19	1,201.60	379	-42	1,818.20	521, 526	-06	1,818.20	454, 457
-26	1,201.50	379	-46	2,499.90	521, 526	-08	1,818.20	454, 457
-27	1,201.50	379	-47	2,499.90	521, 526	-19	1,704.40	454, 457
-33	1,081.10	379	-99	2,045.40	521, 526	-28	2,386.20	454, 457
-39	1,281.50	379	36 501 892-00	1,136.30	454, 457	-33	1,534.10	454, 457
-42	1,281.50	379	-06	1,818.20	454, 457	-39	1,818.10	454, 457
-46	1,762.00	453	-08	1,818.20	454, 457	-42	1,818.20	454, 457
-47	1,762.00	453	-19	1,704.40	454, 457	-46	2,499.90	454, 457
-93	1,041.20	453	-28	2,386.20	454, 457	-47	2,499.90	454, 457
-99	1,441.80	453	-39	1,818.10	521, 526			
36 426 977-00	911.40	259	-42	1,818.20	454, 457			
-06	1,457.50	259	-46	2,499.90	521, 526			
-08	1,457.50	259	-47	2,499.90	521, 526			
-09	1,913.90	259	-99	2,045.40	521, 526			
-28	1,913.90	259	36 501 892-00	1,136.30	454, 457			
-39	1,458.30	259	-06	1,818.20	454, 457			
-42	1,458.30	259	-08	1,818.20	454, 457			
-99	1,640.10	259	-19	1,704.40	454, 457			
36 427 670-00	950.50	64, 113, 164, 312	-28	2,386.20	454, 457			
			-33	1,534.10	454, 457			
			-39	1,818.10	454, 457			
			-42	1,818.20	454, 457			

Index

Article number	Euro	Page	Article number	Euro	Page	Article number	Euro	Page
-93	1,477.20	455, 456, 457	-28	1,730.80	108, 255, 304, 446, 513, 622	-42	1,358.50	107, 254, 303, 371, 445, 512, 621
-99	2,045.40	455, 456, 457	-33	1,134.80	158, 198, 304, 372, 446, 513, 622	-46	1,867.80	58, 303, 445, 512, 621
36 503 977-00	1,137.70	261, 262, 262	-39	1,318.70	255, 304, 372, 446, 513, 622	-47	1,867.80	58, 303, 445, 512, 621
-06	1,820.30	261, 262, 262	-42	1,318.70	108, 255, 304, 372, 446, 513, 622	-93	1,103.60	157, 197, 371, 445, 621
-08	1,820.30	261, 262, 262	-46	1,813.20	59, 304, 446, 513, 622	-99	1,527.90	58, 107, 157, 197, 254, 303, 371, 445, 512, 621
-09	2,389.20	261, 262, 262	-47	1,813.20	59, 304, 446, 513, 622	36 525 979-00	549.80	57, 106, 156, 197, 225, 254, 302, 370, 444, 511, 620
-28	2,389.20	261, 262, 262	-93	1,071.50	158, 198, 372, 446, 622	-06	879.60	57, 106, 156, 197, 225, 254, 302, 370, 444, 511, 620
-39	1,820.40	261, 262, 262	-99	1,483.40	59, 108, 158, 198, 255, 304, 372, 446, 513, 622	-08	879.60	254, 302, 370, 444, 511, 620
-42	1,820.40	261, 262, 262	36 514 979-00	1,104.80	58, 107, 157, 198, 226, 255, 303, 371, 445, 512, 621	-19	824.70	57, 106, 156, 197, 302, 370, 444, 511, 620
-99	2,047.80	261, 262, 262	-06	1,767.70	445, 512, 621	-26	824.70	370, 620
36 503 979-00	1,136.30	382, 383, 384, 385, 386, 387, 388, 522, 524	-08	1,767.70	255, 303, 371, 445, 512, 621	-27	824.70	156, 197, 370, 620
-06	1,818.10	382, 383, 384, 385, 386, 387, 388, 522, 524	-19	1,657.10	58, 107, 157, 198, 303, 371, 445, 512, 621	-28	1,154.60	106, 254, 302, 444, 511, 620
-08	1,818.10	388, 522, 524	-26	1,657.20	371, 621	-33	742.20	156, 197, 302, 370, 444, 511, 620
-19	1,704.40	382, 383, 384, 385, 386, 387, 388, 522, 524	-27	1,657.20	157, 198, 371, 621	-39	879.70	254, 302, 370, 444, 511, 620
-26	1,704.40	382, 383, 384, 385, 386, 387, 388	-28	2,320.10	107, 255, 303, 445, 512, 621	-42	879.60	106, 254, 302, 370, 444, 511, 620
-27	1,704.40	382, 383, 384, 385, 386, 387, 388	-33	1,491.20	157, 198, 303, 371, 445, 512, 621	-46	1,209.60	57, 302, 444, 511, 620
-28	2,386.20	522, 524	-39	1,767.70	255, 303, 371, 445, 512, 621	-47	1,209.60	57, 302, 444, 511, 620
-33	1,534.30	382, 383, 384, 385, 386, 387, 388	-42	1,767.80	107, 255, 303, 371, 445, 512, 621	-93	714.70	156, 197, 370, 444, 620
-39	1,818.10	382, 383, 384, 385, 386, 387, 388, 522, 524	-46	2,430.60	58, 303, 445, 512, 621	-99	989.50	57, 106, 156, 197, 254, 302, 370, 444, 511, 620
-42	1,818.20	382, 383, 384, 385, 386, 387, 388, 522, 524	-47	2,430.60	58, 303, 445, 512, 621	36 527 979-00	849.00	58, 107, 157, 197, 225, 254, 303, 371, 445, 512, 621
-46	2,499.90	522, 524	-93	1,436.20	157, 198, 371, 445, 621	-06	1,358.50	58, 107, 157, 197, 225, 254, 303, 371, 445, 512, 621
-47	2,499.90	522, 524	-99	1,988.70	58, 107, 157, 198, 255, 303, 371, 445, 512, 621	-08	1,358.50	254, 303, 371, 445, 512, 621
-93	1,477.20	382, 383, 384, 385, 386, 387, 388	36 515 979-00	549.80	57, 106, 156, 197, 225, 254, 302, 370, 444, 511, 620	-19	1,273.50	58, 107, 157, 197, 303, 371, 445, 512, 621
-99	2,045.30	382, 383, 384, 385, 386, 387, 388, 522, 524	-06	879.20	57, 106, 156, 197, 225, 254, 302, 370, 444, 511, 620	-26	1,273.50	371, 621
36 503 985-00	1,319.50	67, 117, 168, 316	-08	879.20	254, 302, 370, 444, 511, 620	-27	1,273.50	157, 197, 371, 621
-06	2,111.40	67, 117, 168, 316	-19	824.80	57, 106, 156, 197, 302, 370, 444, 511, 620	-28	1,782.90	107, 254, 303, 445, 512, 621
-08	2,111.40	316	-26	824.70	370, 620	-33	1,146.10	157, 197, 303, 371, 445, 512, 621
-19	1,979.60	67, 117, 168, 316	-27	824.70	156, 197, 370, 620	-39	1,358.50	254, 303, 371, 445, 512, 621
-27	1,979.40	168	-28	1,154.60	106, 254, 302, 444, 511, 620	-42	1,358.50	107, 254, 303, 371, 445, 512, 621
-28	2,771.00	117, 316	-33	742.00	156, 197, 302, 370, 444, 511, 620	-46	1,867.80	58, 303, 445, 512, 621
-33	1,781.20	168, 316	-39	879.70	254, 302, 370, 444, 511, 620	-47	1,867.80	58, 303, 445, 512, 621
-39	2,111.30	316	-42	879.60	106, 254, 302, 370, 444, 511, 620	-93	1,103.60	157, 197, 371, 445, 621
-42	2,111.30	117, 316	-46	1,209.60	57, 302, 444, 511, 620	-99	1,528.20	58, 107, 157, 197, 254, 303, 371, 445, 512, 621
-46	2,902.90	67, 316	-47	1,209.60	57, 302, 444, 511, 620	36 604 782-00	356.90	317
-47	2,902.90	67, 316	-93	714.70	156, 197, 370, 444, 620	-06	571.00	317
-93	1,715.50	168	-99	989.50	57, 106, 156, 197, 254, 302, 370, 444, 511, 620	-08	571.00	317
-99	2,375.20	67, 117, 168, 316	36 517 979-00	849.00	58, 107, 157, 197, 225, 254, 303, 371, 445, 512, 621	-19	535.20	317
36 512 979-00	824.20	59, 108, 158, 198, 226, 255, 304, 372, 446, 513, 622	-06	1,358.70	58, 107, 157, 197, 225, 254, 303, 371, 445, 512, 621	-28	749.50	317
-06	1,319.20	59, 108, 158, 198, 226, 255, 304, 372, 446, 513, 622	-08	1,358.70	254, 303, 371, 445, 512, 621	-39	571.00	317
-08	1,319.20	255, 304, 372, 446, 513, 622	-19	1,273.50	58, 107, 157, 197, 303, 371, 445, 512, 621	-42	571.00	317
-19	1,236.30	59, 108, 158, 198, 304, 372, 446, 513, 622	-26	1,273.50	371, 621	-46	785.20	317
-26	1,236.30	372, 622	-27	1,273.50	157, 197, 371, 621	-47	785.20	317
-27	1,236.30	158, 198, 372, 622	-28	1,782.90	107, 254, 303, 445, 512, 621	-99	642.30	317
-28	1,730.80	108, 255, 304, 446, 513, 622	-33	1,168.80	157, 197, 303, 371, 445, 512, 621	36 605 782-00	356.90	317
-33	1,134.80	158, 198, 304, 372, 446, 513, 622	-39	1,358.50	254, 303, 371, 445, 512, 621	-06	571.00	317
-39	1,318.70	255, 304, 372, 446, 513, 622	-99	1,358.50	58, 107, 157, 197, 303, 371, 445, 512, 621	-08	571.00	317
-42	1,318.70	108, 255, 304, 372, 446, 513, 622	36 513 979-00	824.20	59, 108, 158, 198, 226, 255, 304, 372, 446, 513, 622	-19	535.20	317
-46	1,813.20	59, 304, 446, 513, 622	-06	1,319.20	59, 108, 158, 198, 226, 255, 304, 372, 446, 513, 622	-28	749.50	317
-47	1,813.20	59, 304, 446, 513, 622	-08	1,319.20	255, 304, 372, 446, 513, 622	-39	571.00	317
-93	1,071.50	158, 198, 372, 446, 622	-19	1,236.30	59, 108, 158, 198, 304, 372, 446, 513, 622	-42	571.00	317
-99	1,483.40	59, 108, 158, 198, 255, 304, 372, 446, 513, 622	-26	1,236.30	372, 622	-46	785.20	317
36 513 979-00	824.20	59, 108, 158, 198, 226, 255, 304, 372, 446, 513, 622	-27	1,236.30	158, 198, 372, 622	-47	785.20	317
-06	1,319.20	59, 108, 158, 198, 226, 255, 304, 372, 446, 513, 622	-28	1,782.90	107, 254, 303, 445, 512, 621	-99	642.30	317
-08	1,319.20	255, 304, 372, 446, 513, 622	-33	1,168.80	157, 197, 303, 371, 445, 512, 621	36 607 361-00	289.20	260, 261, 262, 263
-19	1,236.30	59, 108, 158, 198, 304, 372, 446, 513, 622	-39	1,358.50	254, 303, 371, 445, 512, 621	-06	462.80	260, 261, 262, 263
-26	1,236.30	372, 622				-08	462.80	260, 261, 262, 263
-27	1,236.30	158, 198, 372, 622				-09	607.30	260, 261, 262, 263
						-28	607.30	260, 261, 262, 263
						-39	462.80	260, 261, 262, 263

Article number	Euro	Page	Article number	Euro	Page	Article number	Euro	Page
-42	462.80	260, 261, 262, 263	-42	374.00	521, 523, 525, 526	-33	424.40	169
-99	520.50	260, 261, 262, 263	-46	514.40	521, 523, 525, 526	-93	408.70	169
36 607 660-00	288.10	380, 382, 385, 388	-47	514.40	521, 523, 525, 526	-99	565.90	169
-06	460.90	380, 382, 385, 388	-99	420.70	521, 523, 525, 526	36 608 705-00	278.90	69
-19	432.10	380, 382, 385, 388	36 607 811-00	288.10	114, 115, 116, 118	-06	446.50	69
-26	432.10	380, 382, 385, 388	-06	460.90	114, 115, 116, 118	-19	418.50	69
-27	432.10	380, 382, 385, 388	-19	432.10	114, 115, 116, 118	-46	613.60	69
-33	388.90	380, 382, 385, 388	-28	605.00	114, 115, 116, 118	-47	613.60	69
-39	460.90	380, 382, 385, 388	-36	461.10	118	-99	502.10	69
-42	460.90	380, 382, 385, 388	-38	605.00	118	36 608 710-00	262.10	232
-93	374.50	380, 382, 385, 388	-42	460.90	114, 115, 116, 118	-06	419.00	232
-99	518.60	380, 382, 385, 388	-99	518.80	114, 115, 116, 118	36 608 740-00	288.10	70, 119, 390
36 607 661-00	227.40	381, 384, 387, 389	36 607 812-00	288.10	118	-06	460.90	70, 119, 390
-06	364.00	381, 384, 387, 389	-06	460.90	118	-19	432.30	70, 119, 390
-19	341.30	381, 384, 387, 389	-19	432.10	118	-26	432.10	390
-26	341.20	381, 384, 387, 389	-28	605.00	118	-27	432.10	390
-27	341.20	381, 384, 387, 389	-36	461.10	118	-28	605.00	119
-33	307.10	381, 384, 387, 389	-38	605.00	118	-33	388.80	390
-39	363.90	381, 384, 387, 389	-42	460.90	118	-39	460.90	390
-42	363.90	381, 384, 387, 389	-99	518.80	118	-42	460.90	119, 390
-93	295.70	381, 384, 387, 389	36 607 819-00	233.80	521, 522, 524, 527	-46	633.80	70
-99	409.40	381, 384, 387, 389	-06	374.10	521, 522, 524, 527	-47	633.80	70
36 607 671-00	314.40	164, 165, 166, 169	-08	374.00	521, 522, 524, 527	-93	374.50	390
-06	503.00	164, 165, 166, 169	-19	350.60	521, 522, 524, 527	-99	518.70	70, 119, 390
-19	471.50	164, 165, 166, 169	-28	491.00	521, 522, 524, 527	36 608 782-00	274.50	317
-27	471.50	164, 165, 166, 169	-39	374.10	521, 522, 524, 527	-06	439.10	317
-33	424.40	164, 165, 166, 169	-42	374.00	521, 522, 524, 527	-08	439.10	317
-93	408.70	164, 165, 166, 169	-46	514.40	521, 522, 524, 527	-19	411.70	317
-99	565.90	164, 165, 166, 169	-47	514.40	521, 522, 524, 527	-28	576.50	317
36 607 705-00	278.90	65, 65, 66, 68	-99	420.70	521, 522, 524, 527	-39	439.20	317
-06	446.50	65, 65, 66, 68	36 607 882-00	227.40	458	-42	439.20	317
-19	418.50	68	-06	364.10	458	-46	603.90	317
-46	613.60	65, 65, 66, 68	-08	364.10	458	-47	603.90	317
-47	613.60	65, 65, 66, 68	-19	341.90	458	-99	493.90	317
-99	502.10	65, 65, 66, 68	-28	477.50	458	36 608 809-00	233.80	527
36 607 706-00	278.90	45, 68	-33	307.60	458	-06	374.10	527
-06	446.50	45, 68	-39	363.90	458	-08	374.00	527
-19	418.50	45, 68	-42	363.90	458	-19	350.60	527
-46	613.60	45, 68	-46	500.30	458	-28	491.00	527
-47	613.60	45, 68	-47	500.30	458	-39	374.10	527
-99	502.10	45, 68	-93	295.70	458	-42	374.00	527
36 607 707-00	278.90	45, 68	-99	409.50	458	-46	514.40	527
-06	446.50	45, 68	36 607 892-00	199.00	454, 455, 456, 457	-47	514.40	527
-19	418.50	45, 68	-06	318.90	454, 455, 456, 457	-99	420.70	527
-46	613.60	45, 68	-08	318.90	454, 455, 456, 457	36 608 811-00	288.10	119
-47	613.60	45, 68	-19	298.50	454, 455, 456, 457	-06	461.10	119
-99	502.10	45, 68	-28	417.90	454, 455, 456, 457	-19	432.10	119
36 607 710-00	262.10	230, 231, 231, 232	-33	268.90	454, 455, 456, 457	-28	605.00	119
-06	419.00	230, 231, 231, 232	-39	318.40	454, 455, 456, 457	-36	461.10	119
36 607 740-00	288.10	69, 118, 381, 383, 386, 389	-42	318.40	454, 455, 456, 457	-38	605.00	119
-06	460.90	69, 118, 381, 383, 386, 389	-46	437.80	454, 455, 456, 457	-42	460.90	119
-19	432.30	69, 118, 381, 383, 386, 389	-47	437.80	454, 455, 456, 457	-99	518.80	119
-26	432.10	381, 383, 386, 389	-93	258.60	454, 455, 456, 457	36 608 819-00	233.80	527
-27	432.10	381, 383, 386, 389	-99	358.30	454, 455, 456, 457	-06	374.10	527
-28	605.00	118	36 607 980-00	261.90	165, 167, 168	-08	374.00	527
-33	388.80	381, 383, 386, 389	-06	418.70	165, 167, 168	-19	350.60	527
-39	460.90	381, 383, 386, 389	-19	392.90	165, 167, 168	-28	491.00	527
-42	460.90	118, 381, 383, 386, 389	-27	392.90	165, 167, 168	-39	374.10	527
-46	633.80	69	-33	353.60	165, 167, 168	-42	374.00	527
-47	633.80	69	-93	340.50	165, 167, 168	-46	514.40	527
-93	374.50	381, 383, 386, 389	-99	471.50	165, 167, 168	-47	514.40	527
-99	518.70	69, 118, 381, 383, 386, 389	36 607 985-00	310.90	168	-99	420.70	527
36 607 741-00	300.90	67, 117	-06	497.40	168	36 608 882-00	227.40	458
-06	481.30	67, 117	-19	466.30	168	-06	364.10	458
-19	451.30	67, 117	-27	466.40	168	-08	364.10	458
-28	631.90	117	-93	404.20	168	-19	341.30	458
-42	481.40	117	-99	559.80	168	-28	477.50	458
-46	662.00	67	36 608 361-00	289.20	263	-33	307.60	458
-47	662.00	67	-06	462.80	263	-39	363.90	458
-99	541.70	67, 117	-08	462.80	263	-42	363.90	458
36 607 742-00	300.90	67, 117	-09	607.30	263	-46	500.30	458
-06	481.30	67, 117	-28	607.30	263	-47	500.30	458
-19	451.30	67, 117	-39	462.80	263	-93	295.70	458
-28	631.90	117	-42	462.80	263	-99	409.50	458
-42	481.40	117	-99	520.50	263	36 608 892-00	199.00	458
-46	662.00	67	36 608 660-00	288.10	389	-06	318.90	458
-47	662.00	67	-06	460.90	389	-08	318.90	458
-99	541.70	67, 117	-19	432.10	389	-19	298.50	458
36 607 782-00	274.50	313, 313, 314, 316	-26	432.10	389	-28	417.90	458
-06	439.10	313, 313, 314, 316	-27	432.10	389	-33	268.90	458
-08	439.10	313, 313, 314, 316	-33	388.90	389	-39	318.40	458
-19	411.70	313, 313, 314, 316	-39	460.90	389	-42	318.40	458
-28	576.50	313, 313, 314, 316	-42	460.90	389	-46	437.80	458
-39	439.20	313, 313, 314, 316	-93	374.50	389	-47	437.80	458
-42	439.20	313, 313, 314, 316	-99	518.60	389	-93	258.60	458
-46	603.90	313, 313, 314, 316	36 608 661-00	227.40	390	-99	358.30	458
-47	603.90	313, 313, 314, 316	-06	364.00	390	36 608 980-00	261.80	169
-99	493.90	313, 313, 314, 316	-19	341.30	390	-06	418.80	169
36 607 809-00	233.80	521, 523, 525, 526	-26	341.20	390	-19	392.70	169
-06	374.10	521, 523, 525, 526	-27	341.20	390	-27	392.80	169
-08	374.00	521, 523, 525, 526	-33	307.10	390	-33	353.40	169
-19	350.60	521, 523, 525, 526	-39	363.90	390	-93	340.50	169
-28	491.00	521, 523, 525, 526	-42	363.90	390	-99	471.30	169
-39	374.10	521, 523, 525, 526	-93	295.70	390	36 608 985-00	310.90	169
			-99	409.40	390	-06	497.40	169
			36 608 671-00	314.40	169	-19	466.30	169
			-06	503.00	169	-27	466.40	169
			-19	471.50	169	-33	419.60	169
			-27	471.50	169	-93	404.10	169

Index

Article number	Euro	Page	Article number	Euro	Page	Article number	Euro	Page
-99	559.80	169	-42	1,529.10	413	-42	1,800.10	416
36 617 705-00	324.70	69	-46	2,102.50	413	-46	2,475.20	416
-06	519.50	69	-47	2,102.50	413	-47	2,475.20	416
-19	487.00	69	-93	1,242.50	413	-93	1,462.60	416
-46	714.30	69	-99	1,720.00	413	-99	2,025.10	416
-47	714.30	69	36 712 361-00	1,291.80	247	36 717 892-00	1,049.50	414
-99	584.30	69	-06	2,066.70	247	-06	1,679.00	414
36 617 706-00	324.70	68	-08	2,066.70	247	-08	1,679.00	414
-06	519.50	68	-09	2,712.80	247	-19	1,574.40	414
-19	487.00	68	-28	2,712.80	247	-28	2,204.00	414
-46	714.30	68	-39	2,066.90	247	-33	1,417.00	414
-47	714.30	68	-42	2,066.90	247	-39	1,679.10	414
-99	584.30	68	-99	2,325.20	247	-42	1,679.10	414
36 617 707-00	324.70	68	36 712 671-00	955.80	141	-46	2,308.90	414
-06	519.50	68	-06	1,529.40	141	-47	2,308.90	414
-19	487.00	68	-19	1,433.80	141	-93	1,364.30	414
-46	714.30	68	-27	1,433.80	141	-99	1,889.00	414
-47	714.30	68	-33	1,290.40	141	36 805 660-00	714.10	345
-99	584.30	68	-93	1,242.60	141	-06	1,142.50	345
36 618 705-00	324.70	69	-99	1,720.50	141	-19	1,071.10	345
-06	519.50	69	36 712 782-00	1,312.70	285	-26	1,071.20	345
-19	487.00	69	-06	2,100.20	285	-27	1,071.20	345
-46	714.30	69	-08	2,100.20	285	-33	964.00	345
-47	714.30	69	-19	1,969.10	285	-39	1,142.60	345
-99	584.30	69	-28	2,756.70	285	-42	1,142.60	345
36 702 782-00	1,173.70	284	-39	2,100.40	285	-93	928.30	345
-06	1,878.00	284	-42	2,100.40	285	-99	1,285.40	345
-08	1,878.00	284	-46	2,887.90	285	36 805 782-00	1,092.50	284
-19	1,760.60	284	-47	2,887.90	285	-06	1,748.20	284
-28	2,464.80	284	-99	2,362.70	285	-08	1,748.20	284
-39	1,877.90	284	36 712 809-00	1,068.80	489	-19	1,638.90	284
-42	1,877.90	284	-06	1,710.00	489	-28	2,294.30	284
-46	2,582.10	284	-08	1,710.40	489	-39	1,748.00	284
-47	2,582.10	284	-19	1,603.30	489	-42	1,748.00	284
-99	2,112.70	284	-28	2,244.50	489	-46	2,403.50	284
36 702 809-00	1,023.80	488	-39	1,710.10	489	-47	2,403.50	284
-06	1,638.00	488	-42	1,710.20	489	-99	1,966.70	284
-08	1,638.00	488	-46	2,351.40	489	36 860 660-00	569.40	346
-19	1,535.60	488	-47	2,351.40	489	-06	911.30	346
-28	2,150.00	488	-99	1,924.20	489	-19	854.00	346
-39	1,638.10	488	36 712 811-00	1,207.00	91	-26	854.00	346
-42	1,638.10	488	-06	1,931.30	91	-27	854.00	346
-46	2,252.40	488	-19	1,810.40	91	-33	768.80	346
-47	2,252.40	488	-28	2,534.70	91	-39	911.00	346
-99	1,842.80	488	-36	1,931.30	91	-42	911.00	346
36 702 819-00	1,023.80	488	-38	2,534.70	91	-93	740.20	346
-06	1,638.00	488	-42	1,931.10	91	-99	1,024.90	346
-08	1,638.00	488	-99	2,172.50	91	36 860 662-00	679.30	348
-19	1,535.60	488	36 712 819-00	1,068.80	489	-06	1,087.00	348
-28	2,150.00	488	-06	1,710.00	489	-19	1,019.10	348
-39	1,638.10	488	-08	1,710.40	489	-26	1,019.00	348
-42	1,638.10	488	-19	1,603.30	489	-27	1,019.00	348
-46	2,252.40	488	-28	2,244.50	489	-33	917.10	348
-47	2,252.40	488	-39	1,710.10	489	-39	1,086.90	348
-99	1,842.80	488	-42	1,710.20	489	-42	1,086.90	348
36 707 671-00	914.30	140	-46	2,351.40	489	-93	883.10	348
-06	1,462.90	140	-47	2,351.40	489	-99	1,222.80	348
-19	1,371.50	140	-99	1,924.20	489	36 860 664-00	679.30	348
-27	1,371.50	140	36 712 882-00	1,073.70	415	-06	1,087.00	348
-33	1,234.30	140	-06	1,717.90	415	-19	1,019.10	348
-93	1,188.60	140	-08	1,717.90	415	-26	1,019.00	348
-99	1,645.80	140	-19	1,610.60	415	-27	1,019.00	348
36 707 782-00	1,255.70	285	-28	2,254.80	415	-33	917.10	348
-06	2,009.30	285	-33	1,449.40	415	-39	1,086.90	348
-08	2,009.30	285	-39	1,717.80	415	-42	1,086.90	348
-19	1,883.70	285	-42	1,717.90	415	-93	883.10	348
-28	2,637.00	285	-46	2,362.10	415	-99	1,222.80	348
-39	2,009.10	285	-47	2,362.10	415	36 860 671-00	754.20	140
-42	2,009.10	285	-93	1,395.90	415	-06	1,206.70	140
-46	2,762.50	285	-99	1,932.90	415	-19	1,131.30	140
-47	2,762.50	285	36 712 892-00	998.40	414	-27	1,131.30	140
-99	2,260.40	285	-06	1,597.00	414	-33	1,018.20	140
36 707 811-00	1,146.50	90	-08	1,597.00	414	-93	980.40	140
-06	1,834.40	90	-19	1,497.60	414	-99	1,357.50	140
-19	1,719.80	90	-28	2,096.60	414	36 860 705-00	1,099.90	45
-28	2,407.70	90	-33	1,347.40	414	-06	1,759.70	45
-36	1,834.40	90	-39	1,597.40	414	-19	1,650.00	45
-38	2,407.70	90	-42	1,597.40	414	-46	2,419.80	45
-42	1,834.40	90	-46	2,196.50	414	-47	2,419.80	45
-99	2,063.70	90	-47	2,196.50	414	-99	1,979.90	45
36 707 882-00	1,035.90	415	-93	1,297.90	414	36 860 710-00	922.00	218
-06	1,657.90	415	-99	1,797.00	414	-06	1,475.40	218
-08	1,657.90	415	36 717 782-00	1,367.80	286	36 860 782-00	1,035.70	282
-19	1,554.00	415	-06	2,188.20	286	-06	1,657.70	282
-28	2,175.40	415	-08	2,188.20	286	-08	1,657.70	282
-33	1,398.70	415	-19	2,052.00	286	-19	1,553.50	282
-39	1,657.40	415	-28	2,872.40	286	-28	2,175.00	282
-42	1,657.50	415	-39	2,188.50	286	-39	1,657.10	282
-46	2,279.00	415	-42	2,188.50	286	-42	1,657.10	282
-47	2,279.00	415	-46	3,009.20	286	-46	2,278.50	282
-93	1,346.60	415	-47	3,009.20	286	-47	2,278.50	282
-99	1,864.70	415	-99	2,462.40	286	-99	1,864.70	282
36 707 892-00	955.70	413	36 717 882-00	1,125.10	416	36 860 809-00	939.10	487
-06	1,529.10	413	-06	1,799.90	416	-06	1,502.80	487
-08	1,529.10	413	-08	1,799.90	416	-08	1,502.50	487
-19	1,433.60	413	-19	1,687.70	416	-19	1,408.50	487
-28	2,007.00	413	-28	2,362.70	416	-28	1,972.10	487
-33	1,290.10	413	-33	1,518.70	416	-39	1,502.50	487
-39	1,529.10	413	-39	1,800.10	416	-42	1,502.50	487

Article number	Euro	Page	Article number	Euro	Page	Article number	Euro	Page
-46	2,066.00	487	-26	907.90	347	-46	8,625.50	600
-47	2,066.00	487	-27	907.90	347	-47	8,625.50	600
-99	1,690.30	487	-33	816.90	347	-86	5,097.00	600
36 860 811-00	1,099.90	89	-39	968.50	347	-99	7,057.30	600
-06	1,760.00	89	-42	968.40	347	41 772 979-00	2,942.20	600
-19	1,650.00	89	-93	786.80	347	-19	4,413.30	600
-28	2,309.80	89	-99	1,089.50	347	-42	4,707.50	600
-42	1,759.90	89	36 864 782-00	1,237.10	283	-46	6,472.80	600
-99	1,980.00	89	-06	1,979.00	283	-47	6,472.80	600
36 860 845-00	815.70	185	-08	1,979.00	283	-86	3,824.90	600
-06	1,304.80	185	-19	1,855.60	283	-99	5,296.00	600
-19	1,223.50	185	-28	2,597.90	283	41 773 979-00	3,920.70	600
-27	1,223.50	185	-39	1,979.50	283	-19	5,881.10	600
-33	1,101.20	185	-42	1,979.50	283	-42	6,273.10	600
-93	1,060.40	185	-46	2,721.60	283	-46	8,625.50	600
-99	1,468.30	185	-47	2,721.60	283	-47	8,625.50	600
36 861 660-00	605.30	347	-99	2,226.90	283	-86	5,097.00	600
-06	968.00	347	36 867 660-00	540.60	346	-99	7,057.30	600
-19	907.90	347	-06	865.00	346	41 780 979-00	3,920.70	601
-26	907.90	347	-19	842.10	346	-19	5,881.10	601
-27	907.90	347	-26	810.90	346	-42	6,273.10	601
-33	816.90	347	-27	810.90	346	-46	8,625.50	601
-39	968.50	347	-33	729.80	346	-47	8,625.50	601
-42	968.40	347	-39	865.00	346	-86	5,097.00	601
-93	786.80	347	-42	865.00	346	-99	7,057.30	601
-99	1,089.50	347	-93	702.80	346	41 781 979-00	4,900.50	601
36 861 662-00	723.00	348	-99	973.10	346	-19	7,350.80	601
-06	1,156.30	348	36 867 662-00	645.50	347	-42	7,840.90	601
-19	1,084.60	348	-06	1,032.60	347	-46	10,781.10	601
-26	1,084.50	348	-19	968.20	347	-47	10,781.10	601
-27	1,084.50	348	-26	968.20	347	-86	6,370.70	601
-33	975.90	348	-27	968.20	347	-99	8,820.90	601
-39	1,156.80	348	-33	871.40	347			
-42	1,156.80	348	-39	1,032.80	347			
-93	939.80	348	-42	1,032.80	347	42		
-99	1,301.30	348	-93	839.10	347	42 765 970 90	687.50	46, 46, 92, 93, 93,
36 861 664-00	723.00	349	-99	1,161.80	347			94, 142, 143, 186,
-06	1,156.30	349	36 867 782-00	997.70	284			287, 287, 350, 351,
-19	1,084.60	349	-06	1,596.40	284			417, 418, 491, 491,
-26	1,084.50	349	-08	1,596.40	284			548, 548, 549, 549,
-27	1,084.50	349	-19	1,496.50	284			550, 550, 551, 551,
-33	975.90	349	-28	2,095.20	284			552, 552, 553, 553,
-39	1,156.80	349	-39	1,596.30	284			554, 554, 555, 646
-42	1,156.80	349	-42	1,596.30	284			
-93	939.80	349	-46	2,194.90	284			
-99	1,301.30	349	-47	2,194.90	284			
36 861 671-00	795.50	140	-99	1,795.80	284	44		
-06	1,272.80	140	36 867 809-00	875.30	487	44 511 660-00	933.70	349, 545
-19	1,193.30	140	-06	1,400.50	487	-06	1,494.10	349, 545
-27	1,193.30	140	-08	1,400.50	487	-08	1,494.10	349, 545
-33	1,074.00	140	-19	1,313.00	487	-19	1,400.70	349, 545
-93	1,034.20	140	-28	1,838.10	487	-26	1,400.60	349, 545
-99	1,431.90	140	-39	1,400.50	487	-27	1,400.60	349, 545
36 861 782-00	1,092.50	283	-42	1,400.50	487	-33	1,260.70	349, 545
-06	1,748.40	283	-46	1,925.70	487	-39	1,493.90	349, 545
-08	1,748.40	283	-47	1,925.70	487	-42	1,493.90	349, 545
-19	1,638.90	283	-99	1,575.60	487	-93	1,213.80	349, 545
-28	2,294.30	283				-99	1,680.90	349, 545
-39	1,748.00	283	38			44 511 670-00	1,076.80	141, 545
-42	1,748.00	283	38 945 970 90	663.20	656	-06	1,723.00	141, 545
-46	2,403.50	283				-08	1,723.00	545
-47	2,403.50	283	39			-28	2,261.30	545
-99	1,966.70	283	39 121 970 90	826.60	656	-33	1,453.80	141, 545
36 861 811-00	1,154.90	89	39 426 970 90	880.30	656	-39	1,399.80	141, 545
-06	1,848.00	89	39 503 970 90	829.50	656	-99	1,938.40	141, 545
-19	1,732.50	89	39 521 970 90	1,152.10	656	44 515 660-00	933.70	349, 545
-28	2,425.30	89	39 531 970 90	1,268.70	656	-06	1,494.10	349, 545
-42	1,847.90	89	39 708 970 90	825.00	656	-08	1,494.10	349, 545
-99	2,079.00	89	39 807 970 90	613.10	657	-19	1,400.70	349, 545
36 861 845-00	851.20	186				-26	1,400.60	349, 545
-06	1,361.70	186				-27	1,400.60	349, 545
-19	1,276.80	186				-33	1,260.70	349, 545
-27	1,276.80	186				-39	1,493.90	349, 545
-33	1,149.10	186	41			-42	1,493.90	349, 545
-93	1,106.60	186	41 400 979-85	6,167.10	599	-93	1,213.80	349, 545
-99	1,532.20	186	-86	6,167.10	599	-99	1,680.90	349, 545
36 862 660-00	569.40	346	41 507 979-85	3,680.80	591	44 515 670-00	1,076.80	141, 546
-06	911.30	346	-86	3,680.80	591	-06	1,723.00	141, 546
-19	854.00	346	41 550 979-85	4,126.50	586	-08	1,723.00	546
-26	854.00	346	-86	4,126.50	586	-28	2,261.30	546
-27	854.00	346	41 610 979-10	6,064.20	596	-33	1,453.80	141, 546
-33	768.80	346	41 615 979-10	6,064.20	596	-93	1,399.80	141, 546
-39	911.00	346	41 620 979-10	7,021.70	597	-99	1,938.40	141, 546
-42	911.00	346	41 625 979-10	7,021.70	597	44 521 660-00	744.30	350, 417, 546
-93	740.20	346	41 630 979-10	7,162.00	598	-06	1,190.80	350, 417, 546
-99	1,024.90	346	41 750 979-00	5,921.00	599	-08	1,190.80	350, 417, 546
36 862 782-00	1,138.00	283	-06	9,473.50	599	-19	1,116.40	350, 417, 546
-06	1,821.60	283	-33	7,993.30	599	-26	1,116.40	350, 546
-08	1,821.60	283	-46	13,026.20	599	-27	1,116.40	350, 546
-19	1,707.10	283	-47	13,026.20	599	-28	1,116.40	350, 546
-28	2,389.80	283	41 770 979-00	2,942.20	600	-33	1,563.00	417, 546
-39	1,820.80	283	-19	4,413.30	600	-39	1,004.70	350, 417, 546
-42	1,820.80	283	-42	4,707.50	600	-39	1,190.90	350, 417, 546
-46	2,503.60	283	-46	6,472.80	600	-42	1,190.80	350, 417, 546
-47	2,503.60	283	-47	6,472.80	600	-46	1,637.50	417, 546
-99	2,048.40	283	-86	3,824.90	600	-47	1,637.50	417, 546
36 863 660-00	605.30	347	-99	5,296.00	600	-93	967.50	350, 417, 546
-06	968.00	347	41 771 979-00	3,920.70	600	-99	1,339.50	350, 417, 546
-19	907.90	347	-19	5,881.10	600	44 521 670-00	933.70	142, 546
			-42	6,273.10	600	-06	1,494.10	142, 546
						-08	1,494.10	546

Index

Article number	Euro	Page	Article number	Euro	Page	Article number	Euro	Page
-28	1,960.80	546	83 030 809-00	372.80	535	-93	522.40	468
-33	1,260.70	142, 546	-06	596.30	535	-99	723.50	468
-93	1,213.80	142, 546	-08	596.30	535	83 060 976-00	259.10	174, 237
44 521 782-00	918.20	286, 547	-19	559.10	535	-06	414.70	174, 237
-06	1,469.20	286, 547	-28	782.90	535	-19	388.70	174
-08	1,469.20	286, 547	-39	596.40	535	-27	388.70	174
-19	1,377.40	286, 547	-42	596.50	535	-33	349.90	174
-28	1,928.20	286, 547	-46	820.20	535	-93	336.90	174
-33	1,239.70	286, 547	-47	820.20	535	-99	466.50	174
-39	1,469.20	286, 547	-99	670.90	535	83 070 780-00	505.90	325
-42	1,469.20	286, 547	83 030 892-00	372.80	468	-06	809.50	325
-46	2,020.00	286, 547	-06	596.30	468	-08	809.50	325
-47	2,020.00	286, 547	-08	596.30	468	-19	758.80	325
-93	1,193.70	547	-19	559.10	468	-28	1,062.40	325
-99	1,652.80	286, 547	-28	782.90	468	-39	809.50	325
44 521 809-00	821.30	490, 547	-33	503.30	468	-42	809.50	325
-06	1,314.30	490, 547	-39	596.40	468	-46	1,113.00	325
-08	1,314.30	490, 547	-42	596.50	468	-47	1,113.00	325
-19	1,232.20	490, 547	-46	820.20	468	-99	910.60	325
-28	1,724.70	490, 547	-47	820.20	468	83 070 809-00	381.80	535
-33	1,108.90	490, 547	-93	484.50	468	-06	610.90	535
-39	1,314.10	490, 547	-99	670.90	468	-08	610.90	535
-42	1,314.20	490, 547	83 030 976-00	233.20	174, 237, 628	-19	572.80	535
-46	1,806.90	490, 547	-06	373.10	174, 237, 628	-28	801.80	535
-47	1,806.90	490, 547	-19	349.80	174, 628	-39	610.90	535
-93	1,067.70	547	-27	349.80	174, 628	-42	610.80	535
-99	1,478.50	490, 547	-33	314.80	174, 628	-46	840.00	535
82			-93	303.10	174, 628	-47	840.00	535
82 424 970-00	274.20	702	-99	419.70	174, 628	-99	687.10	535
-06	438.70	702	83 045 361-00	374.00	267	83 080 892-00	424.50	468
-08	438.70	702	-06	598.10	267	-06	679.00	468
-19	411.40	702	-08	598.10	267	-08	679.00	468
-28	575.80	702	-09	785.40	267	-19	636.60	468
-33	370.10	702	-28	785.40	267	-28	891.50	468
-42	438.80	702	-39	598.40	267	-33	572.90	468
-46	603.20	702	-42	598.40	267	-39	679.20	468
-47	603.20	702	-99	672.90	267	-42	679.10	468
-93	356.50	702	83 045 705-00	428.00	77	-46	933.90	468
-99	493.50	702	-06	684.80	77	-47	933.90	468
82 439 970-00	341.70	703	-19	642.00	77	-93	551.80	468
-06	535.90	703	-46	941.60	77	-99	764.10	468
-08	535.90	703	-47	941.60	77	83 080 976-00	308.50	174, 237
-19	512.50	703	-99	770.30	77	-06	493.60	174, 237
-28	717.60	703	83 045 892-00	389.60	468	-19	462.80	174
-42	546.60	703	-06	623.60	468	-27	462.80	174
-46	751.70	703	-08	623.60	468	-33	416.40	174
-47	751.70	703	-19	584.40	468	-93	401.10	174
-99	615.10	703	-28	818.20	468	-99	555.30	174
82 444 970-00	298.70	702	-33	526.00	468	83 150 979-10	1,767.00	79, 128, 177, 210, 239, 270, 330, 401, 474, 538, 631
-06	477.90	702	-39	623.50	468	-33	1,767.00	79, 128, 177, 210, 239, 270, 330, 401, 474, 538, 631
-08	477.90	702	-42	623.50	468	83 150 980-10	1,652.00	80, 128, 178, 210, 240, 271, 330, 401, 474, 538, 631
-09	627.30	702	-46	857.10	468	-33	1,652.00	80, 128, 178, 210, 240, 271, 330, 401, 474, 538, 631
-19	448.10	702	-47	857.10	468	83 151 979-10	2,065.00	80, 128, 178, 210, 240, 271, 330, 401, 474, 538, 631
-28	627.30	702	-93	506.60	468	-33	2,065.00	80, 128, 178, 210, 240, 271, 330, 401, 474, 538, 631
-33	403.20	702	-99	701.10	468	83 151 980-10	1,951.00	80, 129, 178, 210, 240, 271, 330, 401, 474, 539, 631
-42	477.90	702	83 060 361-00	387.20	267	-33	1,951.00	80, 129, 178, 210, 240, 271, 330, 401, 474, 539, 631
-46	657.10	702	-06	619.50	267	83 200 361-00	236.40	268
-47	657.10	702	-08	619.50	267	-06	378.10	268
-93	388.30	702	-09	813.10	267	-08	378.10	268
-99	448.10	702	-28	813.10	267	-09	496.40	268
83			-39	619.40	267	-28	496.40	268
83 020 705-00	421.80	77	-42	619.40	267	-39	378.20	268
-06	674.80	77	-46	696.80	267	-42	378.20	268
-19	632.70	77	-99	482.30	77	-99	425.40	268
-46	928.00	77	-06	771.80	77	83 200 780-00	340.50	125, 325
-47	928.00	77	-19	723.60	77	-06	544.90	125, 325
-99	759.10	77	-46	1,061.10	77	-08	544.90	325
83 020 979-00	289.30	207, 397	-47	1,061.10	77	-19	510.90	125, 325
-06	462.90	207, 397	-99	868.10	77	-28	715.10	125, 325
-19	434.10	207, 397	83 060 780-00	482.30	125, 325	-39	544.90	325
-26	434.00	397	-06	771.60	325	-42	544.90	125, 325
-27	434.00	207, 397	-08	771.60	325	-46	749.10	325
-33	390.60	207, 397	-19	723.50	125, 325	-47	749.10	325
-39	462.90	397	-28	1,012.80	125, 325	-99	749.10	325
-42	462.90	397	-39	771.80	325	83 200 811-00	482.30	125
-93	376.20	207, 397	-42	771.80	125, 325	-06	771.80	125
-99	520.80	207, 397	-46	1,061.10	325	-19	723.60	125
83 030 361-00	344.20	267	-47	1,061.10	325	-28	1,012.80	125
-06	550.90	267	-99	868.10	125, 325	-42	771.80	125
-08	550.90	267	83 060 809-00	401.90	535	-99	868.20	125
-09	722.80	267	-06	642.80	535	83 200 892-00	235.60	469
-28	722.80	267	-08	643.00	535	-06	377.00	469
-39	550.70	267	-19	603.00	535			
-42	550.70	267	-28	844.00	535			
-99	619.60	267	-39	643.00	535			
83 030 780-00	421.80	125, 325	-42	642.90	535			
-06	674.50	125, 325	-46	884.20	535			
-08	674.50	325	-47	884.20	535			
-19	632.70	125, 325	-99	723.50	535			
-28	885.80	125, 325	83 060 892-00	401.90	468			
-39	674.90	325	-06	642.80	468			
-42	674.90	125, 325	-08	642.80	468			
-46	928.00	325	-19	603.00	468			
-47	928.00	325	-28	844.00	468			
-99	759.10	125, 325	-33	542.60	468			
			-42	643.00	468			
			-46	642.90	468			
			-47	884.20	468			
			-99	884.20	468			

Article number	Euro	Page	Article number	Euro	Page	Article number	Euro	Page
-08	377.00	469	83 211 979-00	169.60	207, 397	-33	99.20	326, 470
-19	353.30	469	-06	271.70	207, 397	-39	117.50	326, 470
-28	494.80	469	-19	254.40	207, 397	-42	117.40	326, 470
-33	318.10	469	-26	254.50	397	-46	161.50	326, 470
-39	376.90	469	-27	254.50	207, 397	-47	161.50	326, 470
-42	376.90	469	-33	229.00	207, 397	-93	95.50	470
-46	518.30	469	-39	271.40	397	-99	132.00	326, 470
-47	518.30	469	-42	271.50	397	83 251 980-00	123.00	77
-93	306.20	469	-93	220.60	207, 397	-06	197.00	77
-99	423.90	469	-99	305.40	207, 397	-19	184.50	77
83 200 976-00	241.80	175, 237	83 215 976-00	302.60	174, 237	-46	270.60	77
-06	387.00	175, 237	-06	484.20	174, 237	-47	270.60	77
-19	362.80	175	-19	453.90	174	-99	221.50	77
-27	362.80	175	-27	453.90	174	83 252 970-00	48.10	268
-33	326.50	175	-33	408.50	174	-06	76.60	268
-93	314.40	175	-93	393.40	174	-08	76.60	268
-99	435.30	175	-99	544.70	174	-09	101.00	268
83 200 979-00	176.50	207, 397	83 215 979-00	155.60	207, 397	-28	101.00	268
-06	282.80	207, 397	-06	249.30	207, 397	-39	76.90	268
-19	264.90	207, 397	-19	233.20	207, 397	-42	76.90	268
-26	264.70	397	-26	233.40	397	-99	86.50	268
-27	264.70	207, 397	-27	233.40	207, 397	83 256 976-00	82.60	175, 238
-33	238.20	207, 397	-33	210.00	207, 397	-06	132.10	175, 238
-39	282.40	397	-39	249.10	397	-19	123.90	175
-42	282.40	397	-42	249.00	397	-27	123.90	175
-93	229.50	207, 397	-93	202.30	207, 397	-33	111.50	175
-99	317.70	207, 397	-99	280.10	207, 397	-93	107.40	175
83 210 361-00	378.40	267	83 250 970-00	37.90	268	-99	148.70	175
-06	605.60	267	-06	60.80	268	83 256 979-00	136.20	326, 470
-08	605.60	267	-08	60.80	268	-06	218.40	326, 470
-09	794.60	267	-09	79.60	268	-19	204.20	326, 470
-28	794.60	267	-28	79.60	268	-28	286.00	326, 470
-39	605.40	267	-39	60.70	268	-33	183.90	326, 470
-42	605.40	267	-42	60.70	268	-39	217.80	326, 470
-99	681.40	267	-99	68.20	268	-42	217.80	326, 470
83 210 780-00	428.00	125, 325	83 250 976-00	48.40	175, 238	-46	299.60	326, 470
-06	685.00	125, 325	-06	77.50	175, 238	-47	299.60	326, 470
-08	685.00	325	-19	72.60	175	-93	177.10	470
-19	642.10	125, 325	-27	72.60	175	-99	245.30	326, 470
-28	898.80	125, 325	-33	65.40	175	83 290 970-00	221.60	78, 126, 208, 269, 328, 399, 472, 537
-39	684.70	325	-93	62.90	175	-06	354.60	78, 126, 208, 269, 328, 399, 472, 537
-42	684.70	125, 325	-99	87.10	175	-08	354.60	269, 328, 399, 472, 537
-46	941.60	325	83 251 220-00	44.90	326	-09	465.40	269, 328, 472, 537
-47	941.60	325	-06	71.60	326	-19	332.40	78, 126, 208, 328, 399, 472, 537
-99	770.30	125, 325	-08	71.60	326	-26	332.40	399
83 210 892-00	377.00	469	-09	94.30	326	-27	332.40	208, 399
-06	603.00	469	-19	67.30	326	-28	465.40	126, 269, 328, 472, 537
-08	603.00	469	-28	94.30	326	-33	299.20	208, 328, 399, 472, 537
-19	565.50	469	-33	60.70	326	-39	354.50	269, 328, 399, 472, 537
-28	791.70	469	-39	71.90	326	-42	354.40	126, 269, 328, 399, 472, 537
-33	508.80	469	-42	71.80	326	-46	487.50	78, 328, 472, 537
-39	603.20	469	-46	98.80	326	-47	487.50	78, 328, 472, 537
-42	603.20	469	-47	98.80	326	-93	288.10	208, 399, 472
-46	829.40	469	-99	80.60	326	-99	398.90	78, 126, 208, 269, 328, 399, 472, 537
-47	829.40	469	83 251 780-00	114.70	125, 326	83 304 979-00	1,760.00	211, 212, 240, 241, 271, 272, 402, 403, 475, 476, 539, 540, 632, 634
-93	490.00	469	-06	183.50	125, 326	-19	2,640.00	211, 212, 402, 403, 475, 476, 539, 540, 632, 634
-99	678.50	469	-08	183.50	326	-33	2,376.00	211, 212, 402, 403, 475, 476, 539, 540, 632, 634
83 210 976-00	275.40	175, 237	-19	172.10	125, 326	-46	3,872.00	211, 212, 402, 403, 475, 476, 539, 540, 632, 634
-06	440.60	175, 237	-28	240.90	125, 326	-93	2,288.00	211, 212, 402, 403, 475, 476, 632, 634
-19	413.10	175	-39	183.50	326	-99	3,168.00	211, 212, 271, 272, 402, 403, 475, 476, 539, 540, 632, 634
-27	413.10	175	-42	183.50	125, 326	83 304 980-00	2,640.00	80, 81, 129, 130, 178, 179, 331, 332, 632, 634
-33	371.80	175	-46	252.30	326	-19	3,960.00	80, 81, 129, 130, 178, 179, 331, 332, 632, 634
-93	358.00	175	-47	252.30	326	-33	3,564.00	178, 179, 331, 332, 632, 634
-99	495.70	175	-99	206.60	125, 326	-46	5,808.00	80, 81, 331, 332, 632, 634
83 211 705-00	383.30	77	83 251 809-00	115.70	535	-93	3,432.00	178, 179, 632, 634
-06	613.30	77	-06	185.20	535	-99	4,752.00	80, 81, 129, 130, 178, 179, 331, 332, 632, 634
-19	574.80	77	-08	185.20	535	83 306 979-00	2,640.00	211, 212, 241, 242, 272, 273, 402, 403, 475, 476, 539, 540, 632, 635
-46	843.30	77	-19	173.60	535			
-47	843.30	77	-28	243.00	535			
-99	689.90	77	-39	185.10	535			
83 211 809-00	254.80	535	-42	185.10	535			
-06	407.70	535	-46	254.50	535			
-08	407.70	535	-47	254.50	535			
-19	382.00	535	-99	208.30	535			
-28	535.10	535	83 251 892-00	95.70	469			
-39	407.70	535	-06	153.20	469			
-42	407.70	535	-08	153.20	469			
-46	560.60	535	-09	201.00	469			
-47	560.60	535	-19	143.60	469			
-99	458.60	535	-28	201.00	469			
83 211 892-00	242.50	469	-33	129.30	469			
-06	388.20	469	-39	153.10	469			
-08	388.20	469	-42	153.20	469			
-19	363.70	469	-46	210.50	469			
-28	509.30	469	-47	210.50	469			
-33	327.40	469	-93	124.40	469			
-39	387.90	469	-99	172.30	469			
-42	388.00	469	83 251 970-00	36.60	268			
-46	533.50	469	-06	58.60	268			
-47	533.50	469	-08	58.60	268			
-93	315.20	469	-09	76.90	268			
-99	436.60	469	-28	76.90	268			
83 211 976-00	220.20	175, 237	-39	58.50	268			
-06	352.40	175, 237	-42	58.50	268			
-19	330.30	175	-99	65.90	268			
-27	330.30	175	83 251 979-00	73.40	326, 470			
-33	297.30	175	-06	117.60	326, 470			
-93	286.20	175	-19	110.20	326, 470			
-99	396.30	175	-28	154.10	326, 470			

Index

Article number	Euro	Page	Article number	Euro	Page	Article number	Euro	Page
-19	3,960.00	211, 212, 402, 403, 475, 476, 539, 540, 632, 635	-47	823.50	78, 327	83 430 976-00	253.50	176, 238, 628
-33	3,564.00	211, 212, 402, 403, 475, 476, 539, 540, 632, 635	-99	673.60	78, 126, 327	-06	405.60	176, 238, 628
-46	5,808.00	475, 476, 539, 540, 632, 635	83 400 976-00	220.20	175, 238, 628	-19	380.30	176, 628
-93	3,432.00	211, 212, 402, 403, 475, 476, 632, 635	-06	352.40	175, 238, 628	-27	380.30	176, 628
-99	4,752.00	211, 212, 272, 273, 402, 403, 475, 476, 539, 540, 632, 635	-19	330.30	175, 628	-33	342.20	176, 628
83 306 980-00	3,960.00	81, 82, 129, 130, 179, 180, 331, 332, 633, 635	-27	330.30	175, 628	-93	329.50	176, 628
-19	5,940.00	81, 82, 129, 130, 179, 180, 331, 332, 633, 635	-33	297.30	175, 628	-99	456.30	176, 628
-33	5,346.00	179, 180, 331, 332, 633, 635	-93	286.20	175, 628	83 433 976-00	400.80	176, 238, 628
-46	8,712.00	81, 82, 331, 332, 633, 635	-99	396.30	175, 628	-06	641.30	176, 238, 628
-93	5,148.00	179, 180, 633, 635	83 400 979-00	278.90	77, 125, 207, 268, 326, 397, 470, 536	-19	601.20	176, 628
-99	7,128.00	81, 82, 129, 130, 179, 180, 331, 332, 633, 635	-06	446.30	77, 125, 207, 268, 326, 397, 470, 536	-27	601.20	176, 628
83 314 979-00	1,760.00	211, 212, 241, 242, 272, 273, 402, 403, 475, 476, 539, 540, 633, 635	-08	446.30	268, 326, 397, 470, 536	-33	541.10	176, 628
-19	2,640.00	211, 212, 402, 403, 475, 476, 539, 540, 633, 635	-09	585.70	268, 326, 397, 470, 536	-93	521.00	176, 628
-33	2,376.00	211, 212, 402, 403, 475, 476, 539, 540, 633, 635	-19	418.50	268, 326, 397, 470, 536	-99	721.40	176, 628
-46	3,872.00	475, 476, 539, 540, 633, 635	-26	418.50	397, 470, 536	83 435 970-00	457.60	78, 126, 208, 269, 328, 398, 471, 536
-93	2,288.00	211, 212, 402, 403, 475, 476, 633, 635	-27	418.50	207, 397	-06	732.10	78, 126, 208, 269, 328, 398, 471, 536
-99	3,168.00	211, 212, 272, 273, 402, 403, 475, 476, 539, 540, 633, 635	-28	585.70	125, 268, 326, 470, 536	-08	732.10	269, 328, 398, 471, 536
83 314 980-00	2,640.00	81, 82, 129, 130, 179, 180, 331, 332, 633, 636	-33	376.50	207, 326, 397, 470, 536	-19	686.50	78, 126, 208, 328, 398, 471, 536
-19	3,960.00	81, 82, 129, 130, 179, 180, 331, 332, 633, 636	-39	446.30	268, 326, 397, 470, 536	-26	686.50	398
-33	3,564.00	179, 180, 331, 332, 633, 636	-42	446.30	125, 268, 326, 397, 470, 536	-27	686.50	208, 398
-46	5,808.00	81, 82, 331, 332, 633, 636	-46	613.60	77, 326, 470, 536	-28	961.00	126, 269, 328, 471, 536
-93	3,432.00	179, 180, 633, 636	-47	613.60	77, 326, 470, 536	-33	617.90	208, 328, 398, 471, 536
-99	4,752.00	81, 82, 129, 130, 179, 180, 331, 332, 633, 636	-93	362.70	207, 397, 470	-39	732.20	269, 328, 398, 471, 536
83 316 979-00	2,640.00	211, 213, 241, 242, 272, 273, 402, 404, 475, 477, 540, 541, 633, 636	-99	502.00	77, 125, 207, 268, 326, 397, 470, 536	-42	732.20	126, 269, 328, 398, 471, 536
-19	3,960.00	211, 213, 402, 404, 475, 477, 540, 541, 633, 636	83 401 979-00	278.90	77, 126, 207, 268, 327, 398, 470, 536	-46	1,006.70	78, 328, 471, 536
-33	3,564.00	211, 213, 402, 404, 475, 477, 540, 541, 633, 636	-06	446.30	77, 126, 207, 268, 327, 398, 470, 536	-47	1,006.70	78, 328, 471, 536
-46	5,808.00	475, 477, 540, 541, 633, 636	-08	446.30	77, 126, 207, 268, 327, 398, 470, 536	-93	594.90	208, 398, 471
-93	3,432.00	211, 213, 402, 404, 475, 477, 633, 636	-09	585.70	327, 398, 470, 536	-99	823.80	78, 126, 208, 269, 328, 398, 471, 536
-99	4,752.00	211, 213, 272, 273, 402, 404, 475, 477, 540, 541, 633, 636	-19	418.50	268, 327, 398, 470, 536	83 482 970-00	157.10	208, 398, 471
83 316 980-00	3,960.00	81, 82, 130, 131, 179, 180, 331, 333, 634, 636	-26	418.50	398, 470, 536	-06	251.20	208, 398, 471
-19	5,940.00	81, 82, 130, 131, 179, 180, 331, 333, 634, 636	-27	418.50	398	-08	251.40	398, 471
-33	5,346.00	179, 180, 331, 333, 634, 636	-28	585.70	207, 398	-19	235.60	208, 398, 471
-46	8,712.00	81, 82, 331, 333, 634, 636	-33	376.50	126, 268, 327, 470, 536	-26	235.70	398
-93	5,148.00	179, 180, 634, 636	-39	446.30	207, 327, 398, 470, 536	-27	235.70	208, 398
-99	7,128.00	81, 82, 130, 131, 179, 180, 331, 333, 634, 636	-42	446.30	126, 268, 327, 470, 536	-28	329.90	471
83 400 780-00	374.30	78, 126, 327	-46	613.60	268, 327, 398, 470, 536	-33	212.20	208, 398, 471
-06	599.00	78, 126, 327	-47	613.60	77, 327, 470, 536	-39	251.30	398, 471
-08	599.00	327	-93	362.70	77, 327, 470, 536	-42	251.30	398, 471
-19	561.60	78, 126, 327	-99	502.00	77, 126, 207, 268, 327, 398, 470, 536	-46	345.60	471
-28	786.00	126, 327	83 410 780-00	382.70	126, 327	-47	345.60	471
-39	598.80	327	-06	611.70	126, 327	-93	204.20	208, 398, 471
-42	598.80	126, 327	-08	611.70	327	-99	282.80	208, 398, 471
-46	823.50	78, 327	-19	574.00	126, 327	83 500 361-00	237.40	269
			-28	803.70	126, 327	-06	380.10	269
			-39	612.40	327	-08	380.10	269
			-42	612.40	126, 327	-09	498.50	269
			-46	841.90	327	-28	498.50	269
			-47	841.90	327	-39	379.90	269
			-99	688.90	126, 327	-42	379.90	269
			83 410 976-00	220.30	176, 238, 628	-99	427.80	269
			-06	352.50	176, 238, 628	83 500 670-00	270.40	176, 628
			-19	330.50	176, 628	-06	432.60	176, 628
			-27	330.50	176, 628	-19	405.60	176, 628
			-33	297.50	176, 628	-33	365.10	176, 628
			-93	286.40	176, 628	-93	351.50	176, 628
			-99	396.60	176, 628	83 500 705-00	307.70	78
			83 410 979-00	289.30	78, 126, 208, 269, 327, 398, 471, 536	-06	492.10	78
			-06	462.90	78, 126, 208, 269, 327, 398, 471, 536	-19	461.40	78
			-08	462.90	269, 327, 398, 471, 536	-46	676.90	78
			-09	607.50	269, 327, 398, 471, 536	-47	676.90	78
			-19	434.10	269, 327, 398, 471, 536	-99	553.60	78
			-26	434.00	398	83 500 780-00	307.70	127, 328
			-27	434.00	208, 398	-06	492.10	127, 328
			-28	607.50	126, 269, 327, 471, 536	-08	492.10	328
			-33	390.60	208, 327, 398, 471, 536	-19	461.40	127, 328
			-39	462.90	208, 327, 398, 471, 536	-28	646.20	127, 328
			-42	462.90	269, 327, 398, 471, 536	-39	492.20	328
			-46	636.50	78, 126, 208, 269, 327, 398, 471, 536	-42	492.20	127, 328
			-47	636.50	78, 327, 471, 536	-46	676.90	328
			-93	376.20	208, 398, 471	-47	676.90	328
			-99	520.90	78, 126, 208, 269, 327, 398, 471, 536	-99	553.60	127, 328
						83 500 809-00	307.70	537
						-06	492.10	537
						-08	492.10	537
						-19	461.40	537
						-28	646.20	537
						-39	492.20	537
						-42	492.20	537
						-46	676.90	537
						-47	676.90	537
						-99	553.60	537
						83 500 892-00	235.60	472
						-06	377.00	472
						-08	377.00	472
						-19	353.30	472
						-28	494.80	472
						-33	318.10	472
						-39	376.90	472
						-42	376.90	472
						-46	518.30	472

Article number	Euro	Page	Article number	Euro	Page	Article number	Euro	Page
-47	518.30	472	-42	376.90	472	-46	1,142.20	79, 329, 473, 537
-93	306.20	472	-46	518.30	472	-47	1,142.20	79, 329, 473, 537
-99	423.90	472	-47	518.30	472	-93	675.10	209, 400, 473
83 500 976-00	185.10	176, 238, 628	-93	306.20	472	-99	934.60	79, 127, 209, 270, 329, 400, 473, 537
-06	296.10	176, 238, 628	-99	423.90	472			
-19	277.70	176, 628	83 590 976-00	187.30	177, 239, 629	84		
-27	277.70	176, 628	-06	299.60	177, 239, 629	84 435 970-00	421.60	328, 471
-33	249.90	176, 628	-19	280.90	177, 629	-06	674.00	328, 471
-93	240.60	176, 628	-27	280.90	177, 629	-08	674.00	328, 471
-99	333.20	176, 628	-33	252.80	177, 629	-19	632.50	328, 471
83 500 979-00	262.50	208, 399	-93	243.40	177, 629	-28	885.40	328, 471
-06	420.00	208, 399	-99	337.00	177, 629	-33	569.10	328, 471
-19	393.90	208, 399	83 590 979-00	172.60	209, 399	-39	674.50	328, 471
-26	393.90	399	-06	276.30	209, 399	-42	674.50	328, 471
-27	393.90	208, 399	-19	258.90	209, 399	-46	927.50	328, 471
-33	354.40	208, 399	-26	258.90	399	-47	927.50	328, 471
-39	420.00	399	-27	258.90	209, 399	-93	548.10	471
-42	420.00	399	-33	233.00	209, 399	-99	758.90	328, 471
-93	341.30	208, 399	-39	276.20	399	84 910 979-00	469.70	127, 209, 329, 400
-99	472.60	208, 399	-42	276.20	399	-06	751.50	127, 209, 329, 400
83 510 361-00	296.90	269	-93	224.40	209, 399	-08	751.50	329, 400
-06	475.10	269	-99	310.60	209, 399	-19	704.70	127, 209, 329, 400
-08	475.10	269	83 900 361-00	566.00	270	-26	704.60	400
-09	623.50	269	-06	905.20	270	-27	704.60	209, 400
-28	623.50	269	-08	905.20	270	-28	986.40	127, 329
-39	475.10	269	-09	1,188.60	270	-33	634.20	209, 329, 400
-42	475.10	269	-28	1,188.60	270	-39	751.50	329, 400
-99	534.80	269	-39	905.60	270	-42	751.60	127, 329, 400
83 510 892-00	289.40	472	-42	905.60	270	-46	1,033.30	329
-06	463.00	472	-99	1,018.70	270	-47	1,033.30	329
-08	463.00	472	83 900 780-00	475.70	78, 127, 329	-93	610.60	209, 400
-19	434.20	472	-06	761.10	78, 127, 329	-99	845.40	127, 209, 329, 400
-28	607.70	472	-08	761.10	329			
-33	390.80	472	-19	713.40	78, 127, 329	XS		
-39	463.10	472	-28	999.00	127, 329	XS-08 3952	666.10	657
-42	463.10	472	-39	761.10	329	-08 3953	1,910.50	657
-46	636.70	472	-42	761.10	127, 329	-08 3954	1,910.50	657
-47	636.70	472	-46	1,046.50	78, 329	-08 3955	894.60	657
-93	376.40	472	-47	1,046.50	78, 329	-08 7690	960.50	657
-99	521.30	472	-99	856.20	78, 127, 329	-08 7789	701.50	657
83 510 979-00	337.00	208, 399	83 900 809-00	519.40	537	-09 0728	585.90	658
-06	538.90	208, 399	-06	831.30	537	-09 0730	1,185.50	658
-19	505.30	208, 399	-08	831.30	537	-09 0731	1,359.80	658
-26	505.50	399	-19	779.20	537			
-27	505.50	208, 399	-28	1,090.70	537			
-33	455.10	208, 399	-39	831.10	537			
-39	539.20	399	-42	831.00	537			
-42	539.30	399	-46	1,142.70	537			
-93	438.10	208, 399	-47	1,142.70	537			
-99	606.60	208, 399	-99	935.10	537			
83 515 976-00	275.60	176, 238, 629	83 900 892-00	519.40	473			
-06	441.00	176, 238, 629	-06	831.30	473			
-19	413.40	176, 629	-08	831.30	473			
-27	413.40	176, 629	-19	779.20	473			
-33	372.10	176, 629	-28	1,090.70	473			
-93	358.30	176, 629	-33	701.60	473			
-99	496.20	176, 629	-39	831.10	473			
83 525 976-00	430.00	176, 238, 629	-42	831.00	473			
-06	688.00	176, 238, 629	-46	1,142.70	473			
-19	645.10	176, 629	-47	1,142.70	473			
-27	645.10	176, 629	-93	675.30	473			
-33	580.50	176, 629	-99	935.00	473			
-93	559.10	176, 629	83 900 970-00	396.20	79, 209, 399			
-99	774.00	176, 629	-06	634.00	79, 209, 399			
83 590 361-00	236.40	269	-19	594.50	79, 209, 399			
-06	378.10	269	-26	594.40	399			
-08	378.10	269	-27	594.40	209, 399			
-09	496.40	269	-33	535.10	209, 399			
-28	496.40	269	-39	634.00	399			
-39	378.20	269	-42	634.10	399			
-42	378.20	269	-46	871.60	79			
-99	425.40	269	-47	871.60	79			
83 590 780-00	307.70	127, 328	-93	515.20	209, 399			
-06	492.10	127, 328	-99	713.30	79, 209, 399			
-08	492.10	328	83 900 976-00	264.40	177, 239, 629			
-19	461.40	127, 328	-06	423.00	177, 239, 629			
-28	646.20	127, 328	-19	396.70	177, 629			
-39	492.20	328	-27	396.70	177, 629			
-42	492.20	127, 328	-33	356.90	177, 629			
-46	676.90	328	-93	343.70	177, 629			
-47	676.90	328	-99	476.00	177, 629			
-99	553.60	127, 328	83 910 979-00	519.20	79, 127, 209, 270, 329, 400, 473, 537			
83 590 809-00	235.60	537	-06	830.90	79, 127, 209, 270, 329, 400, 473, 537			
-06	377.00	537	-08	830.90	270, 329, 400, 473, 537			
-08	376.90	537	-19	778.90	79, 127, 209, 329, 400, 473, 537			
-19	353.30	537	-26	778.80	400			
-28	494.80	537	-27	778.80	209, 400			
-39	376.90	537	-28	1,090.30	127, 270, 329, 473, 537			
-42	376.90	537	-33	700.90	209, 329, 400, 473, 537			
-46	518.30	537	-39	830.80	270, 329, 400, 473, 537			
-47	518.30	537	-42	830.70	127, 270, 329, 400, 473, 537			
-99	423.80	537						
83 590 892-00	235.60	472						
-06	377.00	472						
-08	377.00	472						
-19	353.30	472						
-28	494.80	472						
-33	318.10	472						
-39	376.90	472						



Basin
from page 43

Bidet
from page 46

Shower
from page 49

Thermostats, mixers, diverters
and valves
from page 63

Bath
from page 72

Accessories
from page 77

Basin fittings

Single-lever basin mixers

173mm projection



33 521 705

Three-hole basin mixers

160mm projection



13 714 705 +
20 004 705 +
20 004 706

160mm projection



13 715 705 +
20 004 705 +
20 004 706

200mm projection



13 717 705 +
20 004 705 +
20 004 706

Deck-mounted basin spouts

160mm projection



13 714 705

160mm projection



13 715 705

Deck-mounted basin spouts

200mm projection



13 717 705

Wall-mounted single-lever basin mixers

198mm projection



36 860 705

Wall-mounted basin mixers

200mm projection



13 800 705 +
36 607 706 +
36 607 707

Wall-mounted basin spouts

200mm projection



13 800 705

Touchfree

160mm projection



13 715 705 +
42 765 970

200mm projection



13 800 705 +
42 765 970

Showers

Shower sets



26 413 980 +
28 012 979



26 413 979 +
28 018 979



34 459 980 +
28 018 979
34 458 980

Shower pipes with shower thermostat

Head showers with one spray type



28 504 670

Head showers with multiple jet types



28 508 980

Rain showers with wall connection



28 765 980
28 764 980

Rain showers with ceiling connection

Rain showers for ceiling connection

Rain showers for ceiling installation

Hand shower sets with integrated shower holder



28 775 980
28 774 980



28 041 980



28 042 980



28 043 980



28 044 980



27 802 970

Hand shower sets with individual rosettes



27 808 980



27 809 985

Hand shower sets with cover plate



27 818 980

Side showers



28 528 782
28 518 782

Massage modules

WATER POINTS



36 525 979
36 515 979

WATER BAR



36 527 979
36 517 979

Massage modules

WATER CURVE



36 514 979

WATER FAN



36 513 979
36 512 979

Waterfalls

WATER SHEET



13 415 979

WATER FALL



13 420 979

WATER FALL



13 425 979

Kneipp modules



27 838 979
27 858 979

Kneipp modules

WATER TUBE



27 821 979 +
28 285 979
27 841 979

Bath fittings

Single-lever mixers



36 120 670



29 300 670



36 120 670

Free-standing bath fittings

238mm projection



25 863 705

Five-hole bath mixers

200mm projection



13 612 705 +
27 702 980 +
20 000 705 +
20 000 706 +
29 140 670

Bath spouts

200mm projection



13 612 705

Bath spouts

205mm projection



13 801 705

Hand shower sets

230mm projection



27 702 980

Miscellaneous

26mm projection



36 243 970

integrated bath filling

26mm projection



36 247 970

33 521 705



Single-lever basin mixer without pop-up waste

- **173mm projection**
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 226 mm
- base 56 x 52mm
- height up to aerator 212 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2x European pressure hose
- max. flow 4 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	33 521 705 FF	FF	Euro
Chrome		-00	1,187.60
Brushed Platinum		-06	1,900.40
Champagne (22kt Gold)		-47	2,612.70
Brushed Champagne (22kt Gold)		-46	2,612.70
Dark Chrome		-19	1,781.40
Brushed Dark Platinum		-99	2,137.80

13 714 705 +
20 004 705 +
20 004 706



Three-hole basin mixer without pop-up waste

- **160mm projection**
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 108 mm
- height up to aerator 94 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette 60 x 47 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Blue marking
- Finish variants
- Flow rate modification
- Red marking
- without logo

Set	1x 13 714 705 FF		1x 20 004 705 FF 1x 20 004 706 FF		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	837.00	-00	329.20	1,495.40
Brushed Platinum	-06	1,339.30	-06	526.50	2,392.30
Champagne (22kt Gold)	-47	1,841.40	-47	724.20	3,289.80
Brushed Champagne (22kt Gold)	-46	1,841.40	-46	724.20	3,289.80
Dark Chrome	-19	1,255.60	-19	493.80	2,243.20
Brushed Dark Platinum	-99	1,506.80	-99	592.50	2,691.80



Recommended miscellaneous

High pressure hoses

12 506 970 FF | FF Euro

- 2x 3/8" x 1/2" x 500mm high pressure hose | Accessories **90** 90.70

13 715 705 +
20 004 705 +
20 004 706



Three-hole basin mixer without pop-up waste

- **160mm projection**
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 204 mm
- height up to aerator 190 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette 60 x 47 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Blue marking
- Finish variants
- Flow rate modification
- Red marking
- without logo

Set	1x 13 715 705 FF		1x 20 004 705 FF 1x 20 004 706 FF		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	907.30	-00	329.20	1,565.70
Brushed Platinum	-06	1,451.30	-06	526.50	2,504.30
Champagne (22kt Gold)	-47	1,996.10	-47	724.20	3,444.50
Brushed Champagne (22kt Gold)	-46	1,996.10	-46	724.20	3,444.50
Dark Chrome	-19	1,360.90	-19	493.80	2,348.50
Brushed Dark Platinum	-99	1,633.00	-99	592.50	2,818.00



Recommended miscellaneous

High pressure hoses

12 506 970 FF | FF Euro

- 2x 3/8" x 1/2" x 500mm high pressure hose | Accessories **90** 90.70

13 717 705 +
20 004 705 +
20 004 706



Three-hole basin mixer without pop-up waste

- 200mm projection
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 343 mm
- height up to aerator 329 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette 60 x 47 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Blue marking
- Finish variants
- Flow rate modification
- Red marking
- without logo

Set	1x 13 717 705 FF		1x 20 004 705 FF 1x 20 004 706 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,140.10	-00	329.20	1,798.50
Brushed Platinum	-06	1,824.00	-06	526.50	2,877.00
Champagne (22kt Gold)	-47	2,508.20	-47	724.20	3,956.60
Brushed Champagne (22kt Gold)	-46	2,508.20	-46	724.20	3,956.60
Dark Chrome	-19	1,710.20	-19	493.80	2,697.80
Brushed Dark Platinum	-99	2,052.20	-99	592.50	3,237.20



Recommended miscellaneous

	12 506 970 FF	FF	Euro
High pressure hoses			
• 2x 3/8" x 1/2" x 500mm high pressure hose		Accessories	90
			90.70

13 714 705



Deck-mounted basin spout without pop-up waste

- 160mm projection
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 108 mm
- height up to aerator 94 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 4 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	13 714 705 FF	FF	Euro
Chrome		-00	837.00
Brushed Platinum		-06	1,339.30
Champagne (22kt Gold)		-47	1,841.40
Brushed Champagne (22kt Gold)		-46	1,841.40
Dark Chrome		-19	1,255.60
Brushed Dark Platinum		-99	1,506.80

13 715 705



Deck-mounted basin spout without pop-up waste

- 160mm projection
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 204 mm
- height up to aerator 190 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 4 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	13 715 705 FF	FF	Euro
Chrome		-00	907.30
Brushed Platinum		-06	1,451.30
Champagne (22kt Gold)		-47	1,996.10
Brushed Champagne (22kt Gold)		-46	1,996.10
Dark Chrome		-19	1,360.90
Brushed Dark Platinum		-99	1,633.00

13 717 705



Deck-mounted basin spout without pop-up waste


- 200mm projection
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 343 mm
- height up to aerator 329 mm
- hole diameter 35 mm
- max. flow 4 l/min
- 1/2" connection
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	13 717 705 FF	FF	Euro
Chrome		-00	1,140.10
Brushed Platinum		-06	1,824.00
Champagne (22kt Gold)		-47	2,508.20
Brushed Champagne (22kt Gold)		-46	2,508.20
Dark Chrome		-19	1,710.20
Brushed Dark Platinum		-99	2,052.20

36 860 705


Wall-mounted single-lever basin mixer without pop-up waste

- **198mm projection**
- fixed spout
- rectangular spray pattern with 40 individual jets
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette 80 x 80 mm
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 860 705 FF	FF	Euro
Chrome		-00	1,099.90
Brushed Platinum		-06	1,759.70
Champagne (22kt Gold)		-47	2,419.80
Brushed Champagne (22kt Gold)		-46	2,419.80
Dark Chrome		-19	1,650.00
Brushed Dark Platinum		-99	1,979.90



Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
• min. recess depth 80 mm		90	224.60
• max. recess depth 95 mm			
• mixer can be placed above, to the left or to the right of the spout.			

For details and miscellaneous, see page 640

 13 800 705 +
36 607 706 +
36 607 707

Wall-mounted basin mixer without pop-up waste

- **200mm projection**
- fixed spout
- rectangular spray pattern with 40 individual jets
- hole diameter valve 35 mm
- hole diameter spout 40 mm
- rosette 60 x 60 mm
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Blue marking
- Finish variants
- Red marking
- without logo

Set	1x 13 800 705 FF		1x 36 607 706 FF 1x 36 607 707 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	783.30	-00	278.90	1,341.10
Brushed Platinum	-06	1,253.50	-06	446.50	2,146.50
Champagne (22kt Gold)	-47	1,723.30	-47	613.60	2,950.50
Brushed Champagne (22kt Gold)	-46	1,723.30	-46	613.60	2,950.50
Dark Chrome	-19	1,175.00	-19	418.50	2,012.00
Brushed Dark Platinum	-99	1,410.00	-99	502.10	2,414.20



Required miscellaneous

Concealed wall-mounted mixer centred spout

	35 700 970 FF	FF	Euro
• min. recess depth 110 mm		90	193.30
• max. recess depth 150 mm			

For details and miscellaneous, see page 640



Required miscellaneous

Concealed wall-mounted mixer variable positioning

	35 720 970 FF	FF	Euro
• min. recess depth 110 mm		90	154.20
• max. recess depth 150 mm			

For details and miscellaneous, see page 640

13 800 705


Wall-mounted basin spout without pop-up waste

- **200mm projection**
- fixed spout
- rectangular spray pattern with 40 individual jets
- hole diameter 37 mm
- lead-free
- 1/2" connection
- plug-link mounting
- max. flow 4.5 l/min
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- without logo

Standard article	13 800 705 FF	FF	Euro
Chrome		-00	783.30
Brushed Platinum		-06	1,253.50
Champagne (22kt Gold)		-47	1,723.30
Brushed Champagne (22kt Gold)		-46	1,723.30
Dark Chrome		-19	1,175.00
Brushed Dark Platinum		-99	1,410.00



Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm		90	122.80
• max. recess depth 163 mm			

For details and miscellaneous, see page 645

13 715 705 +
42 765 970**eSET Touchfree Basin mixer without pop-up waste with temperature setting**

- **160mm projection**
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 204 mm
- height up to aerator 190 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 4 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- Flow rate modification
- without logo

	1x 13 715 705 FF max. flow 4 l/min		1x 42 765 970 90 FF		Total price:
Set	FF	Euro	FF	Euro	Euro
Chrome	-00	907.30	90	687.50	1,594.80



Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

35 740 970 FF | FF | Euro

For details and miscellaneous, see page 646

Concealed rough parts

90 | 313.70

13 800 705 +
42 765 970**eSET Touchfree Basin mixer without pop-up waste with temperature setting**

- **200mm projection**
- fixed spout
- rectangular spray pattern with 40 individual jets
- hole diameter 37 mm
- 1/2" connection
- plug-link mounting
- max. flow 4.5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- without logo

	1x 13 800 705 FF max. flow 4.5 l/min		1x 42 765 970 90 FF		Total price:
Set	FF	Euro	FF	Euro	Euro
Chrome	-00	783.30	90	687.50	1,470.80



Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

35 741 970 FF | FF | Euro

- min. recess depth 90 mm

- max. recess depth 125 mm

For details and miscellaneous, see page 646

Concealed rough parts

90 | 313.70



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF | FF | Euro

- min. recess depth 90 mm

- max. recess depth 163 mm

For details and miscellaneous, see page 645

Concealed rough parts

90 | 122.80

Miscellaneous

22 901 782

**Angle valve**

- rosette 60 x 60 mm
- hose covering 200mm, for shortening
- 1/2" connection

Custom-made options

- Finish variants
- without logo

Standard article	22 901 782 FF	FF	Euro
Chrome	-00		215.10
Brushed Platinum	-06		344.20
Champagne (22kt Gold)	-47		473.20
Brushed Champagne (22kt Gold)	-46		473.20
Dark Chrome	-19		322.70
Brushed Dark Platinum	-99		387.30

10 060 780



Siphon for basin 1 1/4"

- rosette 78 x 78 mm

Custom-made options

- Finish variants

Standard article	10 060 780 FF	FF	Euro
Chrome		-00	387.40
Brushed Platinum		-06	619.90
Champagne (22kt Gold)		-47	774.70
Brushed Champagne (22kt Gold)		-46	774.70
Dark Chrome		-19	581.10
Brushed Dark Platinum		-99	697.30

33 600 705

**Single-lever bidet mixer without pop-up waste**

- 145mm projection
- pivotable spout 30°
- rectangular, air-enriched flow
- height of mixer 190 mm
- height up to aerator 113 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2x European pressure hose for bidet fitting
- max. flow 6 l/min

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	33 600 705 FF	FF	Euro
Chrome		-00	1,536.20
Brushed Platinum		-06	2,457.90
Champagne (22kt Gold)		-47	3,379.60
Brushed Champagne (22kt Gold)		-46	3,379.60
Dark Chrome		-19	2,304.50
Brushed Dark Platinum		-99	2,765.20

27 701 970

**Bidet spray**

- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2" shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options

- Finish variants
- without logo

Standard article	27 701 970 FF	FF	Euro
Chrome		-00	323.10
Brushed Platinum		-06	516.80
Champagne (22kt Gold)		-47	710.80
Brushed Champagne (22kt Gold)		-46	710.80
Dark Chrome		-19	484.60
Brushed Dark Platinum		-99	581.60



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
Concealed rough parts		90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

27 701 670

**Bidet spray**

- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2" shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options

- Finish variants
- without logo

Standard article	27 701 670 FF	FF	Euro
Chrome		-00	323.10
Brushed Platinum		-06	516.80
Champagne (22kt Gold)		-47	710.80
Brushed Champagne (22kt Gold)		-46	710.80
Dark Chrome		-19	484.60
Brushed Dark Platinum		-99	581.60



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
Concealed rough parts		90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

26 413 980 +
 28 012 979

Shower set

- slide bar
- Pipe diameter 18 mm
- rosette 60 x 60 mm
- gauge 800 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- Four settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, COMPACT CASCADE, max. flow rate 15 l/min (at 3 bar)
- spray head Ø 120mm

Fits MEM, CL.1, IMO, CYO
Intrinsic protection against back flow.
Custom-made options

- Finish variants
- Flow rate modification
- without logo

Set	1x 26 413 980 FF		1x 28 012 979 FF		Total price:
	FF	Euro	max. flow 15 l/min	Euro	
Chrome	-00	701.90	-00	236.10	938.00
Brushed Platinum	-06	1,122.50	-06	377.70	1,500.20
Champagne (22kt Gold)	-47	1,544.20	-47	519.40	2,063.60
Brushed Champagne (22kt Gold)	-46	1,544.20	-46	519.40	2,063.60
Dark Chrome	-19	1,052.80	-19	354.10	1,406.90
Brushed Dark Platinum	-99	1,262.90	-99	425.00	1,687.90



Recommended miscellaneous

Wall elbow
28 450 980 FF

	FF	Euro
For details and miscellaneous, see main items		
Chrome	-00	165.10
Brushed Platinum	-06	264.40
Champagne (22kt Gold)	-47	363.20
Brushed Champagne (22kt Gold)	-46	363.20
Dark Chrome	-19	247.90
Brushed Dark Platinum	-99	297.40



Recommended miscellaneous

Concealed wall elbow
35 085 970 FF

	FF	Euro
For details and miscellaneous, see page 645		
Concealed rough parts	90	122.80

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.



Alternative hand shower	28 015 979 FF		28 017 979 FF		28 018 979 FF		28 016 979 FF		28 029 979 FF	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	135.80	-00	195.80	-00	237.40
Brushed Platinum	-06	202.30	-06	291.10	-06	217.10	-06	313.60	-06	379.90
Champagne (22kt Gold)	-47	277.90	-47	400.20	-47	298.80	-47	430.80	-47	522.30
Brushed Champagne (22kt Gold)	-46	277.90	-46	400.20	-46	298.80	-46	430.80	-46	522.30
Dark Chrome	-19	189.40	-19	272.80	-19	203.60	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	244.30	-99	352.60	-99	427.30

26 413 979 +
28 018 979



Shower set

- slide bar
- Pipe diameter 18 mm
- gauge 853 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 7 l/min
- spray head Ø 100mm

Fits MEM, CL.1, IMO, META, TARA, VAIA, LULU, LISSÉ, CYO

NOTE: Hand shower sold separately. Please see hand shower options under the miscellaneous articles section of each series.

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Set	1x 26 413 979 FF		1x 28 018 979 FF		Total price:
	FF	Euro	FF	Euro	
Chrome	-00	420.30	-00	135.80	556.10
Brushed Platinum	-06	685.60	-06	217.10	902.70
Champagne (22kt Gold)	-47	924.70	-47	298.80	1,223.50
Brushed Champagne (22kt Gold)	-46	924.70	-46	298.80	1,223.50
Dark Chrome	-19	630.70	-19	203.60	834.30
Brushed Dark Platinum	-99	756.40	-99	244.30	1,000.70



Recommended miscellaneous

Wall elbow

28 450 980 FF | FF | Euro

For details and miscellaneous, see main items

	FF	Euro
Chrome	-00	165.10
Brushed Platinum	-06	264.40
Champagne (22kt Gold)	-47	363.20
Brushed Champagne (22kt Gold)	-46	363.20
Dark Chrome	-19	247.90
Brushed Dark Platinum	-99	297.40



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF | FF | Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

Concealed rough parts **90** | 122.80

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.



1 jet Ø 100 mm	1 jet Ø 130 mm	4 jets Ø 120 mm	5 jets Ø 130 mm	1 jet
-------------------	-------------------	--------------------	--------------------	-------

Alternative hand shower	28 015 979 FF		28 017 979 FF		28 012 979 FF		28 016 979 FF		28 029 979 FF	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	236.10	-00	195.80	-00	237.40
Brushed Platinum	-06	202.30	-06	291.10	-06	377.70	-06	313.60	-06	379.90
Champagne (22kt Gold)	-47	277.90	-47	400.20	-47	519.40	-47	430.80	-47	522.30
Brushed Champagne (22kt Gold)	-46	277.90	-46	400.20	-46	519.40	-46	430.80	-46	522.30
Dark Chrome	-19	189.40	-19	272.80	-19	354.10	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	425.00	-99	352.60	-99	427.30

34 459 980 +
 28 018 979

Showerpipe with shower thermostat

- shower with fixed riser projection 453mm
- Rain shower: PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- rain shower 300 x 240mm
- rain shower with anti-scale system
- Hand shower: COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- spray head Ø 100mm
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 1009mm
- height of fittings up to top edge of elbow 1150mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- Flow rate modification
- Height modification
- Red/blue marking
- without logo

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.

Set	1x 34 459 980 FF max. flow 20 l/min		1x 28 018 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	3,079.20	-00	135.80	3,215.00
Brushed Platinum	-06	4,926.80	-06	217.10	5,143.90
Champagne (22kt Gold)	-47	6,774.20	-47	298.80	7,073.00
Brushed Champagne (22kt Gold)	-46	6,774.20	-46	298.80	7,073.00
Dark Chrome	-19	4,618.90	-19	203.60	4,822.50
Brushed Dark Platinum	-99	5,542.50	-99	244.30	5,786.80

Product alternative

- FlowReduce
- Max. flow rate 12 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Standard article	34 458 980 FF	FF	Euro
Chrome		-00	3,079.20
Brushed Platinum		-06	4,926.70
Champagne (22kt Gold)		-47	6,774.20
Brushed Champagne (22kt Gold)		-46	6,774.20
Dark Chrome		-19	4,618.80
Brushed Dark Platinum		-99	5,542.50

Alternative hand shower	28 015 979 FF max. flow 15 l/min		28 017 979 FF max. flow 15 l/min		28 012 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	236.10	-00	195.80	-00	237.40
Brushed Platinum	-06	202.30	-06	291.10	-06	377.70	-06	313.60	-06	379.90
Champagne (22kt Gold)	-47	277.90	-47	400.20	-47	519.40	-47	430.80	-47	522.30
Brushed Champagne (22kt Gold)	-46	277.90	-46	400.20	-46	519.40	-46	430.80	-46	522.30
Dark Chrome	-19	189.40	-19	272.80	-19	354.10	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	425.00	-99	352.60	-99	427.30

28 504 670


Shower head

- 180-210mm projection
- ball-joint pivotable through 30°
- PURIFY RAIN, max. flow rate 7 l/min (at 3 bar)
- with anti-scale system
- spray head Ø 100mm
- rosette 60 x 60 mm
- 1/2" connection
- Function from: 6 l/min

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	28 504 670 FF	FF	Euro
Chrome		-00	613.10
Brushed Platinum		-06	972.80
Champagne (22kt Gold)		-47	1,348.80
Brushed Champagne (22kt Gold)		-46	1,348.80
Dark Chrome		-19	919.50
Brushed Dark Platinum		-99	1,103.40



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
Concealed rough parts		90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

28 508 980

**Shower head**

- 200mm projection
- ball-joint pivotable through 30°
- Three settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system
- spray head Ø 92mm
- rosette 60 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 508 980 FF	FF	Euro
Chrome		-00	680.40
Brushed Platinum		-06	1,088.30
Champagne (22kt Gold)		-47	1,496.90
Brushed Champagne (22kt Gold)		-46	1,496.90
Dark Chrome		-19	1,020.50
Brushed Dark Platinum		-99	1,224.90

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 508 980 FF	FF	Euro
Chrome		-000010	680.40
Brushed Platinum		-060010	1,088.30
Champagne (22kt Gold)		-470010	1,496.90
Brushed Champagne (22kt Gold)		-460010	1,496.90
Dark Chrome		-190010	1,020.50
Brushed Dark Platinum		-990010	1,224.90



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

Concealed rough parts	90	122.80
-----------------------	----	--------

28 765 980

**Rain shower with wall fixing 300 x 240 mm**

- 450mm projection
- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- rosette 60 x 60 mm
- 1/2" connection
- with anti-scale system
- quick clearing

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- Projection modification
- without logo

Standard article	28 765 980 FF	FF	Euro
Chrome		-00	1,528.60
Brushed Platinum		-06	2,445.70
Champagne (22kt Gold)		-47	3,362.90
Brushed Champagne (22kt Gold)		-46	3,362.90
Dark Chrome		-19	2,293.00
Brushed Dark Platinum		-99	2,751.50

Product alternative

- FlowReduce
- Max. flow rate 12 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 764 980 FF	FF	Euro
Chrome		-00	1,528.60
Brushed Platinum		-06	2,445.80
Champagne (22kt Gold)		-47	3,362.90
Brushed Champagne (22kt Gold)		-46	3,362.90
Dark Chrome		-19	2,293.00
Brushed Dark Platinum		-99	2,751.50



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

Concealed rough parts	90	122.80
-----------------------	----	--------

28 775 980


Rain shower with ceiling fixing 300 x 240 mm

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- distance between ceiling and lower edge of the shower 165mm
- rosette 60 x 60, as required
- 1/2" connection
- with anti-scale system
- quick clearing

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- Length modification
- without logo

Standard article	28 775 980 FF	FF	Euro
Chrome		-00	1,299.30
Brushed Platinum		-06	2,079.10
Champagne (22kt Gold)		-47	2,858.50
Brushed Champagne (22kt Gold)		-46	2,858.50
Dark Chrome		-19	1,949.00
Brushed Dark Platinum		-99	2,338.70

Product alternative

- FlowReduce
- Max. flow rate 12 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 774 980 FF	FF	Euro
Chrome		-00	1,299.30
Brushed Platinum		-06	2,079.10
Champagne (22kt Gold)		-47	2,858.50
Brushed Champagne (22kt Gold)		-46	2,858.50
Dark Chrome		-19	1,949.10
Brushed Dark Platinum		-99	2,338.80



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
Concealed rough parts		90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

28 041 980


Rain shower for surface-mounted ceiling installation 300 x 240 mm

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- For simultaneous control of the jet types, we recommend the xTool thermostat module
- Not suitable for use in a steam room.

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	28 041 980 FF	FF	Euro
Chrome		-00	746.90
Brushed Platinum		-06	1,195.10
Champagne (22kt Gold)		-47	1,643.20
Brushed Champagne (22kt Gold)		-46	1,643.20
Dark Chrome		-19	1,120.30
Brushed Dark Platinum		-99	1,344.40

Required miscellaneous


Concealed ceiling installation box with ceiling fixing

Standard article	35 041 970 FF	FF	Euro
Concealed rough parts		90	497.90

- concealed rough parts
- min. recess depth 90 mm
- max. recess depth 115 mm
- 2x female thread 1/2" outlet

For details and miscellaneous, see page 648

28 042 980


Rain shower for surface-mounted ceiling installation with light 300 x 240 mm

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- **Ceiling module power supply**
- 350mA (CC)
- **Spot lighting**
- LED colour temperature approx. 3000 K
- Bulbs protected against splashing water
- Contains energy efficiency class bulbs
- Technology: LED, not dimmable
- Provided by customer: Light switch
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	28 042 980 FF	FF	Euro
Chrome		-00	1,122.20
Brushed Platinum		-06	1,795.50
Champagne (22kt Gold)		-47	2,468.80
Brushed Champagne (22kt Gold)		-46	2,468.80
Dark Chrome		-19	1,683.20
Brushed Dark Platinum		-99	2,020.00

Required miscellaneous


Concealed ceiling installation box for surface-mounted ceiling installation with light

Standard article	35 042 970 FF	FF	Euro
Concealed rough parts		90	748.00

- concealed rough parts
- min. recess depth 90 mm
- max. recess depth 115 mm
- 2x female thread 1/2" connections
- Input 100-240V AC 50-60Hz
- Output 350 mA SELV / Class 2
- Provided by customer: Light switch

For details and miscellaneous, see page 648

28 043 980


Rain shower for recessed ceiling installation 300 x 240 mm

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- min. recess depth 137 mm
- with anti-scale system
- For simultaneous control of the jet types, we recommend the xTool thermostat module
- Not suitable for use in a steam room.

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	28 043 980 FF	FF	Euro
Chrome		-00	1,497.40
Brushed Platinum		-06	2,395.80
Champagne (22kt Gold)		-47	3,294.30
Brushed Champagne (22kt Gold)		-46	3,294.30
Dark Chrome		-19	2,246.10
Brushed Dark Platinum		-99	2,695.30

Required miscellaneous


Concealed ceiling installation box for recessed ceiling installation

	35 043 970 FF	FF	Euro
concealed rough parts	Concealed rough parts	90	998.30

- recess depth 137mm
- 2x female thread 1/2" outlet
- flush-mounted RAL 9003 signal white light reflection box 310 x 250 mm

For details and miscellaneous, see page 647

28 044 980


Rain shower for recessed ceiling installation with light 300 x 240 mm

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- min. recess depth 137 mm
- with anti-scale system
- **Ceiling module power supply**
- 12V DC (CV)
- **Spot lighting**
- LED coloured light RGBW
- Bulbs protected against splashing water
- **Ambient lighting**
- LED coloured light RGBW
- Bulbs protected against splashing water
- **Activation**
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

includes light bulbs with a Class G energy efficiency
Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	28 044 980 FF	FF	Euro
Chrome		-00	2,248.00
Brushed Platinum		-06	3,596.80
Champagne (22kt Gold)		-47	4,945.60
Brushed Champagne (22kt Gold)		-46	4,945.60
Dark Chrome		-19	3,371.90
Brushed Dark Platinum		-99	4,046.30

Required miscellaneous


Concealed ceiling installation box for recessed ceiling installation with light

	35 044 970 FF	FF	Euro
concealed rough parts	Concealed rough parts	90	1,498.70

- flush-mounted installation box 360x 300 mm RAL 9003 signal white
- recess depth 137mm
- Input 100-240V AC 50-60Hz
- Output 12V DC SELV / Class 2
- ZigBee Light Link RGBW controller

For details and miscellaneous, see page 648

27 802 970

Hand shower set with integrated shower holder

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection
- rosette 60 x 60 mm
- 1/2" connection

Intrinsic protection against back flow.
Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 802 970 FF	FF	Euro
Chrome		-00	469.60
Brushed Platinum		-06	750.60
Champagne (22kt Gold)		-47	1,033.10
Brushed Champagne (22kt Gold)		-46	1,033.10
Dark Chrome		-19	704.50
Brushed Dark Platinum		-99	844.90

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 802 970 FF	FF	Euro
Chrome		-000010	469.60
Brushed Platinum		-060010	750.60
Champagne (22kt Gold)		-470010	1,033.10
Brushed Champagne (22kt Gold)		-460010	1,033.10
Dark Chrome		-190010	704.50
Brushed Dark Platinum		-990010	844.90



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
	Concealed rough parts	90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

27 808 980

Hand shower set with individual rosettes

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow

Intrinsic protection against back flow.
Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 808 980 FF	FF	Euro
Chrome		-00	708.60
Brushed Platinum		-06	1,133.70
Champagne (22kt Gold)		-47	1,558.90
Brushed Champagne (22kt Gold)		-46	1,558.90
Dark Chrome		-19	1,062.90
Brushed Dark Platinum		-99	1,275.20

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 808 980 FF	FF	Euro
Chrome		-000010	708.60
Brushed Platinum		-060010	1,133.70
Champagne (22kt Gold)		-470010	1,558.90
Brushed Champagne (22kt Gold)		-460010	1,558.90
Dark Chrome		-190010	1,062.90
Brushed Dark Platinum		-990010	1,275.20



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
	Concealed rough parts	90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

27 809 985

**Hand shower set with individual rosettes with volume control**

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with volume control
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow

Fits MEM, CL.1, CYO**Intrinsic protection against back flow.****Custom-made options**

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 809 985 FF	FF	Euro
Chrome		-00	930.10
Brushed Platinum		-06	1,488.20
Champagne (22kt Gold)		-47	2,046.20
Brushed Champagne (22kt Gold)		-46	2,046.20
Dark Chrome		-19	1,395.20
Brushed Dark Platinum		-99	1,674.10

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 809 985 FF	FF	Euro
Chrome		-000010	930.10
Brushed Platinum		-060010	1,488.20
Champagne (22kt Gold)		-470010	2,046.20
Brushed Champagne (22kt Gold)		-460010	2,046.20
Dark Chrome		-190010	1,395.20
Brushed Dark Platinum		-990010	1,674.10



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
	Concealed rough parts	90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

27 818 980

**Hand shower set with cover plate**

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- cover plate 240 x 60 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow

Intrinsic protection against back flow.**Fits MEM, CL.1, IMO, CYO****Custom-made options**

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 818 980 FF	FF	Euro
Chrome		-00	842.40
Brushed Platinum		-06	1,347.70
Champagne (22kt Gold)		-47	1,853.30
Brushed Champagne (22kt Gold)		-46	1,853.30
Dark Chrome		-19	1,263.80
Brushed Dark Platinum		-99	1,516.40

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 818 980 FF	FF	Euro
Chrome		-000010	842.40
Brushed Platinum		-060010	1,347.70
Champagne (22kt Gold)		-470010	1,853.30
Brushed Champagne (22kt Gold)		-460010	1,853.30
Dark Chrome		-190010	1,263.80
Brushed Dark Platinum		-990010	1,516.40



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
	Concealed rough parts	90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

28 528 782


Body spray without volume control

- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- HORIZONTAL RAIN, max. flow rate 7 l/min (at 3 bar)
- anti-scale system
- rosette 60 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	28 528 782 FF	FF	Euro
Chrome		-00	378.40
Brushed Platinum		-06	605.40
Champagne (22kt Gold)		-47	832.50
Brushed Champagne (22kt Gold)		-46	832.50
Dark Chrome		-19	567.60
Brushed Dark Platinum		-99	681.20

Product alternative

- FlowReduce
- Max. flow rate 5 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 518 782 FF	FF	Euro
Chrome		-00	378.40
Brushed Platinum		-06	605.60
Champagne (22kt Gold)		-47	832.50
Brushed Champagne (22kt Gold)		-46	832.50
Dark Chrome		-19	567.60
Brushed Dark Platinum		-99	681.30



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

Concealed rough parts	90	122.80
-----------------------	----	--------

36 525 979


WATER POINTS Concealed body spray

- HORIZONTAL RAIN, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- cover plate 120 x 120 mm

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	36 525 979 FF	FF	Euro
Chrome		-00	549.80
Brushed Platinum		-06	879.60
Champagne (22kt Gold)		-47	1,209.60
Brushed Champagne (22kt Gold)		-46	1,209.60
Dark Chrome		-19	824.70
Brushed Dark Platinum		-99	989.50

Product alternative

- FlowReduce
- Max. flow rate 6 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 515 979 FF	FF	Euro
Chrome		-00	549.80
Brushed Platinum		-06	879.20
Champagne (22kt Gold)		-47	1,209.60
Brushed Champagne (22kt Gold)		-46	1,209.60
Dark Chrome		-19	824.80
Brushed Dark Platinum		-99	989.50



Required miscellaneous

Standard article	35 205 970 FF	FF	Euro
Concealed wall installation box			

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 645

Concealed rough parts	90	223.00
-----------------------	----	--------



Required miscellaneous

Standard article	12 360 970 FF	FF	Euro
xGRID Installation track 555 mm			

For details and miscellaneous, see page 655

Concealed rough parts	90	112.20
-----------------------	----	--------

36 527 979

**WATER BAR Concealed body spray**

- HORIZONTAL RAIN, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- cover plate 240 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	36 527 979 FF	FF	Euro
Chrome		-00	849.00
Brushed Platinum		-06	1,358.50
Champagne (22kt Gold)		-47	1,867.80
Brushed Champagne (22kt Gold)		-46	1,867.80
Dark Chrome		-19	1,273.50
Brushed Dark Platinum		-99	1,528.20

Product alternative

- FlowReduce
- Max. flow rate 6 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 517 979 FF	FF	Euro
Chrome		-00	849.00
Brushed Platinum		-06	1,358.70
Champagne (22kt Gold)		-47	1,867.80
Brushed Champagne (22kt Gold)		-46	1,867.80
Dark Chrome		-19	1,273.50
Brushed Dark Platinum		-99	1,527.90

Required miscellaneous

**Concealed wall installation box**

	35 206 970 FF	FF	Euro
• min. recess depth 100 mm		90	301.70
• max. recess depth 173 mm			
For details and miscellaneous, see page 645			

Required miscellaneous

**xGRID Installation track 555 mm**

	12 360 970 FF	FF	Euro
For details and miscellaneous, see page 655		90	112.20

36 514 979

**WATER CURVE Concealed body spray**

- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- cover plate 120 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	36 514 979 FF	FF	Euro
Chrome		-00	1,104.80
Brushed Platinum		-06	1,767.70
Champagne (22kt Gold)		-47	2,430.60
Brushed Champagne (22kt Gold)		-46	2,430.60
Dark Chrome		-19	1,657.10
Brushed Dark Platinum		-99	1,988.70

Recommended miscellaneous

**Concealed wall elbow**

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm		90	122.80
• max. recess depth 163 mm			
For details and miscellaneous, see page 645			

36 513 979

WATER FAN vertical Concealed body spray

- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- cover plate 240 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	36 513 979 FF	FF	Euro
Chrome	-00		824.20
Brushed Platinum	-06		1,319.20
Champagne (22kt Gold)	-47		1,813.20
Brushed Champagne (22kt Gold)	-46		1,813.20
Dark Chrome	-19		1,236.30
Brushed Dark Platinum	-99		1,483.40

Product alternative

- horizontal water jet
- Max. flow rate 10 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 512 979 FF	FF	Euro
Chrome	-00		824.20
Brushed Platinum	-06		1,319.20
Champagne (22kt Gold)	-47		1,813.20
Brushed Champagne (22kt Gold)	-46		1,813.20
Dark Chrome	-19		1,236.30
Brushed Dark Platinum	-99		1,483.40

Required miscellaneous


Concealed wall installation box

35 206 970 FF	FF	Euro
Concealed rough parts	90	301.70

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 645

Required miscellaneous


xGRID Installation track 555 mm

12 360 970 FF	FF	Euro
Concealed rough parts	90	112.20

For details and miscellaneous, see page 655

13 415 979

WATER SHEET Cascade spout for wall mounting

- 150mm projection
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	13 415 979 FF	FF	Euro
Chrome	-00		1,137.90
Brushed Platinum	-06		1,820.60
Champagne (22kt Gold)	-47		2,503.40
Brushed Champagne (22kt Gold)	-46		2,503.40
Dark Chrome	-19		1,707.00
Brushed Dark Platinum	-99		2,048.20




Recommended miscellaneous

Concealed wall elbow

35 085 970 FF	FF	Euro
Concealed rough parts	90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

13 420 979

WATER FALL Cascade spout for wall mounting

- 120mm projection
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	13 420 979 FF	FF	Euro
Chrome	-00		1,625.60
Brushed Platinum	-06		2,601.50
Champagne (22kt Gold)	-47		3,576.30
Brushed Champagne (22kt Gold)	-46		3,576.30
Dark Chrome	-19		2,438.60



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF	FF	Euro
Concealed rough parts	90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

13 425 979

**WATER FALL Cascade spout with individual jets for wall mounting**

- 22mm projection
- PEARLSTREAM
- plate 240 mm x 60 mm
- connection 1/2", for shortening
- plug-link mounting
- Max. flow rate 9.5 l/min (at 3 bar)

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	13 425 979 FF	FF	Euro
Chrome		-00	1,208.00
Brushed Platinum		-06	1,932.80
Champagne (22kt Gold)		-47	2,657.60
Brushed Champagne (22kt Gold)		-46	2,657.60
Dark Chrome		-19	1,811.80
Brushed Dark Platinum		-99	2,174.10



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
		90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

27 838 979

**Affusion pipe with cover plate**

- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- 3/8" shower outlet
- cover plate 240 x 60 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" connection
- plug-link mounting

Intrinsic protection against back flow.

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	27 838 979 FF	FF	Euro
Chrome		-00	903.00
Brushed Platinum		-06	1,444.70
Champagne (22kt Gold)		-47	1,986.60
Brushed Champagne (22kt Gold)		-46	1,986.60
Dark Chrome		-19	1,354.60
Brushed Dark Platinum		-99	1,625.20

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 858 979 FF	FF	Euro
Chrome		-00	903.00
Brushed Platinum		-06	1,444.80
Champagne (22kt Gold)		-47	1,986.60
Brushed Champagne (22kt Gold)		-46	1,986.60
Dark Chrome		-19	1,354.60
Brushed Dark Platinum		-99	1,625.30



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
		90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

27 821 979 +
 28 285 979

WATER TUBE Kneipp wall elbow

- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- with volume control
- individual rosette 60 x 60 mm
- holder for Kneipp hose
- 1/2" wall elbow
- hose nozzle with sleeve M33
- with holding ring

Intrinsic protection against back flow.
Fits CL.1, CYO, IMO, MEM
Custom-made options

- Finish variants
- without logo

Set	1x 27 821 979 FF max. flow 15 l/min		1x 28 285 979 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	685.30	-00	104.90	790.20
Brushed Platinum	-06	1,096.50	-06	167.80	1,264.30
Champagne (22kt Gold)	-47	1,507.70	-47	230.80	1,738.50
Brushed Champagne (22kt Gold)	-46	1,507.70	-46	230.80	1,738.50
Dark Chrome	-19	1,028.00	-19	157.30	1,185.30
Brushed Dark Platinum	-99	1,233.70	-99	188.70	1,422.40

Product alternative

- FlowReduce
- Max. flow rate 9 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 841 979 FF	FF	Euro
Chrome		-00	685.30
Brushed Platinum		-06	1,096.50
Champagne (22kt Gold)		-47	1,507.70
Brushed Champagne (22kt Gold)		-46	1,507.70
Dark Chrome		-19	685.30
Brushed Dark Platinum		-99	1,233.50



Recommended miscellaneous

**WATER TUBE Kneipp
hose black 2000 mm**

- hose nozzle with sleeve M33
- with holding ring

28 286 979 FF	FF	Euro
Chrome	-00	104.90
Brushed Platinum	-06	167.80
Champagne (22kt Gold)	-47	230.80
Brushed Champagne (22kt Gold)	-46	230.80
Dark Chrome	-19	157.30
Brushed Dark Platinum	-99	188.70



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

35 085 970 FF	FF	Euro
Concealed rough parts	90	122.80

28 490 970


Wall elbow with integrated shower holder

- 3/8" shower outlet
- rosette 60 x 60 mm
- 1/2" connection

Intrinsic protection against back flow.
Custom-made options

- Finish variants
- without logo

Standard article	28 490 970 FF	FF	Euro
Chrome		-00	238.30
Brushed Platinum		-06	381.70
Champagne (22kt Gold)		-47	524.30
Brushed Champagne (22kt Gold)		-46	524.30
Dark Chrome		-19	357.70
Brushed Dark Platinum		-99	428.70



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

35 085 970 FF	FF	Euro
Concealed rough parts	90	122.80

28 450 980

**Wall elbow**

- 3/8" shower outlet
- rosette 60 x 60 mm
- 1/2" connection

Intrinsic protection against back flow.**Fits MEM, CL.1, IMO, CYO****Custom-made options**

- Finish variants
- without logo

Standard article	28 450 980 FF	FF	Euro
Chrome		-00	165.10
Brushed Platinum		-06	264.40
Champagne (22kt Gold)		-47	363.20
Brushed Champagne (22kt Gold)		-46	363.20
Dark Chrome		-19	247.90
Brushed Dark Platinum		-99	297.40



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

FF

Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts

90

122.80

For details and miscellaneous, see page 645

28 050 980

**Wall bracket**

- rosette 60 x 60 mm

Custom-made options

- Finish variants

Standard article	28 050 980 FF	FF	Euro
Chrome		-00	214.40
Brushed Platinum		-06	343.40
Champagne (22kt Gold)		-47	471.70
Brushed Champagne (22kt Gold)		-46	471.70
Dark Chrome		-19	321.70
Brushed Dark Platinum		-99	385.90

28 060 970

**Wall bracket swivel**

- pivotable 75°

Custom-made options

- Finish variants

Standard article	28 060 970 FF	FF	Euro
Chrome		-00	197.80
Brushed Platinum		-06	316.60
Champagne (22kt Gold)		-47	435.20
Brushed Champagne (22kt Gold)		-46	435.20
Dark Chrome		-19	296.60
Brushed Dark Platinum		-99	356.10

12 570 970

**Slide unit**

- for pipe diameter 23.5 mm

Custom-made options

- Finish variants

Standard article	12 570 970 FF	FF	Euro
Chrome		-00	137.00
Brushed Platinum		-06	219.50
Champagne (22kt Gold)		-47	301.40
Brushed Champagne (22kt Gold)		-46	301.40
Dark Chrome		-19	205.40
Brushed Dark Platinum		-99	246.80

12 580 970

**Slide unit**

- for pipe diameter 18 mm

Custom-made options

- Finish variants

Standard article	12 580 970 FF	FF	Euro
Chrome		-00	137.00
Brushed Platinum		-06	219.50
Champagne (22kt Gold)		-47	301.40
Brushed Champagne (22kt Gold)		-46	301.40
Dark Chrome		-19	205.40
Brushed Dark Platinum		-99	246.80

36 060 670

Concealed single-lever mixer with cover plate

- cover plate 80 x 80 mm

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 060 670 FF	FF	Euro
Chrome		-00	469.70
Brushed Platinum		-06	758.50
Champagne (22kt Gold)		-47	1,033.30
Brushed Champagne (22kt Gold)		-46	1,033.30
Dark Chrome		-19	704.70
Brushed Dark Platinum		-99	845.60



Required miscellaneous

Concealed wall-mounted single-lever mixer
35 860 970 FF | FF | Euro

- min. recess depth 80 mm
- max. recess depth 95 mm

 Concealed rough parts **90** | 224.60

For details and miscellaneous, see page 640

36 046 970

Concealed single-lever mixer with cover plate with integrated shower connection

- cover plate 80 x 80 mm

Intrinsic protection against back flow.
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 046 970 FF	FF	Euro
Chrome		-00	573.80
Brushed Platinum		-06	918.10
Champagne (22kt Gold)		-47	1,262.40
Brushed Champagne (22kt Gold)		-46	1,262.40
Dark Chrome		-19	860.80
Brushed Dark Platinum		-99	1,033.00



Required miscellaneous

Concealed wall mounting
35 050 970 FF | FF | Euro

- min. recess depth 80 mm
- max. recess depth 105 mm

 Concealed rough parts **90** | 320.80

For details and miscellaneous, see page 640

36 120 670

Concealed single-lever mixer with diverter

- automatic diverter
- cover plate 150 x 90 mm

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 120 670 FF	FF	Euro
Chrome		-00	602.70
Brushed Platinum		-06	964.20
Champagne (22kt Gold)		-47	1,325.90
Brushed Champagne (22kt Gold)		-46	1,325.90
Dark Chrome		-19	903.80
Brushed Dark Platinum		-99	1,084.60



Required miscellaneous

Concealed single-lever mixer
35 020 970 FF | FF | Euro

- min. recess depth 80 mm
- max. recess depth 105 mm

 Concealed rough parts **90** | 236.90

For details and miscellaneous, see page 641



Required miscellaneous

Concealed single-lever mixer with backflow preventor
35 021 970 FF | FF | Euro

- min. recess depth 80 mm
- max. recess depth 105 mm

 Concealed rough parts **90** | 338.50

For details and miscellaneous, see page 641

36 425 670

**Concealed thermostat with one function volume control**

- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 425 670 FF	FF	Euro
Chrome		-00	756.00
Brushed Platinum		-06	1,220.60
Champagne (22kt Gold)		-47	1,663.20
Brushed Champagne (22kt Gold)		-46	1,663.20
Dark Chrome		-19	1,134.10
Brushed Dark Platinum		-99	1,360.90



Required miscellaneous

Concealed thermostat	35 425 970 FF	FF	Euro
		90	435.80

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 641



Required miscellaneous

Concealed thermostat with built-in isolators	35 426 970 FF	FF	Euro
		90	457.70

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 641

36 426 670

**Concealed thermostat with two function volume control**

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 426 670 FF	FF	Euro
Chrome		-00	896.40
Brushed Platinum		-06	1,447.60
Champagne (22kt Gold)		-47	1,972.10
Brushed Champagne (22kt Gold)		-46	1,972.10
Dark Chrome		-19	1,344.70
Brushed Dark Platinum		-99	1,613.40



Required miscellaneous

Concealed thermostat	35 425 970 FF	FF	Euro
		90	435.80

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 641



Required miscellaneous

Concealed thermostat with built-in isolators	35 426 970 FF	FF	Euro
		90	457.70

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 641

36 427 670

**Concealed thermostat with three function volume control**

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 427 670 FF	FF	Euro
Chrome		-00	950.50
Brushed Platinum		-06	1,534.50
Champagne (22kt Gold)		-47	2,091.10
Brushed Champagne (22kt Gold)		-46	2,091.10
Dark Chrome		-19	1,425.60
Brushed Dark Platinum		-99	1,710.70



Required miscellaneous

Concealed thermostat	35 427 970 FF	FF	Euro
		90	456.60

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 642



Required miscellaneous

Concealed thermostat with built-in isolators	35 428 970 FF	FF	Euro
		90	479.00

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 642

**36 501 780 +
36 607 705**

xTOOL Thermostat module with 1 valve

- cover plate 120 x 120 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

Fits MEM, CL.1, CYO
36 501 985-FF can also be used as an alternative.
Note: Important! The minimum recess depths make it necessary to have a wall of 2 x 6 cross-pieces.
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 501 780 FF		1x 36 607 705 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,291.30	-00	278.90	1,570.20
Brushed Platinum	-06	2,066.50	-06	446.50	2,513.00
Champagne (22kt Gold)	-47	2,840.90	-47	613.60	3,454.50
Brushed Champagne (22kt Gold)	-46	2,840.90	-46	613.60	3,454.50
Brushed Dark Platinum	-99	2,324.60	-99	502.10	2,826.70



Required miscellaneous

xTOOL Concealed thermostat module with 1 valve
35 511 970 FF | FF | Euro

- min. recess depth 115 mm
- max. recess depth 155 mm

 Concealed rough parts **90** | 708.30

For details and miscellaneous, see page 642



Required miscellaneous

xGRID Installation track 555 mm
12 360 970 FF | FF | Euro

For details and miscellaneous, see page 655

 Concealed rough parts **90** | 112.20


Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction
12 340 970 FF | FF | Euro

For details and miscellaneous, see page 655

 Concealed rough parts **90** | 113.00

**36 503 780 +
2x 36 607 705**

xTOOL Thermostat module with 2 valves

- cover plate 120 x 120 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

Fits CL.1
36 503 985-FF can also be used as an alternative.
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 503 780 FF		2x 36 607 705 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,291.30	-00	278.90	1,849.10
Brushed Platinum	-06	2,066.50	-06	446.50	2,959.50
Champagne (22kt Gold)	-47	2,840.90	-47	613.60	4,068.10
Brushed Champagne (22kt Gold)	-46	2,840.90	-46	613.60	4,068.10
Brushed Dark Platinum	-99	2,324.60	-99	502.10	3,328.80



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves
35 521 970 FF | FF | Euro

- min. recess depth 115 mm
- max. recess depth 155 mm

 Concealed rough parts **90** | 1,180.70

For details and miscellaneous, see page 643



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves
35 524 970 FF | FF | Euro

- min. recess depth 115 mm
- max. recess depth 155 mm

 Concealed rough parts **90** | 1,167.70

For details and miscellaneous, see page 643



Required miscellaneous

xGRID Installation track 555 mm
12 360 970 FF | FF | Euro

For details and miscellaneous, see page 655

 Concealed rough parts **90** | 112.20


Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction
12 340 970 FF | FF | Euro

For details and miscellaneous, see page 655

 Concealed rough parts **90** | 113.00

36 503 780 +
3x 36 607 705



xTOOL Thermostat module with 3 valves

- cover plate 120 x 120 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

36 503 985-FF can also be used as an alternative.

Note: Important! The minimum recess depths make it necessary to have a wall of 2 x 6 cross-pieces.

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 503 780 FF		3x 36 607 705 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,291.30	-00	278.90	2,128.00
Brushed Platinum	-06	2,066.50	-06	446.50	3,406.00
Champagne (22kt Gold)	-47	2,840.90	-47	613.60	4,681.70
Brushed Champagne (22kt Gold)	-46	2,840.90	-46	613.60	4,681.70
Brushed Dark Platinum	-99	2,324.60	-99	502.10	3,830.90



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 531 970 FF | FF Euro

- min. recess depth 115 mm
- max. recess depth 155 mm

Concealed rough parts 90 1,268.90

For details and miscellaneous, see page 643



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 534 970 FF | FF Euro

- min. recess depth 115 mm
- max. recess depth 155 mm

Concealed rough parts 90 1,374.60

For details and miscellaneous, see page 643



Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF | FF Euro

For details and miscellaneous, see page 655

Concealed rough parts 90 112.20



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF | FF Euro

For details and miscellaneous, see page 655

Concealed rough parts 90 113.00

36 501 780



xTOOL Concealed thermostat without volume control 1/2"

- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

Fits MEM, CL.1, CYO

Note: Important! The minimum recess depths make it necessary to have a wall of 2 x 6 cross-pieces.

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 501 780 FF	FF	Euro
Chrome	-00		1,291.30
Brushed Platinum	-06		2,066.50
Champagne (22kt Gold)	-47		2,840.90
Brushed Champagne (22kt Gold)	-46		2,840.90
Dark Chrome	-19		1,937.10
Brushed Dark Platinum	-99		2,324.60

Product alternative

- 3/4" thermostat cartridge with integrated filters

Standard article	36 503 780 FF	FF	Euro
Chrome	-00		1,291.30
Brushed Platinum	-06		2,066.50
Champagne (22kt Gold)	-47		2,840.90
Brushed Champagne (22kt Gold)	-46		2,840.90
Dark Chrome	-19		1,937.10
Brushed Dark Platinum	-99		2,324.60



Required miscellaneous

xTOOL Concealed thermostat module without volume control

35 503 970 FF | FF Euro

- min. recess depth 115 mm
- max. recess depth 155 mm

Concealed rough parts 90 864.70

For details and miscellaneous, see page 642



Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF | FF Euro

For details and miscellaneous, see page 655

Concealed rough parts 90 112.20

36 501 985

xTOOL Concealed thermostat without volume control 1/2"

- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

Fits MEM, CL.1, CYO

Note: Important! The minimum recess depths make it necessary to have a wall of 2 x 6 cross-pieces.

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 501 985 FF	FF	Euro
Chrome		-00	1,319.50
Brushed Platinum		-06	2,111.40
Champagne (22kt Gold)		-47	2,902.90
Brushed Champagne (22kt Gold)		-46	2,902.90
Dark Chrome		-19	1,979.60
Brushed Dark Platinum		-99	2,375.20

Product alternative

- 3/4" thermostat cartridge with integrated filters

Standard article	36 503 985 FF	FF	Euro
Chrome		-00	1,319.50
Brushed Platinum		-06	2,111.40
Champagne (22kt Gold)		-47	2,902.90
Brushed Champagne (22kt Gold)		-46	2,902.90
Dark Chrome		-19	1,979.60
Brushed Dark Platinum		-99	2,375.20

Required miscellaneous


xTOOL Concealed thermostat module without volume control

	35 503 970 FF	FF	Euro
Concealed rough parts		90	864.70

• min. recess depth 95 mm
• max. recess depth 160 mm
For details and miscellaneous, see page 642

Required miscellaneous


xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
Concealed rough parts		90	112.20

For details and miscellaneous, see page 655

36 607 741

Wall valve clockwise closing cold 1/2"

- without rosette
- handle Ø 60mm
- with cold marking
- head part with cut-to-length spindle and sleeve

Fits CL.1, META, CYO
Custom-made options

- Blue marking
- Finish variants
- without logo

Standard article	36 607 741 FF	FF	Euro
Chrome		-00	300.90
Brushed Platinum		-06	481.30
Champagne (22kt Gold)		-47	662.00
Brushed Champagne (22kt Gold)		-46	662.00
Dark Chrome		-19	451.30
Brushed Dark Platinum		-99	541.70

Product alternative

- with hot marking

Standard article	36 607 742 FF	FF	Euro
Chrome		-00	300.90
Brushed Platinum		-06	481.30
Champagne (22kt Gold)		-47	662.00
Brushed Champagne (22kt Gold)		-46	662.00
Dark Chrome		-19	451.30
Brushed Dark Platinum		-99	541.70



Required miscellaneous

Wall valve 1/2"

	35 607 970 FF	FF	Euro
Concealed rough parts		90	90.90

• min. recess depth 85 mm
• max. recess depth 145 mm
For details and miscellaneous, see page 644

36 607 706

**Wall valve clockwise closing cold 1/2"**

- rosette 60 x 60 mm
- with cold marking
- head part with cut-to-length spindle and sleeve

Fits CL.1**Custom-made options**

- Blue marking
- Finish variants
- without logo

Standard article	36 607 706 FF	FF	Euro
Chrome		-00	278.90
Brushed Platinum		-06	446.50
Champagne (22kt Gold)		-47	613.60
Brushed Champagne (22kt Gold)		-46	613.60
Dark Chrome		-19	418.50
Brushed Dark Platinum		-99	502.10

Product alternative

- with hot marking

Standard article	36 607 707 FF	FF	Euro
Chrome		-00	278.90
Brushed Platinum		-06	446.50
Champagne (22kt Gold)		-47	613.60
Brushed Champagne (22kt Gold)		-46	613.60
Dark Chrome		-19	418.50
Brushed Dark Platinum		-99	502.10



Required miscellaneous

Wall valve 1/2"

35 607 970 FF

FF

Euro

- min. recess depth 105 mm
- max. recess depth 150 mm

Concealed rough parts

90

90.90

For details and miscellaneous, see page 644

36 617 706

**Wall valve clockwise closing cold 1/2"**

- with WAVES structure
- rosette 60 x 60 mm
- with cold marking
- head part with cut-to-length spindle and sleeve

Fits CL.1**Custom-made options**

- Blue marking
- Finish variants
- without logo

Standard article	36 617 706 FF	FF	Euro
Chrome		-00	324.70
Brushed Platinum		-06	519.50
Champagne (22kt Gold)		-47	714.30
Brushed Champagne (22kt Gold)		-46	714.30
Dark Chrome		-19	487.00
Brushed Dark Platinum		-99	584.30

Product alternative

- with hot marking

Standard article	36 617 707 FF	FF	Euro
Chrome		-00	324.70
Brushed Platinum		-06	519.50
Champagne (22kt Gold)		-47	714.30
Brushed Champagne (22kt Gold)		-46	714.30
Dark Chrome		-19	487.00
Brushed Dark Platinum		-99	584.30



Required miscellaneous

Wall valve 1/2"

35 607 970 FF

FF

Euro

- min. recess depth 105 mm
- max. recess depth 150 mm

Concealed rough parts

90

90.90

For details and miscellaneous, see page 644

36 607 705

**Wall valve clockwise closing 1/2"**

- rosette 60 x 60 mm
- without marking
- head part with cut-to-length spindle and sleeve

Fits CL.1**Custom-made options**

- Finish variants
- without logo

Standard article	36 607 705 FF	FF	Euro
Chrome		-00	278.90
Brushed Platinum		-06	446.50
Champagne (22kt Gold)		-47	613.60
Brushed Champagne (22kt Gold)		-46	613.60
Dark Chrome		-19	418.50
Brushed Dark Platinum		-99	502.10



Required miscellaneous

Wall valve 1/2"

35 607 970 FF

FF

Euro

- min. recess depth 105 mm
- max. recess depth 150 mm

Concealed rough parts

90

90.90

For details and miscellaneous, see page 644

36 617 705

Wall valve clockwise closing 1/2"

- with WAVES structure
- rosette 60 x 60 mm
- without marking
- head part with cut-to-length spindle and sleeve

Fits CL.1
Custom-made options

- Finish variants
- without logo

Standard article	36 617 705 FF	FF	Euro
Chrome	-00		324.70
Brushed Platinum	-06		519.50
Champagne (22kt Gold)	-47		714.30
Brushed Champagne (22kt Gold)	-46		714.30
Dark Chrome	-19		487.00
Brushed Dark Platinum	-99		584.30



Required miscellaneous

Standard article	35 607 970 FF	FF	Euro
Wall valve 1/2"			

- min. recess depth 105 mm
 - max. recess depth 150 mm
- Concealed rough parts **90** 90.90
- For details and miscellaneous, see page 644

36 607 740

Wall valve clockwise closing 1/2"

- without rosette
- handle Ø 60mm
- without marking
- head part with cut-to-length spindle and sleeve

Fits CL.1, META, CYO
Custom-made options

- Finish variants
- without logo

Standard article	36 607 740 FF	FF	Euro
Chrome	-00		288.10
Brushed Platinum	-06		460.90
Champagne (22kt Gold)	-47		633.80
Brushed Champagne (22kt Gold)	-46		633.80
Dark Chrome	-19		432.30
Brushed Dark Platinum	-99		518.70



Required miscellaneous

Standard article	35 607 970 FF	FF	Euro
Wall valve 1/2"			

- min. recess depth 85 mm
 - max. recess depth 145 mm
- Concealed rough parts **90** 90.90
- For details and miscellaneous, see page 644

36 608 705

Wall valve clockwise closing 3/4"

- rosette 60 x 60 mm
- without marking
- head part with cut-to-length spindle and sleeve

Fits CL.1
Custom-made options

- Finish variants
- without logo

Standard article	36 608 705 FF	FF	Euro
Chrome	-00		278.90
Brushed Platinum	-06		446.50
Champagne (22kt Gold)	-47		613.60
Brushed Champagne (22kt Gold)	-46		613.60
Dark Chrome	-19		418.50
Brushed Dark Platinum	-99		502.10



Required miscellaneous

Standard article	35 608 970 FF	FF	Euro
Wall valve 3/4"			

- min. recess depth 105 mm
 - max. recess depth 150 mm
- Concealed rough parts **90** 119.20
- For details and miscellaneous, see page 644

36 618 705

Wall valve clockwise closing 3/4"

- with WAVES structure
- rosette 60 x 60 mm
- without marking
- head part with cut-to-length spindle and sleeve

Fits CL.1
Custom-made options

- Finish variants
- without logo

Standard article	36 618 705 FF	FF	Euro
Chrome	-00		324.70
Brushed Platinum	-06		519.50
Champagne (22kt Gold)	-47		714.30
Brushed Champagne (22kt Gold)	-46		714.30
Dark Chrome	-19		487.00
Brushed Dark Platinum	-99		584.30



Required miscellaneous

Standard article	35 608 970 FF	FF	Euro
Wall valve 3/4"			

- min. recess depth 105 mm
 - max. recess depth 150 mm
- Concealed rough parts **90** 119.20
- For details and miscellaneous, see page 644

36 608 740

**Wall valve clockwise closing 3/4"**

- without rosette
- handle Ø 60mm
- without marking
- head part with cut-to-length spindle and sleeve

Fits CL.1, META, CYO**Custom-made options**

- Finish variants
- without logo

Standard article	36 608 740 FF	FF	Euro
Chrome		-00	288.10
Brushed Platinum		-06	460.90
Champagne (22kt Gold)		-47	633.80
Brushed Champagne (22kt Gold)		-46	633.80
Dark Chrome		-19	432.30
Brushed Dark Platinum		-99	518.70



Required miscellaneous

Wall valve 3/4"

35 608 970 FF

FF

Euro

- min. recess depth 85 mm
- max. recess depth 145 mm

Concealed rough parts

90

119.20

For details and miscellaneous, see page 644

20 000 705

**Deck valve clockwise closing cold**

- hole diameter valve 32 mm
- rosette 60 x 60 mm
- with cold marking

Fits CL.1**Custom-made options**

- Blue marking
- Finish variants
- without logo

Standard article	20 000 705 FF	FF	Euro
Chrome		-00	329.20
Brushed Platinum		-06	526.50
Champagne (22kt Gold)		-47	724.20
Brushed Champagne (22kt Gold)		-46	724.20
Dark Chrome		-19	493.80
Brushed Dark Platinum		-99	592.50

Product alternative

- with hot marking

Standard article	20 000 706 FF	FF	Euro
Chrome		-00	329.20
Brushed Platinum		-06	526.50
Champagne (22kt Gold)		-47	724.20
Brushed Champagne (22kt Gold)		-46	724.20
Dark Chrome		-19	493.80
Brushed Dark Platinum		-99	592.50

20 001 705

**Deck valve clockwise closing cold**

- with WAVES structure
- hole diameter 32 mm
- rosette 60 x 60 mm
- with cold marking

Fits CL.1**Custom-made options**

- Blue marking
- Finish variants
- without logo

Standard article	20 001 705 FF	FF	Euro
Chrome		-00	399.40
Brushed Platinum		-06	639.10
Champagne (22kt Gold)		-47	878.70
Brushed Champagne (22kt Gold)		-46	878.70
Dark Chrome		-19	599.20
Brushed Dark Platinum		-99	718.90

Product alternative

- with hot marking

Standard article	20 001 706 FF	FF	Euro
Chrome		-00	399.40
Brushed Platinum		-06	639.10
Champagne (22kt Gold)		-47	878.70
Brushed Champagne (22kt Gold)		-46	878.70
Dark Chrome		-19	599.20
Brushed Dark Platinum		-99	718.90

20 004 705

**Deck valve clockwise closing cold**

- hole diameter 32 mm
- rosette 60 x 47 mm
- with cold marking

Fits CL.1**Custom-made options**

- Blue marking
- Finish variants
- without logo

Standard article	20 004 705 FF	FF	Euro
Chrome		-00	329.20
Brushed Platinum		-06	526.50
Champagne (22kt Gold)		-47	724.20
Brushed Champagne (22kt Gold)		-46	724.20
Dark Chrome		-19	493.80
Brushed Dark Platinum		-99	592.50

Product alternative

- with hot marking

Standard article	20 004 706 FF	FF	Euro
Chrome		-00	329.20
Brushed Platinum		-06	526.50
Champagne (22kt Gold)		-47	724.20
Brushed Champagne (22kt Gold)		-46	724.20
Dark Chrome		-19	493.80
Brushed Dark Platinum		-99	592.50

20 005 705



Deck valve clockwise closing cold

- with WAVES structure
- hole diameter 32 mm
- rosette 60 x 47 mm
- with cold marking

Fits CL.1

Custom-made options

- Blue marking
- Finish variants
- without logo

Standard article	20 005 705 FF	FF	Euro
Chrome		-00	399.40
Brushed Platinum		-06	639.10
Champagne (22kt Gold)		-47	878.70
Brushed Champagne (22kt Gold)		-46	878.70
Dark Chrome		-19	599.20
Brushed Dark Platinum		-99	718.90

Product alternative

- with hot marking

Standard article	20 005 706 FF	FF	Euro
Chrome		-00	399.40
Brushed Platinum		-06	639.10
Champagne (22kt Gold)		-47	878.70
Brushed Champagne (22kt Gold)		-46	878.70
Dark Chrome		-19	599.20
Brushed Dark Platinum		-99	718.90

20 000 715



Deck valve clockwise closing hot

- hole diameter 32 mm
- rosette 60 x 60 mm
- with hot marking

Fits CL.1

Custom-made options

- Finish variants
- Red marking
- without logo

Standard article	20 000 715 FF	FF	Euro
Chrome		-00	399.40
Brushed Platinum		-06	639.10
Champagne (22kt Gold)		-47	878.70
Brushed Champagne (22kt Gold)		-46	878.70
Dark Chrome		-19	599.20
Brushed Dark Platinum		-99	718.90

Product alternative

- with hot marking

Standard article	20 000 716 FF	FF	Euro
Chrome		-00	399.40
Brushed Platinum		-06	639.10
Champagne (22kt Gold)		-47	878.70
Brushed Champagne (22kt Gold)		-46	878.70
Dark Chrome		-19	599.20
Brushed Dark Platinum		-99	718.90

20 004 715



Deck valve clockwise closing hot

- hole diameter 32 mm
- rosette 60 x 47 mm
- with hot marking

Fits CL.1

Custom-made options

- Finish variants
- Red marking
- without logo

Standard article	20 004 715 FF	FF	Euro
Chrome		-00	399.40
Brushed Platinum		-06	639.10
Champagne (22kt Gold)		-47	878.70
Brushed Champagne (22kt Gold)		-46	878.70
Dark Chrome		-19	599.20
Brushed Dark Platinum		-99	718.90

Product alternative

- with hot marking

Standard article	20 004 716 FF	FF	Euro
Chrome		-00	399.40
Brushed Platinum		-06	639.10
Champagne (22kt Gold)		-47	878.70
Brushed Champagne (22kt Gold)		-46	878.70
Dark Chrome		-19	599.20
Brushed Dark Platinum		-99	718.90

20 000 740

**Deck valve clockwise closing cold**

- hole diameter 32 mm
- handle Ø 60mm
- without rosette
- with cold marking

Fits CL.1, META, CYO**Custom-made options**

- Blue marking
- Finish variants
- without logo

Standard article	20 000 740 FF	FF	Euro
Chrome		-00	321.50
Brushed Platinum		-06	514.10
Champagne (22kt Gold)		-47	707.30
Brushed Champagne (22kt Gold)		-46	707.30
Dark Chrome		-19	482.20
Brushed Dark Platinum		-99	578.40

Product alternative

- with hot marking

Standard article	20 000 741 FF	FF	Euro
Chrome		-00	321.50
Brushed Platinum		-06	514.10
Champagne (22kt Gold)		-47	707.30
Brushed Champagne (22kt Gold)		-46	707.30
Dark Chrome		-19	482.20
Brushed Dark Platinum		-99	578.40

36 200 705

**Concealed two-way diverter**

- rotary diverter
- rosette 60 x 60 mm

Fits CL.1**Custom-made options**

- Finish variants
- without logo

Standard article	36 200 705 FF	FF	Euro
Chrome		-00	651.20
Brushed Platinum		-06	1,041.80
Champagne (22kt Gold)		-47	1,432.60
Brushed Champagne (22kt Gold)		-46	1,432.60
Dark Chrome		-19	976.70
Brushed Dark Platinum		-99	1,172.00



Required miscellaneous

Concealed two-way diverter

35 202 970 FF FF Euro

• min. recess depth 115 mm	Concealed rough parts	90	295.90
• max. recess depth 160 mm			

For details and miscellaneous, see page 644

36 201 705

**Concealed two-way diverter**

- rotary diverter
- rosette 60 x 60 mm

Fits CL.1**Custom-made options**

- Finish variants
- without logo

Standard article	36 201 705 FF	FF	Euro
Chrome		-00	758.50
Brushed Platinum		-06	1,213.60
Champagne (22kt Gold)		-47	1,668.70
Brushed Champagne (22kt Gold)		-46	1,668.70
Dark Chrome		-19	1,137.80
Brushed Dark Platinum		-99	1,365.40



Required miscellaneous

Concealed two-way diverter

35 202 970 FF FF Euro

• min. recess depth 115 mm	Concealed rough parts	90	295.90
• max. recess depth 160 mm			

For details and miscellaneous, see page 644

36 200 740

**Concealed two-way diverter**

- rotary diverter
- without rosette
- handle Ø 60mm

Fits CL.1, META, CYO**Custom-made options**

- Finish variants
- without logo

Standard article	36 200 740 FF	FF	Euro
Chrome		-00	341.80
Brushed Platinum		-06	546.90
Champagne (22kt Gold)		-47	752.00
Brushed Champagne (22kt Gold)		-46	752.00
Dark Chrome		-19	512.80
Brushed Dark Platinum		-99	615.20



Required miscellaneous

Concealed two-way diverter

35 202 970 FF FF Euro

• min. recess depth 85 mm	Concealed rough parts	90	295.90
• max. recess depth 160 mm			

For details and miscellaneous, see page 644

36 210 705

Concealed three-way diverter

- rotary diverter
- rosette 60 x 60 mm

Fits CL.1
Custom-made options

- Finish variants
- without logo

Standard article	36 210 705 FF	FF	Euro
Chrome		-00	651.20
Brushed Platinum		-06	1,041.80
Champagne (22kt Gold)		-47	1,432.60
Brushed Champagne (22kt Gold)		-46	1,432.60
Dark Chrome		-19	976.70
Brushed Dark Platinum		-99	1,172.00



Required miscellaneous

Concealed three-way diverter
35 203 970 FF | FF | Euro

- min. recess depth 115 mm
 - max. recess depth 160 mm
- Concealed rough parts **90** | 360.40
- For details and miscellaneous, see page 644

36 211 705

Concealed three-way diverter

- rotary diverter
- rosette 60 x 60 mm

Fits CL.1
Custom-made options

- Finish variants
- without logo

Standard article	36 211 705 FF	FF	Euro
Chrome		-00	758.60
Brushed Platinum		-06	1,213.90
Champagne (22kt Gold)		-47	1,668.90
Brushed Champagne (22kt Gold)		-46	1,668.90
Dark Chrome		-19	1,138.00
Brushed Dark Platinum		-99	1,365.60



Required miscellaneous

Concealed three-way diverter
35 203 970 FF | FF | Euro

- min. recess depth 115 mm
 - max. recess depth 160 mm
- Concealed rough parts **90** | 360.40
- For details and miscellaneous, see page 644

36 210 740

Concealed three-way diverter

- rotary diverter
- without rosette
- handle Ø 60mm

Fits CL.1, META, CYO
Custom-made options

- Finish variants
- without logo

Standard article	36 210 740 FF	FF	Euro
Chrome		-00	341.80
Brushed Platinum		-06	546.90
Champagne (22kt Gold)		-47	752.00
Brushed Champagne (22kt Gold)		-46	752.00
Dark Chrome		-19	512.80
Brushed Dark Platinum		-99	615.20



Required miscellaneous

Concealed three-way diverter
35 203 970 FF | FF | Euro

- min. recess depth 85 mm
 - max. recess depth 160 mm
- Concealed rough parts **90** | 360.40
- For details and miscellaneous, see page 644

25 863 705


Single-lever bath mixer with stand pipe for free-standing assembly with hand shower set

- **238mm projection**
- rectangular spray pattern with 55 individual jets
- max. spout flow rate 24.6 l/min
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- bar-type hand shower with anti-scale system
- wall bracket
- automatic bath/shower diverter
- total height 935 - 1005 mm
- stand pipe height 598 - 668 mm
- height up to aerator 852 - 922 mm
- push-on rosette 131 x 131 mm
- metal shower hose 1250mm with integrated anti-twist protection

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Custom-made options

- Finish variants
- Flow rate modification
- Height modification
- Red/blue marking
- without hand shower
- without logo

13 612 705 +
27 702 980 +
20 000 705 +
20 000 706 +
29 140 670


Five-hole bath mixer for deck mounting with diverter

- **200mm projection**
- rectangular spray pattern with 55 individual jets
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- height of mixer 125 mm
- height up to aerator 108 mm
- 1/2" connection
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- rosette for complete hand shower set 60 x 60mm
- rosette for deck valve 60 x 60mm
- metal shower hose 2250mm with integrated anti-twist protection

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Intrinsic protection against back flow.
Custom-made options

- Blue marking
- Finish variants
- Red marking
- without hand shower
- without logo

13 612 705


Bath spout without diverter for deck mounting

- **200mm projection**
- rectangular spray pattern with 55 individual jets
- height of mixer 125 mm
- height up to aerator 108 mm
- hole diameter 35 mm
- 1/2" connection
- max. flow 24.6 l/min at 3 bar flow pressure

Custom-made options

- Finish variants
- without logo

Standard article	25 863 705 FF	FF	Euro
Chrome		-00	4,858.80
Brushed Platinum		-06	7,774.00
Champagne (22kt Gold)		-47	10,689.40
Brushed Champagne (22kt Gold)		-46	10,689.40
Dark Chrome		-19	7,288.20
Brushed Dark Platinum		-99	8,745.70



Required miscellaneous

Concealed floor mounting

	35 945 970 FF	FF	Euro
• min. recess depth 80 mm			
• max. recess depth 150 mm			
Concealed rough parts		90	840.10

For details and miscellaneous, see page 644

Set	1x 13 612 705 FF 1x 27 702 980 FF		1x 20 000 705 FF 1x 20 000 706 FF 1x 29 140 670 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,210.90	-00	329.20	3,312.30
	-00	571.00	-00	329.20	
			-00	872.00	
Brushed Platinum	-06	1,937.20	-06	526.50	5,298.80
	-06	913.40	-06	526.50	
			-06	1,395.20	
Champagne (22kt Gold)	-47	2,664.00	-47	724.20	7,287.00
	-47	1,256.20	-47	724.20	
			-47	1,918.40	
Brushed Champagne (22kt Gold)	-46	2,664.00	-46	724.20	7,287.00
	-46	1,256.20	-46	724.20	
			-46	1,918.40	
Dark Chrome	-19	1,816.30	-19	493.80	4,968.20
	-19	856.40	-19	493.80	
			-19	1,307.90	
Brushed Dark Platinum	-99	2,179.50	-99	592.50	5,961.80
	-99	1,027.70	-99	592.50	
			-99	1,569.60	



Required miscellaneous

Hose set

	12 509 970 FF	FF	Euro
Accessories		90	246.90

13 801 705

Bath spout for wall mounting

- 205mm projection
- rectangular spray pattern with 55 individual jets
- hole diameter 37 mm
- 1/2" connection
- plug-link mounting
- max. flow 24.6 l/min at 3 bar flow pressure

Custom-made options

- Finish variants
- without logo

Standard article	13 801 705 FF	FF	Euro
Chrome	-00		816.40
Brushed Platinum	-06		1,306.10
Champagne (22kt Gold)	-47		1,796.10
Brushed Champagne (22kt Gold)	-46		1,796.10
Dark Chrome	-19		1,224.70
Brushed Dark Platinum	-99		1,469.50



Recommended miscellaneous

Concealed wall elbow
35 085 970 FF FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

27 702 980

Hand shower set for bath rim or tile edge installation

- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- with anti-scale system
- rosette 60 x 60 mm
- hole diameter 32 mm
- metal shower hose 2250mm with integrated anti-twist protection

Two-piece design allows hose to later be changed without dismantling the fitting.

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 702 980 FF	FF	Euro
Chrome	-00		571.00
Brushed Platinum	-06		913.40
Champagne (22kt Gold)	-47		1,256.20
Brushed Champagne (22kt Gold)	-46		1,256.20
Dark Chrome	-19		856.40
Brushed Dark Platinum	-99		1,027.70

29 300 670

Single-lever bath mixer for bath rim or tile edge installation

- rosette 60 x 60 mm
- hole diameter 35 mm
- max. flow 35.7 l/min at 3 bar flow pressure

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	29 300 670 FF	FF	Euro
Chrome	-00		676.00
Brushed Platinum	-06		1,081.50
Champagne (22kt Gold)	-47		1,487.20
Brushed Champagne (22kt Gold)	-46		1,487.20
Dark Chrome	-19		1,013.80
Brushed Dark Platinum	-99		1,216.60

36 120 670

Concealed single-lever mixer with diverter

- automatic diverter
- cover plate 150 x 90 mm

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 120 670 FF	FF	Euro
Chrome	-00		602.70
Brushed Platinum	-06		964.20
Champagne (22kt Gold)	-47		1,325.90
Brushed Champagne (22kt Gold)	-46		1,325.90
Dark Chrome	-19		903.80
Brushed Dark Platinum	-99		1,084.60



Required miscellaneous

Concealed single-lever mixer
35 020 970 FF FF Euro

- min. recess depth 80 mm
 - max. recess depth 105 mm
- Concealed rough parts **90** 236.90
- For details and miscellaneous, see page 641



Required miscellaneous

Concealed single-lever mixer with backflow preventor
35 021 970 FF FF Euro

- min. recess depth 80 mm
 - max. recess depth 105 mm
- Concealed rough parts **90** 338.50
- For details and miscellaneous, see page 641

36 243 970

**Pop-up waste and overflow**

- drain Ø 52mm

Also suitable for king-size baths.

Custom-made options

- Finish variants
- without logo

Standard article	36 243 970 FF	FF	Euro
Chrome		-00	221.00
Brushed Platinum		-06	353.90
Champagne (22kt Gold)		-47	486.20
Brushed Champagne (22kt Gold)		-46	486.20
Dark Chrome		-19	331.70
Brushed Dark Platinum		-99	397.80



Required miscellaneous

Pop-up waste and overflow

	35 227 970 FF	FF	Euro
• bowden cable length 725 mm	Concealed rough parts	90	179.20

36 247 970

**Bath spout with pop-up waste and overflow**

- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

Custom-made options

- Finish variants
- without logo

Standard article	36 247 970 FF	FF	Euro
Chrome		-00	334.40
Brushed Platinum		-06	535.10
Champagne (22kt Gold)		-47	735.70
Brushed Champagne (22kt Gold)		-46	735.70
Dark Chrome		-19	501.70
Brushed Dark Platinum		-99	601.80



Required miscellaneous

Bath spout with pop-up waste and overflow

	35 248 970 FF	FF	Euro
• bowden cable length 725 mm	Concealed rough parts	90	493.60



Required miscellaneous

Vacuum breaker

	36 150 970 FF	FF	Euro
Chrome		-00	91.70
Brushed Platinum		-06	146.70
Champagne (22kt Gold)		-47	201.70
Brushed Champagne (22kt Gold)		-46	201.70
Dark Chrome		-19	137.50
Brushed Dark Platinum		-99	164.90

83 020 705


Bath grip

- gauge 200 mm
- width 273mm
- height 35 mm
- 70mm projection

Custom-made options

- Finish variants

Standard article	83 020 705 FF	FF	Euro
Chrome		-00	421.80
Brushed Platinum		-06	674.80
Champagne (22kt Gold)		-47	928.00
Brushed Champagne (22kt Gold)		-46	928.00
Dark Chrome		-19	632.70
Brushed Dark Platinum		-99	759.10

83 045 705


Towel bar

- gauge 449 mm
- width 523mm
- height 35 mm
- 70mm projection

Custom-made options

- Finish variants

Standard article	83 045 705 FF	FF	Euro
Chrome		-00	428.00
Brushed Platinum		-06	684.80
Champagne (22kt Gold)		-47	941.60
Brushed Champagne (22kt Gold)		-46	941.60
Dark Chrome		-19	642.00
Brushed Dark Platinum		-99	770.30

83 060 705


Towel bar

- gauge 599 mm
- width 673mm
- height 35 mm
- 70mm projection

Custom-made options

- Finish variants

Standard article	83 060 705 FF	FF	Euro
Chrome		-00	482.30
Brushed Platinum		-06	771.80
Champagne (22kt Gold)		-47	1,061.10
Brushed Champagne (22kt Gold)		-46	1,061.10
Dark Chrome		-19	723.60
Brushed Dark Platinum		-99	868.10

83 211 705


Towel bar 1-piece non-swivel

- 400mm projection

Custom-made options

- Finish variants

Standard article	83 211 705 FF	FF	Euro
Chrome		-00	383.30
Brushed Platinum		-06	613.30
Champagne (22kt Gold)		-47	843.30
Brushed Champagne (22kt Gold)		-46	843.30
Dark Chrome		-19	574.80
Brushed Dark Platinum		-99	689.90

83 251 980


Hooks

- width 20mm
- height 60 mm
- 45mm projection

Custom-made options

- Finish variants

Standard article	83 251 980 FF	FF	Euro
Chrome		-00	123.00
Brushed Platinum		-06	197.00
Champagne (22kt Gold)		-47	270.60
Brushed Champagne (22kt Gold)		-46	270.60
Dark Chrome		-19	184.50
Brushed Dark Platinum		-99	221.50

83 400 979


Tumbler holder wall model

- crystal glass, transparent
- width 60mm
- height 120 mm
- 110mm projection

Custom-made options

- Finish variants

Standard article	83 400 979 FF	FF	Euro
Chrome		-00	278.90
Brushed Platinum		-06	446.30
Champagne (22kt Gold)		-47	613.60
Brushed Champagne (22kt Gold)		-46	613.60
Dark Chrome		-19	418.50
Brushed Dark Platinum		-99	502.00

83 401 979


Tumbler holder wall model

- crystal glass brush holder, matte
- width 60mm
- height 120 mm
- 110mm projection

Custom-made options

- Finish variants

Standard article	83 401 979 FF	FF	Euro
Chrome		-00	278.90
Brushed Platinum		-06	446.30
Champagne (22kt Gold)		-47	613.60
Brushed Champagne (22kt Gold)		-46	613.60
Dark Chrome		-19	418.50
Brushed Dark Platinum		-99	502.00



Recommended miscellaneous

Standard article	08 90 00 008 FF	FF	Euro
Crystal tumbler			
Glass		82	72.10

83 400 780

**Tumbler holder wall model**

- crystal glass
- width 75mm
- height 118 mm
- 85mm projection

Custom-made options

- Finish variants

Standard article	83 400 780 FF	FF	Euro
Chrome		-00	374.30
Brushed Platinum		-06	599.00
Champagne (22kt Gold)		-47	823.50
Brushed Champagne (22kt Gold)		-46	823.50
Dark Chrome		-19	561.60
Brushed Dark Platinum		-99	673.60

83 410 979

**Soap dish wall model**

- width 120mm
- height 20 mm
- 145mm projection

Custom-made options

- Finish variants

Standard article	83 410 979 FF	FF	Euro
Chrome		-00	289.30
Brushed Platinum		-06	462.90
Champagne (22kt Gold)		-47	636.50
Brushed Champagne (22kt Gold)		-46	636.50
Dark Chrome		-19	434.10
Brushed Dark Platinum		-99	520.90

83 435 970

**Dispenser wall model**


- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 96mm projection

Custom-made options

- Finish variants
- without logo

Standard article	83 435 970 FF	FF	Euro
Chrome		-00	457.60
Brushed Platinum		-06	732.10
Champagne (22kt Gold)		-47	1,006.70
Brushed Champagne (22kt Gold)		-46	1,006.70
Dark Chrome		-19	686.50
Brushed Dark Platinum		-99	823.80

83 290 970

**Shower basket for wall mounting**

- width 200mm
- height 70 mm
- 115mm projection

Custom-made options

- Finish variants

Standard article	83 290 970 FF	FF	Euro
Chrome		-00	221.60
Brushed Platinum		-06	354.60
Champagne (22kt Gold)		-47	487.50
Brushed Champagne (22kt Gold)		-46	487.50
Dark Chrome		-19	332.40
Brushed Dark Platinum		-99	398.90

83 500 705

**Tissue holder without cover**

- width 200mm
- height 35 mm
- 70mm projection

Custom-made options

- Finish variants

Standard article	83 500 705 FF	FF	Euro
Chrome		-00	307.70
Brushed Platinum		-06	492.10
Champagne (22kt Gold)		-47	676.90
Brushed Champagne (22kt Gold)		-46	676.90
Dark Chrome		-19	461.40
Brushed Dark Platinum		-99	553.60

83 900 780

**Toilet brush set wall model**

- crystal glass brush holder, matte
- brush, matte black
- width 118mm
- height 415 mm
- 118mm projection

Custom-made options

- Finish variants

Standard article	83 900 780 FF	FF	Euro
Chrome		-00	475.70
Brushed Platinum		-06	761.10
Champagne (22kt Gold)		-47	1,046.50
Brushed Champagne (22kt Gold)		-46	1,046.50
Dark Chrome		-19	713.40
Brushed Dark Platinum		-99	856.20

83 900 970


Toilet brush set wall model

- crystal glass
- brush, matte black
- width 126mm
- height 415 mm
- 120mm projection

Custom-made options

- Finish variants

Standard article	83 900 970 FF	FF	Euro
Chrome		-00	396.20
Brushed Platinum		-06	634.00
Champagne (22kt Gold)		-47	871.60
Brushed Champagne (22kt Gold)		-46	871.60
Dark Chrome		-19	594.50
Brushed Dark Platinum		-99	713.30

83 910 979


Toilet brush set wall model

- brush, matte black
- width 100mm
- height 456 mm
- 110mm projection

Custom-made options

- Finish variants
- without logo

Standard article	83 910 979 FF	FF	Euro
Chrome		-00	519.20
Brushed Platinum		-06	830.90
Champagne (22kt Gold)		-47	1,142.20
Brushed Champagne (22kt Gold)		-46	1,142.20
Dark Chrome		-19	778.90
Brushed Dark Platinum		-99	934.60

12 660 979


Cover plate for the concealed WC cistern made by TeCe

- **Not available in the United States and Canada due to local code requirements. Please contact us for more information.**

- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)

- **This product is compatible with the following TECE products:**

- TECEprofil dry wall construction, article numbers: 9300300, 9300322, 9300301, 9300344, 9300309, 9300303, 9300388, 9300366, 9300102, 9300103, 9300329, 9300377, 9300378, 9400302, 9400303, 9400304, 9041335, 9041336, 9041337
- TECEbox wet wall construction, article numbers: 9370300, 9375300, 9371300

Custom-made options

- Finish variants
- without logo

Standard article	12 660 979 FF	FF	Euro
Chrome		-00	852.30
Brushed Platinum		-06	1,364.00
Champagne (22kt Gold)		-47	1,875.10
Brushed Champagne (22kt Gold)		-46	1,875.10
Dark Chrome		-19	1,278.40
Brushed Dark Platinum		-99	1,534.30

12 665 980


Flush plate for concealed WC cisterns made by Geberit angular

- cover plate 169 x 246 x 12 mm
- Mechanical flush plate with manual flush buttons
- For 2-volume flushing system
- Includes mounting frame, actuator rods and fastening material
- Sound-absorbing push rods, tool-free fast adjustment

- **Compatible with all Geberit Sigma series cisterns from 2001 onwards**

Custom-made options

- Finish variants
- without logo

Standard article	12 665 980 FF	FF	Euro
Chrome		-00	485.30
Brushed Platinum		-06	776.50
Champagne (22kt Gold)		-47	1,067.70
Brushed Champagne (22kt Gold)		-46	1,067.70
Dark Chrome		-19	728.00
Brushed Dark Platinum		-99	873.60

83 150 979

NEW

Lighted mirror round

- Wall mounting
- Diameter: 600 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material

Standard article	83 150 979 FF	FF	Euro
Matte White		-10	1,767.00
Matte Black		-33	1,767.00

83 151 979

NEW

Lighted mirror round

- Wall mounting
- Diameter: 750 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material



Standard article	83 151 979 FF	FF	Euro
Matte White		-10	2,065.00
Matte Black		-33	2,065.00

83 150 980

NEW

Lighted mirror angular

- Wall mounting
- height 800 mm
- width 400mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material



Standard article	83 150 980 FF	FF	Euro
Matte White		-10	1,652.00
Matte Black		-33	1,652.00

83 151 980

NEW

Lighted mirror angular

- Wall mounting
- height 1000 mm
- width 600mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material



Standard article	83 151 980 FF	FF	Euro
Matte White		-10	1,951.00
Matte Black		-33	1,951.00

36 390 980

NEW

Electronic control elements for heated towel rail

- rosette 60 x 60 mm
- Control element for towel warmer: 833XX980-FF
- Degree of protection IP 44, CE marking

Note: Different conditioning.

Standard article	36 390 980 FF	FF	Euro
Chrome		-00	500.00
Brushed Champagne (22kt Gold)		-46	1,100.00
Dark Chrome		-19	750.00
Brushed Dark Platinum		-99	900.00

83 304 980

NEW

Towel warmer, 4-fold, projection left, without control element

- gauge 120 mm
- width 600mm
- height 420 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element**Activation must be handled by the customer****Note: Different conditioning.**

Standard article	83 304 980 FF	FF	Euro
Chrome		-00	2,640.00
Brushed Champagne (22kt Gold)		-46	5,808.00
Dark Chrome		-19	3,960.00
Brushed Dark Platinum		-99	4,752.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, without control element

Standard article	35 311 970 FF	FF	Euro
Concealed rough parts		90	750.00

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 651



83 306 980

NEW Towel warmer, 6-fold, projection left, without control element



- gauge 120 mm
- width 600mm
- height 660 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	83 306 980 FF	FF	Euro
Chrome		-00	3,960.00
Brushed Champagne (22kt Gold)		-46	8,712.00
Dark Chrome		-19	5,940.00
Brushed Dark Platinum		-99	7,128.00

Required miscellaneous



Concealed wall installation box for heated towel rail, 6-fold, without control element

35 313 970 FF	FF	Euro
Concealed rough parts	90	1,000.00

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 652

83 314 980

NEW Towel warmer, 4-fold, projection right, without control element



- gauge 120 mm
- width 600mm
- height 420 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	83 314 980 FF	FF	Euro
Chrome		-00	2,640.00
Brushed Champagne (22kt Gold)		-46	5,808.00
Dark Chrome		-19	3,960.00
Brushed Dark Platinum		-99	4,752.00

Required miscellaneous



Concealed wall installation box for heated towel rail, 4-fold, without control element

35 311 970 FF	FF	Euro
Concealed rough parts	90	750.00

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 651

83 316 980

NEW Towel warmer, 6-fold, projection right, without control element



- gauge 120 mm
- width 600mm
- height 660 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	83 316 980 FF	FF	Euro
Chrome		-00	3,960.00
Brushed Champagne (22kt Gold)		-46	8,712.00
Dark Chrome		-19	5,940.00
Brushed Dark Platinum		-99	7,128.00

Required miscellaneous



Concealed wall installation box for heated towel rail, 6-fold, without control element

35 313 970 FF	FF	Euro
Concealed rough parts	90	1,000.00

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 652

83 304 980 +
36 390 980

NEW Towel warmer, 4-fold, projection left, with control element



- gauge 120 mm
- width 600mm
- height 550 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Standard article	1x 83 304 980 FF		1x 36 390 980 FF		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	2,640.00	-00	500.00	3,140.00
Brushed Champagne (22kt Gold)	-46	5,808.00	-46	1,100.00	6,908.00
Dark Chrome	-19	3,960.00	-19	750.00	4,710.00
Brushed Dark Platinum	-99	4,752.00	-99	900.00	5,652.00

Required miscellaneous



Concealed wall installation box for heated towel rail, 4-fold, with control element

35 312 970 FF	FF	Euro
Concealed rough parts	90	850.00

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 651

83 306 980 +
36 390 980**NEW Towel warmer, 6-fold, projection left, with control element**

- gauge 120 mm
- width 600mm
- height 790 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Standard article	1x 83 306 980 FF		1x 36 390 980 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	3,960.00	-00	500.00	4,460.00
Brushed Champagne (22kt Gold)	-46	8,712.00	-46	1,100.00	9,812.00
Dark Chrome	-19	5,940.00	-19	750.00	6,690.00
Brushed Dark Platinum	-99	7,128.00	-99	900.00	8,028.00

Required miscellaneous

**Concealed wall installation box for heated towel rail, 6-fold, with control element**

35 314 970 FF | FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- Concealed rough parts | **90** 1,100.00
- For details and miscellaneous, see page 652

83 314 980 +
36 390 980**NEW Towel warmer, 4-fold, projection right, with control element**

- gauge 120 mm
- width 600mm
- height 550 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Standard article	1x 83 314 980 FF		1x 36 390 980 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	2,640.00	-00	500.00	3,140.00
Brushed Champagne (22kt Gold)	-46	5,808.00	-46	1,100.00	6,908.00
Dark Chrome	-19	3,960.00	-19	750.00	4,710.00
Brushed Dark Platinum	-99	4,752.00	-99	900.00	5,652.00

Required miscellaneous

**Concealed wall installation box for heated towel rail, 4-fold, with control element**

35 312 970 FF | FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- Concealed rough parts | **90** 850.00
- For details and miscellaneous, see page 651

83 316 980 +
36 390 980**NEW Towel warmer, 6-fold, projection right, with control element**

- gauge 120 mm
- width 600mm
- height 790 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Standard article	1x 83 316 980 FF		1x 36 390 980 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	3,960.00	-00	500.00	4,460.00
Brushed Champagne (22kt Gold)	-46	8,712.00	-46	1,100.00	9,812.00
Dark Chrome	-19	5,940.00	-19	750.00	6,690.00
Brushed Dark Platinum	-99	7,128.00	-99	900.00	8,028.00

Required miscellaneous

**Concealed wall installation box for heated towel rail, 6-fold, with control element**

35 314 970 FF | FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- Concealed rough parts | **90** 1,100.00
- For details and miscellaneous, see page 652



Basin
from page 84

Bidet
from page 95

Shower
from page 94

Thermostats, mixers, diverters
and valves
from page 110

Bath
from page 120

Accessories
from page 125

Basin fittings

Single-lever basin mixers

143mm projection

177mm projection



33 500 811
33 521 811

33 505 811
33 525 811

Two-hole basin mixers

133mm projection

167mm projection



29 217 811 +
11 188 811
11 189 811

29 218 811 +
11 188 811
11 189 811

Three-hole basin mixers

133mm projection

167mm projection



20 710 811 +
11 283 811
11 284 811
11 285 811

20 713 811 +
11 283 811
11 284 811
11 285 811

Deck-mounted basin spouts

133mm projection

167mm projection



13 715 811

13 717 811

Wall-mounted single-lever basin mixers

160mm projection

190mm projection



36 860 811

36 861 811

Wall-mounted basin mixers

160mm projection

190mm projection



36 707 811 +
11 283 811
11 284 811
11 285 811

36 712 811 +
11 283 811
11 284 811
11 285 811

Wall-mounted basin spouts

160mm projection

190mm projection



13 800 811

13 805 811

Touchfree

133mm projection

167mm projection



13 715 811 +
42 765 970

13 717 811 +
42 765 970

160mm projection

190mm projection



13 800 811 +
42 765 970

13 805 811 +
42 765 970

Showers

Shower sets



26 413 980 +
28 012 979

26 413 979 +
28 018 979

Shower pipes with shower thermostat



34 460 979 +
28 018 979
34 459 979

34 459 980 +
28 018 979
34 458 980

Head showers with one spray type



28 504 670

Head showers with multiple jet types



28 508 980

Rain showers with wall connection



28 649 670
28 648 670

28 679 670
28 678 670

Rain showers with ceiling connection



28 669 970
28 668 970





























28 775 980
28 774 980

Rain showers for ceiling connection



28 041 980

28 042 980

Rain showers for ceiling installation		Hand shower sets with integrated shower holder		Hand shower sets with individual rosettes		Hand shower sets with cover plate	
							
28 043 980	28 044 980	27 802 970	27 808 980	27 809 985	27 818 980		
Side showers		Massage modules		Waterfalls			
		WATER POINTS	WATER BAR	WATER CURVE	WATER FAN	WATER SHEET	
							
28 528 782	28 518 782	36 525 979 36 515 979	36 527 979 36 517 979	36 514 979	36 513 979 36 512 979	13 415 979	
Waterfalls		Kneipp modules					
WATER FALL		WATER FALL		WATER TUBE			
							
13 420 979	13 425 979	27 838 979 27 858 979	27 821 979 + 28 285 979 27 841 979				
Bath fittings							
Single-lever mixers			Free-standing bath fittings		Bath shower sets		Five-hole bath mixers
			253mm projection		167mm projection		167mm projection
							
36 120 670	29 300 670	36 120 670	25 863 811	27 632 811	27 523 811 + 11 283 811 11 284 811 11 285 811		
Bath spouts		Hand shower sets		Diverters		Miscellaneous	
190mm projection		230mm projection		26mm projection		26mm projection	
							
13 801 811	27 702 980	29 140 670	36 243 970	36 247 970			

33 500 811

**Single-lever basin mixer with pop-up waste**

- 143mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 180 mm
- height up to aerator 128 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Must not be combined with continuous-flow heaters heaters.

Distance from centre of tap hole to wall min. 55 mm or to front edge of basin min. 40 mm.

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	33 500 811 FF	FF	Euro
Chrome		-00	1,240.90
Brushed Platinum		-06	1,985.70
Brushed Durabronz (23kt Gold)		-28	2,605.90
Brushed Bronze		-42	1,985.50
Dark Chrome		-19	1,861.40
Brushed Dark Platinum		-99	2,233.90

Product alternative

- without pop-up waste

Standard article	33 521 811 FF	FF	Euro
Chrome		-00	1,187.60
Brushed Platinum		-06	1,900.40
Brushed Durabronz (23kt Gold)		-28	2,494.00
Brushed Bronze		-42	1,900.10
Dark Chrome		-19	1,781.40
Brushed Dark Platinum		-99	2,137.80

33 505 811

**Single-lever basin mixer with pop-up waste**

- 177mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 198 mm
- height up to aerator 133 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Must not be combined with continuous-flow heaters heaters.

Distance from centre of tap hole to wall min. 55 mm or to front edge of basin min. 40 mm.

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	33 505 811 FF	FF	Euro
Chrome		-00	1,300.40
Brushed Platinum		-06	2,080.80
Brushed Durabronz (23kt Gold)		-28	2,730.80
Brushed Bronze		-42	2,080.60
Dark Chrome		-19	1,950.50
Brushed Dark Platinum		-99	2,340.70

Product alternative

- without pop-up waste

Standard article	33 525 811 FF	FF	Euro
Chrome		-00	1,246.80
Brushed Platinum		-06	1,995.40
Brushed Durabronz (23kt Gold)		-28	2,618.30
Brushed Bronze		-42	1,994.90
Dark Chrome		-19	1,870.30
Brushed Dark Platinum		-99	2,244.40

29 217 811 +
11 188 811**Two-hole basin mixer without pop-up waste**

- 133mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 180 mm
- height up to aerator 128 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- handle Ø 60mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 1x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4.5 l/min
- progressive cartridge
- lead-free
- with hot / cold marking
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- without logo

Set	1x 29 217 811 FF max. flow 4.5 l/min		1x 11 188 811 FF		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	1,304.20	-00	56.70	1,360.90
Brushed Platinum	-06	2,086.70	-06	90.70	2,177.40
Platinum / Brushed Platinum	-36	2,086.70	-06	90.70	2,177.40
Brushed Durabronz (23kt Gold)	-28	2,738.80	-28	119.10	2,857.90
Durabronz / Brushed Durabronz (23kt Gold)	-38	2,738.80	-28	119.10	2,857.90
Brushed Bronze	-42	2,086.70	-42	90.60	2,177.30
Dark Chrome	-19	1,956.30	-19	85.00	2,041.30
Brushed Dark Platinum	-99	2,347.60	-99	102.10	2,449.70

Product alternative

- with red & blue marking
- for two-hole basin mixer

Standard article	11 189 811 FF	FF	Euro
Chrome		-00	56.70
Brushed Platinum		-06	90.70
Platinum		-08	90.70
Brushed Durabronz (23kt Gold)		-28	119.10
Durabronz (23kt Gold)		-09	119.10
Brushed Bronze		-42	90.60
Dark Chrome		-19	85.00
Brushed Dark Platinum		-99	102.10

29 218 811 +
11 188 811

Two-hole basin mixer without pop-up waste

- **167mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 198 mm
- height up to aerator 133 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- handle Ø 60mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 1x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4.5 l/min
- **progressive cartridge**
- lead-free
- with hot / cold marking
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- without logo

Set	1x 29 218 811 FF max. flow 4.5 l/min		1x 11 188 811 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,383.10	-00	56.70	1,439.80
Brushed Platinum	-06	2,212.90	-06	90.70	2,303.60
Platinum / Brushed Platinum	-36	2,212.90	-06	90.70	2,303.60
Brushed Durabronze (23kt Gold)	-28	2,904.50	-28	119.10	3,023.60
Durabronze / Brushed Durabronze (23kt Gold)	-38	2,904.50	-28	119.10	3,023.60
Brushed Bronze	-42	2,213.00	-42	90.60	2,303.60
Dark Chrome	-19	2,074.70	-19	85.00	2,159.70
Brushed Dark Platinum	-99	2,489.60	-99	102.10	2,591.70

Product alternative

- with red & blue marking
- for two-hole basin mixer

Standard article	11 189 811 FF	FF	Euro
Chrome		-00	56.70
Brushed Platinum		-06	90.70
Platinum		-08	90.70
Brushed Durabronze (23kt Gold)		-28	119.10
Durabronze (23kt Gold)		-09	119.10
Brushed Bronze		-42	90.60
Dark Chrome		-19	85.00
Brushed Dark Platinum		-99	102.10

 20 710 811 +
11 283 811

Three-hole basin mixer with pop-up waste

- **133mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 180 mm
- height up to aerator 128 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- handle Ø 60mm
- max. flow 4.5 l/min
- lead-free
- with hot / cold marking
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.
Custom-made options

- Finish variants
- without logo
- without pop-up waste

Set	1x 20 710 811 FF max. flow 4.5 l/min		1x 11 283 811 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,501.60	-00	113.50	1,615.10
Brushed Platinum	-06	2,402.60	-06	181.50	2,584.10
Platinum / Brushed Platinum	-36	2,402.60	-06	181.50	2,584.10
Brushed Durabronze (23kt Gold)	-28	3,153.40	-28	238.40	3,391.80
Durabronze / Brushed Durabronze (23kt Gold)	-38	3,153.40	-28	238.40	3,391.80
Brushed Bronze	-42	2,402.60	-42	181.60	2,584.20
Dark Chrome	-19	2,252.50	-19	170.20	2,422.70
Brushed Dark Platinum	-99	2,703.00	-99	204.20	2,907.20

Product alternative

- with red & blue marking
- for three-hole basin mixers

Standard article	11 284 811 FF	FF	Euro
Chrome		-00	113.50
Brushed Platinum		-06	181.50
Platinum		-08	181.50
Brushed Durabronze (23kt Gold)		-28	238.40
Durabronze (23kt Gold)		-09	238.40
Brushed Bronze		-42	181.60
Dark Chrome		-19	170.20
Brushed Dark Platinum		-99	204.20



Recommended miscellaneous

	High pressure hoses	12 506 970 FF	FF	Euro
• 2x 3/8" x 1/2" x 500mm high pressure hose			Accessories	90
				90.70

20 713 811 +
11 283 811**Three-hole basin mixer with pop-up waste**

- **167mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 198 mm
- height up to aerator 133 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- handle Ø 60mm
- max. flow 4.5 l/min
- lead-free
- with hot / cold marking
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.**Custom-made options**

- Finish variants
- without logo
- without pop-up waste

Set	1x 20 713 811 FF max. flow 4.5 l/min		1x 11 283 811 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,580.80	-00	113.50	1,694.30
Brushed Platinum	-06	2,529.10	-06	181.50	2,710.60
Platinum / Brushed Platinum	-36	2,529.10	-06	181.50	2,710.60
Brushed Durabronze (23kt Gold)	-28	3,319.70	-28	238.40	3,558.10
Durabronze / Brushed Durabronze (23kt Gold)	-38	3,319.70	-28	238.40	3,558.10
Brushed Bronze	-42	2,529.40	-42	181.60	2,711.00
Dark Chrome	-19	2,371.30	-19	170.20	2,541.50
Brushed Dark Platinum	-99	2,845.40	-99	204.20	3,049.60

Product alternative

- with red & blue marking
- for three-hole basin mixers

Standard article	11 284 811 FF	FF	Euro
Chrome		-00	113.50
Brushed Platinum		-06	181.50
Platinum		-08	181.50
Brushed Durabronze (23kt Gold)		-28	238.40
Durabronze (23kt Gold)		-09	238.40
Brushed Bronze		-42	181.60
Dark Chrome		-19	170.20
Brushed Dark Platinum		-99	204.20



Recommended miscellaneous

	12 506 970 FF	FF	Euro
High pressure hoses			
• 2x 3/8" x 1/2" x 500mm high pressure hose		Accessories	90
			90.70

13 715 811

**Deck-mounted basin spout without pop-up waste**

- **133mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 180 mm
- height up to aerator 128 mm
- hole diameter 35 mm
- 2x 1/2" x 1/2" high pressure hose
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- without logo

Standard article	13 715 811 FF	FF	Euro
Chrome		-00	907.30
Brushed Platinum		-06	1,451.30
Platinum / Brushed Platinum		-36	1,451.30
Brushed Durabronze (23kt Gold)		-28	1,905.30
Durabronze / Brushed Durabronze (23kt Gold)		-38	1,905.30
Brushed Bronze		-42	1,451.70
Dark Chrome		-19	1,360.90
Brushed Dark Platinum		-99	1,633.00

13 717 811

**Deck-mounted basin spout without pop-up waste**

- **167mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 198 mm
- height up to aerator 133 mm
- hole diameter 35 mm
- 2x 1/2" x 1/2" high pressure hose
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- without logo

Standard article	13 717 811 FF	FF	Euro
Chrome		-00	952.50
Brushed Platinum		-06	1,523.80
Platinum / Brushed Platinum		-36	1,523.80
Brushed Durabronze (23kt Gold)		-28	2,000.30
Durabronze / Brushed Durabronze (23kt Gold)		-38	2,000.30
Brushed Bronze		-42	1,524.10
Dark Chrome		-19	1,428.90
Brushed Dark Platinum		-99	1,714.60

36 860 811


Wall-mounted single-lever basin mixer without pop-up waste

- **160mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for mixer 80 x 80mm
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 860 811 FF	FF	Euro
Chrome	-00		1,099.90
Brushed Platinum	-06		1,760.00
Brushed Durabronze (23kt Gold)	-28		2,309.80
Brushed Bronze	-42		1,759.90
Dark Chrome	-19		1,650.00
Brushed Dark Platinum	-99		1,980.00



Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
Concealed rough parts	90		224.60

- min. recess depth 80 mm
- max. recess depth 95 mm
- mixer can be placed above, to the left or to the right of the spout.

For details and miscellaneous, see page 640

36 861 811


Wall-mounted single-lever basin mixer without pop-up waste

- **190mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for mixer 80 x 80mm
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 861 811 FF	FF	Euro
Chrome	-00		1,154.90
Brushed Platinum	-06		1,848.00
Brushed Durabronze (23kt Gold)	-28		2,425.30
Brushed Bronze	-42		1,847.90
Dark Chrome	-19		1,732.50
Brushed Dark Platinum	-99		2,079.00



Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
Concealed rough parts	90		224.60

- min. recess depth 80 mm
- max. recess depth 95 mm
- mixer can be placed above, to the left or to the right of the spout.

For details and miscellaneous, see page 640

36 707 811 +
11 283 811



Wall-mounted basin mixer without pop-up waste

- 160mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter valve 37 mm
- hole diameter spout 37 mm
- handle Ø 60mm
- max. flow 4,5 l/min
- lead-free
- with hot / cold marking
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- without logo

Set	1x 36 707 811 FF max. flow 4.5 l/min		1x 11 283 811 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,146.50	-00	113.50	1,260.00
Brushed Platinum	-06	1,834.40	-06	181.50	2,015.90
Platinum / Brushed Platinum	-36	1,834.40	-06	181.50	2,015.90
Brushed Durabronze (23kt Gold)	-28	2,407.70	-28	238.40	2,646.10
Durabronze / Brushed Durabronze (23kt Gold)	-38	2,407.70	-28	238.40	2,646.10
Brushed Bronze	-42	1,834.40	-42	181.60	2,016.00
Dark Chrome	-19	1,719.80	-19	170.20	1,890.00
Brushed Dark Platinum	-99	2,063.70	-99	204.20	2,267.90

Product alternative

- with red & blue marking
- for three-hole basin mixers

Standard article	11 284 811 FF	FF	Euro
Chrome		-00	113.50
Brushed Platinum		-06	181.50
Platinum		-08	181.50
Brushed Durabronze (23kt Gold)		-28	238.40
Durabronze (23kt Gold)		-09	238.40
Brushed Bronze		-42	181.60
Dark Chrome		-19	170.20
Brushed Dark Platinum		-99	204.20



Required miscellaneous

Concealed wall-mounted mixer centred spout

35 700 970 FF | FF Euro

- min. recess depth 85 mm
 - max. recess depth 145 mm
- For details and miscellaneous, see page 640

Concealed rough parts | 90 | 193.30



Required miscellaneous

Concealed wall-mounted mixer variable positioning

35 720 970 FF | FF Euro

- min. recess depth 85 mm
 - max. recess depth 145 mm
- For details and miscellaneous, see page 640

Concealed rough parts | 90 | 154.20

36 712 811 +
11 283 811

Wall-mounted basin mixer without pop-up waste

- **190mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter valve 37 mm
- hole diameter spout 37 mm
- handle Ø 60mm
- max. flow 4.5 l/min
- lead-free
- with hot / cold marking
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- without logo

Set	1x 36 712 811 FF max. flow 4.5 l/min		1x 11 283 811 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,207.00	-00	113.50	1,320.50
Brushed Platinum	-06	1,931.30	-06	181.50	2,112.80
Platinum / Brushed Platinum	-36	1,931.30	-06	181.50	2,112.80
Brushed Durabronze (23kt Gold)	-28	2,534.70	-28	238.40	2,773.10
Durabronze / Brushed Durabronze (23kt Gold)	-38	2,534.70	-28	238.40	2,773.10
Brushed Bronze	-42	1,931.10	-42	181.60	2,112.70
Dark Chrome	-19	1,810.40	-19	170.20	1,980.60
Brushed Dark Platinum	-99	2,172.50	-99	204.20	2,376.70

Product alternative

- with red & blue marking
- for three-hole basin mixers

Standard article	11 284 811 FF	FF	Euro
Chrome		-00	113.50
Brushed Platinum		-06	181.50
Platinum		-08	181.50
Brushed Durabronze (23kt Gold)		-28	238.40
Durabronze (23kt Gold)		-09	238.40
Brushed Bronze		-42	181.60
Dark Chrome		-19	170.20
Brushed Dark Platinum		-99	204.20



Required miscellaneous

Concealed wall-mounted mixer centred spout

	35 700 970 FF	FF	Euro
Concealed rough parts		90	193.30

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 640



Required miscellaneous

Concealed wall-mounted mixer variable positioning

	35 720 970 FF	FF	Euro
Concealed rough parts		90	154.20

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 640

13 800 811


Wall-mounted basin spout without pop-up waste

- **160mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter 37 mm
- 1/2" connection
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- without logo

Standard article	13 800 811 FF	FF	Euro
Chrome		-00	685.40
Brushed Platinum		-06	1,096.80
Platinum / Brushed Platinum		-36	1,096.80
Brushed Durabronze (23kt Gold)		-28	1,439.30
Durabronze / Brushed Durabronze (23kt Gold)		-38	1,439.30
Brushed Bronze		-42	1,096.50
Dark Chrome		-19	1,028.10
Brushed Dark Platinum		-99	1,233.80



Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
Concealed rough parts		90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

13 805 811



Wall-mounted basin spout without pop-up waste

- **190mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter 37 mm
- 1/2" connection
- max. flow 4.5 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- without logo

Standard article	13 805 811	FF	FF	Euro
Chrome		-00		724.60
Brushed Platinum		-06		1,159.60
Platinum / Brushed Platinum		-36		1,159.60
Brushed Durabronze (23kt Gold)		-28		1,521.70
Durabronze / Brushed Durabronze (23kt Gold)		-38		1,521.70
Brushed Bronze		-42		1,159.40
Dark Chrome		-19		1,087.00
Brushed Dark Platinum		-99		1,304.30



Recommended miscellaneous

Concealed wall elbow	35 085 970	FF	FF	Euro
-----------------------------	-------------------	----	----	------

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
For details and miscellaneous, see page 645

13 715 811 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting

- **133mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 180 mm
- height up to aerator 128 mm
- hole diameter 35 mm
- 2x 1/2" x 1/2" high pressure hose
- 1/2" connection
- max. flow 4.5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- without logo

Set	1x 13 715 811 FF max. flow 4.5 l/min		1x 42 765 970 90 FF		Total price:
	FF	Euro	FF	Euro	
Chrome	-00	907.30	90	687.50	1,594.80

Required miscellaneous



eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

	35 740 970	FF	FF	Euro
--	-------------------	----	----	------

- For details and miscellaneous, see page 646
- Concealed rough parts **90** 313.70

13 717 811 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting

- **167mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 198 mm
- height up to aerator 133 mm
- hole diameter 35 mm
- 2x 1/2" x 1/2" high pressure hose
- 1/2" connection
- max. flow 4.5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- without logo

	1x 13 717 811 FF max. flow 4.5 l/min		1x 42 765 970 90 FF	Total price:
Set	FF	Euro	FF	Euro
Chrome	-00	952.50	90	687.50
				1,640.00



Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

	35 740 970 FF	FF	Euro
For details and miscellaneous, see page 646	Concealed rough parts	90	313.70

13 800 811 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting

- **160mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter 35 mm
- 1/2" connection
- max. flow 4.5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- without logo

	1x 13 800 811 FF max. flow 4.5 l/min		1x 42 765 970 90 FF	Total price:
Set	FF	Euro	FF	Euro
Chrome	-00	685.40	90	687.50
				1,372.90



Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

	35 741 970 FF	FF	Euro
• min. recess depth 90 mm	Concealed rough parts	90	313.70
• max. recess depth 125 mm			
For details and miscellaneous, see page 646			



Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm	Concealed rough parts	90	122.80
• max. recess depth 163 mm			
For details and miscellaneous, see page 645			

13 805 811 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting

- **190mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter 35 mm
- 1/2" connection
- max. flow 4,5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- without logo

	1x 13 805 811 FF max. flow 4.5 l/min		1x 42 765 970 90 FF	Total price:
Set	FF	Euro	FF	Euro
Chrome	-00	724.60	90	687.50
				1,412.10

Required miscellaneous



eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

- min. recess depth 90 mm
 - max. recess depth 125 mm
- For details and miscellaneous, see page 646

	35 741 970 FF	FF	Euro
Concealed rough parts	90		313.70



Concealed wall elbow

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

	35 085 970 FF	FF	Euro
Concealed rough parts	90		122.80

Miscellaneous

10 060 780



Siphon for basin 1 1/4"

- rosette 78 x 78 mm

Custom-made options

- Finish variants

Standard article	10 060 780 FF	FF	Euro
Chrome	-00		387.40
Brushed Platinum	-06		619.90
Brushed Durabronze (23kt Gold)	-28		813.50
Brushed Bronze	-42		619.80
Dark Chrome	-19		581.10
Brushed Dark Platinum	-99		697.30

11 188 811



Handle insert hot & cold

- with hot / cold marking
- for two-hole basin mixer

Custom-made options

- Finish variants

Standard article	11 188 811 FF	FF	Euro
Chrome	-00		56.70
Brushed Platinum	-06		90.70
Brushed Durabronze (23kt Gold)	-28		119.10
Brushed Bronze	-42		90.60
Dark Chrome	-19		85.00
Brushed Dark Platinum	-99		102.10

11 187 811



Handle insert

- without marking

Custom-made options

- Finish variants

Standard article	11 187 811 FF	FF	Euro
Chrome	-00		56.70
Brushed Platinum	-06		90.70
Brushed Durabronze (23kt Gold)	-28		119.10
Brushed Bronze	-42		90.60
Dark Chrome	-19		85.00
Brushed Dark Platinum	-99		102.10

11 283 811



Handle insert set hot & cold

- with hot / cold marking
- for three-hole basin mixers and five-hole bath mixers

Custom-made options

- Finish variants

Standard article	11 283 811 FF	FF	Euro
Chrome	-00		113.50
Brushed Platinum	-06		181.50
Brushed Durabronze (23kt Gold)	-28		238.40
Brushed Bronze	-42		181.60
Dark Chrome	-19		170.20
Brushed Dark Platinum	-99		204.20

33 600 782


Single-lever bidet mixer with pop-up waste

- 110mm projection
- **european pop-up waste**
- ball-joint pivotable through 44°
- rectangular, air-enriched flow
- height of mixer 180 mm
- height up to aerator 140 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 2x European pressure hose for bidet fitting
- max. flow 6 l/min

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo
- without pop-up waste

Standard article	33 600 782 FF	FF	Euro
Chrome		-00	1,536.20
Brushed Platinum		-06	2,458.00
Brushed Durabronz (23kt Gold)		-28	3,226.00
Brushed Bronze		-42	2,458.00
Dark Chrome		-19	2,304.50
Brushed Dark Platinum		-99	2,765.20

27 701 970


Bidet spray

- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2" shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options

- Finish variants
- without logo

Standard article	27 701 970 FF	FF	Euro
Chrome		-00	323.10
Brushed Platinum		-06	516.80
Brushed Durabronz (23kt Gold)		-28	678.50
Brushed Bronze		-42	516.90
Dark Chrome		-19	484.60
Brushed Dark Platinum		-99	581.60



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
	Concealed rough parts	90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

26 413 980 +
28 012 979



Shower set

- slide bar
- Pipe diameter 18 mm
- rosette 60 x 60 mm
- gauge 800 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- Four settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, COMPACT CASCADE, max. flow rate 15 l/min (at 3 bar)
- spray head Ø 120mm

Fits MEM, CL.1, IMO, CYO

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Set	1x 26 413 980 FF		1x 28 012 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	701.90	-00	236.10	938.00
Brushed Platinum	-06	1,122.50	-06	377.70	1,500.20
Brushed Durabronz (23kt Gold)	-28	1,474.00	-28	495.80	1,969.80
Brushed Bronze	-42	1,123.10	-42	377.70	1,500.80
Dark Chrome	-19	1,052.80	-19	354.10	1,406.90
Brushed Dark Platinum	-99	1,262.90	-99	425.00	1,687.90



Recommended miscellaneous

Wall elbow

28 450 980 FF | FF Euro

For details and miscellaneous, see main items

Chrome	-00	165.10
Brushed Platinum	-06	264.40
Brushed Durabronz (23kt Gold)	-28	346.70
Brushed Bronze	-42	264.20
Dark Chrome	-19	247.90
Brushed Dark Platinum	-99	297.40



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF | FF Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

Concealed rough parts 90 122.80

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 605.



Alternative hand shower	28 018 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min		28 015 979 FF max. flow 15 l/min		28 017 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	135.80	-00	237.40	-00	126.30	-00	181.90	-00	195.80
Brushed Platinum	-06	217.10	-06	379.90	-06	202.30	-06	291.10	-06	313.60
Brushed Durabronz (23kt Gold)	-28	285.20	-28	498.50	-28	265.20	-28	382.00	-28	411.20
Brushed Bronze	-42	217.10	-42	379.90	-42	202.00	-42	291.00	-42	313.30
Dark Chrome	-19	203.60	-19	356.20	-19	189.40	-19	272.80	-19	293.80
Brushed Dark Platinum	-99	244.30	-99	427.30	-99	227.20	-99	327.30	-99	352.60

26 413 979 +
 28 018 979

Shower set

- slide bar
- Pipe diameter 18 mm
- gauge 853 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 7 l/min
- spray head Ø 100mm

Fits MEM, CL.1, IMO, META, TARA, VAIA, LULU, LISSÉ, CYO
NOTE: Hand shower sold separately. Please see hand shower options under the miscellaneous articles section of each series.
Custom-made options

- Finish variants
- Flow rate modification
- without logo

Set	1x 26 413 979 FF		1x 28 018 979 FF		Total price:
	FF	Euro	FF	Euro	
Chrome	-00	420.30	-00	135.80	556.10
Brushed Platinum	-06	685.60	-06	217.10	902.70
Brushed Durabronz (23kt Gold)	-28	882.60	-28	285.20	1,167.80
Brushed Bronze	-42	672.60	-42	217.10	889.70
Dark Chrome	-19	630.70	-19	203.60	834.30
Brushed Dark Platinum	-99	756.40	-99	244.30	1,000.70



Recommended miscellaneous

Wall elbow
28 450 980 FF

For details and miscellaneous, see main items

	FF	Euro
Chrome	-00	165.10
Brushed Platinum	-06	264.40
Brushed Durabronz (23kt Gold)	-28	346.70
Brushed Bronze	-42	264.20
Dark Chrome	-19	247.90
Brushed Dark Platinum	-99	297.40



Recommended miscellaneous

Concealed wall elbow
35 085 970 FF

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

 Concealed rough parts **90** 122.80

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.


Alternative hand shower	28 015 979 FF		28 017 979 FF		28 012 979 FF		28 016 979 FF		28 029 979 FF	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	236.10	-00	195.80	-00	237.40
Brushed Platinum	-06	202.30	-06	291.10	-06	377.70	-06	313.60	-06	379.90
Brushed Durabronz (23kt Gold)	-28	265.20	-28	382.00	-28	495.80	-28	411.20	-28	498.50
Brushed Bronze	-42	202.00	-42	291.00	-42	377.70	-42	313.30	-42	379.90
Dark Chrome	-19	189.40	-19	272.80	-19	354.10	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	425.00	-99	352.60	-99	427.30

34 460 979 +
28 018 979



Showerpipe with shower thermostat

- shower with fixed riser projection 453mm
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower Ø 300 mm
- rain shower with anti-scale system
- Hand shower: Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- spray head Ø 100mm
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 1009mm
- height of fittings up to top edge of elbow 1150mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.

Fits IMO, META, TARA, VAIA, LISSÉ, LULU

Custom-made options

- Finish variants
- Flow rate modification
- Height modification
- Red/blue marking
- without logo

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.



Alternative hand shower	28 015 979 FF max. flow 15 l/min		28 017 979 FF max. flow 15 l/min		28 012 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	236.10	-00	195.80	-00	237.40
Brushed Platinum	-06	202.30	-06	291.10	-06	377.70	-06	313.60	-06	379.90
Brushed Durabronz (23kt Gold)	-28	265.20	-28	382.00	-28	495.80	-28	411.20	-28	498.50
Brushed Bronze	-42	202.00	-42	291.00	-42	377.70	-42	313.30	-42	379.90
Dark Chrome	-19	189.40	-19	272.80	-19	354.10	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	425.00	-99	352.60	-99	427.30

Set	1x 34 460 979 FF max. flow 14 l/min		1x 28 018 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	2,734.90	-00	135.80	2,870.70
Brushed Platinum	-06	4,375.70	-06	217.10	4,592.80
Brushed Durabronz (23kt Gold)	-28	5,743.30	-28	285.20	6,028.50
Brushed Bronze	-42	4,375.70	-42	217.10	4,592.80
Dark Chrome	-19	4,102.30	-19	203.60	4,305.90
Brushed Dark Platinum	-99	4,922.60	-99	244.30	5,166.90

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- rain shower Ø 220 mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Standard article	34 459 979 FF	FF	Euro
Chrome		-00	2,596.40
Brushed Platinum		-06	4,061.00
Brushed Durabronz (23kt Gold)		-28	5,452.40
Brushed Bronze		-42	4,061.00
Dark Chrome		-19	3,894.60
Brushed Dark Platinum		-99	4,568.80

34 459 980 +
 28 018 979

Showerpipe with shower thermostat

- **shower with fixed riser projection 453mm**
- Rain shower: PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- rain shower 300 x 240mm
- rain shower with anti-scale system
- Hand shower: COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- spray head Ø 100mm
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 1009mm
- height of fittings up to top edge of elbow 1150mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- Flow rate modification
- Height modification
- Red/blue marking
- without logo

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.

Set	1x 34 459 980 FF max. flow 20 l/min		1x 28 018 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	3,079.20	-00	135.80	3,215.00
Brushed Platinum	-06	4,926.80	-06	217.10	5,143.90
Brushed Durabronze (23kt Gold)	-28	6,466.30	-28	285.20	6,751.50
Brushed Bronze	-42	4,926.70	-42	217.10	5,143.80
Dark Chrome	-19	4,618.90	-19	203.60	4,822.50
Brushed Dark Platinum	-99	5,542.50	-99	244.30	5,786.80

Product alternative

- FlowReduce
- Max. flow rate 12 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Standard article	34 458 980 FF	FF	Euro
Chrome		-00	3,079.20
Brushed Platinum		-06	4,926.70
Brushed Durabronze (23kt Gold)		-28	6,466.30
Brushed Bronze		-42	4,926.70
Dark Chrome		-19	4,618.80
Brushed Dark Platinum		-99	5,542.50

Alternative hand shower	28 015 979 FF max. flow 15 l/min		28 017 979 FF max. flow 15 l/min		28 012 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	236.10	-00	195.80	-00	237.40
Brushed Platinum	-06	202.30	-06	291.10	-06	377.70	-06	313.60	-06	379.90
Brushed Durabronze (23kt Gold)	-28	265.20	-28	382.00	-28	495.80	-28	411.20	-28	498.50
Brushed Bronze	-42	202.00	-42	291.00	-42	377.70	-42	313.30	-42	379.90
Dark Chrome	-19	189.40	-19	272.80	-19	354.10	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	425.00	-99	352.60	-99	427.30


 1 jet
 Ø 100 mm

 1 jet
 Ø 130 mm

 4 jets
 Ø 120 mm

 5 jets
 Ø 130 mm


1 jet

28 504 670


Shower head

- **180-210mm projection**
- ball-joint pivotable through 30°
- PURIFY RAIN, max. flow rate 7 l/min (at 3 bar)
- with anti-scale system
- spray head Ø 100mm
- rosette 60 x 60 mm
- 1/2" connection
- Function from: 6 l/min

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	28 504 670 FF	FF	Euro
Chrome		-00	613.10
Brushed Platinum		-06	972.80
Brushed Durabronze (23kt Gold)		-28	1,287.50
Brushed Bronze		-42	980.90
Dark Chrome		-19	919.50
Brushed Dark Platinum		-99	1,103.40



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
Concealed rough parts		90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

28 508 980

**Shower head**

- **200mm projection**
- ball-joint pivotable through 30°
- Three settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system
- spray head Ø 92mm
- rosette 60 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 508 980 FF	FF	Euro
Chrome		-00	680.40
Brushed Platinum		-06	1,088.30
Brushed Durabronze (23kt Gold)		-28	1,428.80
Brushed Bronze		-42	1,088.70
Dark Chrome		-19	1,020.50
Brushed Dark Platinum		-99	1,224.90

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 508 980 FF	FF	Euro
Chrome		-000010	680.40
Brushed Platinum		-060010	1,088.30
Brushed Durabronze (23kt Gold)		-280010	1,428.80
Brushed Bronze		-420010	1,088.70
Dark Chrome		-190010	1,020.50
Brushed Dark Platinum		-990010	1,224.90



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
Concealed rough parts		90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

28 649 670

**Rain shower with wall fixing 220 mm**

- **450mm projection**
- rain shower Ø 220 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 7 l/min
- rosette 65 x 65 mm
- 1/2" connection
- with anti-scale system
- quick clearing

Fits IMO, CYO

Custom-made options

- Finish variants
- Projection modification
- without logo

Standard article	28 649 670 FF	FF	Euro
Chrome		-00	1,020.00
Brushed Platinum		-06	1,632.20
Brushed Durabronze (23kt Gold)		-28	2,142.00
Brushed Bronze		-42	1,632.00
Dark Chrome		-19	1,530.10
Brushed Dark Platinum		-99	1,836.30

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 648 670 FF	FF	Euro
Chrome		-00	1,020.00
Brushed Platinum		-06	1,632.00
Brushed Durabronze (23kt Gold)		-28	2,142.00
Brushed Bronze		-42	1,632.00
Dark Chrome		-19	1,530.10
Brushed Dark Platinum		-99	1,836.10



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
Concealed rough parts		90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

28 679 670


Rain shower with wall fixing 300 mm

- 450mm projection
- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rosette 65 x 65 mm
- 1/2" connection
- with anti-scale system
- quick clearing

Fits IMO, CYO
Custom-made options

- Finish variants
- Projection modification
- without logo

Standard article	28 679 670 FF	FF	Euro
Chrome		-00	1,197.10
Brushed Platinum		-06	1,915.30
Brushed Durabronze (23kt Gold)		-28	2,513.90
Brushed Bronze		-42	1,915.30
Dark Chrome		-19	1,795.70
Brushed Dark Platinum		-99	2,154.80

Product alternative

- FlowReduce
- Max. flow rate 9 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 678 670 FF	FF	Euro
Chrome		-00	1,197.10
Brushed Platinum		-06	1,915.30
Brushed Durabronze (23kt Gold)		-28	2,513.90
Brushed Bronze		-42	1,915.30
Dark Chrome		-19	1,795.60
Brushed Dark Platinum		-99	2,154.70



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
Concealed rough parts		90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

28 669 970


Rain shower with ceiling fixing 220 mm

- rain shower Ø 220 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 7 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system
- quick clearing

Fits IMO, META, TARA, VAIA, LISSÉ, CYO
Custom-made options

- Finish variants
- Length modification
- without logo

Standard article	28 669 970 FF	FF	Euro
Chrome		-00	819.30
Brushed Platinum		-06	1,311.20
Brushed Durabronze (23kt Gold)		-28	1,720.50
Brushed Bronze		-42	1,310.90
Dark Chrome		-19	1,228.90
Brushed Dark Platinum		-99	1,474.80

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 668 970 FF	FF	Euro
Chrome		-00	819.30
Brushed Platinum		-06	1,310.90
Brushed Durabronze (23kt Gold)		-28	1,720.50
Brushed Bronze		-42	1,310.90
Dark Chrome		-19	1,228.90
Brushed Dark Platinum		-99	1,474.70



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
Concealed rough parts		90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

28 775 980



Rain shower with ceiling fixing 300 x 240 mm

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- distance between ceiling and lower edge of the shower 165mm
- rosette 60 x 60, as required
- 1/2" connection
- with anti-scale system
- quick clearing

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- Length modification
- without logo

Standard article	28 775 980 FF	FF	Euro
Chrome		-00	1,299.30
Brushed Platinum		-06	2,079.10
Brushed Durabronz (23kt Gold)		-28	2,728.50
Brushed Bronze		-42	2,079.00
Dark Chrome		-19	1,949.00
Brushed Dark Platinum		-99	2,338.70

Product alternative

- FlowReduce
- Max. flow rate 12 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 774 980 FF	FF	Euro
Chrome		-00	1,299.30
Brushed Platinum		-06	2,079.10
Brushed Durabronz (23kt Gold)		-28	2,728.50
Brushed Bronze		-42	2,079.00
Dark Chrome		-19	1,949.10
Brushed Dark Platinum		-99	2,338.80



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
Concealed rough parts		90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

28 041 980



Rain shower for surface-mounted ceiling installation 300 x 240 mm

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- For simultaneous control of the jet types, we recommend the xTool thermostat module
- Not suitable for use in a steam room.

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 041 980 FF	FF	Euro
Chrome		-00	746.90
Brushed Platinum		-06	1,195.10
Brushed Durabronz (23kt Gold)		-28	1,568.50
Brushed Bronze		-42	1,195.00
Dark Chrome		-19	1,120.30
Brushed Dark Platinum		-99	1,344.40

Required miscellaneous



Concealed ceiling installation box with ceiling fixing

Standard article	35 041 970 FF	FF	Euro
Concealed rough parts		90	497.90

- concealed rough parts
- min. recess depth 90 mm
- max. recess depth 115 mm
- 2x female thread 1/2" outlet

For details and miscellaneous, see page 648

28 042 980



Rain shower for surface-mounted ceiling installation with light 300 x 240 mm

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- **Ceiling module power supply**
- 350mA (CC)
- **Spot lighting**
- LED colour temperature approx. 3000 K
- Bulbs protected against splashing water
- Contains energy efficiency class bulbs
- Technology: LED, not dimmable
- Provided by customer: Light switch
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 042 980 FF	FF	Euro
Chrome		-00	1,122.20
Brushed Platinum		-06	1,795.50
Brushed Durabronz (23kt Gold)		-28	2,356.60
Brushed Bronze		-42	1,795.50
Dark Chrome		-19	1,683.20
Brushed Dark Platinum		-99	2,020.00

Required miscellaneous



Concealed ceiling installation box for surface-mounted ceiling installation with light

Standard article	35 042 970 FF	FF	Euro
Concealed rough parts		90	748.00

- concealed rough parts
- min. recess depth 90 mm
- max. recess depth 115 mm
- 2x female thread 1/2" connections
- Input 100-240V AC 50-60Hz
- Output 350 mA SELV / Class 2
- Provided by customer: Light switch

For details and miscellaneous, see page 648

28 043 980


Rain shower for recessed ceiling installation 300 x 240 mm

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- min. recess depth 137 mm
- with anti-scale system
- For simultaneous control of the jet types, we recommend the xTool thermostat module
- Not suitable for use in a steam room.

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	28 043 980 FF	FF	Euro
Chrome		-00	1,497.40
Brushed Platinum		-06	2,395.80
Brushed Durabronz (23kt Gold)		-28	3,144.50
Brushed Bronze		-42	2,395.90
Dark Chrome		-19	2,246.10
Brushed Dark Platinum		-99	2,695.30

Required miscellaneous


Concealed ceiling installation box for recessed ceiling installation

Standard article	35 043 970 FF	FF	Euro
concealed rough parts	Concealed rough parts	90	998.30

- recess depth 137mm
- 2x female thread 1/2" outlet
- flush-mounted RAL 9003 signal white light reflection box 310 x 250 mm

For details and miscellaneous, see page 647

28 044 980


Rain shower for recessed ceiling installation with light 300 x 240 mm

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- min. recess depth 137 mm
- with anti-scale system
- **Ceiling module power supply**
- 12V DC (CV)
- **Spot lighting**
- LED coloured light RGBW
- Bulbs protected against splashing water
- **Ambient lighting**
- **Activation**
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

includes light bulbs with a Class G energy efficiency
Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	28 044 980 FF	FF	Euro
Chrome		-00	2,248.00
Brushed Platinum		-06	3,596.80
Brushed Durabronz (23kt Gold)		-28	4,720.80
Brushed Bronze		-42	3,596.80
Dark Chrome		-19	3,371.90
Brushed Dark Platinum		-99	4,046.30

Required miscellaneous


Concealed ceiling installation box for recessed ceiling installation with light

Standard article	35 044 970 FF	FF	Euro
concealed rough parts	Concealed rough parts	90	1,498.70

- flush-mounted installation box 360x 300 mm RAL 9003 signal white
- recess depth 137mm
- Input 100-240V AC 50-60Hz
- Output 12V DC SELV / Class 2
- ZigBee Light Link RGBW controller

For details and miscellaneous, see page 648

27 802 970

**Hand shower set with integrated shower holder**

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection
- rosette 60 x 60 mm
- 1/2" connection

Intrinsic protection against back flow.

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 802 970 FF	FF	Euro
Chrome		-00	469.60
Brushed Platinum		-06	750.60
Brushed Durabronze (23kt Gold)		-28	986.20
Brushed Bronze		-42	751.30
Dark Chrome		-19	704.50
Brushed Dark Platinum		-99	844.90

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 802 970 FF	FF	Euro
Chrome		-000010	469.60
Brushed Platinum		-060010	750.60
Brushed Durabronze (23kt Gold)		-280010	986.20
Brushed Bronze		-420010	751.30
Dark Chrome		-190010	704.50
Brushed Dark Platinum		-990010	844.90



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
	Concealed rough parts	90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

27 808 980

**Hand shower set with individual rosettes**

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow

Intrinsic protection against back flow.

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 808 980 FF	FF	Euro
Chrome		-00	708.60
Brushed Platinum		-06	1,133.70
Brushed Durabronze (23kt Gold)		-28	1,488.10
Brushed Bronze		-42	1,133.80
Dark Chrome		-19	1,062.90
Brushed Dark Platinum		-99	1,275.20

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 808 980 FF	FF	Euro
Chrome		-000010	708.60
Brushed Platinum		-060010	1,133.70
Brushed Durabronze (23kt Gold)		-280010	1,488.10
Brushed Bronze		-420010	1,133.80
Dark Chrome		-190010	1,062.90
Brushed Dark Platinum		-990010	1,275.20



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
	Concealed rough parts	90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

27 809 985


Hand shower set with individual rosettes with volume control

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with volume control
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow

Fits MEM, CL.1, CYO
Intrinsic protection against back flow.
Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 809 985 FF	FF	Euro
Chrome		-00	930.10
Brushed Platinum		-06	1,488.20
Brushed Durabronze (23kt Gold)		-28	1,953.20
Brushed Bronze		-42	1,488.10
Dark Chrome		-19	1,395.20
Brushed Dark Platinum		-99	1,674.10

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 809 985 FF	FF	Euro
Chrome		-000010	930.10
Brushed Platinum		-060010	1,488.20
Brushed Durabronze (23kt Gold)		-280010	1,953.20
Brushed Bronze		-420010	1,488.10
Dark Chrome		-190010	1,395.20
Brushed Dark Platinum		-990010	1,674.10



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

Concealed rough parts	90	122.80
-----------------------	----	--------

27 818 980


Hand shower set with cover plate

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- cover plate 240 x 60 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow

Intrinsic protection against back flow.
Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 818 980 FF	FF	Euro
Chrome		-00	842.40
Brushed Platinum		-06	1,347.70
Brushed Durabronze (23kt Gold)		-28	1,769.00
Brushed Bronze		-42	1,347.90
Dark Chrome		-19	1,263.80
Brushed Dark Platinum		-99	1,516.40

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 818 980 FF	FF	Euro
Chrome		-000010	842.40
Brushed Platinum		-060010	1,347.70
Brushed Durabronze (23kt Gold)		-280010	1,769.00
Brushed Bronze		-420010	1,347.90
Dark Chrome		-190010	1,263.80
Brushed Dark Platinum		-990010	1,516.40



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

Concealed rough parts	90	122.80
-----------------------	----	--------

28 528 782

**Body spray without volume control**

- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- HORIZONTAL RAIN, max. flow rate 7 l/min (at 3 bar)
- anti-scale system
- rosette 60 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 528 782 FF	FF	Euro
Chrome		-00	378.40
Brushed Platinum		-06	605.40
Brushed Durabronze (23kt Gold)		-28	794.60
Brushed Bronze		-42	605.40
Dark Chrome		-19	567.60
Brushed Dark Platinum		-99	681.20

Product alternative

- FlowReduce
- Max. flow rate 5 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 518 782 FF	FF	Euro
Chrome		-00	378.40
Brushed Platinum		-06	605.60
Brushed Durabronze (23kt Gold)		-28	794.60
Brushed Bronze		-42	605.40
Dark Chrome		-19	567.60
Brushed Dark Platinum		-99	681.30



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
	Concealed rough parts	90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

36 525 979

**WATER POINTS Concealed body spray**

- HORIZONTAL RAIN, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- cover plate 120 x 120 mm

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	36 525 979 FF	FF	Euro
Chrome		-00	549.80
Brushed Platinum		-06	879.60
Brushed Durabronze (23kt Gold)		-28	1,154.60
Brushed Bronze		-42	879.60
Dark Chrome		-19	824.70
Brushed Dark Platinum		-99	989.50

Product alternative

- FlowReduce
- Max. flow rate 6 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 515 979 FF	FF	Euro
Chrome		-00	549.80
Brushed Platinum		-06	879.20
Brushed Durabronze (23kt Gold)		-28	1,154.60
Brushed Bronze		-42	879.60
Dark Chrome		-19	824.80
Brushed Dark Platinum		-99	989.50



Required miscellaneous

Standard article	35 205 970 FF	FF	Euro
Concealed wall installation box			
	Concealed rough parts	90	223.00

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 645



Required miscellaneous

Standard article	12 360 970 FF	FF	Euro
xGRID Installation track 555 mm			
	Concealed rough parts	90	112.20

For details and miscellaneous, see page 655

36 527 979

WATER BAR Concealed body spray

- HORIZONTAL RAIN, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- cover plate 240 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	36 527 979 FF	FF	Euro
Chrome		-00	849.00
Brushed Platinum		-06	1,358.50
Brushed Durabronz (23kt Gold)		-28	1,782.90
Brushed Bronze		-42	1,358.50
Dark Chrome		-19	1,273.50
Brushed Dark Platinum		-99	1,528.20

Product alternative

- FlowReduce
- Max. flow rate 6 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 517 979 FF	FF	Euro
Chrome		-00	849.00
Brushed Platinum		-06	1,358.70
Brushed Durabronz (23kt Gold)		-28	1,782.90
Brushed Bronze		-42	1,358.50
Dark Chrome		-19	1,273.50
Brushed Dark Platinum		-99	1,527.90

Required miscellaneous


Concealed wall installation box

	35 206 970 FF	FF	Euro
Concealed rough parts		90	301.70

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 645

Required miscellaneous


xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
Concealed rough parts		90	112.20

For details and miscellaneous, see page 655

36 514 979

WATER CURVE Concealed body spray

- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- cover plate 120 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	36 514 979 FF	FF	Euro
Chrome		-00	1,104.80
Brushed Platinum		-06	1,767.70
Brushed Durabronz (23kt Gold)		-28	2,320.10
Brushed Bronze		-42	1,767.80
Dark Chrome		-19	1,657.10
Brushed Dark Platinum		-99	1,988.70

Recommended miscellaneous


Concealed wall elbow

	35 085 970 FF	FF	Euro
Concealed rough parts		90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

36 513 979



- WATER FAN vertical Concealed body spray**
- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
 - water jet adjustable
 - cover plate 240 x 60 mm
 - 1/2" connection
- Fits MEM, CL.1, IMO, CYO**
- Custom-made options**
- Finish variants
 - without logo

Standard article	36 513 979 FF	FF	Euro
Chrome	-00		824.20
Brushed Platinum	-06		1,319.20
Brushed Durabronze (23kt Gold)	-28		1,730.80
Brushed Bronze	-42		1,318.70
Dark Chrome	-19		1,236.30
Brushed Dark Platinum	-99		1,483.40

Product alternative

- horizontal water jet
- Max. flow rate 10 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 512 979 FF	FF	Euro
Chrome	-00		824.20
Brushed Platinum	-06		1,319.20
Brushed Durabronze (23kt Gold)	-28		1,730.80
Brushed Bronze	-42		1,318.70
Dark Chrome	-19		1,236.30
Brushed Dark Platinum	-99		1,483.40

Required miscellaneous



Concealed wall installation box

	35 206 970 FF	FF	Euro
Concealed rough parts	90		301.70

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 645

Required miscellaneous



xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
Concealed rough parts	90		112.20

For details and miscellaneous, see page 655

13 415 979



- WATER SHEET Cascade spout for wall mounting**
- 150mm projection
 - CASCADE, max. flow rate 26.5 l/min (at 3 bar)
 - cover plate 240 x 60 mm
 - 1/2" connection
 - plug-link mounting
- Fits MEM, CL.1, IMO, CYO**
- Custom-made options**
- Finish variants
 - without logo

Standard article	13 415 979 FF	FF	Euro
Chrome	-00		1,137.90
Brushed Platinum	-06		1,820.60
Brushed Durabronze (23kt Gold)	-28		2,389.60
Brushed Bronze	-42		1,820.70
Dark Chrome	-19		1,707.00
Brushed Dark Platinum	-99		2,048.20



Recommended miscellaneous


Concealed wall elbow

	35 085 970 FF	FF	Euro
Concealed rough parts	90		122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

13 420 979



- WATER FALL Cascade spout for wall mounting**
- 120mm projection
 - CASCADE, max. flow rate 26.5 l/min (at 3 bar)
 - cover plate 240 x 60 mm
 - 1/2" connection
 - plug-link mounting
- Fits MEM, CL.1, IMO, CYO**
- Custom-made options**
- Finish variants
 - without logo

Standard article	13 420 979 FF	FF	Euro
Chrome	-00		1,625.60
Brushed Platinum	-06		2,601.50
Brushed Durabronze (23kt Gold)	-28		3,413.80
Brushed Bronze	-42		2,601.10
Dark Chrome	-19		2,438.60



Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
Concealed rough parts	90		122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

13 425 979


WATER FALL Cascade spout with individual jets for wall mounting

- 22mm projection
- PEARLSTREAM
- plate 240 mm x 60 mm
- connection 1/2", for shortening
- plug-link mounting
- Max. flow rate 9.5 l/min (at 3 bar)

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	13 425 979 FF	FF	Euro
Chrome		-00	1,208.00
Brushed Platinum		-06	1,932.80
Brushed Durabronze (23kt Gold)		-28	2,536.80
Brushed Bronze		-42	1,932.80
Dark Chrome		-19	1,811.80
Brushed Dark Platinum		-99	2,174.10



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
Concealed rough parts		90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

27 838 979


Affusion pipe with cover plate

- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- 3/8" shower outlet
- cover plate 240 x 60 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" connection
- plug-link mounting

Intrinsic protection against back flow.
Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	27 838 979 FF	FF	Euro
Chrome		-00	903.00
Brushed Platinum		-06	1,444.70
Brushed Durabronze (23kt Gold)		-28	1,896.30
Brushed Bronze		-42	1,444.80
Dark Chrome		-19	1,354.60
Brushed Dark Platinum		-99	1,625.20

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 858 979 FF	FF	Euro
Chrome		-00	903.00
Brushed Platinum		-06	1,444.80
Brushed Durabronze (23kt Gold)		-28	1,896.30
Brushed Bronze		-42	1,444.80
Dark Chrome		-19	1,354.60
Brushed Dark Platinum		-99	1,625.30



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
Concealed rough parts		90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

27 821 979 +
28 285 979



WATER TUBE Kneipp wall elbow

- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- with volume control
- individual rosette 60 x 60 mm
- holder for Kneipp hose
- 1/2" wall elbow
- hose nozzle with sleeve M33
- with holding ring

Intrinsic protection against back flow.

Fits CL.1, CYO, IMO, MEM

Custom-made options

- Finish variants
- without logo

Set	1x 27 821 979 FF max. flow 15 l/min		1x 28 285 979 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	685.30	-00	104.90	790.20
Brushed Platinum	-06	1,096.50	-06	167.80	1,264.30
Brushed Durabronze (23kt Gold)	-28	1,439.10	-28	220.30	1,659.40
Brushed Bronze	-42	1,096.40	-42	167.80	1,264.20
Dark Chrome	-19	1,028.00	-19	157.30	1,185.30
Brushed Dark Platinum	-99	1,233.70	-99	188.70	1,422.40

Product alternative

- FlowReduce
- Max. flow rate 9 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 841 979 FF	FF	Euro
Chrome		-00	685.30
Brushed Platinum		-06	1,096.50
Brushed Durabronze (23kt Gold)		-28	1,439.10
Brushed Bronze		-42	1,096.40
Dark Chrome		-19	685.30
Brushed Dark Platinum		-99	1,233.50



Recommended miscellaneous

WATER TUBE Kneipp hose black 2000 mm

	28 286 979 FF	FF	Euro
• hose nozzle with sleeve M33		Chrome	-00 104.90
• with holding ring		Brushed Platinum	-06 167.80
		Brushed Durabronze (23kt Gold)	-28 220.30
		Brushed Bronze	-42 167.80
		Dark Chrome	-19 157.30
		Brushed Dark Platinum	-99 188.70



Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm		Concealed rough parts	90 122.80
• max. recess depth 163 mm			

For details and miscellaneous, see page 645

28 490 970



Wall elbow with integrated shower holder

- 3/8" shower outlet
- rosette 60 x 60 mm
- 1/2" connection

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- without logo

Standard article	28 490 970 FF	FF	Euro
Chrome		-00	238.30
Brushed Platinum		-06	381.70
Brushed Durabronze (23kt Gold)		-28	500.40
Brushed Bronze		-42	381.30
Dark Chrome		-19	357.70
Brushed Dark Platinum		-99	428.70



Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm		Concealed rough parts	90 122.80
• max. recess depth 163 mm			

For details and miscellaneous, see page 645

28 450 980

Wall elbow

- 3/8" shower outlet
- rosette 60 x 60 mm
- 1/2" connection

Intrinsic protection against back flow.
Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	28 450 980 FF	FF	Euro
Chrome		-00	165.10
Brushed Platinum		-06	264.40
Brushed Durabronze (23kt Gold)		-28	346.70
Brushed Bronze		-42	264.20
Dark Chrome		-19	247.90
Brushed Dark Platinum		-99	297.40



Recommended miscellaneous

Concealed wall elbow
35 085 970 FF FF Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

 Concealed rough parts **90** 122.80

For details and miscellaneous, see page 645

28 050 980

Wall bracket

- rosette 60 x 60 mm

Custom-made options

- Finish variants

Standard article	28 050 980 FF	FF	Euro
Chrome		-00	214.40
Brushed Platinum		-06	343.40
Brushed Durabronze (23kt Gold)		-28	450.20
Brushed Bronze		-42	343.10
Dark Chrome		-19	321.70
Brushed Dark Platinum		-99	385.90

28 060 970

Wall bracket swivel

- pivotable 75°

Custom-made options

- Finish variants

Standard article	28 060 970 FF	FF	Euro
Chrome		-00	197.80
Brushed Platinum		-06	316.60
Brushed Durabronze (23kt Gold)		-28	415.40
Brushed Bronze		-42	316.30
Dark Chrome		-19	296.60
Brushed Dark Platinum		-99	356.10

12 570 970

Slide unit

- for pipe diameter 23.5 mm

Custom-made options

- Finish variants

Standard article	12 570 970 FF	FF	Euro
Chrome		-00	137.00
Brushed Platinum		-06	219.50
Brushed Durabronze (23kt Gold)		-28	287.70
Brushed Bronze		-42	219.20
Dark Chrome		-19	205.40
Brushed Dark Platinum		-99	246.80

12 580 970

Slide unit

- for pipe diameter 18 mm

Custom-made options

- Finish variants

Standard article	12 580 970 FF	FF	Euro
Chrome		-00	137.00
Brushed Platinum		-06	219.50
Brushed Durabronze (23kt Gold)		-28	287.70
Brushed Bronze		-42	219.20
Dark Chrome		-19	205.40
Brushed Dark Platinum		-99	246.80

36 060 670

**Concealed single-lever mixer with cover plate**

- cover plate 80 x 80 mm

Fits MEM, CL.1, IMO, CYO**Custom-made options**

- Finish variants
- Red/blue marking
- without logo

Standard article	36 060 670 FF	FF	Euro
Chrome		-00	469.70
Brushed Platinum		-06	758.50
Brushed Durabronz (23kt Gold)		-28	986.40
Brushed Bronze		-42	751.50
Dark Chrome		-19	704.70
Brushed Dark Platinum		-99	845.60



Required miscellaneous

Concealed wall-mounted single-lever mixer

35 860 970 FF FF Euro

- min. recess depth 80 mm
- max. recess depth 95 mm

Concealed rough parts 90 224.60

For details and miscellaneous, see page 640

36 046 970

**Concealed single-lever mixer with cover plate with integrated shower connection**

- cover plate 80 x 80 mm

Intrinsic protection against back flow.**Custom-made options**

- Finish variants
- Red/blue marking
- without logo

Standard article	36 046 970 FF	FF	Euro
Chrome		-00	573.80
Brushed Platinum		-06	918.10
Brushed Durabronz (23kt Gold)		-28	1,205.00
Brushed Bronze		-42	918.10
Dark Chrome		-19	860.80
Brushed Dark Platinum		-99	1,033.00



Required miscellaneous

Concealed wall mounting

35 050 970 FF FF Euro

- min. recess depth 80 mm
- max. recess depth 105 mm

Concealed rough parts 90 320.80

For details and miscellaneous, see page 640

36 120 670

**Concealed single-lever mixer with diverter**

- automatic diverter
- cover plate 150 x 90 mm

Fits MEM, CL.1, IMO, CYO**Custom-made options**

- Finish variants
- Red/blue marking
- without logo

Standard article	36 120 670 FF	FF	Euro
Chrome		-00	602.70
Brushed Platinum		-06	964.20
Brushed Durabronz (23kt Gold)		-28	1,265.70
Brushed Bronze		-42	964.30
Dark Chrome		-19	903.80
Brushed Dark Platinum		-99	1,084.60



Required miscellaneous

Concealed single-lever mixer

35 020 970 FF FF Euro

- min. recess depth 80 mm
- max. recess depth 105 mm

Concealed rough parts 90 236.90

For details and miscellaneous, see page 641



Required miscellaneous

Concealed single-lever mixer with backflow preventor

35 021 970 FF FF Euro

- min. recess depth 80 mm
- max. recess depth 105 mm

Concealed rough parts 90 338.50

For details and miscellaneous, see page 641

36 425 670


Concealed thermostat with one function volume control

- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 425 670 FF	FF	Euro
Chrome	-00		756.00
Brushed Platinum	-06		1,220.60
Brushed Durabronz (23kt Gold)	-28		1,587.60
Brushed Bronze	-42		1,209.60
Dark Chrome	-19		1,134.10
Brushed Dark Platinum	-99		1,360.90



Required miscellaneous

Concealed thermostat	35 425 970 FF	FF	Euro
----------------------	---------------	----	------

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts **90** 435.80
- For details and miscellaneous, see page 641



Required miscellaneous

Concealed thermostat with built-in isolators	35 426 970 FF	FF	Euro
----------------------------------------------	---------------	----	------

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts **90** 457.70
- For details and miscellaneous, see page 641

36 426 670


Concealed thermostat with two function volume control

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 426 670 FF	FF	Euro
Chrome	-00		896.40
Brushed Platinum	-06		1,447.60
Brushed Durabronz (23kt Gold)	-28		1,882.40
Brushed Bronze	-42		1,434.30
Dark Chrome	-19		1,344.70
Brushed Dark Platinum	-99		1,613.40



Required miscellaneous

Concealed thermostat	35 425 970 FF	FF	Euro
----------------------	---------------	----	------

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts **90** 435.80
- For details and miscellaneous, see page 641



Required miscellaneous

Concealed thermostat with built-in isolators	35 426 970 FF	FF	Euro
----------------------------------------------	---------------	----	------

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts **90** 457.70
- For details and miscellaneous, see page 641

36 427 670


Concealed thermostat with three function volume control

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 427 670 FF	FF	Euro
Chrome	-00		950.50
Brushed Platinum	-06		1,534.50
Brushed Durabronz (23kt Gold)	-28		1,996.10
Brushed Bronze	-42		1,520.80
Dark Chrome	-19		1,425.60
Brushed Dark Platinum	-99		1,710.70



Required miscellaneous

Concealed thermostat	35 427 970 FF	FF	Euro
----------------------	---------------	----	------

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts **90** 456.60
- For details and miscellaneous, see page 642



Required miscellaneous

Concealed thermostat with built-in isolators	35 428 970 FF	FF	Euro
----------------------------------------------	---------------	----	------

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts **90** 479.00
- For details and miscellaneous, see page 642

36 501 780 +
36 607 811 +
11 187 811



xTOOL Thermostat module with 1 valve 1/2"

- cover plate 120 x 120 mm
- handle Ø 60mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

36 501 985-FF can also be used as an alternative.

Note: Important! The minimum recess depths make it necessary to have a wall of 2 x 6 cross-pieces.

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 501 780 FF		1x 36 607 811 FF 1x 11 187 811 FF		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	1,291.30	-00	288.10 56.70	1,636.10
Brushed Platinum	-06	2,066.50	-06	460.90 90.70	2,618.10
Brushed Durabronz (23kt Gold)	-28	2,711.70	-28	605.00 119.10	3,435.80
Brushed Bronze	-42	2,066.10	-42	460.90 90.60	2,617.60
Dark Chrome	-19	1,937.10	-19	432.10 85.00	2,454.20
Brushed Dark Platinum	-99	2,324.60	-99	518.80 102.10	2,945.50



Required miscellaneous

xTOOL Concealed thermostat module with 1 valve

35 511 970 FF | FF Euro

- min. recess depth 95 mm
- max. recess depth 160 mm

Concealed rough parts **90** 708.30

For details and miscellaneous, see page 642



Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF | FF Euro

For details and miscellaneous, see page 655

Concealed rough parts **90** 112.20



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF | FF Euro

For details and miscellaneous, see page 655

Concealed rough parts **90** 113.00

36 503 780 +
2x 36 607 811 +
2x 11 187 811



xTOOL Thermostat module with 2 valves 1/2"

- cover plate 120 x 120 mm
- handle Ø 60mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

36 503 985-FF can also be used as an alternative.

Note: Important! The minimum recess depths make it necessary to have a wall of 2 x 6 cross-pieces.

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 503 780 FF		2x 36 607 811 FF 2x 11 187 811 FF		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	1,291.30	-00 -00	288.10 56.70	1,980.90
Brushed Platinum	-06	2,066.50	-06 -06	460.90 90.70	3,169.70
Brushed Durabronz (23kt Gold)	-28	2,711.70	-28 -28	605.00 119.10	4,159.90
Brushed Bronze	-42	2,066.10	-42 -42	460.90 90.60	3,169.10
Dark Chrome	-19	1,937.10	-19 -19	432.10 85.00	2,971.30
Brushed Dark Platinum	-99	2,324.60	-99 -99	518.80 102.10	3,566.40



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 521 970 FF | FF Euro

- min. recess depth 95 mm
- max. recess depth 160 mm

Concealed rough parts | **90** 1,180.70

For details and miscellaneous, see page 643



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 524 970 FF | FF Euro

- min. recess depth 95 mm
- max. recess depth 160 mm

Concealed rough parts | **90** 1,167.70

For details and miscellaneous, see page 643



Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF | FF Euro

For details and miscellaneous, see page 655

Concealed rough parts | **90** 112.20



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF | FF Euro

For details and miscellaneous, see page 655

Concealed rough parts | **90** 113.00

36 503 780 +
3x 36 607 811 +
3x 11 187 811



xTOOL Thermostat module with 3 valves 1/2"

- cover plate 120 x 120 mm
- handle Ø 60mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

36 503 985-FF can also be used as an alternative.

Note: Important! The minimum recess depths make it necessary to have a wall of 2 x 6 cross-pieces.

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 503 780 FF		3x 36 607 811 FF 3x 11 187 811 FF		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	1,291.30	-00	288.10 56.70	2,325.70
Brushed Platinum	-06	2,066.50	-06	460.90 90.70	3,721.30
Brushed Durabronz (23kt Gold)	-28	2,711.70	-28	605.00 119.10	4,884.00
Brushed Bronze	-42	2,066.10	-42	460.90 90.60	3,720.60
Dark Chrome	-19	1,937.10	-19	432.10 85.00	3,488.40
Brushed Dark Platinum	-99	2,324.60	-99	518.80 102.10	4,187.30



Required miscellaneous
xTOOL Concealed thermostat module with 3 valves

35 531 970 FF	FF	Euro
Concealed rough parts	90	1,268.90

• min. recess depth 95 mm
• max. recess depth 160 mm
For details and miscellaneous, see page 643



Required miscellaneous
xTOOL Concealed thermostat module with 3 valves

35 534 970 FF	FF	Euro
Concealed rough parts	90	1,374.60

• min. recess depth 95 mm
• max. recess depth 160 mm
For details and miscellaneous, see page 643



Required miscellaneous
xGRID Installation track 555 mm

12 360 970 FF	FF	Euro
Concealed rough parts	90	112.20

For details and miscellaneous, see page 655



Recommended miscellaneous
xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF	FF	Euro
Concealed rough parts	90	113.00

For details and miscellaneous, see page 655

36 501 780



xTOOL Concealed thermostat without volume control 1/2"

- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

Fits MEM, CL.1, CYO

Note: Important! The minimum recess depths make it necessary to have a wall of 2 x 6 cross-pieces.

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 501 780 FF	FF	Euro
Chrome	-00		1,291.30
Brushed Platinum	-06		2,066.50
Brushed Durabronz (23kt Gold)	-28		2,711.70
Brushed Bronze	-42		2,066.10
Dark Chrome	-19		1,937.10
Brushed Dark Platinum	-99		2,324.60

Product alternative

- 3/4" thermostat cartridge with integrated filters

Standard article	36 503 780 FF	FF	Euro
Chrome	-00		1,291.30
Brushed Platinum	-06		2,066.50
Brushed Durabronz (23kt Gold)	-28		2,711.70
Brushed Bronze	-42		2,066.10
Dark Chrome	-19		1,937.10
Brushed Dark Platinum	-99		2,324.60



Required miscellaneous
xTOOL Concealed thermostat module without volume control

35 503 970 FF	FF	Euro
Concealed rough parts	90	864.70

• min. recess depth 115 mm
• max. recess depth 155 mm
For details and miscellaneous, see page 642



Required miscellaneous
xGRID Installation track 555 mm

12 360 970 FF	FF	Euro
Concealed rough parts	90	112.20

For details and miscellaneous, see page 655

36 501 985

xTOOL Concealed thermostat without volume control 1/2"

- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

Fits MEM, CL.1, CYO

Note: Important! The minimum recess depths make it necessary to have a wall of 2 x 6 cross-pieces.

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 501 985 FF	FF	Euro
Chrome		-00	1,319.50
Brushed Platinum		-06	2,111.40
Brushed Durabronz (23kt Gold)		-28	2,771.00
Brushed Bronze		-42	2,111.30
Dark Chrome		-19	1,979.60
Brushed Dark Platinum		-99	2,375.20

Product alternative

- 3/4" thermostat cartridge with integrated filters

Standard article	36 503 985 FF	FF	Euro
Chrome		-00	1,319.50
Brushed Platinum		-06	2,111.40
Brushed Durabronz (23kt Gold)		-28	2,771.00
Brushed Bronze		-42	2,111.30
Dark Chrome		-19	1,979.60
Brushed Dark Platinum		-99	2,375.20



Required miscellaneous

xTOOL Concealed thermostat module without volume control

	35 503 970 FF	FF	Euro
• min. recess depth 95 mm		90	864.70
• max. recess depth 160 mm			
For details and miscellaneous, see page 642			



Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
For details and miscellaneous, see page 655		90	112.20

36 607 741

Wall valve clockwise closing cold 1/2"

- without rosette
- handle Ø 60mm
- with cold marking
- head part with cut-to-length spindle and sleeve

Fits CL.1, META, CYO
Custom-made options

- Blue marking
- Finish variants
- without logo

Standard article	36 607 741 FF	FF	Euro
Chrome		-00	300.90
Brushed Platinum		-06	481.30
Brushed Durabronz (23kt Gold)		-28	631.90
Brushed Bronze		-42	481.40
Dark Chrome		-19	451.30
Brushed Dark Platinum		-99	541.70

Product alternative

- with hot marking

Standard article	36 607 742 FF	FF	Euro
Chrome		-00	300.90
Brushed Platinum		-06	481.30
Brushed Durabronz (23kt Gold)		-28	631.90
Brushed Bronze		-42	481.40
Dark Chrome		-19	451.30
Brushed Dark Platinum		-99	541.70



Required miscellaneous

Wall valve 1/2"

	35 607 970 FF	FF	Euro
• min. recess depth 85 mm		90	90.90
• max. recess depth 145 mm			
For details and miscellaneous, see page 644			

36 607 811 +
11 187 811**Wall valve clockwise closing 1/2"**

- without marking
- without rosette
- handle Ø 60mm
- head part with cut-to-length spindle and sleeve

Fits CYO**Custom-made options**

- Finish variants
- without logo

Set	1x 36 607 811 FF		1x 11 187 811 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	288.10	-00	56.70	344.80
Brushed Platinum	-06	460.90	-06	90.70	551.60
Platinum / Brushed Platinum	-36	461.10	-06	90.70	551.80
Brushed Durabross (23kt Gold)	-28	605.00	-28	119.10	724.10
Durabross / Brushed Durabross (23kt Gold)	-38	605.00	-28	119.10	724.10
Brushed Bronze	-42	460.90	-42	90.60	551.50
Dark Chrome	-19	432.10	-19	85.00	517.10
Brushed Dark Platinum	-99	518.80	-99	102.10	620.90



Required miscellaneous

Wall valve 1/2"

35 607 970 FF

FF

Euro

- min. recess depth 75 mm
- max. recess depth 145 mm

Concealed rough parts

90

90.90

For details and miscellaneous, see page 644

36 607 812 +
11 187 811**Wall valve clockwise closing 1/2"**

- without rosette
- handle Ø 60mm
- without marking
- head part with cut-to-length spindle and sleeve

Fits CYO**Custom-made options**

- Finish variants
- without logo

Set	1x 36 607 812 FF		1x 11 187 811 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	288.10	-00	56.70	344.80
Brushed Platinum	-06	460.90	-06	90.70	551.60
Platinum / Brushed Platinum	-36	461.10	-06	90.70	551.80
Brushed Durabross (23kt Gold)	-28	605.00	-28	119.10	724.10
Durabross / Brushed Durabross (23kt Gold)	-38	605.00	-28	119.10	724.10
Brushed Bronze	-42	460.90	-42	90.60	551.50
Dark Chrome	-19	432.10	-19	85.00	517.10
Brushed Dark Platinum	-99	518.80	-99	102.10	620.90

Product alternative

- with hot marking

with cold marking: 11 184 811-FF

Standard article	11 183 811 FF	FF	Euro
Chrome		-00	56.70
Brushed Platinum		-06	90.70
Platinum		-08	90.70
Brushed Durabross (23kt Gold)		-28	119.10
Durabross (23kt Gold)		-09	119.10
Brushed Bronze		-42	90.60
Dark Chrome		-19	85.00
Brushed Dark Platinum		-99	102.10



Required miscellaneous

Wall valve 1/2"

35 607 970 FF

FF

Euro

- min. recess depth 75 mm
- max. recess depth 145 mm

Concealed rough parts

90

90.90

For details and miscellaneous, see page 644

36 607 740

**Wall valve clockwise closing 1/2"**

- without rosette
- handle Ø 60mm
- without marking
- head part with cut-to-length spindle and sleeve

Fits CL.1, META, CYO**Custom-made options**

- Finish variants
- without logo

Standard article	36 607 740 FF	FF	Euro
Chrome		-00	288.10
Brushed Platinum		-06	460.90
Brushed Durabross (23kt Gold)		-28	605.00
Brushed Bronze		-42	460.90
Dark Chrome		-19	432.30
Brushed Dark Platinum		-99	518.70



Required miscellaneous

Wall valve 1/2"

35 607 970 FF

FF

Euro

- min. recess depth 85 mm
- max. recess depth 145 mm

Concealed rough parts

90

90.90

For details and miscellaneous, see page 644

36 608 811 +
11 187 811

Wall valve clockwise closing 3/4"

- without marking
- without rosette
- handle Ø 60mm
- head part with cut-to-length spindle and sleeve

Fits CYO
Custom-made options

- Finish variants
- without logo

Set	1x 36 608 811 FF		1x 11 187 811 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	288.10	-00	56.70	344.80
Brushed Platinum	-06	461.10	-06	90.70	551.80
Platinum / Brushed Platinum	-36	461.10	-06	90.70	551.80
Brushed Durabross (23kt Gold)	-28	605.00	-28	119.10	724.10
Durabross / Brushed Durabross (23kt Gold)	-38	605.00	-28	119.10	724.10
Brushed Bronze	-42	460.90	-42	90.60	551.50
Dark Chrome	-19	432.10	-19	85.00	517.10
Brushed Dark Platinum	-99	518.80	-99	102.10	620.90



Required miscellaneous

Wall valve 3/4"
35 608 970 FF

FF

Euro

- min. recess depth 75 mm
- max. recess depth 145 mm

Concealed rough parts

90

119.20

For details and miscellaneous, see page 644

36 608 740


Wall valve clockwise closing 3/4"

- without rosette
- handle Ø 60mm
- without marking
- head part with cut-to-length spindle and sleeve

Fits CL.1, META, CYO
Custom-made options

- Finish variants
- without logo

Standard article	36 608 740	FF	Euro
Chrome		-00	288.10
Brushed Platinum		-06	460.90
Brushed Durabross (23kt Gold)		-28	605.00
Brushed Bronze		-42	460.90
Dark Chrome		-19	432.30
Brushed Dark Platinum		-99	518.70



Required miscellaneous

Wall valve 3/4"
35 608 970 FF

FF

Euro

- min. recess depth 85 mm
- max. recess depth 145 mm

Concealed rough parts

90

119.20

For details and miscellaneous, see page 644

 20 000 811 +
11 187 811

Deck valve clockwise closing

- without marking
- hole diameter valve 32 mm
- without rosette
- handle Ø 60mm

Fits CYO
Custom-made options

- Finish variants
- without logo

Set	1x 20 000 811 FF		1x 11 187 811 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	321.50	-00	56.70	378.20
Brushed Platinum	-06	514.10	-06	90.70	604.80
Platinum / Brushed Platinum	-36	514.10	-06	90.70	604.80
Brushed Durabross (23kt Gold)	-28	675.20	-28	119.10	794.30
Durabross / Brushed Durabross (23kt Gold)	-38	675.20	-28	119.10	794.30
Brushed Bronze	-42	90.60	-42	514.40	605.00
Dark Chrome	-19	482.20	-19	85.00	567.20
Brushed Dark Platinum	-99	578.40	-99	102.10	680.50

Product alternative

- with hot marking

with cold marking: 11 184 811-FF

Standard article	11 183 811	FF	Euro
Chrome		-00	56.70
Brushed Platinum		-06	90.70
Platinum		-08	90.70
Brushed Durabross (23kt Gold)		-28	119.10
Durabross (23kt Gold)		-09	119.10
Brushed Bronze		-42	90.60
Dark Chrome		-19	85.00
Brushed Dark Platinum		-99	102.10

20 000 715

**Deck valve clockwise closing hot**

- hole diameter 32 mm
- rosette 60 x 60 mm
- with hot marking

Fits CL.1**Custom-made options**

- Finish variants
- Red marking
- without logo

Standard article	20 000 715 FF	FF	Euro
Chrome		-00	399.40
Brushed Platinum		-06	639.10
Brushed Bronze		-42	639.10
Dark Chrome		-19	599.20
Brushed Dark Platinum		-99	718.90

Product alternative

- with hot marking

Standard article	20 000 716 FF	FF	Euro
Chrome		-00	399.40
Brushed Platinum		-06	639.10
Brushed Bronze		-42	639.10
Dark Chrome		-19	599.20
Brushed Dark Platinum		-99	718.90

20 004 715

**Deck valve clockwise closing hot**

- hole diameter 32 mm
- rosette 60 x 47 mm
- with hot marking

Fits CL.1**Custom-made options**

- Finish variants
- Red marking
- without logo

Standard article	20 004 715 FF	FF	Euro
Chrome		-00	399.40
Brushed Platinum		-06	639.10
Brushed Bronze		-42	639.10
Dark Chrome		-19	599.20
Brushed Dark Platinum		-99	718.90

Product alternative

- with hot marking

Standard article	20 004 716 FF	FF	Euro
Chrome		-00	399.40
Brushed Platinum		-06	639.10
Brushed Bronze		-42	639.10
Dark Chrome		-19	599.20
Brushed Dark Platinum		-99	718.90

20 000 740

**Deck valve clockwise closing cold**

- hole diameter 32 mm
- handle Ø 60mm
- without rosette
- with cold marking

Fits CL.1, META, CYO**Custom-made options**

- Blue marking
- Finish variants
- without logo

Standard article	20 000 740 FF	FF	Euro
Chrome		-00	321.50
Brushed Platinum		-06	514.10
Brushed Durabronz (23kt Gold)		-28	675.20
Brushed Bronze		-42	514.40
Dark Chrome		-19	482.20
Brushed Dark Platinum		-99	578.40

Product alternative

- with hot marking

Standard article	20 000 741 FF	FF	Euro
Chrome		-00	321.50
Brushed Platinum		-06	514.10
Brushed Durabronz (23kt Gold)		-28	675.20
Brushed Bronze		-42	514.40
Dark Chrome		-19	482.20
Brushed Dark Platinum		-99	578.40

36 200 740

**Concealed two-way diverter**

- rotary diverter
- without rosette
- handle Ø 60mm

Fits CL.1, META, CYO**Custom-made options**

- Finish variants
- without logo

Standard article	36 200 740 FF	FF	Euro
Chrome		-00	341.80
Brushed Platinum		-06	546.90
Brushed Durabronz (23kt Gold)		-28	717.80
Brushed Bronze		-42	546.80
Dark Chrome		-19	512.80
Brushed Dark Platinum		-99	615.20



Required miscellaneous

Concealed two-way diverter

35 202 970 FF

Concealed rough parts	90	FF	Euro
			295.90

- min. recess depth 85 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 644

36 210 740



Concealed three-way diverter

- rotary diverter
- without rosette
- handle Ø 60mm

Fits CL.1, META, CYO

Custom-made options

- Finish variants
- without logo

Standard article	36 210 740 FF	FF	Euro
Chrome		-00	341.80
Brushed Platinum		-06	546.90
Brushed Durabronz (23kt Gold)		-28	717.80
Brushed Bronze		-42	546.80
Dark Chrome		-19	512.80
Brushed Dark Platinum		-99	615.20



Required miscellaneous

Concealed three-way diverter

- min. recess depth 85 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 644

	35 203 970 FF	FF	Euro
Concealed rough parts		90	360.40

25 863 811


Single-lever bath mixer with stand pipe for free-standing assembly with hand shower set

- **253mm projection**
- rectangular, air-enriched flow
- max. spout flow rate 26.5 l/min
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- bar-type hand shower with anti-scale system
- wall bracket
- automatic bath/shower diverter
- total height 980 - 1050 mm
- stand pipe height 598 - 668 mm
- height up to aerator 903 - 973 mm
- push-on rosette 131 x 131 mm
- metal shower hose 1250mm with integrated anti-twist protection

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Custom-made options

- Finish variants
- Flow rate modification
- Height modification
- Red/blue marking
- without hand shower
- without logo

Standard article	25 863 811 FF	FF	Euro
Chrome		-00	4,858.80
Brushed Platinum		-06	7,774.00
Brushed Durabronz (23kt Gold)		-28	10,203.50
Brushed Bronze		-42	7,774.10
Dark Chrome		-19	7,288.20
Brushed Dark Platinum		-99	8,745.70



Required miscellaneous

Concealed floor mounting

	35 945 970 FF	FF	Euro
• min. recess depth 80 mm		Concealed rough parts	90
• max. recess depth 150 mm			840.10

For details and miscellaneous, see page 644

27 632 811


Bath shower set for bath rim or tile edge installation

- **167mm projection**
- spout: rectangular normal flow
- max. flow 23.8 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- height of mixer 198 mm
- height up to aerator 133 mm
- hole diameter spout 28 mm
- hole diameter for complete hand shower set 32 mm
- rosette for mixer 60 x 60mm
- rosette for complete hand shower set 60 x 60mm
- metal shower hose 1750mm with integrated anti-twist protection

Intrinsic protection against back flow.

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Custom-made options

- Finish variants
- Red/blue marking
- without hand shower
- without logo

Standard article	27 632 811 FF	FF	Euro
Chrome		-00	2,406.00
Brushed Platinum		-06	3,849.50
Brushed Durabronz (23kt Gold)		-28	5,052.60
Brushed Bronze		-42	3,849.50
Dark Chrome		-19	3,609.00
Brushed Dark Platinum		-99	4,330.60



Recommended miscellaneous

Perfecto installation kit

	12 614 970 FF	FF	Euro
For details and miscellaneous, see page 646		Concealed rough parts	90
			1,794.10

27 523 811 +
11 283 811
Five-hole bath mixer for bath rim or tile edge installation

- **167mm projection**
- rectangular, air-enriched flow
- max. flow 23.8 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- height of mixer 198 mm
- height up to aerator 133 mm
- hole diameter spout 32 mm
- hole diameter valve 32 mm
- rosette for complete hand shower set 60 x 60mm
- handle Ø 60mm
- metal shower hose 1750mm with integrated anti-twist protection
- with hot / cold marking

Intrinsic protection against back flow.
Custom-made options

- Finish variants
- without hand shower
- without logo

Set	1x 27 523 811 FF		1x 11 283 811 FF		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	3,257.40	-00	113.50	3,370.90
Brushed Platinum	-06	5,211.90	-06	181.50	5,393.40
Brushed Durabronz (23kt Gold)	-28	6,840.50	-28	238.40	7,078.90
Brushed Bronze	-42	5,211.80	-42	181.60	5,393.40
Dark Chrome	-19	4,886.10	-19	170.20	5,056.30
Brushed Dark Platinum	-99	5,863.10	-99	204.20	6,067.30

Product alternative

- with red & blue marking
- for three-hole basin mixers and five-hole bath mixers

Standard article	11 284 811 FF	FF	Euro
Chrome		-00	113.50
Platinum		-08	181.50
Brushed Platinum		-06	181.50
Brushed Durabronz (23kt Gold)		-28	238.40
Durabronz (23kt Gold)		-09	238.40
Brushed Bronze		-42	181.60
Dark Chrome		-19	170.20
Brushed Dark Platinum		-99	204.20

13 801 811



Bath spout for wall mounting

- 190mm projection
- rectangular, air-enriched flow
- hole diameter 37 mm
- 1/2" connection
- max. flow 23.8 l/min at 3 bar flow pressure

Custom-made options

- Finish variants
- without logo

Standard article	13 801 811 FF	FF	Euro
Chrome	-00		816.40
Brushed Platinum	-06		1,306.30
Brushed Durabronz (23kt Gold)	-28		1,714.40
Brushed Bronze	-42		1,306.20
Dark Chrome	-19		1,224.70
Brushed Dark Platinum	-99		1,469.60



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
Concealed rough parts	90		122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

27 702 980



Hand shower set for bath rim or tile edge installation

- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- with anti-scale system
- rosette 60 x 60 mm
- hole diameter 32 mm
- metal shower hose 2250mm with integrated anti-twist protection

Two-piece design allows hose to later be changed without dismantling the fitting.

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 702 980 FF	FF	Euro
Chrome	-00		571.00
Brushed Platinum	-06		913.40
Brushed Durabronz (23kt Gold)	-28		1,199.10
Brushed Bronze	-42		913.60
Dark Chrome	-19		856.40
Brushed Dark Platinum	-99		1,027.70

29 300 670



Single-lever bath mixer for bath rim or tile edge installation

- rosette 60 x 60 mm
- hole diameter 35 mm
- max. flow 35.7 l/min at 3 bar flow pressure

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	29 300 670 FF	FF	Euro
Chrome	-00		676.00
Brushed Platinum	-06		1,081.50
Brushed Durabronz (23kt Gold)	-28		1,419.60
Brushed Bronze	-42		1,081.60
Dark Chrome	-19		1,013.80
Brushed Dark Platinum	-99		1,216.60

29 140 670



Two-way diverter for bath rim or tile edge installation

- automatic bath/shower diverter
- hole diameter 32 mm
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 64.9 l/min at 3 bar flow pressure

Custom-made options

- Finish variants
- without logo

Standard article	29 140 670 FF	FF	Euro
Chrome	-00		872.00
Brushed Platinum	-06		1,395.20
Brushed Durabronz (23kt Gold)	-28		1,831.20
Brushed Bronze	-42		1,395.20
Dark Chrome	-19		1,307.90
Brushed Dark Platinum	-99		1,569.60

36 120 670



Concealed single-lever mixer with diverter

- automatic diverter
- cover plate 150 x 90 mm

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 120 670 FF	FF	Euro
Chrome		-00	602.70
Brushed Platinum		-06	964.20
Brushed Durabronz (23kt Gold)		-28	1,265.70
Brushed Bronze		-42	964.30
Dark Chrome		-19	903.80
Brushed Dark Platinum		-99	1,084.60



Required miscellaneous

Concealed single-lever mixer

35 020 970 FF FF Euro

- min. recess depth 80 mm
- max. recess depth 105 mm

Concealed rough parts 90 236.90
For details and miscellaneous, see page 641



Required miscellaneous

Concealed single-lever mixer with backflow preventor

35 021 970 FF FF Euro

- min. recess depth 80 mm
- max. recess depth 105 mm

Concealed rough parts 90 338.50
For details and miscellaneous, see page 641

36 243 970



Pop-up waste and overflow

- drain Ø 52mm

Also suitable for king-size baths.

Custom-made options

- Finish variants
- without logo

Standard article	36 243 970 FF	FF	Euro
Chrome		-00	221.00
Brushed Platinum		-06	353.90
Brushed Durabronz (23kt Gold)		-28	464.10
Brushed Bronze		-42	353.60
Dark Chrome		-19	331.70
Brushed Dark Platinum		-99	397.80



Required miscellaneous

Pop-up waste and overflow

35 227 970 FF FF Euro

- bowden cable length 725 mm

Concealed rough parts 90 179.20

36 247 970



Bath spout with pop-up waste and overflow

- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

Custom-made options

- Finish variants
- without logo

Standard article	36 247 970 FF	FF	Euro
Chrome		-00	334.40
Brushed Platinum		-06	535.10
Brushed Durabronz (23kt Gold)		-28	702.20
Brushed Bronze		-42	535.10
Dark Chrome		-19	501.70
Brushed Dark Platinum		-99	601.80



Required miscellaneous

Bath spout with pop-up waste and overflow

35 248 970 FF FF Euro

- bowden cable length 725 mm

Concealed rough parts 90 493.60



Required miscellaneous

Vacuum breaker

35 150 970 FF FF Euro

Chrome	-00	91.70
Brushed Platinum	-06	146.70
Brushed Durabronz (23kt Gold)	-28	192.60
Brushed Bronze	-42	146.80
Dark Chrome	-19	137.50
Brushed Dark Platinum	-99	164.90

83 030 780


Bath grip

- gauge 185 mm
- width 300mm
- height 35 mm
- 65mm projection

Custom-made options

- Finish variants

Standard article	83 030 780 FF	FF	Euro
Chrome		-00	421.80
Brushed Platinum		-06	674.50
Brushed Durabronz (23kt Gold)		-28	885.80
Brushed Bronze		-42	674.90
Dark Chrome		-19	632.70
Brushed Dark Platinum		-99	759.10

83 060 780


Towel bar


- gauge 400 mm
- width 600mm
- height 35 mm
- 80mm projection

Custom-made options

- Finish variants

Standard article	83 060 780 FF	FF	Euro
Chrome		-00	482.30
Brushed Platinum		-06	771.60
Brushed Durabronz (23kt Gold)		-28	1,012.80
Brushed Bronze		-42	771.80
Dark Chrome		-19	723.50
Brushed Dark Platinum		-99	868.10

83 210 780


Towel bar in two parts non-swivel

- width 90mm
- height 35 mm
- 420mm projection

Custom-made options

- Finish variants

Standard article	83 210 780 FF	FF	Euro
Chrome		-00	428.00
Brushed Platinum		-06	685.00
Brushed Durabronz (23kt Gold)		-28	898.80
Brushed Bronze		-42	684.70
Dark Chrome		-19	642.10
Brushed Dark Platinum		-99	770.30

83 200 780


Towel ring angular

- width 190mm
- height 35 mm
- 105mm projection

Custom-made options

- Finish variants

Standard article	83 200 780 FF	FF	Euro
Chrome		-00	340.50
Brushed Platinum		-06	544.90
Brushed Durabronz (23kt Gold)		-28	715.10
Brushed Bronze		-42	544.90
Dark Chrome		-19	510.90
Brushed Dark Platinum		-99	613.00

83 200 811


Towel ring round

- width 200mm
- 118mm projection

Custom-made options

- Finish variants

Standard article	83 200 811 FF	FF	Euro
Chrome		-00	482.30
Brushed Platinum		-06	771.80
Brushed Durabronz (23kt Gold)		-28	1,012.80
Brushed Bronze		-42	771.80
Dark Chrome		-19	723.60
Brushed Dark Platinum		-99	868.20

83 251 780


Hooks

- width 19mm
- height 44 mm
- 35mm projection

Custom-made options

- Finish variants

Standard article	83 251 780 FF	FF	Euro
Chrome		-00	114.70
Brushed Platinum		-06	183.50
Brushed Durabronz (23kt Gold)		-28	240.90
Brushed Bronze		-42	183.50
Dark Chrome		-19	172.10
Brushed Dark Platinum		-99	206.60

83 400 979


Tumbler holder wall model

- crystal glass, transparent
- width 60mm
- height 120 mm
- 110mm projection

Custom-made options

- Finish variants

Standard article	83 400 979 FF	FF	Euro
Chrome		-00	278.90
Brushed Platinum		-06	446.30
Brushed Durabronz (23kt Gold)		-28	585.70
Brushed Bronze		-42	446.30
Dark Chrome		-19	418.50
Brushed Dark Platinum		-99	502.00

83 401 979



Tumbler holder wall model

- crystal glass brush holder, matte
- width 60mm
- height 120 mm
- 110mm projection

Custom-made options

- Finish variants

Standard article	83 401 979 FF	FF	Euro
Chrome		-00	278.90
Brushed Platinum		-06	446.30
Brushed Durabronz (23kt Gold)		-28	585.70
Brushed Bronze		-42	446.30
Dark Chrome		-19	418.50
Brushed Dark Platinum		-99	502.00



Recommended miscellaneous

Crystal tumbler	08 90 00 008 FF	FF	Euro
Glass		82	72.10

83 400 780



Tumbler holder wall model

- crystal glass
- width 75mm
- height 118 mm
- 85mm projection

Custom-made options

- Finish variants

Standard article	83 400 780 FF	FF	Euro
Chrome		-00	374.30
Brushed Platinum		-06	599.00
Brushed Durabronz (23kt Gold)		-28	786.00
Brushed Bronze		-42	598.80
Dark Chrome		-19	561.60
Brushed Dark Platinum		-99	673.60

83 410 979



Soap dish wall model


- width 120mm
- height 20 mm
- 145mm projection

Custom-made options

- Finish variants

Standard article	83 410 979 FF	FF	Euro
Chrome		-00	289.30
Brushed Platinum		-06	462.90
Brushed Durabronz (23kt Gold)		-28	607.50
Brushed Bronze		-42	462.90
Dark Chrome		-19	434.10
Brushed Dark Platinum		-99	520.90

83 410 780



Soap dish wall model

- width 120mm
- height 45 mm
- 120mm projection

Custom-made options

- Finish variants

Standard article	83 410 780 FF	FF	Euro
Chrome		-00	382.70
Brushed Platinum		-06	611.70
Brushed Durabronz (23kt Gold)		-28	803.70
Brushed Bronze		-42	612.40
Dark Chrome		-19	574.00
Brushed Dark Platinum		-99	688.90

83 435 970



Dispenser wall model


- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 96mm projection

Custom-made options

- Finish variants
- without logo

Standard article	83 435 970 FF	FF	Euro
Chrome		-00	457.60
Brushed Platinum		-06	732.10
Brushed Durabronz (23kt Gold)		-28	961.00
Brushed Bronze		-42	732.20
Dark Chrome		-19	686.50
Brushed Dark Platinum		-99	823.80

83 290 970



Shower basket for wall mounting

- width 200mm
- height 70 mm
- 115mm projection

Custom-made options

- Finish variants

Standard article	83 290 970 FF	FF	Euro
Chrome		-00	221.60
Brushed Platinum		-06	354.60
Brushed Durabronz (23kt Gold)		-28	465.40
Brushed Bronze		-42	354.40
Dark Chrome		-19	332.40
Brushed Dark Platinum		-99	398.90

83 500 780

Tissue holder without cover

- width 140mm
- height 35 mm
- 85mm projection

Custom-made options

- Finish variants

Standard article	83 500 780 FF	FF	Euro
Chrome		-00	307.70
Brushed Platinum		-06	492.10
Brushed Durabronz (23kt Gold)		-28	646.20
Brushed Bronze		-42	492.20
Dark Chrome		-19	461.40
Brushed Dark Platinum		-99	553.60

83 590 780

Reserve tissue holder

- width 132mm
- height 35 mm
- 116mm projection

Custom-made options

- Finish variants

Standard article	83 590 780 FF	FF	Euro
Chrome		-00	307.70
Brushed Platinum		-06	492.10
Brushed Durabronz (23kt Gold)		-28	646.20
Brushed Bronze		-42	492.20
Dark Chrome		-19	461.40
Brushed Dark Platinum		-99	553.60

83 900 780

Toilet brush set wall model

- crystal glass brush holder, matte
- brush, matte black
- width 118mm
- height 415 mm
- 118mm projection

Custom-made options

- Finish variants

Standard article	83 900 780 FF	FF	Euro
Chrome		-00	475.70
Brushed Platinum		-06	761.10
Brushed Durabronz (23kt Gold)		-28	999.00
Brushed Bronze		-42	761.10
Dark Chrome		-19	713.40
Brushed Dark Platinum		-99	856.20

83 910 979

Toilet brush set wall model

- brush, matte black
- width 100mm
- height 456 mm
- 110mm projection

Custom-made options

- Finish variants
- without logo

Standard article	83 910 979 FF	FF	Euro
Chrome		-00	519.20
Brushed Platinum		-06	830.90
Brushed Durabronz (23kt Gold)		-28	1,090.30
Brushed Bronze		-42	830.70
Dark Chrome		-19	778.90
Brushed Dark Platinum		-99	934.60

84 910 979

Toilet brush set free-standing model

- brush, matte black
- width 100mm
- height 456 mm

Custom-made options

- Finish variants
- without logo

Standard article	84 910 979 FF	FF	Euro
Chrome		-00	469.70
Brushed Platinum		-06	751.50
Brushed Durabronz (23kt Gold)		-28	986.40
Brushed Bronze		-42	751.60
Dark Chrome		-19	704.70
Brushed Dark Platinum		-99	845.40

12 660 979


Cover plate for the concealed WC cistern made by TeCe

• **Not available in the United States and Canada due to local code requirements. Please contact us for more information.**

- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)
- **This product is compatible with the following TECE products:**
 - TECEprofil dry wall construction, article numbers: 9300300, 9300322, 9300301, 9300344, 9300309, 9300303, 9300388, 9300366, 9300102, 9300103, 9300329, 9300377, 9300378, 9400302, 9400303, 9400304, 9041335, 9041336, 9041337
 - TECEbox wet wall construction, article numbers: 9370300, 9375300, 9371300

Custom-made options

- Finish variants
- without logo

Standard article	12 660 979 FF	FF	Euro
Chrome		-00	852.30
Brushed Platinum		-06	1,364.00
Brushed Durabronz (23kt Gold)		-28	1,789.80
Brushed Bronze		-42	1,363.80
Dark Chrome		-19	1,278.40
Brushed Dark Platinum		-99	1,534.30

12 665 979


Flush plate for concealed WC cisterns made by Geberit round

- cover plate 169 x 246 x 12 mm
- Mechanical flush plate with manual flush buttons
- For 2-volume flushing system
- Includes mounting frame, actuator rods and fastening material
- Sound-absorbing push rods, tool-free fast adjustment
- **Compatible with all Geberit Sigma series cisterns from 2001 onwards**

Custom-made options

- Finish variants
- without logo

Standard article	12 665 979 FF	FF	Euro
Chrome		-00	485.30
Brushed Platinum		-06	776.50
Brushed Durabronz (23kt Gold)		-28	1,019.10
Brushed Bronze		-42	776.50
Dark Chrome		-19	728.00
Brushed Dark Platinum		-99	873.60

83 150 979

NEW

Lighted mirror round

- Wall mounting
- Diameter: 600 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material



Standard article	83 150 979 FF	FF	Euro
Matte White		-10	1,767.00
Matte Black		-33	1,767.00

83 151 979

NEW

Lighted mirror round

- Wall mounting
- Diameter: 750 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material



Standard article	83 151 979 FF	FF	Euro
Matte White		-10	2,065.00
Matte Black		-33	2,065.00

83 150 980

NEW

Lighted mirror angular

- Wall mounting
- height 800 mm
- width 400mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material



Standard article	83 150 980 FF	FF	Euro
Matte White		-10	1,652.00
Matte Black		-33	1,652.00

83 151 980

NEW

Lighted mirror angular

- Wall mounting
- height 1000 mm
- width 600mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material



Standard article	83 151 980 FF	FF	Euro
Matte White		-10	1,951.00
Matte Black		-33	1,951.00

36 390 980

NEW

Electronic control elements for heated towel rail

- rosette 60 x 60 mm
- Control element for towel warmer: 833XX980-FF
- Degree of protection IP 44, CE marking

Note: Different conditioning.



Standard article	36 390 980 FF	FF	Euro
Chrome		-00	500.00
Dark Chrome		-19	750.00
Brushed Dark Platinum		-99	900.00

83 304 980

NEW

Towel warmer, 4-fold, projection left, without control element

- gauge 120 mm
- width 600mm
- height 420 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.



Standard article	83 304 980 FF	FF	Euro
Chrome		-00	2,640.00
Dark Chrome		-19	3,960.00
Brushed Dark Platinum		-99	4,752.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, without control element

35 311 970 FF	FF	Euro
Concealed rough parts	90	750.00

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 651



83 306 980

NEW

Towel warmer, 6-fold, projection left, without control element

- gauge 120 mm
- width 600mm
- height 660 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.



Standard article	83 306 980 FF	FF	Euro
Chrome		-00	3,960.00
Dark Chrome		-19	5,940.00
Brushed Dark Platinum		-99	7,128.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 6-fold, without control element

35 313 970 FF	FF	Euro
Concealed rough parts	90	1,000.00

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 652



83 314 980

NEW

Towel warmer, 4-fold, projection right, without control element

- gauge 120 mm
- width 600mm
- height 420 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.



Standard article	83 314 980 FF	FF	Euro
Chrome		-00	2,640.00
Dark Chrome		-19	3,960.00
Brushed Dark Platinum		-99	4,752.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, without control element

35 311 970 FF	FF	Euro
Concealed rough parts	90	750.00

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 651



83 316 980

NEW

Towel warmer, 6-fold, projection right, without control element

- gauge 120 mm
- width 600mm
- height 660 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.



Standard article	83 316 980 FF	FF	Euro
Chrome		-00	3,960.00
Dark Chrome		-19	5,940.00
Brushed Dark Platinum		-99	7,128.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 6-fold, without control element

35 313 970 FF	FF	Euro
	90	1,000.00

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 652



83 304 980 +
36 390 980

NEW

Towel warmer, 4-fold, projection left, with control element

- gauge 120 mm
- width 600mm
- height 550 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.



Standard article	1x 83 304 980 FF		1x 36 390 980 FF		Total price:
	FF	Euro	FF	Euro	
Chrome	-00	2,640.00	-00	500.00	3,140.00
Dark Chrome	-19	3,960.00	-19	750.00	4,710.00
Brushed Dark Platinum	-99	4,752.00	-99	900.00	5,652.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, with control element

35 312 970 FF	FF	Euro
	90	850.00

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 651



83 306 980 +
36 390 980

NEW

Towel warmer, 6-fold, projection left, with control element

- gauge 120 mm
- width 600mm
- height 790 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.



Standard article	1x 83 306 980 FF		1x 36 390 980 FF		Total price:
	FF	Euro	FF	Euro	
Chrome	-00	3,960.00	-00	500.00	4,460.00
Dark Chrome	-19	5,940.00	-19	750.00	6,690.00
Brushed Dark Platinum	-99	7,128.00	-99	900.00	8,028.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 6-fold, with control element

35 314 970 FF	FF	Euro
	90	1,100.00

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 652



83 314 980 +
36 390 980

NEW

Towel warmer, 4-fold, projection right, with control element

- gauge 120 mm
- width 600mm
- height 550 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.



Standard article	1x 83 314 980 FF		1x 36 390 980 FF		Total price:
	FF	Euro	FF	Euro	
Chrome	-00	2,640.00	-00	500.00	3,140.00
Dark Chrome	-19	3,960.00	-19	750.00	4,710.00
Brushed Dark Platinum	-99	4,752.00	-99	900.00	5,652.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, with control element

35 312 970 FF	FF	Euro
	90	850.00

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 651



83 316 980 +
36 390 980

NEW Towel warmer, 6-fold, projection right, with control element

- gauge 120 mm
- width 600mm
- height 790 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.



Standard article	1x 83 316 980 FF		1x 36 390 980 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	3,960.00	-00	500.00	4,460.00
Dark Chrome	-19	5,940.00	-19	750.00	6,690.00
Brushed Dark Platinum	-99	7,128.00	-99	900.00	8,028.00



Required miscellaneous


Concealed wall installation box for heated towel rail, 6-fold, with control element

35 314 970 FF		FF	Euro
Concealed rough parts		90	1,100.00

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 652

IMO

Sieger Design



Basin

from page 137

Bidet

from page 142

Shower

from page 145

Thermostats, mixers, diverters
and valves

from page 160

Bath

from page 171

Accessories

from page 172

Basin fittings

Single-lever basin mixers

105mm projection

125mm projection

135mm projection

170mm projection

with a raised pillar base

170mm projection

Free-standing basin mixers

195mm projection



33 525 671



33 500 671
33 521 671



33 502 671
33 522 671



33 528 671
33 526 671



33 537 671



22 585 671

Two-hole basin mixers

165mm projection

220mm projection

Three-hole basin mixers

165mm projection

Pillar taps

105mm projection

Wall-mounted single-lever basin mixers

140mm projection

170mm projection



29 217 671



29 218 671



20 713 671



17 500 671



36 860 671



36 861 671

Wall-mounted basin mixers

141mm projection

171mm projection

Touchfree

130mm projection

130mm projection

165mm projection

165mm projection



36 707 671



36 712 671



44 511 670



44 515 670



44 521 670



13 716 671 +
42 765 970

Touchfree

170mm projection



13 800 671 +
42 765 970

Showers

Shower sets



26 413 980 +
28 012 979



26 413 979 +
28 018 979

Shower pipes with shower thermostat



34 460 979 +
28 018 979
34 459 979



34 459 980 +
28 018 979
34 458 980

Head showers with one spray type



28 504 670

Head showers with multiple jet types



28 508 980

Rain showers with wall connection



28 649 670
28 648 670



28 679 670
28 678 670



28 765 980
28 764 980

Rain showers with ceiling connection



28 669 970
28 668 970



28 689 970
28 688 970



28 775 980
28 774 980

Rain showers for ceiling connection



28 041 980



28 042 980



28 043 980



28 044 980

Rain showers for ceiling installation

Hand shower sets with integrated shower holder



27 802 970

Hand shower sets with individual rosettes



27 808 980

Hand shower sets with individual rosettes



27 809 985

Hand shower sets with cover plate



27 818 980

Side showers



28 528 782
28 518 782

Massage modules

WATER POINTS



36 525 979
36 515 979

WATER BAR



36 527 979
36 517 979

WATER CURVE



36 514 979

Massage modules

WATER FAN



36 513 979
36 512 979

Waterfalls

WATER SHEET



13 415 979

WATER FALL



13 420 979

WATER FALL



13 425 979

Kneipp modules

WATER TUBE



27 838 979
27 858 979



27 821 979 +
28 285 979
27 841 979

Bath fittings

Single-lever mixers



36 120 670



29 300 670



36 120 670

Free-standing bath fittings

279mm projection



25 863 671

Three-hole single-lever bath mixers

224mm projection



27 412 670

Bath spouts

200mm projection



13 801 670

Hand shower sets

230mm projection



27 702 980

Diverter



29 140 670

Miscellaneous

26mm projection



36 243 970

integrated bath filling

26mm projection



36 247 970

33 525 671


Single-lever basin mixer without pop-up waste
• 105mm projection

- fixed spout
- rectangular, air-enriched flow
- height of mixer 129 mm
- height up to aerator 66 mm
- hole diameter 35 mm
- rosette Ø 50 mm optional
- 2 x pressure hose with 3/8" cap nut
- max. flow 4.6 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	33 525 671 FF	FF	Euro
Chrome		-00	515.50
Brushed Chrome		-93	670.10
Brushed Platinum		-06	824.80
Brushed Light Gold		-27	773.30
Dark Chrome		-19	773.30
Brushed Dark Platinum		-99	927.90
Matte Black		-33	695.90

33 500 671


Single-lever basin mixer with pop-up waste
• 125mm projection

- fixed spout
- rectangular, air-enriched flow
- height of mixer 138 mm
- height up to aerator 71 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4.6 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	33 500 671 FF	FF	Euro
Chrome		-00	521.80
Brushed Chrome		-93	678.40
Brushed Platinum		-06	835.00
Brushed Light Gold		-27	782.70
Dark Chrome		-19	782.70
Brushed Dark Platinum		-99	939.30
Matte Black		-33	704.50

Product alternative

- without pop-up waste

Standard article	33 521 671 FF	FF	Euro
Chrome		-00	485.40
Brushed Chrome		-93	631.10
Brushed Platinum		-06	776.60
Brushed Light Gold		-27	728.20
Dark Chrome		-19	728.20
Brushed Dark Platinum		-99	873.70
Matte Black		-33	655.40

33 502 671

NEW

Single-lever basin mixer with pop-up waste
• 135mm projection

- fixed spout
- rectangular, air-enriched flow
- height of mixer 158 mm
- height up to aerator 90 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4.5 l/min
- lead-free
- This product can contribute to Water Use Reduction in LEED® Green Building Rating

Only suitable for basins with an overflow.

	33 502 671 FF	FF	Euro
Chrome		-00	600.10
Brushed Chrome		-93	780.10
Brushed Platinum		-06	960.20
Brushed Light Gold		-27	900.20
Dark Chrome		-19	900.20
Brushed Dark Platinum		-99	1,080.20
Matte Black		-33	810.10

Product alternative

- without pop-up waste

	33 522 671 FF	FF	Euro
Chrome		-00	558.20
Brushed Chrome		-93	725.70
Brushed Platinum		-06	893.10
Brushed Light Gold		-27	837.30
Dark Chrome		-19	837.30
Brushed Dark Platinum		-99	1,004.80
Matte Black		-33	753.60

33 537 671



Single-lever basin mixer with raised base without pop-up waste

- **170mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 298 mm
- height up to aerator 230 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4.6 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

for use on countertop bowls

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	33 537 671 FF	FF	Euro
Chrome		-00	757.40
Brushed Chrome		-93	984.60
Brushed Platinum		-06	1,211.80
Brushed Light Gold		-27	1,136.10
Dark Chrome		-19	1,136.10
Brushed Dark Platinum		-99	1,363.20
Matte Black		-33	1,022.40

33 528 671



Single-lever basin mixer with high spout with pop-up waste

- **170mm projection**
- rectangular, air-enriched flow
- height of mixer 279 mm
- height up to aerator 235 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 4.6 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- fixed spout

Only suitable for basins with an overflow.

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	33 528 671 FF	FF	Euro
Chrome		-00	894.00
Brushed Chrome		-93	1,162.30
Brushed Platinum		-06	1,430.40
Brushed Light Gold		-27	1,341.10
Dark Chrome		-19	1,341.10
Brushed Dark Platinum		-99	1,609.30
Matte Black		-33	1,207.00

Product alternative

- **without pop-up waste**

Standard article	33 526 671 FF	FF	Euro
Chrome		-00	825.00
Brushed Chrome		-93	1,072.40
Brushed Platinum		-06	1,320.00
Brushed Light Gold		-27	1,237.50
Dark Chrome		-19	1,237.50
Brushed Dark Platinum		-99	1,484.90
Matte Black		-33	1,113.70

22 585 671



Single-hole basin mixer with stand pipe without pop-up waste

- **195mm projection**
- fixed spout
- rectangular, air-enriched flow
- total height 1038 - 1103 mm
- height up to aerator 970 – 1040 mm
- rosette Ø 135 mm
- max. flow 4.6 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	22 585 671 FF	FF	Euro
Chrome		-00	1,889.70
Brushed Chrome		-93	2,456.60
Brushed Platinum		-06	3,023.50
Brushed Light Gold		-27	2,834.50
Dark Chrome		-19	2,834.50
Brushed Dark Platinum		-99	3,401.40
Matte Black		-33	2,551.00



Required miscellaneous

Concealed floor mounting

	35 945 970 FF	FF	Euro
Concealed rough parts		90	840.10

- min. recess depth 80 mm
 - max. recess depth 150 mm
- For details and miscellaneous, see page 644

29 217 671


Two-hole basin mixer with pop-up waste

- **165mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 220 mm
- height up to aerator 176 mm
- hole diameter spout 35 mm
- hole diameter valve 35 mm
- 1x screw-in M 10 x 1 pressure hose, leak-tested
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4.6 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Red/blue marking
- without logo
- without pop-up waste

Standard article	29 217 671 FF	FF	Euro
Chrome		-00	1,085.20
Brushed Chrome		-93	1,410.80
Brushed Platinum		-06	1,736.20
Brushed Light Gold		-27	1,627.80
Dark Chrome		-19	1,627.80
Brushed Dark Platinum		-99	1,953.30
Matte Black		-33	1,465.00

29 218 671


Two-hole basin mixer with high spout without pop-up waste

- **220mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 361 mm
- height up to aerator 317 mm
- hole diameter spout 35 mm
- hole diameter valve 35 mm
- 1x screw-in M 10 x 1 pressure hose, leak-tested
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4.6 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	29 218 671 FF	FF	Euro
Chrome		-00	1,142.30
Brushed Chrome		-93	1,485.00
Brushed Platinum		-06	1,827.60
Brushed Light Gold		-27	1,713.50
Dark Chrome		-19	1,713.50
Brushed Dark Platinum		-99	2,056.10
Matte Black		-33	1,542.10

20 713 671


Three-hole basin mixer with pop-up waste

- **165mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 220 mm
- height up to aerator 177 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette 60 x 60 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4.6 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.
Custom-made options

- Finish variants
- Red/blue marking
- without logo
- without pop-up waste

Standard article	20 713 671 FF	FF	Euro
Chrome		-00	1,142.30
Brushed Chrome		-93	1,485.00
Brushed Platinum		-06	1,827.60
Brushed Light Gold		-27	1,713.50
Dark Chrome		-19	1,713.50
Brushed Dark Platinum		-99	2,056.10
Matte Black		-33	1,542.10



Recommended miscellaneous

High pressure hoses

	12 506 970 FF	FF	Euro
• 2x 3/8" x 1/2" x 500mm high pressure hose		90	90.70

17 500 671


Pillar tap cold water

- 105mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 126 mm
- height up to aerator 66 mm
- hole diameter 35 mm
- 1/2" connection
- rosette Ø 50 mm
- max. flow 4.6 l/min
- lead-free

Custom-made options

- Finish variants
- without logo

Standard article	17 500 671 FF	FF	Euro
Chrome		-00	430.00
Brushed Chrome		-93	559.10
Brushed Platinum		-06	688.10
Brushed Light Gold		-27	645.00
Dark Chrome		-19	645.00
Brushed Dark Platinum		-99	774.10
Matte Black		-33	580.60

36 860 671



Wall-mounted single-lever basin mixer without pop-up waste

- **140mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout 80 x 60mm
- rosette for mixer 80 x 80mm
- max. flow 4.6 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Projection modification
- Red/blue marking
- without logo

Standard article	36 860 671 FF	FF	Euro
Chrome		-00	754.20
Brushed Chrome		-93	980.40
Brushed Platinum		-06	1,206.70
Brushed Light Gold		-27	1,131.30
Dark Chrome		-19	1,131.30
Brushed Dark Platinum		-99	1,357.50
Matte Black		-33	1,018.20



Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
Concealed rough parts		90	224.60

- min. recess depth 80 mm
- max. recess depth 95 mm
- mixer can be placed above, to the left or to the right of the spout.

For details and miscellaneous, see page 640

36 861 671



Wall-mounted single-lever basin mixer without pop-up waste

- **170mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout 80 x 60mm
- rosette for mixer 80 x 80mm
- max. flow 4.6 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Projection modification
- Red/blue marking
- without logo

Standard article	36 861 671 FF	FF	Euro
Chrome		-00	795.50
Brushed Chrome		-93	1,034.20
Brushed Platinum		-06	1,272.80
Brushed Light Gold		-27	1,193.30
Dark Chrome		-19	1,193.30
Brushed Dark Platinum		-99	1,431.90
Matte Black		-33	1,074.00



Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
Concealed rough parts		90	224.60

- min. recess depth 80 mm
- max. recess depth 95 mm
- mixer can be placed above, to the left or to the right of the spout.

For details and miscellaneous, see page 640

36 707 671



Wall-mounted basin mixer without pop-up waste

- **141mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter valve 40 mm
- hole diameter spout 40 mm
- individual rosettes 60 x 60 mm
- max. flow 4.6 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Projection modification
- Red/blue marking
- without logo

Standard article	36 707 671 FF	FF	Euro
Chrome		-00	914.30
Brushed Chrome		-93	1,188.60
Brushed Platinum		-06	1,462.90
Brushed Light Gold		-27	1,371.50
Dark Chrome		-19	1,371.50
Brushed Dark Platinum		-99	1,645.80
Matte Black		-33	1,234.30



Required miscellaneous

Concealed wall-mounted mixer centred spout

	35 700 970 FF	FF	Euro
Concealed rough parts		90	193.30

- min. recess depth 110 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 640



Required miscellaneous

Concealed wall-mounted mixer variable positioning

	35 720 970 FF	FF	Euro
Concealed rough parts		90	154.20

- min. recess depth 110 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 640

36 712 671


Wall-mounted basin mixer without pop-up waste
• 171mm projection

- fixed spout
- rectangular, air-enriched flow
- hole diameter valve 40 mm
- hole diameter spout 40 mm
- individual rosettes 60 x 60 mm
- max. flow 4,6 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Projection modification
- Red/blue marking
- without logo

Standard article	36 712 671 FF	FF	Euro
Chrome		-00	955.80
Brushed Chrome		-93	1,242.60
Brushed Platinum		-06	1,529.40
Brushed Light Gold		-27	1,433.80
Dark Chrome		-19	1,433.80
Brushed Dark Platinum		-99	1,720.50
Matte Black		-33	1,290.40



Required miscellaneous

Concealed wall-mounted mixer centred spout
35 700 970 FF | FF | Euro

- min. recess depth 110 mm
 - max. recess depth 150 mm
- Concealed rough parts **90** | 193.30
- For details and miscellaneous, see page 640



Required miscellaneous

Concealed wall-mounted mixer variable positioning
35 720 970 FF | FF | Euro

- min. recess depth 110 mm
 - max. recess depth 150 mm
- Concealed rough parts **90** | 154.20
- For details and miscellaneous, see page 640

44 511 670


Washstand fitting with electronic opening and closing function without pop-up waste

- Infrared sensor technology
- **130mm projection**
- height of mixer 135 mm
- height up to aerator 74 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- rectangular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Direct temperature control at faucet
- Plug-in power supply included
- lead-free
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- without logo

Standard article	44 511 670 FF	FF	Euro
Chrome		-00	1,076.80
Brushed Chrome		-93	1,399.80
Brushed Platinum		-06	1,723.00
Brushed Dark Platinum		-99	1,938.40
Matte Black		-33	1,453.80

44 515 670


Washstand fitting with electronic opening and closing function without pop-up waste

- Infrared sensor technology
- **130mm projection**
- height of mixer 135 mm
- height up to aerator 74 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- rectangular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Direct temperature control at faucet
- Battery-powered (batteries not included)
- 1x CR-P2 battery required
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Batteries not included
Custom-made options

- Finish variants
- without logo

Standard article	44 515 670 FF	FF	Euro
Chrome		-00	1,076.80
Brushed Chrome		-93	1,399.80
Brushed Platinum		-06	1,723.00
Brushed Dark Platinum		-99	1,938.40
Matte Black		-33	1,453.80

44 521 670



Washstand fitting with electronic opening and closing function without pop-up waste

- Infrared sensor technology
- **165mm projection**
- height of mixer 319 mm
- height up to aerator 268 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- rectangular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Indirect temperature control (undercounter)
- Control box included
- Adjustable sensor detection range
- Battery or plug-in power supply operated (batteries not included)
- 4x AA (1.5V) batteries required
- lead-free
- 1x screw-in M 8 x 1 pressure hose, leak-tested
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Batteries not included

Custom-made options

- Finish variants
- without logo

Standard article	44 521 670 FF	FF	Euro
Chrome		-00	933.70
Brushed Chrome		-93	1,213.80
Brushed Platinum		-06	1,494.10
Matte Black		-33	1,260.70

13 716 671 +
42 765 970



Basin mixer without pop-up waste with temperature setting

- **165mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 220 mm
- height up to aerator 176 mm
- hole diameter 35 mm
- rosette 60 x 60 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 4.6 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- without logo

	1x 13 716 671 FF max. flow 4.6 l/min		1x 42 765 970 90 FF	Total price:
Set	FF	Euro	FF	Euro
Chrome	-00	553.40	90	687.50
				1,240.90

Required miscellaneous



eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

	35 740 970 FF	FF	Euro
For details and miscellaneous, see page 646		Concealed rough parts	90
			313.70

13 800 671 +
42 765 970



Basin mixer without pop-up waste with temperature setting

- 170mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter 40 mm
- rosettes 80 x 60 mm
- 1/2" connection
- max. flow 4.6 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- Projection modification
- without logo

Set	1x 13 800 671 FF max. flow 4.6 l/min	Euro	1x 42 765 970 90 FF	Euro	Total price: Euro
Chrome	-00	544.90	90	687.50	1,232.40

Required miscellaneous



eSET Touchfree Basin mixer with temperature setting with wall-mounted fittings

For details and miscellaneous, see page 646	35 741 970 FF	FF	Euro
Concealed rough parts	90		313.70



Recommended miscellaneous

Concealed wall elbow

• min. recess depth 90 mm	35 085 970 FF	FF	Euro
• max. recess depth 163 mm	Concealed rough parts	90	122.80
For details and miscellaneous, see page 645			

Miscellaneous

22 901 782



Angle valve

- rosette 60 x 60 mm
- hose covering 200mm, for shortening
- 1/2" connection

Custom-made options

- Finish variants
- without logo

Standard article	22 901 782 FF	FF	Euro
Chrome	-00		215.10
Brushed Chrome	-93		279.50
Brushed Platinum	-06		344.20
Brushed Light Gold	-27		322.60
Dark Chrome	-19		322.70
Brushed Dark Platinum	-99		387.30
Matte Black	-33		290.60

10 060 780



Siphon for basin 1 1/4"

- rosette 78 x 78 mm

Custom-made options

- Finish variants

Standard article	10 060 780 FF	FF	Euro
Chrome	-00		387.40
Brushed Chrome	-93		503.60
Brushed Platinum	-06		619.90
Brushed Light Gold	-27		581.10
Dark Chrome	-19		581.10
Brushed Dark Platinum	-99		697.30
Matte Black	-33		523.20

27 701 970



Bidet spray

- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2" shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options

- Finish variants
- without logo

Standard article	27 701 970 FF	FF	Euro
Chrome		-00	323.10
Brushed Chrome		-93	420.00
Brushed Platinum		-06	516.80
Brushed Light Gold		-27	484.60
Dark Chrome		-19	484.60
Brushed Dark Platinum		-99	581.60



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
		90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

27 701 670



Bidet spray

- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2" shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options

- Finish variants
- without logo

Standard article	27 701 670 FF	FF	Euro
Chrome		-00	323.10
Brushed Chrome		-93	420.00
Brushed Platinum		-06	516.80
Brushed Light Gold		-27	484.60
Dark Chrome		-19	484.60
Brushed Dark Platinum		-99	581.60



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
		90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

33 600 671



Single-lever bidet mixer with pop-up waste

- 125mm projection
- fixed spout
- ball-joint pivotable through 35°
- rectangular, air-enriched flow
- height of mixer 138 mm
- height up to aerator 89 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 4.6 l/min

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	33 600 671 FF	FF	Euro
Chrome		-00	836.60
Brushed Chrome		-93	1,087.60
Brushed Platinum		-06	1,338.50
Brushed Light Gold		-27	1,254.90
Dark Chrome		-19	1,254.90
Brushed Dark Platinum		-99	1,505.90
Matte Black		-33	1,129.40

26 413 980 +
28 012 979

Shower set

- slide bar
- Pipe diameter 18 mm
- rosette 60 x 60 mm
- gauge 800 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- Four settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, COMPACT CASCADE, max. flow rate 15 l/min (at 3 bar)
- spray head Ø 120mm

Fits MEM, CL.1, IMO, CYO
Intrinsic protection against back flow.
Custom-made options

- Finish variants
- Flow rate modification
- without logo

Set	1x 26 413 980 FF		1x 28 012 979 FF		Total price:
	FF	Euro	FF	Euro	
Chrome	-00	701.90	-00	236.10	938.00
Brushed Chrome	-93	912.50	-93	306.80	1,219.30
Brushed Platinum	-06	1,122.50	-06	377.70	1,500.20
Brushed Light Gold	-27	1,052.90	-27	354.10	1,407.00
Dark Chrome	-19	1,052.80	-19	354.10	1,406.90
Brushed Dark Platinum	-99	1,262.90	-99	425.00	1,687.90
Matte Black	-33	947.20	-33	318.70	1,265.90



Recommended miscellaneous

Wall elbow
28 450 980 FF FF Euro

For details and miscellaneous, see main items

	FF	Euro
Chrome	-00	165.10
Brushed Chrome	-93	214.80
Brushed Platinum	-06	264.40
Brushed Light Gold	-27	247.70
Dark Chrome	-19	247.90
Brushed Dark Platinum	-99	297.40
Matte Black	-33	223.00



Recommended miscellaneous

Concealed wall elbow
35 085 970 FF FF Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

 Concealed rough parts **90** 122.80

For details and miscellaneous, see page 645

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.



Alternative hand shower	28 015 979 FF		28 017 979 FF		28 018 979 FF		28 016 979 FF		28 029 979 FF	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	135.80	-00	195.80	-00	237.40
Brushed Chrome	-93	164.20	-93	236.40	-93	176.50	-93	254.50	-93	308.70
Brushed Platinum	-06	202.30	-06	291.10	-06	217.10	-06	313.60	-06	379.90
Brushed Light Gold	-27	189.40	-27	272.80	-27	203.60	-27	293.80	-27	356.20
Dark Chrome	-19	189.40	-19	272.80	-19	203.60	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	244.30	-99	352.60	-99	427.30
Matte Black	-33	170.30	-33	245.70	-33	183.20	-33	264.40	-33	320.50

26 413 979 +
28 018 979



Shower set

- slide bar
- Pipe diameter 18 mm
- gauge 853 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 7 l/min
- spray head Ø 100mm

Fits MEM, CL.1, IMO, META, TARA, VAIA, LULU, LISSÉ, CYO

NOTE: Hand shower sold separately. Please see hand shower options under the miscellaneous articles section of each series.

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Set	1x 26 413 979 FF		1x 28 018 979 FF		Total price:
	FF	Euro	FF	Euro	
Chrome	-00	420.30	-00	135.80	556.10
Brushed Chrome	-93	546.40	-93	176.50	722.90
Brushed Platinum	-06	685.60	-06	217.10	902.70
Brushed Light Gold	-27	630.60	-27	203.60	834.20
Dark Chrome	-19	630.70	-19	203.60	834.30
Brushed Dark Platinum	-99	756.40	-99	244.30	1,000.70
Matte Black	-33	578.30	-33	183.20	761.50



Recommended miscellaneous

Wall elbow

28 450 980 FF FF Euro

For details and miscellaneous, see main items

	FF	Euro
Chrome	-00	165.10
Brushed Chrome	-93	214.80
Brushed Platinum	-06	264.40
Brushed Light Gold	-27	247.70
Dark Chrome	-19	247.90
Brushed Dark Platinum	-99	297.40
Matte Black	-33	223.00



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF FF Euro

• min. recess depth 90 mm
• max. recess depth 163 mm
For details and miscellaneous, see page 645

Concealed rough parts 90 122.80

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.



Alternative hand shower	28 015 979 FF		28 017 979 FF		28 012 979 FF		28 016 979 FF		28 029 979 FF	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	236.10	-00	195.80	-00	237.40
Brushed Chrome	-93	164.20	-93	236.40	-93	306.80	-93	254.50	-93	308.70
Brushed Platinum	-06	202.30	-06	291.10	-06	377.70	-06	313.60	-06	379.90
Brushed Light Gold	-27	189.40	-27	272.80	-27	354.10	-27	293.80	-27	356.20
Dark Chrome	-19	189.40	-19	272.80	-19	354.10	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	425.00	-99	352.60	-99	427.30
Matte Black	-33	170.30	-33	245.70	-33	318.70	-33	264.40	-33	320.50

34 460 979 +
 28 018 979

Showerpipe with shower thermostat

- shower with fixed riser projection 453mm
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower Ø 300 mm
- rain shower with anti-scale system
- Hand shower: Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- spray head Ø 100mm
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 1009mm
- height of fittings up to top edge of elbow 1150mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.
Fits IMO, META, TARA, VAIA, LISSÉ, LULU
Custom-made options

- Finish variants
- Flow rate modification
- Height modification
- Red/blue marking
- without logo

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.



Alternative hand shower	28 015 979 FF max. flow 15 l/min		28 017 979 FF max. flow 15 l/min		28 012 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	236.10	-00	195.80	-00	237.40
Brushed Chrome	-93	164.20	-93	236.40	-93	306.80	-93	254.50	-93	308.70
Brushed Platinum	-06	202.30	-06	291.10	-06	377.70	-06	313.60	-06	379.90
Brushed Light Gold	-27	189.40	-27	272.80	-27	354.10	-27	293.80	-27	356.20
Dark Chrome	-19	189.40	-19	272.80	-19	354.10	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	425.00	-99	352.60	-99	427.30
Matte Black	-33	170.30	-33	245.70	-33	318.70	-33	264.40	-33	320.50

Set	1x 34 460 979 FF max. flow 14 l/min		1x 28 018 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	2,734.90	-00	135.80	2,870.70
Brushed Chrome	-93	3,555.30	-93	176.50	3,731.80
Brushed Platinum	-06	4,375.70	-06	217.10	4,592.80
Brushed Light Gold	-27	4,102.30	-27	203.60	4,305.90
Dark Chrome	-19	4,102.30	-19	203.60	4,305.90
Brushed Dark Platinum	-99	4,922.60	-99	244.30	5,166.90
Matte Black	-33	3,692.00	-33	183.20	3,875.20

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- rain shower Ø 220 mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Standard article	34 459 979 FF	FF	Euro
Chrome		-00	2,596.40
Brushed Chrome		-93	3,375.40
Brushed Platinum		-06	4,061.00
Brushed Light Gold		-27	3,894.60
Dark Chrome		-19	3,894.60
Brushed Dark Platinum		-99	4,568.80
Matte Black		-33	3,426.70

34 459 980 +
28 018 979



Showerpipe with shower thermostat

- shower with fixed riser projection 453mm
- Rain shower: PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- rain shower 300 x 240mm
- rain shower with anti-scale system
- Hand shower: COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- spray head Ø 100mm
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 1009mm
- height of fittings up to top edge of elbow 1150mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- Flow rate modification
- Height modification
- Red/blue marking
- without logo

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.

Set	1x 34 459 980 FF max. flow 20 l/min		1x 28 018 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	3,079.20	-00	135.80	3,215.00
Brushed Chrome	-93	4,003.00	-93	176.50	4,179.50
Brushed Platinum	-06	4,926.80	-06	217.10	5,143.90
Brushed Light Gold	-27	4,618.80	-27	203.60	4,822.40
Dark Chrome	-19	4,618.90	-19	203.60	4,822.50
Brushed Dark Platinum	-99	5,542.50	-99	244.30	5,786.80
Matte Black	-33	4,157.10	-33	183.20	4,340.30

Product alternative

- FlowReduce
- Max. flow rate 12 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Standard article	34 458 980 FF	FF	Euro
Chrome		-00	3,079.20
Brushed Chrome		-93	4,003.00
Brushed Platinum		-06	4,926.70
Brushed Light Gold		-27	4,618.80
Dark Chrome		-19	4,618.80
Brushed Dark Platinum		-99	5,542.50
Matte Black		-33	4,156.90

Alternative hand shower	28 015 979 FF max. flow 15 l/min		28 017 979 FF max. flow 15 l/min		28 012 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	236.10	-00	195.80	-00	237.40
Brushed Chrome	-93	164.20	-93	236.40	-93	306.80	-93	254.50	-93	308.70
Brushed Platinum	-06	202.30	-06	291.10	-06	377.70	-06	313.60	-06	379.90
Brushed Light Gold	-27	189.40	-27	272.80	-27	354.10	-27	293.80	-27	356.20
Dark Chrome	-19	189.40	-19	272.80	-19	354.10	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	425.00	-99	352.60	-99	427.30
Matte Black	-33	170.30	-33	245.70	-33	318.70	-33	264.40	-33	320.50

28 504 670



Shower head

- 180-210mm projection
- ball-joint pivotable through 30°
- PURIFY RAIN, max. flow rate 7 l/min (at 3 bar)
- with anti-scale system
- spray head Ø 100mm
- rosette 60 x 60 mm
- 1/2" connection
- Function from: 6 l/min

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 504 670 FF	FF	Euro
Chrome		-00	613.10
Brushed Chrome		-93	797.00
Brushed Platinum		-06	972.80
Brushed Light Gold		-27	919.60
Dark Chrome		-19	919.50
Brushed Dark Platinum		-99	1,103.40
Matte Black		-33	827.60



Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm			
• max. recess depth 163 mm			
Concealed rough parts		90	122.80

For details and miscellaneous, see page 645

28 508 980

Shower head

- **200mm projection**
- ball-joint pivotable through 30°
- Three settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system
- spray head Ø 92mm
- rosette 60 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	28 508 980	FF	Euro
Chrome		-00	680.40
Brushed Chrome		-93	884.50
Brushed Platinum		-06	1,088.30
Brushed Light Gold		-27	1,020.50
Dark Chrome		-19	1,020.50
Brushed Dark Platinum		-99	1,224.90
Matte Black		-33	918.60

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 508 980	FF	Euro
Chrome		-000010	680.40
Brushed Chrome		-930010	884.50
Brushed Platinum		-060010	1,088.30
Brushed Light Gold		-270010	1,020.50
Dark Chrome		-190010	1,020.50
Brushed Dark Platinum		-990010	1,224.90
Matte Black		-330010	918.60



Recommended miscellaneous

Standard article	35 085 970	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 649 670

Rain shower with wall fixing 220 mm

- **450mm projection**
- rain shower Ø 220 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 7 l/min
- rosette 65 x 65 mm
- 1/2" connection
- with anti-scale system
- quick clearing

Fits IMO, CYO
Custom-made options

- Finish variants
- Projection modification
- without logo

Standard article	28 649 670	FF	Euro
Chrome		-00	1,020.00
Brushed Chrome		-93	1,326.00
Brushed Platinum		-06	1,632.20
Brushed Light Gold		-27	1,530.10
Dark Chrome		-19	1,530.10
Brushed Dark Platinum		-99	1,836.30
Matte Black		-33	1,377.00

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 648 670	FF	Euro
Chrome		-00	1,020.00
Brushed Chrome		-93	1,326.00
Brushed Platinum		-06	1,632.00
Brushed Light Gold		-27	1,530.10
Dark Chrome		-19	1,530.10
Brushed Dark Platinum		-99	1,836.10
Matte Black		-33	1,645.60



Recommended miscellaneous

Standard article	35 085 970	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 679 670



Rain shower with wall fixing 300 mm

- 450mm projection
- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rosette 65 x 65 mm
- 1/2" connection
- with anti-scale system
- quick clearing

Fits IMO, CYO

Custom-made options

- Finish variants
- Projection modification
- without logo

Standard article	28 679 670 FF	FF	Euro
Chrome		-00	1,197.10
Brushed Chrome		-93	1,556.10
Brushed Platinum		-06	1,915.30
Brushed Light Gold		-27	1,795.60
Dark Chrome		-19	1,795.70
Brushed Dark Platinum		-99	2,154.80
Matte Black		-33	1,616.10

Product alternative

- FlowReduce
- Max. flow rate 9 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 678 670 FF	FF	Euro
Chrome		-00	1,197.10
Brushed Chrome		-93	1,556.10
Brushed Platinum		-06	1,915.30
Brushed Light Gold		-27	1,795.60
Dark Chrome		-19	1,795.60
Brushed Dark Platinum		-99	2,154.70
Matte Black		-33	1,616.10



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 765 980



Rain shower with wall fixing 300 x 240 mm

- 450mm projection
- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- rosette 60 x 60 mm
- 1/2" connection
- with anti-scale system
- quick clearing

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- Projection modification
- without logo

Standard article	28 765 980 FF	FF	Euro
Chrome		-00	1,528.60
Brushed Chrome		-93	1,987.20
Brushed Platinum		-06	2,445.70
Brushed Light Gold		-27	2,293.00
Dark Chrome		-19	2,293.00
Brushed Dark Platinum		-99	2,751.50
Matte Black		-33	2,063.70

Product alternative

- FlowReduce
- Max. flow rate 12 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 764 980 FF	FF	Euro
Chrome		-00	1,528.60
Brushed Chrome		-93	1,987.20
Brushed Platinum		-06	2,445.80
Brushed Light Gold		-27	2,293.00
Dark Chrome		-19	2,293.00
Brushed Dark Platinum		-99	2,751.50
Matte Black		-33	2,063.70



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 669 970


Rain shower with ceiling fixing 220 mm

- rain shower Ø 220 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 7 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system
- quick clearing

Fits IMO, META, TARA, VAIA, LISSÉ, CYO
Custom-made options

- Finish variants
- Length modification
- without logo

Standard article	28 669 970 FF	FF	Euro
Chrome		-00	819.30
Brushed Chrome		-93	1,065.00
Brushed Platinum		-06	1,311.20
Brushed Light Gold		-27	1,228.90
Dark Chrome		-19	1,228.90
Brushed Dark Platinum		-99	1,474.80
Matte Black		-33	1,106.40

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 668 970 FF	FF	Euro
Chrome		-00	819.30
Brushed Chrome		-93	1,065.00
Brushed Platinum		-06	1,310.90
Brushed Light Gold		-27	1,228.90
Dark Chrome		-19	1,228.90
Brushed Dark Platinum		-99	1,474.70
Matte Black		-33	1,106.00



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

 Concealed rough parts **90** 122.80

28 689 970


Rain shower with ceiling fixing 300 mm

- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system
- quick clearing

Fits IMO, META, TARA, VAIA, LISSÉ, CYO
Custom-made options

- Finish variants
- Length modification
- without logo

Standard article	28 689 970 FF	FF	Euro
Chrome		-00	965.90
Brushed Chrome		-93	1,255.70
Brushed Platinum		-06	1,544.90
Brushed Light Gold		-27	1,448.90
Dark Chrome		-19	1,448.90
Brushed Dark Platinum		-99	1,738.50
Matte Black		-33	1,303.70

Product alternative

- FlowReduce
- Max. flow rate 9 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 688 970 FF	FF	Euro
Chrome		-00	965.90
Brushed Chrome		-93	1,255.70
Brushed Platinum		-06	1,545.40
Brushed Light Gold		-27	1,448.90
Dark Chrome		-19	1,448.90
Brushed Dark Platinum		-99	1,738.60
Matte Black		-33	1,304.00



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

 Concealed rough parts **90** 122.80

28 775 980



- Rain shower with ceiling fixing 300 x 240 mm**
- rain shower 300 x 240mm
 - PURE RAIN, max. flow rate 20 l/min (at 3 bar)
 - Function from: 12 l/min
 - distance between ceiling and lower edge of the shower 165mm
 - rosette 60 x 60, as required
 - 1/2" connection
 - with anti-scale system
 - quick clearing

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- Length modification
- without logo

Standard article	28 775 980 FF	FF	Euro
Chrome	-00		1,299.30
Brushed Chrome	-93		1,689.20
Brushed Platinum	-06		2,079.10
Brushed Light Gold	-27		1,949.10
Dark Chrome	-19		1,949.00
Brushed Dark Platinum	-99		2,338.70
Matte Black	-33		1,754.20

Product alternative

- FlowReduce
- Max. flow rate 12 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 774 980 FF	FF	Euro
Chrome	-00		1,299.30
Brushed Chrome	-93		1,689.20
Brushed Platinum	-06		2,079.10
Brushed Light Gold	-27		1,949.10
Dark Chrome	-19		1,949.10
Brushed Dark Platinum	-99		2,338.80
Matte Black	-33		1,754.20



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 041 980



Rain shower for surface-mounted ceiling installation 300 x 240 mm

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- For simultaneous control of the jet types, we recommend the xTool thermostat module
- Not suitable for use in a steam room.

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 041 980 FF	FF	Euro
Chrome	-00		746.90
Brushed Chrome	-93		971.00
Brushed Platinum	-06		1,195.10
Brushed Light Gold	-27		1,120.30
Dark Chrome	-19		1,120.30
Brushed Dark Platinum	-99		1,344.40
Matte Black	-33		1,008.30

Required miscellaneous



Concealed ceiling installation box with ceiling fixing

Standard article	35 041 970 FF	FF	Euro
Concealed ceiling installation box with ceiling fixing			

- concealed rough parts
 - min. recess depth 90 mm
 - max. recess depth 115 mm
 - 2x female thread 1/2" outlet
- Concealed rough parts **90** 497.90
- For details and miscellaneous, see page 648

28 042 980



Rain shower for surface-mounted ceiling installation with light 300 x 240 mm

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- Ceiling module power supply**
- 350mA (CC)
- Spot lighting**
- LED colour temperature approx. 3000 K
- Bulbs protected against splashing water
- Contains energy efficiency class bulbs
- Technology: LED, not dimmable
- Provided by customer: Light switch
- Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 042 980 FF	FF	Euro
Chrome	-00		1,122.20
Brushed Chrome	-93		1,458.80
Brushed Platinum	-06		1,795.50
Brushed Light Gold	-27		1,683.20
Dark Chrome	-19		1,683.20
Brushed Dark Platinum	-99		2,020.00
Matte Black	-33		1,514.80

Required miscellaneous



Concealed ceiling installation box for surface-mounted ceiling installation with light

Standard article	35 042 970 FF	FF	Euro
Concealed ceiling installation box for surface-mounted ceiling installation with light			

- concealed rough parts
 - min. recess depth 90 mm
 - max. recess depth 115 mm
 - 2x female thread 1/2" connections
 - Input 100-240V AC 50-60Hz
 - Output 350 mA SELV / Class 2
 - Provided by customer: Light switch
- Concealed rough parts **90** 748.00
- For details and miscellaneous, see page 648

28 043 980


Rain shower for recessed ceiling installation 300 x 240 mm

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- min. recess depth 137 mm
- with anti-scale system
- For simultaneous control of the jet types, we recommend the xTool thermostat module
- Not suitable for use in a steam room.

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	28 043 980 FF	FF	Euro
Chrome		-00	1,497.40
Brushed Chrome		-93	1,946.70
Brushed Platinum		-06	2,395.80
Brushed Light Gold		-27	2,246.20
Dark Chrome		-19	2,246.10
Brushed Dark Platinum		-99	2,695.30
Matte Black		-33	2,021.50

Required miscellaneous


Concealed ceiling installation box for recessed ceiling installation

	35 043 970 FF	FF	Euro
concealed rough parts	Concealed rough parts	90	998.30
recess depth 137mm			
2x female thread 1/2" outlet			
flush-mounted RAL 9003 signal white light reflection box 310 x 250 mm			

For details and miscellaneous, see page 647

28 044 980


Rain shower for recessed ceiling installation with light 300 x 240 mm

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- min. recess depth 137 mm
- with anti-scale system
- **Ceiling module power supply**
- 12V DC (CV)
- **Spot lighting**
- LED coloured light RGBW
- Bulbs protected against splashing water
- **Ambient lighting**
- **Activation**
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

includes light bulbs with a Class G energy efficiency
Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	28 044 980 FF	FF	Euro
Chrome		-00	2,248.00
Brushed Chrome		-93	2,922.30
Brushed Platinum		-06	3,596.80
Brushed Light Gold		-27	3,372.00
Dark Chrome		-19	3,371.90
Brushed Dark Platinum		-99	4,046.30
Matte Black		-33	3,034.80

Required miscellaneous


Concealed ceiling installation box for recessed ceiling installation with light

	35 044 970 FF	FF	Euro
concealed rough parts	Concealed rough parts	90	1,498.70
flush-mounted installation box 360x 300 mm RAL 9003 signal white			
recess depth 137mm			
Input 100-240V AC 50-60Hz			
Output 12V DC SELV / Class 2			
ZigBee Light Link RGBW controller			

For details and miscellaneous, see page 648

27 802 970



- Hand shower set with integrated shower holder**
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
 - with anti-scale system
 - 3/8" shower outlet
 - metal shower hose 1250mm with integrated anti-twist protection
 - rosette 60 x 60 mm
 - 1/2" connection

Intrinsic protection against back flow.

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 802 970 FF	FF	Euro
Chrome		-00	469.60
Brushed Chrome		-93	610.50
Brushed Platinum		-06	750.60
Brushed Light Gold		-27	704.40
Dark Chrome		-19	704.50
Brushed Dark Platinum		-99	844.90
Matte Black		-33	634.20

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 802 970 FF	FF	Euro
Chrome		-000010	469.60
Brushed Chrome		-930010	610.50
Brushed Platinum		-060010	750.60
Brushed Light Gold		-270010	704.40
Dark Chrome		-190010	704.50
Brushed Dark Platinum		-990010	844.90
Matte Black		-330010	634.20



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

27 808 980



- Hand shower set with individual rosettes**
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
 - with anti-scale system
 - 3/8" shower outlet
 - rosette for wall elbow 60 x 60mm
 - rosette for shower holder 60 x 60mm
 - metal shower hose 1250mm with integrated anti-twist protection
 - 1/2" wall elbow

Intrinsic protection against back flow.

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 808 980 FF	FF	Euro
Chrome		-00	708.60
Brushed Chrome		-93	921.20
Brushed Platinum		-06	1,133.70
Brushed Light Gold		-27	1,063.00
Dark Chrome		-19	1,062.90
Brushed Dark Platinum		-99	1,275.20
Matte Black		-33	956.80

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 808 980 FF	FF	Euro
Chrome		-000010	708.60
Brushed Chrome		-930010	921.20
Brushed Platinum		-060010	1,133.70
Brushed Light Gold		-270010	1,063.00
Dark Chrome		-190010	1,062.90
Brushed Dark Platinum		-990010	1,275.20
Matte Black		-330010	956.80



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

27 809 985


Hand shower set with individual rosettes with volume control

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with volume control
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow

Fits MEM, CL.1, CYO
Intrinsic protection against back flow.
Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 809 985 FF	FF	Euro
Chrome		-00	930.10
Brushed Chrome		-93	1,209.10
Brushed Platinum		-06	1,488.20
Brushed Light Gold		-27	1,395.20
Dark Chrome		-19	1,395.20
Brushed Dark Platinum		-99	1,674.10

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 809 985 FF	FF	Euro
Chrome		-000010	930.10
Brushed Chrome		-930010	1,209.10
Brushed Platinum		-060010	1,488.20
Brushed Light Gold		-270010	1,395.20
Dark Chrome		-190010	1,395.20
Brushed Dark Platinum		-990010	1,674.10



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
	Concealed rough parts	90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

27 818 980


Hand shower set with cover plate

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- cover plate 240 x 60 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow

Intrinsic protection against back flow.
Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 818 980 FF	FF	Euro
Chrome		-00	842.40
Brushed Chrome		-93	1,095.30
Brushed Platinum		-06	1,347.70
Brushed Light Gold		-27	1,263.80
Dark Chrome		-19	1,263.80
Brushed Dark Platinum		-99	1,516.40
Matte Black		-33	1,137.30

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 818 980 FF	FF	Euro
Chrome		-000010	842.40
Brushed Chrome		-930010	1,095.30
Brushed Platinum		-060010	1,347.70
Brushed Light Gold		-270010	1,263.80
Dark Chrome		-190010	1,263.80
Brushed Dark Platinum		-990010	1,516.40
Matte Black		-330010	1,137.30



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
	Concealed rough parts	90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

28 528 782



Body spray without volume control

- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- HORIZONTAL RAIN, max. flow rate 7 l/min (at 3 bar)
- anti-scale system
- rosette 60 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 528 782 FF	FF	Euro
Chrome		-00	378.40
Brushed Chrome		-93	492.00
Brushed Platinum		-06	605.40
Brushed Light Gold		-27	567.60
Dark Chrome		-19	567.60
Brushed Dark Platinum		-99	681.20
Matte Black		-33	510.90

Product alternative

- FlowReduce
- Max. flow rate 5 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 518 782 FF	FF	Euro
Chrome		-00	378.40
Brushed Chrome		-93	492.00
Brushed Platinum		-06	605.60
Brushed Light Gold		-27	567.60
Dark Chrome		-19	567.60
Brushed Dark Platinum		-99	681.30
Matte Black		-33	510.90



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

36 525 979



WATER POINTS Concealed body spray

- HORIZONTAL RAIN, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- cover plate 120 x 120 mm

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	36 525 979 FF	FF	Euro
Chrome		-00	549.80
Brushed Chrome		-93	714.70
Brushed Platinum		-06	879.60
Brushed Light Gold		-27	824.70
Dark Chrome		-19	824.70
Brushed Dark Platinum		-99	989.50
Matte Black		-33	742.20

Product alternative

- FlowReduce
- Max. flow rate 6 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 515 979 FF	FF	Euro
Chrome		-00	549.80
Brushed Chrome		-93	714.70
Brushed Platinum		-06	879.20
Brushed Light Gold		-27	824.70
Dark Chrome		-19	824.80
Brushed Dark Platinum		-99	989.50
Matte Black		-33	742.00



Required miscellaneous

Standard article	35 205 970 FF	FF	Euro
Concealed wall installation box			

- min. recess depth 85 mm
 - max. recess depth 110 mm
- Concealed rough parts **90** 223.00
- For details and miscellaneous, see page 645



Required miscellaneous

Standard article	12 360 970 FF	FF	Euro
xGRID Installation track 555 mm			

- Concealed rough parts **90** 112.20
- For details and miscellaneous, see page 655

36 527 979

WATER BAR Concealed body spray

- HORIZONTAL RAIN, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- cover plate 240 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	36 527 979 FF	FF	Euro
Chrome		-00	849.00
Brushed Chrome		-93	1,103.60
Brushed Platinum		-06	1,358.50
Brushed Light Gold		-27	1,273.50
Dark Chrome		-19	1,273.50
Brushed Dark Platinum		-99	1,528.20
Matte Black		-33	1,146.10

Product alternative

- FlowReduce
- Max. flow rate 6 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 517 979 FF	FF	Euro
Chrome		-00	849.00
Brushed Chrome		-93	1,103.60
Brushed Platinum		-06	1,358.70
Brushed Light Gold		-27	1,273.50
Dark Chrome		-19	1,273.50
Brushed Dark Platinum		-99	1,527.90
Matte Black		-33	1,168.80

Required miscellaneous


Concealed wall installation box
35 206 970 FF | FF | Euro

- min. recess depth 100 mm
 - max. recess depth 173 mm
- For details and miscellaneous, see page 645

 Concealed rough parts **90** | 301.70

Required miscellaneous


xGRID Installation track 555 mm
12 360 970 FF | FF | Euro

For details and miscellaneous, see page 655

 Concealed rough parts **90** | 112.20

36 514 979

WATER CURVE Concealed body spray

- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- cover plate 120 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	36 514 979 FF	FF	Euro
Chrome		-00	1,104.80
Brushed Chrome		-93	1,436.20
Brushed Platinum		-06	1,767.70
Brushed Light Gold		-27	1,657.20
Dark Chrome		-19	1,657.10
Brushed Dark Platinum		-99	1,988.70
Matte Black		-33	1,491.20

Recommended miscellaneous


Concealed wall elbow
35 085 970 FF | FF | Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

 Concealed rough parts **90** | 122.80

36 513 979



- WATER FAN vertical Concealed body spray**
- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
 - water jet adjustable
 - cover plate 240 x 60 mm
 - 1/2" connection
- Fits MEM, CL.1, IMO, CYO**
- Custom-made options**
- Finish variants
 - without logo

Standard article	36 513 979 FF	FF	Euro
Chrome	-00		824.20
Brushed Chrome	-93		1,071.50
Brushed Platinum	-06		1,319.20
Brushed Light Gold	-27		1,236.30
Dark Chrome	-19		1,236.30
Brushed Dark Platinum	-99		1,483.40
Matte Black	-33		1,134.80

Product alternative

- horizontal water jet
- Max. flow rate 10 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 512 979 FF	FF	Euro
Chrome	-00		824.20
Brushed Chrome	-93		1,071.50
Brushed Platinum	-06		1,319.20
Brushed Light Gold	-27		1,236.30
Dark Chrome	-19		1,236.30
Brushed Dark Platinum	-99		1,483.40
Matte Black	-33		1,134.80

Required miscellaneous



Concealed wall installation box

Standard article	35 206 970 FF	FF	Euro
Concealed rough parts	90		301.70

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 645

Required miscellaneous



xGRID Installation track 555 mm

Standard article	12 360 970 FF	FF	Euro
Concealed rough parts	90		112.20

For details and miscellaneous, see page 655

13 415 979



- WATER SHEET Cascade spout for wall mounting**
- 150mm projection
 - CASCADE, max. flow rate 26.5 l/min (at 3 bar)
 - cover plate 240 x 60 mm
 - 1/2" connection
 - plug-link mounting
- Fits MEM, CL.1, IMO, CYO**
- Custom-made options**
- Finish variants
 - without logo

Standard article	13 415 979 FF	FF	Euro
Chrome	-00		1,137.90
Brushed Chrome	-93		1,479.30
Brushed Platinum	-06		1,820.60
Brushed Light Gold	-27		1,706.90
Dark Chrome	-19		1,707.00
Brushed Dark Platinum	-99		2,048.20
Matte Black	-33		1,535.90



Recommended miscellaneous


Concealed wall elbow

Standard article	35 085 970 FF	FF	Euro
Concealed rough parts	90		122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

13 420 979



- WATER FALL Cascade spout for wall mounting**
- 120mm projection
 - CASCADE, max. flow rate 26.5 l/min (at 3 bar)
 - cover plate 240 x 60 mm
 - 1/2" connection
 - plug-link mounting
- Fits MEM, CL.1, IMO, CYO**
- Custom-made options**
- Finish variants
 - without logo

Standard article	13 420 979 FF	FF	Euro
Chrome	-00		1,625.60
Brushed Chrome	-93		2,113.40
Brushed Platinum	-06		2,601.50
Brushed Light Gold	-27		2,438.50
Dark Chrome	-19		2,438.60
Matte Black	-33		2,194.90



Recommended miscellaneous

Concealed wall elbow

Standard article	35 085 970 FF	FF	Euro
Concealed rough parts	90		122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

13 425 979


WATER FALL Cascade spout with individual jets for wall mounting

- 22mm projection
- PEARLSTREAM
- plate 240 mm x 60 mm
- connection 1/2", for shortening
- plug-link mounting
- Max. flow rate 9.5 l/min (at 3 bar)

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	13 425 979 FF	FF	Euro
Chrome		-00	1,208.00
Brushed Chrome		-93	1,570.30
Brushed Platinum		-06	1,932.80
Brushed Light Gold		-27	1,812.00
Dark Chrome		-19	1,811.80
Brushed Dark Platinum		-99	2,174.10
Matte Black		-33	1,630.70



Recommended miscellaneous

Concealed wall elbow **35 085 970 FF** FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

27 838 979


Affusion pipe with cover plate

- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- 3/8" shower outlet
- cover plate 240 x 60 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" connection
- plug-link mounting

Intrinsic protection against back flow.
Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	27 838 979 FF	FF	Euro
Chrome		-00	903.00
Brushed Chrome		-93	1,173.90
Brushed Platinum		-06	1,444.70
Brushed Light Gold		-27	1,354.60
Dark Chrome		-19	1,354.60
Brushed Dark Platinum		-99	1,625.20
Matte Black		-33	1,219.00

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 858 979 FF	FF	Euro
Chrome		-00	903.00
Brushed Chrome		-93	1,173.90
Brushed Platinum		-06	1,444.80
Brushed Light Gold		-27	1,354.60
Dark Chrome		-19	1,354.60
Brushed Dark Platinum		-99	1,625.30
Matte Black		-33	1,219.00



Recommended miscellaneous

Concealed wall elbow **35 085 970 FF** FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

27 821 979 +
28 285 979



WATER TUBE Kneipp wall elbow

- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- with volume control
- individual rosette 60 x 60 mm
- holder for Kneipp hose
- 1/2" wall elbow
- hose nozzle with sleeve M33
- with holding ring

Intrinsic protection against back flow.

Fits CL.1, CYO, IMO, MEM

Custom-made options

- Finish variants
- without logo

Set	1x 27 821 979 FF max. flow 15 l/min		1x 28 285 979 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	685.30	-00	104.90	790.20
Brushed Chrome	-93	891.00	-93	136.30	1,027.30
Brushed Platinum	-06	1,096.50	-06	167.80	1,264.30
Brushed Light Gold	-27	1,028.00	-27	157.30	1,185.30
Dark Chrome	-19	1,028.00	-19	157.30	1,185.30
Brushed Dark Platinum	-99	1,233.70	-99	188.70	1,422.40
Matte Black	-33	925.10	-33	141.50	1,066.60

Product alternative

- FlowReduce
- Max. flow rate 9 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 841 979 FF	FF	Euro
Chrome		-00	685.30
Brushed Chrome		-93	891.00
Brushed Platinum		-06	1,096.50
Brushed Light Gold		-27	1,028.00
Dark Chrome		-19	685.30
Brushed Dark Platinum		-99	1,233.50
Matte Black		-33	925.10



Recommended miscellaneous

WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

	28 286 979 FF	FF	Euro
Chrome		-00	104.90
Brushed Chrome		-93	136.30
Brushed Platinum		-06	167.80
Brushed Light Gold		-27	157.30
Dark Chrome		-19	157.30
Brushed Dark Platinum		-99	188.70
Matte Black		-33	141.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

	35 085 970 FF	FF	Euro
Concealed rough parts		90	122.80

28 490 970



Wall elbow with integrated shower holder

- 3/8" shower outlet
- rosette 60 x 60 mm
- 1/2" connection

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- without logo

Standard article	28 490 970 FF	FF	Euro
Chrome		-00	238.30
Brushed Chrome		-93	309.90
Brushed Platinum		-06	381.70
Brushed Light Gold		-27	357.60
Dark Chrome		-19	357.70
Brushed Dark Platinum		-99	428.70
Matte Black		-33	321.80



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

	35 085 970 FF	FF	Euro
Concealed rough parts		90	122.80

28 450 980


Wall elbow

- 3/8" shower outlet
- rosette 60 x 60 mm
- 1/2" connection

Intrinsic protection against back flow.
Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	28 450 980 FF	FF	Euro
Chrome		-00	165.10
Brushed Chrome		-93	214.80
Brushed Platinum		-06	264.40
Brushed Light Gold		-27	247.70
Dark Chrome		-19	247.90
Brushed Dark Platinum		-99	297.40
Matte Black		-33	223.00



Recommended miscellaneous

Concealed wall elbow
35 085 970 FF FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 050 980


Wall bracket

- rosette 60 x 60 mm

Custom-made options

- Finish variants

Standard article	28 050 980 FF	FF	Euro
Chrome		-00	214.40
Brushed Chrome		-93	278.70
Brushed Platinum		-06	343.40
Brushed Light Gold		-27	321.70
Dark Chrome		-19	321.70
Brushed Dark Platinum		-99	385.90
Matte Black		-33	289.50

28 060 970


Wall bracket swivel

- pivotable 75°

Custom-made options

- Finish variants

Standard article	28 060 970 FF	FF	Euro
Chrome		-00	197.80
Brushed Chrome		-93	257.10
Brushed Platinum		-06	316.60
Brushed Light Gold		-27	296.50
Dark Chrome		-19	296.60
Brushed Dark Platinum		-99	356.10
Matte Black		-33	267.20

12 570 970


Slide unit

- for pipe diameter 23.5 mm

Custom-made options

- Finish variants

Standard article	12 570 970 FF	FF	Euro
Chrome		-00	137.00
Brushed Chrome		-93	178.10
Brushed Platinum		-06	219.50
Brushed Light Gold		-27	205.50
Dark Chrome		-19	205.40
Brushed Dark Platinum		-99	246.80
Matte Black		-33	185.20

12 580 970


Slide unit

- for pipe diameter 18 mm

Custom-made options

- Finish variants

Standard article	12 580 970 FF	FF	Euro
Chrome		-00	137.00
Brushed Chrome		-93	178.10
Brushed Platinum		-06	219.50
Brushed Light Gold		-27	205.50
Dark Chrome		-19	205.40
Brushed Dark Platinum		-99	246.80
Matte Black		-33	185.20

33 301 670



Single-lever shower mixer for wall mounting

- 3/8" shower outlet
- slide-on rosettes Ø 60 mm
- 1/2" connection
- gauge 150 mm - 15 mm

Intrinsic protection against back flow.

Fits IMO, CYO

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	33 301 670 FF	FF	Euro
Chrome		-00	668.90
Brushed Chrome		-93	869.60
Brushed Platinum		-06	1,069.60
Brushed Light Gold		-27	1,003.40
Dark Chrome		-19	1,003.40
Matte Black		-33	903.00

34 442 979



Shower thermostat for wall mounting

- 3/8" shower outlet
- slide-on rosettes Ø 70 mm
- 1/2" connection
- gauge 150 mm - 13 mm
- with volume control

Intrinsic protection against back flow.

For combination with slide bar set

Fits MEM, IMO, META, TARA, VAIA, LULU, LISSÉ

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	34 442 979 FF	FF	Euro
Chrome		-00	701.50
Brushed Chrome		-93	912.00
Brushed Platinum		-06	1,122.20
Brushed Light Gold		-27	1,052.20
Dark Chrome		-19	1,052.20
Brushed Dark Platinum		-99	1,262.30
Matte Black		-33	946.80

36 060 670



Concealed single-lever mixer with cover plate

- cover plate 80 x 80 mm

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 060 670 FF	FF	Euro
Chrome		-00	469.70
Brushed Chrome		-93	610.60
Brushed Platinum		-06	758.50
Brushed Light Gold		-27	704.60
Dark Chrome		-19	704.70
Brushed Dark Platinum		-99	845.60
Matte Black		-33	634.20



Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
Concealed rough parts		90	224.60

- min. recess depth 80 mm
 - max. recess depth 95 mm
- For details and miscellaneous, see page 640

36 046 970



Concealed single-lever mixer with cover plate with integrated shower connection

- cover plate 80 x 80 mm

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 046 970 FF	FF	Euro
Chrome		-00	573.80
Brushed Chrome		-93	746.00
Brushed Platinum		-06	918.10
Brushed Light Gold		-27	860.80
Dark Chrome		-19	860.80
Brushed Dark Platinum		-99	1,033.00
Matte Black		-33	774.70



Required miscellaneous

Concealed wall mounting

	35 050 970 FF	FF	Euro
Concealed rough parts		90	320.80

- min. recess depth 80 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 640

36 120 670

Concealed single-lever mixer with diverter

- automatic diverter
- cover plate 150 x 90 mm

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 120 670 FF	FF	Euro
Chrome	-00		602.70
Brushed Chrome	-93		783.40
Brushed Platinum	-06		964.20
Brushed Light Gold	-27		903.90
Dark Chrome	-19		903.80
Brushed Dark Platinum	-99		1,084.60
Matte Black	-33		813.60



Required miscellaneous

Concealed single-lever mixer
35 020 970 FF | FF | Euro

- min. recess depth 80 mm
 - max. recess depth 105 mm
- Concealed rough parts **90** | 236.90
- For details and miscellaneous, see page 641



Required miscellaneous

Concealed single-lever mixer with backflow preventer
35 021 970 FF | FF | Euro

- min. recess depth 80 mm
 - max. recess depth 105 mm
- Concealed rough parts **90** | 338.50
- For details and miscellaneous, see page 641

36 425 670

Concealed thermostat with one function volume control

- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 425 670 FF	FF	Euro
Chrome	-00		756.00
Brushed Chrome	-93		982.80
Brushed Platinum	-06		1,220.60
Brushed Light Gold	-27		1,134.00
Dark Chrome	-19		1,134.10
Brushed Dark Platinum	-99		1,360.90
Matte Black	-33		1,030.30



Required miscellaneous

Concealed thermostat
35 425 970 FF | FF | Euro

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts **90** | 435.80
- For details and miscellaneous, see page 641



Required miscellaneous

Concealed thermostat with built-in isolators
35 426 970 FF | FF | Euro

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts **90** | 457.70
- For details and miscellaneous, see page 641

36 426 670

Concealed thermostat with two function volume control

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 426 670 FF	FF	Euro
Chrome	-00		896.40
Brushed Chrome	-93		1,165.30
Brushed Platinum	-06		1,447.60
Brushed Light Gold	-27		1,344.60
Dark Chrome	-19		1,344.70
Brushed Dark Platinum	-99		1,613.40
Matte Black	-33		1,221.60



Required miscellaneous

Concealed thermostat
35 425 970 FF | FF | Euro

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts **90** | 435.80
- For details and miscellaneous, see page 641



Required miscellaneous

Concealed thermostat with built-in isolators
35 426 970 FF | FF | Euro

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts **90** | 457.70
- For details and miscellaneous, see page 641

36 427 670



Concealed thermostat with three function volume control

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 427 670	FF	FF	Euro
Chrome			-00	950.50
Brushed Chrome			-93	1,235.60
Brushed Platinum			-06	1,534.50
Brushed Light Gold			-27	1,425.70
Dark Chrome			-19	1,425.60
Brushed Dark Platinum			-99	1,710.70
Matte Black			-33	1,294.90



Required miscellaneous

Concealed thermostat	35 427 970	FF	FF	Euro
-----------------------------	-------------------	----	----	------

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts **90** 456.60
- For details and miscellaneous, see page 642



Required miscellaneous

Concealed thermostat with built-in isolators	35 428 970	FF	FF	Euro
-----------------------------------------------------	-------------------	----	----	------

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts **90** 479.00
- For details and miscellaneous, see page 642

36 501 780 +
36 607 671



Thermostat module with 1 valve

- cover plate 120 x 120 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 501 780 FF		1x 36 607 671 FF		Total price:
	FF	Euro	FF	Euro	
Chrome	-00	1,291.30	-00	314.40	1,605.70
Brushed Chrome	-93	1,678.70	-93	408.70	2,087.40
Brushed Platinum	-06	2,066.50	-06	503.00	2,569.50
Brushed Light Gold	-27	1,937.00	-27	471.50	2,408.50
Dark Chrome	-19	1,937.10	-19	471.50	2,408.60
Brushed Dark Platinum	-99	2,324.60	-99	565.90	2,890.50
Matte Black	-33	1,742.70	-33	424.40	2,167.10



Required miscellaneous

xTOOL Concealed thermostat module with 1 valve	35 511 970	FF	FF	Euro
-------------------------------------------------------	-------------------	----	----	------

- min. recess depth 115 mm
 - max. recess depth 155 mm
- Concealed rough parts **90** 708.30
- For details and miscellaneous, see page 642



Required miscellaneous

xGRID Installation track 555 mm	12 360 970	FF	FF	Euro
----------------------------------------	-------------------	----	----	------

- For details and miscellaneous, see page 655
- Concealed rough parts **90** 112.20



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction	12 340 970	FF	FF	Euro
--------------------------------------------------------------------------	-------------------	----	----	------

- For details and miscellaneous, see page 655
- Concealed rough parts **90** 113.00

36 503 780 +
 2x **36 607 671**

Thermostat module with 2 valves

- cover plate 120 x 120 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 503 780 FF		2x 36 607 671 FF		Total price:
	FF	Euro	FF	Euro	
Chrome	-00	1,291.30	-00	314.40	1,920.10
Brushed Chrome	-93	1,678.70	-93	408.70	2,496.10
Brushed Platinum	-06	2,066.50	-06	503.00	3,072.50
Brushed Light Gold	-27	1,937.00	-27	471.50	2,880.00
Dark Chrome	-19	1,937.10	-19	471.50	2,880.10
Brushed Dark Platinum	-99	2,324.60	-99	565.90	3,456.40
Matte Black	-33	1,742.70	-33	424.40	2,591.50



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves
35 521 970 FF | FF | Euro

- min. recess depth 115 mm
 - max. recess depth 155 mm
- Concealed rough parts **90** | 1,180.70

For details and miscellaneous, see page 643



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves
35 524 970 FF | FF | Euro

- min. recess depth 115 mm
 - max. recess depth 155 mm
- Concealed rough parts **90** | 1,167.70

For details and miscellaneous, see page 643



Required miscellaneous

xGRID Installation track 555 mm
12 360 970 FF | FF | Euro

- Concealed rough parts **90** | 112.20

For details and miscellaneous, see page 655



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction
12 340 970 FF | FF | Euro

- Concealed rough parts **90** | 113.00

For details and miscellaneous, see page 655

36 503 780 +
 2x **36 607 980**

xTOOL Thermostat module with 2 valves

- cover plate 120 x 120 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

Note: Important! The minimum recess depths make it necessary to have a wall of 2 x 6 cross-pieces.

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 503 780 FF		2x 36 607 980 FF		Total price:
	FF	Euro	FF	Euro	
Chrome	-00	1,291.30	-00	261.90	1,815.10
Brushed Chrome	-93	1,678.70	-93	340.50	2,359.70
Brushed Platinum	-06	2,066.50	-06	418.70	2,903.90
Brushed Light Gold	-27	1,937.00	-27	392.90	2,722.80
Dark Chrome	-19	1,937.10	-19	392.90	2,722.90
Brushed Dark Platinum	-99	2,324.60	-99	471.50	3,267.60
Matte Black	-33	1,742.70	-33	353.60	2,449.90



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves
35 524 970 FF | FF | Euro

- min. recess depth 95 mm
 - max. recess depth 160 mm
- Concealed rough parts **90** | 1,167.70

For details and miscellaneous, see page 643



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves
35 521 970 FF | FF | Euro

- min. recess depth 95 mm
 - max. recess depth 160 mm
- Concealed rough parts **90** | 1,180.70

For details and miscellaneous, see page 643



Required miscellaneous

xGRID Installation track 555 mm
12 360 970 FF | FF | Euro

- Concealed rough parts **90** | 112.20

For details and miscellaneous, see page 655



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction
12 340 970 FF | FF | Euro

- Concealed rough parts **90** | 113.00

For details and miscellaneous, see page 655

36 503 780 +
3x 36 607 671



Thermostat module with 3 valves

- cover plate 120 x 120 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 503 780 FF		3x 36 607 671 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,291.30	-00	314.40	2,234.50
Brushed Chrome	-93	1,678.70	-93	408.70	2,904.80
Brushed Platinum	-06	2,066.50	-06	503.00	3,575.50
Brushed Light Gold	-27	1,937.00	-27	471.50	3,351.50
Dark Chrome	-19	1,937.10	-19	471.50	3,351.60
Brushed Dark Platinum	-99	2,324.60	-99	565.90	4,022.30
Matte Black	-33	1,742.70	-33	424.40	3,015.90



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 531 970 FF | FF Euro

- min. recess depth 115 mm
 - max. recess depth 155 mm
- Concealed rough parts **90** 1,268.90
- For details and miscellaneous, see page 643



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 534 970 FF | FF Euro

- min. recess depth 115 mm
 - max. recess depth 155 mm
- Concealed rough parts **90** 1,374.60
- For details and miscellaneous, see page 643



Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF | FF Euro

- For details and miscellaneous, see page 655
- Concealed rough parts **90** 112.20



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF | FF Euro

- For details and miscellaneous, see page 655
- Concealed rough parts **90** 113.00

36 503 780 +
 3x 36 607 980

xTOOL Thermostat module with 3 valves

- cover plate 120 x 120 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

Note: Important! The minimum recess depths make it necessary to have a wall of 2 x 6 cross-pieces.

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 503 780 FF		3x 36 607 980 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,291.30	-00	261.90	2,077.00
Brushed Chrome	-93	1,678.70	-93	340.50	2,700.20
Brushed Platinum	-06	2,066.50	-06	418.70	3,322.60
Brushed Light Gold	-27	1,937.00	-27	392.90	3,115.70
Dark Chrome	-19	1,937.10	-19	392.90	3,115.80
Brushed Dark Platinum	-99	2,324.60	-99	471.50	3,739.10
Matte Black	-33	1,742.70	-33	353.60	2,803.50



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

	35 534 970 FF	FF	Euro
• min. recess depth 95 mm		Concealed rough parts	90 1,374.60
• max. recess depth 160 mm			

For details and miscellaneous, see page 643



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

	35 531 970 FF	FF	Euro
• min. recess depth 95 mm		Concealed rough parts	90 1,268.90
• max. recess depth 160 mm			

For details and miscellaneous, see page 643



Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
For details and miscellaneous, see page 655		Concealed rough parts	90 112.20



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

	12 340 970 FF	FF	Euro
For details and miscellaneous, see page 655		Concealed rough parts	90 113.00

36 501 780


xTOOL Concealed thermostat without volume control 1/2"

- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

Fits MEM, CL.1, CYO

Note: Important! The minimum recess depths make it necessary to have a wall of 2 x 6 cross-pieces.

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 501 780 FF	FF	Euro
Chrome		-00	1,291.30
Brushed Chrome		-93	1,678.70
Brushed Platinum		-06	2,066.50
Brushed Light Gold		-27	1,937.00
Dark Chrome		-19	1,937.10
Brushed Dark Platinum		-99	2,324.60
Matte Black		-33	1,742.70

Product alternative

- 3/4" thermostat cartridge with integrated filters

Standard article	36 503 780 FF	FF	Euro
Chrome		-00	1,291.30
Brushed Chrome		-93	1,678.70
Brushed Platinum		-06	2,066.50
Brushed Light Gold		-27	1,937.00
Dark Chrome		-19	1,937.10
Brushed Dark Platinum		-99	2,324.60
Matte Black		-33	1,742.70



Required miscellaneous

xTOOL Concealed thermostat module without volume control

	35 503 970 FF	FF	Euro
• min. recess depth 115 mm		Concealed rough parts	90 864.70
• max. recess depth 155 mm			

For details and miscellaneous, see page 642



Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
For details and miscellaneous, see page 655		Concealed rough parts	90 112.20

36 501 985



xTOOL Concealed thermostat without volume control 1/2"

- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

Fits MEM, CL.1, CYO

Note: Important! The minimum recess depths make it necessary to have a wall of 2 x 6 cross-pieces.

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 501 985 FF	FF	Euro
Chrome		-00	1,319.50
Brushed Chrome		-93	1,715.40
Brushed Platinum		-06	2,111.40
Brushed Light Gold		-27	1,979.40
Dark Chrome		-19	1,979.60
Brushed Dark Platinum		-99	2,375.20
Matte Black		-33	1,781.20

Product alternative

- 3/4" thermostat cartridge with integrated filters

Standard article	36 503 985 FF	FF	Euro
Chrome		-00	1,319.50
Brushed Chrome		-93	1,715.50
Brushed Platinum		-06	2,111.40
Brushed Light Gold		-27	1,979.40
Dark Chrome		-19	1,979.60
Brushed Dark Platinum		-99	2,375.20
Matte Black		-33	1,781.20

Required miscellaneous

xTOOL Concealed thermostat module without volume control

35 503 970 FF FF Euro

- min. recess depth 95 mm
 - max. recess depth 160 mm
- For details and miscellaneous, see page 642



Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF FF Euro

For details and miscellaneous, see page 655



36 607 980



Wall valve anti-clockwise closing 1/2"

- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve

Fits IMO

Custom-made options

- Finish variants
- without logo

Standard article	36 607 980 FF	FF	Euro
Chrome		-00	261.90
Brushed Chrome		-93	340.50
Brushed Platinum		-06	418.70
Brushed Light Gold		-27	392.90
Dark Chrome		-19	392.90
Brushed Dark Platinum		-99	471.50
Matte Black		-33	353.60



Required miscellaneous

Wall valve 1/2"

35 607 970 FF FF Euro

- min. recess depth 75 mm
 - max. recess depth 145 mm
- For details and miscellaneous, see page 644

36 607 985



Wall valve anti-clockwise closing 1/2"

- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve

Fits IMO

Custom-made options

- Finish variants
- without logo

Standard article	36 607 985 FF	FF	Euro
Chrome		-00	310.90
Brushed Chrome		-93	404.20
Brushed Platinum		-06	497.40
Brushed Light Gold		-27	466.40
Dark Chrome		-19	466.30
Brushed Dark Platinum		-99	559.80



Required miscellaneous

Wall valve 1/2"

35 607 970 FF FF Euro

- min. recess depth 75 mm
 - max. recess depth 145 mm
- For details and miscellaneous, see page 644

36 608 980

Wall valve anti-clockwise closing 3/4"

- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve

Fits IMO
Custom-made options

- Finish variants
- without logo

Standard article	36 608 980 FF	FF	Euro
Chrome		-00	261.80
Brushed Chrome		-93	340.50
Brushed Platinum		-06	418.80
Brushed Light Gold		-27	392.80
Dark Chrome		-19	392.70
Brushed Dark Platinum		-99	471.30
Matte Black		-33	353.40



Required miscellaneous

Standard article	35 608 970 FF	FF	Euro
Wall valve 3/4"			

- min. recess depth 75 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 644

 Concealed rough parts **90** 119.20

36 608 985

Wall valve anti-clockwise closing 3/4"

- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve

Fits IMO
Custom-made options

- Finish variants
- without logo

Standard article	36 608 985 FF	FF	Euro
Chrome		-00	310.90
Brushed Chrome		-93	404.10
Brushed Platinum		-06	497.40
Brushed Light Gold		-27	466.40
Dark Chrome		-19	466.30
Brushed Dark Platinum		-99	559.80
Matte Black		-33	419.60



Required miscellaneous

Standard article	35 608 970 FF	FF	Euro
Wall valve 3/4"			

- min. recess depth 75 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 644

 Concealed rough parts **90** 119.20

36 607 671

Wall valve clockwise closing 1/2"

- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

Fits IMO
Custom-made options

- Finish variants
- without logo

Standard article	36 607 671 FF	FF	Euro
Chrome		-00	314.40
Brushed Chrome		-93	408.70
Brushed Platinum		-06	503.00
Brushed Light Gold		-27	471.50
Dark Chrome		-19	471.50
Brushed Dark Platinum		-99	565.90
Matte Black		-33	424.40



Required miscellaneous

Standard article	35 607 970 FF	FF	Euro
Wall valve 1/2"			

- min. recess depth 105 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 644

 Concealed rough parts **90** 90.90

36 608 671

Wall valve clockwise closing 3/4"

- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

Fits IMO
Custom-made options

- Finish variants
- without logo

Standard article	36 608 671 FF	FF	Euro
Chrome		-00	314.40
Brushed Chrome		-93	408.70
Brushed Platinum		-06	503.00
Brushed Light Gold		-27	471.50
Dark Chrome		-19	471.50
Brushed Dark Platinum		-99	565.90
Matte Black		-33	424.40



Required miscellaneous

Standard article	35 608 970 FF	FF	Euro
Wall valve 3/4"			

- min. recess depth 105 mm
- max. recess depth 150 mm

For details and miscellaneous, see page 644

 Concealed rough parts **90** 119.20

36 200 980



Concealed two-way diverter

- rotary diverter
- rosette 60 x 60 mm

Fits IMO

Custom-made options

- Finish variants
- without logo

Standard article	36 200 980 FF	FF	Euro
Chrome		-00	323.10
Brushed Platinum		-06	516.80
Brushed Light Gold		-27	484.60
Dark Chrome		-19	484.70
Brushed Dark Platinum		-99	581.50
Matte Black		-33	436.20



Required miscellaneous

Concealed two-way diverter

35 202 970 FF	FF	Euro

- min. recess depth 85 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 644

36 200 985



Concealed two-way diverter

- rotary diverter
- rosette 60 x 60 mm

Fits IMO

Custom-made options

- Finish variants
- without logo

Standard article	36 200 985 FF	FF	Euro
Chrome		-00	371.20
Brushed Platinum		-06	593.90
Brushed Light Gold		-27	556.80
Dark Chrome		-19	556.80
Brushed Dark Platinum		-99	668.20
Matte Black			501.10



Required miscellaneous

Concealed two-way diverter

35 202 970 FF	FF	Euro

- min. recess depth 85 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 644

36 210 980



Concealed three-way diverter

- rotary diverter
- rosette 60 x 60 mm

Fits IMO

Custom-made options

- Finish variants
- without logo

Standard article	36 210 980 FF	FF	Euro
Chrome		-00	323.10
Brushed Platinum		-06	516.80
Brushed Light Gold		-27	484.60
Brushed Dark Platinum		-99	581.50



Required miscellaneous

Concealed three-way diverter

35 203 970 FF	FF	Euro

- min. recess depth 85 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 644

36 210 985



Concealed three-way diverter

- rotary diverter
- rosette 60 x 60 mm

Fits IMO

Custom-made options

- Finish variants
- without logo

Standard article	36 210 985 FF	FF	Euro
Chrome		-00	371.20
Brushed Platinum		-06	593.90
Brushed Light Gold		-27	556.80
Brushed Dark Platinum		-99	668.00



Required miscellaneous

Concealed three-way diverter

35 203 970 FF	FF	Euro

- min. recess depth 85 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 644

25 863 671


Single-lever bath mixer with stand pipe for free-standing assembly with hand shower set

- **279mm projection**
- spout: cascade
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- bar-type hand shower with anti-scale system
- wall bracket
- automatic bath/shower diverter
- total height 943 - 1013 mm
- stand pipe height 548 - 618 mm
- height up to aerator 891 - 961 mm
- metal shower hose 1250mm with integrated anti-twist protection
- max. flow for complete hand shower set 6.8 l/min
- slide-on rosettes Ø 135 mm

Custom-made options

- Finish variants
- Flow rate modification
- Height modification
- Red/blue marking
- without hand shower
- without logo

Standard article	25 863 671 FF	FF	Euro
Chrome		-00	4,024.70
Brushed Chrome		-93	5,232.10
Brushed Platinum		-06	6,439.60
Brushed Light Gold		-27	6,037.10
Dark Chrome		-19	6,037.10
Brushed Dark Platinum		-99	7,244.40
Matte Black		-33	5,433.30



Required miscellaneous

Concealed floor mounting

	35 945 970 FF	FF	Euro
Concealed rough parts		90	840.10

- min. recess depth 80 mm
 - max. recess depth 150 mm
- For details and miscellaneous, see page 644

33 200 671


Single-lever bath mixer for wall mounting without shower set

- **190mm projection**
- rectangular normal flow
- automatic bath/shower diverter
- 3/8" shower outlet
- slide-on rosettes Ø 60 mm
- 1/2" connection
- gauge 150 mm - 15 mm
- max. flow 16.7 l/min at 3 bar flow pressure

Intrinsic protection against back flow.

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	33 200 671 FF	FF	Euro
Chrome		-00	872.70
Brushed Chrome		-93	1,134.50
Brushed Platinum		-06	1,396.40
Brushed Light Gold		-27	1,309.10
Dark Chrome		-19	1,309.10
Brushed Dark Platinum		-99	1,570.90
Matte Black		-33	1,178.20

27 412 670


Three-hole single-lever bath mixer for bath rim or tile edge installation

- **224mm projection**
- spout: cascade
- max. flow 19.2 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- height of mixer 110 mm
- height up to aerator 138 mm
- hole diameter spout 32 mm
- single-lever mixer hole diameter 35 mm
- hole diameter for complete hand shower set 32 mm
- rosette for mixer 60 x 60mm
- rosette for spout 60 x 60mm
- rosette for complete hand shower set 60 x 60mm
- metal shower hose 2250mm with integrated anti-twist protection

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Intrinsic protection against back flow.
Custom-made options

- Finish variants
- Red/blue marking
- without hand shower
- without logo



Recommended miscellaneous

Perfecto installation kit

	12 614 970 FF	FF	Euro
Concealed rough parts		90	1,794.10

For details and miscellaneous, see page 646

Recommended miscellaneous

Decorative caps for Perfecto

	12 801 970 FF	FF	Euro
Chrome		-00	55.50
Brushed Chrome		-93	72.10
Brushed Platinum		-06	89.00
Brushed Light Gold		-27	83.20
Dark Chrome		-19	83.40
Matte Black		-33	75.30



- 1 pair

13 801 670



Bath spout for wall mounting

- 200mm projection
- rectangular normal flow
- hole diameter 37 mm
- 1/2" connection
- max. flow 25.1 l/min at 3 bar flow pressure

Custom-made options

- Finish variants
- Projection modification
- without logo

Standard article	13 801 670 FF	FF	Euro
Chrome		-00	623.40
Brushed Chrome		-93	810.50
Brushed Platinum		-06	997.50
Brushed Light Gold		-27	935.10
Dark Chrome		-19	935.10
Brushed Dark Platinum		-99	1,122.10
Matte Black		-33	841.60



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
----------------------	---------------	----	------

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

27 702 980



Hand shower set for bath rim or tile edge installation

- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- with anti-scale system
- rosette 60 x 60 mm
- hole diameter 32 mm
- metal shower hose 2250mm with integrated anti-twist protection

Two-piece design allows hose to later be changed without dismantling the fitting.

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 702 980 FF	FF	Euro
Chrome		-00	571.00
Brushed Chrome		-93	742.30
Brushed Platinum		-06	913.40
Brushed Light Gold		-27	856.50
Dark Chrome		-19	856.40
Brushed Dark Platinum		-99	1,027.70
Matte Black		-33	770.50

29 300 670



Single-lever bath mixer for bath rim or tile edge installation

- rosette 60 x 60 mm
- hole diameter 35 mm
- max. flow 35.7 l/min at 3 bar flow pressure

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	29 300 670 FF	FF	Euro
Chrome		-00	676.00
Brushed Chrome		-93	878.70
Brushed Platinum		-06	1,081.50
Brushed Light Gold		-27	1,013.90
Dark Chrome		-19	1,013.80
Brushed Dark Platinum		-99	1,216.60
Matte Black		-33	912.60

29 140 670



Two-way diverter for bath rim or tile edge installation

- automatic bath/shower diverter
- hole diameter 32 mm
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 64.9 l/min at 3 bar flow pressure

Custom-made options

- Finish variants
- without logo

Standard article	29 140 670 FF	FF	Euro
Chrome		-00	872.00
Brushed Chrome		-93	1,133.60
Brushed Platinum		-06	1,395.20
Brushed Light Gold		-27	1,308.00
Dark Chrome		-19	1,307.90
Brushed Dark Platinum		-99	1,569.60
Matte Black		-33	1,177.20

36 120 670


Concealed single-lever mixer with diverter

- automatic diverter
- cover plate 150 x 90 mm

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 120 670 FF	FF	Euro
Chrome		-00	602.70
Brushed Chrome		-93	783.40
Brushed Platinum		-06	964.20
Brushed Light Gold		-27	903.90
Dark Chrome		-19	903.80
Brushed Dark Platinum		-99	1,084.60
Matte Black		-33	813.60



Required miscellaneous

Concealed single-lever mixer
35 020 970 FF FF Euro

- min. recess depth 80 mm
 - max. recess depth 105 mm
- Concealed rough parts **90** 236.90
- For details and miscellaneous, see page 641



Required miscellaneous

Concealed single-lever mixer with backflow preventor
35 021 970 FF FF Euro

- min. recess depth 80 mm
 - max. recess depth 105 mm
- Concealed rough parts **90** 338.50
- For details and miscellaneous, see page 641

36 243 970


Pop-up waste and overflow

- drain Ø 52mm

Also suitable for king-size baths.
Custom-made options

- Finish variants
- without logo

Standard article	36 243 970 FF	FF	Euro
Chrome		-00	221.00
Brushed Chrome		-93	287.40
Brushed Platinum		-06	353.90
Brushed Light Gold		-27	331.60
Dark Chrome		-19	331.70
Brushed Dark Platinum		-99	397.80
Matte Black		-33	298.70



Required miscellaneous

Pop-up waste and overflow
35 227 970 FF FF Euro

- bowden cable length 725 mm
- Concealed rough parts **90** 179.20

36 247 970


Bath spout with pop-up waste and overflow

- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.
In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.
Custom-made options

- Finish variants
- without logo

Standard article	36 247 970 FF	FF	Euro
Chrome		-00	334.40
Brushed Chrome		-93	434.80
Brushed Platinum		-06	535.10
Brushed Light Gold		-27	501.70
Dark Chrome		-19	501.70
Brushed Dark Platinum		-99	601.80
Matte Black		-33	451.30



Required miscellaneous

Bath spout with pop-up waste and overflow
35 248 970 FF FF Euro

- bowden cable length 725 mm
- Concealed rough parts **90** 493.60



Required miscellaneous

Vacuum breaker
36 150 970 FF FF Euro

Chrome	-00	91.70
Brushed Chrome	-93	119.30
Brushed Platinum	-06	146.70
Brushed Light Gold	-27	137.60
Dark Chrome	-19	137.50
Brushed Dark Platinum	-99	164.90
Matte Black	-33	123.90

83 030 976



Bath grip

- gauge 278 mm
- width 320mm
- Height: 35 mm
- 89mm projection

Standard article	83 030 976 FF	FF	Euro
Chrome		-00	233.20
Brushed Chrome		-93	303.10
Brushed Platinum		-06	373.10
Brushed Light Gold		-27	349.80
Dark Chrome		-19	349.80
Brushed Dark Platinum		-99	419.70
Matte Black		-33	314.80

83 060 976



Towel bar

- gauge 558 mm
- width 600mm
- Height: 35 mm
- 89mm projection

Standard article	83 060 976 FF	FF	Euro
Chrome		-00	259.10
Brushed Chrome		-93	336.90
Brushed Platinum		-06	414.70
Brushed Light Gold		-27	388.70
Dark Chrome		-19	388.70
Brushed Dark Platinum		-99	466.50
Matte Black		-33	349.90

Recommended miscellaneous



Attachment set for towel bar/tumbler mounting on one side with cover

	11 001 976 FF	FF	Euro
Chrome		-00	65.90
Brushed Chrome		-93	85.70
Brushed Platinum		-06	105.50
Brushed Light Gold		-27	98.90
Dark Chrome		-19	98.90
Brushed Dark Platinum		-99	118.70
Matte Black		-33	89.00

83 080 976



Towel bar

- gauge 758 mm
- width 800mm
- Height: 35 mm
- 89mm projection

Standard article	83 080 976 FF	FF	Euro
Chrome		-00	308.50
Brushed Chrome		-93	401.10
Brushed Platinum		-06	493.60
Brushed Light Gold		-27	462.80
Dark Chrome		-19	462.80
Brushed Dark Platinum		-99	555.30
Matte Black		-33	416.40

Recommended miscellaneous



Attachment set for towel bar/tumbler mounting on one side with cover

	11 001 976 FF	FF	Euro
Chrome		-00	65.90
Brushed Chrome		-93	85.70
Brushed Platinum		-06	105.50
Brushed Light Gold		-27	98.90
Dark Chrome		-19	98.90
Brushed Dark Platinum		-99	118.70
Matte Black		-33	89.00

83 215 976



Towel bar

- gauge 358 mm
- width 35mm
- Height: 400 mm
- 89mm projection
- Holds up to 6 guest towels

Standard article	83 215 976 FF	FF	Euro
Chrome		-00	302.60
Brushed Chrome		-93	393.40
Brushed Platinum		-06	484.20
Brushed Light Gold		-27	453.90
Dark Chrome		-19	453.90
Brushed Dark Platinum		-99	544.70
Matte Black		-33	408.50

83 211 976

Towel bar 1-piece non-swivel

- width 32mm
- Height: 80 mm
- 453mm projection

Standard article	83 211 976 FF	FF	Euro
Chrome		-00	220.20
Brushed Chrome		-93	286.20
Brushed Platinum		-06	352.40
Brushed Light Gold		-27	330.30
Dark Chrome		-19	330.30
Brushed Dark Platinum		-99	396.30
Matte Black		-33	297.30

83 210 976

Towel bar in two parts non-swivel

- width 55mm
- Height: 32 mm
- 450mm projection

Standard article	83 210 976 FF	FF	Euro
Chrome		-00	275.40
Brushed Chrome		-93	358.00
Brushed Platinum		-06	440.60
Brushed Light Gold		-27	413.10
Dark Chrome		-19	413.10
Brushed Dark Platinum		-99	495.70
Matte Black		-33	371.80

83 200 976

Towel ring

- width 220mm
- Height: 130 mm
- 66mm projection

Standard article	83 200 976 FF	FF	Euro
Chrome		-00	241.80
Brushed Chrome		-93	314.40
Brushed Platinum		-06	387.00
Brushed Light Gold		-27	362.80
Dark Chrome		-19	362.80
Brushed Dark Platinum		-99	435.30
Matte Black		-33	326.50

83 250 976

Hooks

- width 32mm
- Height: 73 mm
- 43mm projection

Standard article	83 250 976 FF	FF	Euro
Chrome		-00	48.40
Brushed Chrome		-93	62.90
Brushed Platinum		-06	77.50
Brushed Light Gold		-27	72.60
Dark Chrome		-19	72.60
Brushed Dark Platinum		-99	87.10
Matte Black		-33	65.40

83 256 976

Hooks in two parts

- width 126mm
- Height: 47 mm
- 49mm projection

Standard article	83 256 976 FF	FF	Euro
Chrome		-00	82.60
Brushed Chrome		-93	107.40
Brushed Platinum		-06	132.10
Brushed Light Gold		-27	123.90
Dark Chrome		-19	123.90
Brushed Dark Platinum		-99	148.70
Matte Black		-33	111.50

83 400 976

Tumbler holder

- gauge 90 mm
- width 140mm
- Height: 152 mm
- 103mm projection
- crystal glass brush holder, matte

Standard article	83 400 976 FF	FF	Euro
Chrome		-00	220.20
Brushed Chrome		-93	286.20
Brushed Platinum		-06	352.40
Brushed Light Gold		-27	330.30
Dark Chrome		-19	330.30
Brushed Dark Platinum		-99	396.30
Matte Black		-33	297.30

83 410 976



Soap dish

- gauge 90 mm
- width 140mm
- Height: 95 mm
- 103mm projection
- crystal glass brush holder, matte

Standard article	83 410 976 FF	FF	Euro
Chrome		-00	220.30
Brushed Chrome		-93	286.40
Brushed Platinum		-06	352.50
Brushed Light Gold		-27	330.50
Dark Chrome		-19	330.50
Brushed Dark Platinum		-99	396.60
Matte Black		-33	297.50

83 433 976



Shelf

- width 300mm
- 121mm projection

Standard article	83 433 976 FF	FF	Euro
Chrome		-00	400.80
Brushed Chrome		-93	521.00
Brushed Platinum		-06	641.30
Brushed Light Gold		-27	601.20
Dark Chrome		-19	601.20
Brushed Dark Platinum		-99	721.40
Matte Black		-33	541.10

83 430 976



Lotion dispenser

- gauge 90 mm
- width 140mm
- Height: 130 mm
- 103mm projection
- Crystal glass container, frosted

Standard article	83 430 976 FF	FF	Euro
Chrome		-00	253.50
Brushed Chrome		-93	329.50
Brushed Platinum		-06	405.60
Brushed Light Gold		-27	380.30
Dark Chrome		-19	380.30
Brushed Dark Platinum		-99	456.30
Matte Black		-33	342.20

83 500 670



Tissue holder without cover

- width 166mm
- height 60 mm
- 73mm projection

Custom-made options

- Finish variants

Standard article	83 500 670 FF	FF	Euro
Chrome		-00	270.40
Brushed Chrome		-93	351.50
Brushed Platinum		-06	432.60
Dark Chrome		-19	405.60
Matte Black		-33	365.10

83 500 976



Tissue holder

- gauge 61 mm
- width 155mm
- Height: 37 mm
- 89mm projection

Standard article	83 500 976 FF	FF	Euro
Chrome		-00	185.10
Brushed Chrome		-93	240.60
Brushed Platinum		-06	296.10
Brushed Light Gold		-27	277.70
Dark Chrome		-19	277.70
Brushed Dark Platinum		-99	333.20
Matte Black		-33	249.90

83 515 976



Tissue holder with shelf

- gauge 90 mm
- width 145mm
- Height: 73 mm
- 103mm projection

Standard article	83 515 976 FF	FF	Euro
Chrome		-00	275.60
Brushed Chrome		-93	358.30
Brushed Platinum		-06	441.00
Brushed Light Gold		-27	413.40
Dark Chrome		-19	413.40
Brushed Dark Platinum		-99	496.20
Matte Black		-33	372.10

83 525 976



Tissue holder

- gauge 230 mm
- width 285mm
- Height: 51 mm
- 103mm projection

Standard article	83 525 976 FF	FF	Euro
Chrome		-00	430.00
Brushed Chrome		-93	559.10
Brushed Platinum		-06	688.00
Brushed Light Gold		-27	645.10
Dark Chrome		-19	645.10
Brushed Dark Platinum		-99	774.00
Matte Black		-33	580.50

83 590 976


Reserve tissue holder

- gauge 61 mm
- width 90mm
- Height: 155 mm
- 132mm projection

Standard article	83 590 976 FF	FF	Euro
Chrome		-00	187.30
Brushed Chrome		-93	243.40
Brushed Platinum		-06	299.60
Brushed Light Gold		-27	280.90
Dark Chrome		-19	280.90
Brushed Dark Platinum		-99	337.00
Matte Black		-33	252.80

83 900 976


Toilet brush set

- gauge 61 mm
- width 100mm
- Height: 451 mm
- 136mm projection

Standard article	83 900 976 FF	FF	Euro
Chrome		-00	264.40
Brushed Chrome		-93	343.70
Brushed Platinum		-06	423.00
Brushed Light Gold		-27	396.70
Dark Chrome		-19	396.70
Brushed Dark Platinum		-99	476.00
Matte Black		-33	356.90

12 660 979


Cover plate for the concealed WC cistern made by TeCe

- **Not available in the United States and Canada due to local code requirements. Please contact us for more information.**

- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)

- **This product is compatible with the following TECE products:**

- TECEprofil dry wall construction, article numbers: 9300300, 9300322, 9300301, 9300344, 9300309, 9300303, 9300388, 9300366, 9300102, 9300103, 9300329, 9300377, 9300378, 9400302, 9400303, 9400304, 9041335, 9041336, 9041337
- TECEbox wet wall construction, article numbers: 9370300, 9375300, 9371300

Custom-made options

- Finish variants
- without logo

Standard article	12 660 979 FF	FF	Euro
Chrome		-00	852.30
Brushed Chrome		-93	1,108.10
Brushed Platinum		-06	1,364.00
Brushed Light Gold		-27	1,278.50
Dark Chrome		-19	1,278.40
Brushed Dark Platinum		-99	1,534.30
Matte Black		-33	1,150.60

12 665 979


Flush plate for concealed WC cisterns made by Geberit round

- cover plate 169 x 246 x 12 mm
- Mechanical flush plate with manual flush buttons
- For 2-volume flushing system
- Includes mounting frame, actuator rods and fastening material
- Sound-absorbing push rods, tool-free fast adjustment

- **Compatible with all Geberit Sigma series cisterns from 2001 onwards**

Custom-made options

- Finish variants
- without logo

Standard article	12 665 979 FF	FF	Euro
Chrome		-00	485.30
Brushed Chrome		-93	631.00
Brushed Platinum		-06	776.50
Brushed Light Gold		-27	728.00
Dark Chrome		-19	728.00
Brushed Dark Platinum		-99	873.60
Matte Black		-33	655.20

83 150 979

NEW
Lighted mirror round

- Wall mounting
- Diameter: 600 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material



Standard article	83 150 979 FF	FF	Euro
Matte White		-10	1,767.00
Matte Black		-33	1,767.00

83 151 979

NEW

Lighted mirror round

- Wall mounting
- Diameter: 750 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material



Standard article	83 151 979 FF	FF	Euro
Matte White		-10	2,065.00
Matte Black		-33	2,065.00

83 150 980

NEW

Lighted mirror angular

- Wall mounting
- height 800 mm
- width 400mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material



Standard article	83 150 980 FF	FF	Euro
Matte White		-10	1,652.00
Matte Black		-33	1,652.00

83 151 980

NEW

Lighted mirror angular

- Wall mounting
- height 1000 mm
- width 600mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material



Standard article	83 151 980 FF	FF	Euro
Matte White		-10	1,951.00
Matte Black		-33	1,951.00

36 390 980

NEW

Electronic control elements for heated towel rail

- rosette 60 x 60 mm
- Control element for towel warmer: 833XX980-FF
- Degree of protection IP 44, CE marking

Note: Different conditioning.



Standard article	36 390 980 FF	FF	Euro
Chrome		-00	500.00
Brushed Chrome		-93	650.00
Dark Chrome		-19	750.00
Brushed Dark Platinum		-99	900.00
Matte Black		-33	675.00

83 304 980

NEW

Towel warmer, 4-fold, projection left, without control element

- gauge 120 mm
- width 600mm
- height 420 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.



Standard article	83 304 980 FF	FF	Euro
Chrome		-00	2,640.00
Brushed Chrome		-93	3,432.00
Dark Chrome		-19	3,960.00
Brushed Dark Platinum		-99	4,752.00
Matte Black		-33	3,564.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, without control element



- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 651

Standard article	35 311 970 FF	FF	Euro
Concealed rough parts		90	750.00

83 306 980

NEW Towel warmer, 6-fold, projection left, without control element

- gauge 120 mm
- width 600mm
- height 660 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.



Standard article	83 306 980 FF	FF	Euro
Chrome		-00	3,960.00
Brushed Chrome		-93	5,148.00
Dark Chrome		-19	5,940.00
Brushed Dark Platinum		-99	7,128.00
Matte Black		-33	5,346.00

Required miscellaneous



Concealed wall installation box for heated towel rail, 6-fold, without control element

	35 313 970 FF	FF	Euro
Concealed rough parts		90	1,000.00

• min. recess depth 70 mm
• max. recess depth 105 mm
For details and miscellaneous, see page 652

83 314 980

NEW Towel warmer, 4-fold, projection right, without control element

- gauge 120 mm
- width 600mm
- height 420 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.



Standard article	83 314 980 FF	FF	Euro
Chrome		-00	2,640.00
Brushed Chrome		-93	3,432.00
Dark Chrome		-19	3,960.00
Brushed Dark Platinum		-99	4,752.00
Matte Black		-33	3,564.00

Required miscellaneous



Concealed wall installation box for heated towel rail, 4-fold, without control element

	35 311 970 FF	FF	Euro
Concealed rough parts		90	750.00

• min. recess depth 70 mm
• max. recess depth 105 mm
For details and miscellaneous, see page 651

83 316 980

NEW Towel warmer, 6-fold, projection right, without control element

- gauge 120 mm
- width 600mm
- height 660 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.



Standard article	83 316 980 FF	FF	Euro
Chrome		-00	3,960.00
Brushed Chrome		-93	5,148.00
Dark Chrome		-19	5,940.00
Brushed Dark Platinum		-99	7,128.00
Matte Black		-33	5,346.00

Required miscellaneous



Concealed wall installation box for heated towel rail, 6-fold, without control element

	35 313 970 FF	FF	Euro
Concealed rough parts		90	1,000.00

• min. recess depth 70 mm
• max. recess depth 105 mm
For details and miscellaneous, see page 652

83 304 980 +
36 390 980

NEW Towel warmer, 4-fold, projection left, with control element

- gauge 120 mm
- width 600mm
- height 550 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.



Standard article	1x 83 304 980 FF		1x 36 390 980 FF		Total price:
	FF	Euro	FF	Euro	
Chrome	-00	2,640.00	-00	500.00	3,140.00
Brushed Chrome	-93	3,432.00	-93	650.00	4,082.00
Dark Chrome	-19	3,960.00	-19	750.00	4,710.00
Brushed Dark Platinum	-99	4,752.00	-99	900.00	5,652.00
Matte Black	-33	3,564.00	-33	675.00	4,239.00

Required miscellaneous



Concealed wall installation box for heated towel rail, 4-fold, with control element

	35 312 970 FF	FF	Euro
Concealed rough parts		90	850.00

• min. recess depth 70 mm
• max. recess depth 105 mm
For details and miscellaneous, see page 651

83 306 980 +
36 390 980

NEW

Towel warmer, 6-fold, projection left, with control element

- gauge 120 mm
- width 600mm
- height 790 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.



	1x 83 306 980 FF		1x 36 390 980 FF		Total price:
Standard article	FF	Euro	FF	Euro	Euro
Chrome	-00	3,960.00	-00	500.00	4,460.00
Brushed Chrome	-93	5,148.00	-93	650.00	5,798.00
Dark Chrome	-19	5,940.00	-19	750.00	6,690.00
Brushed Dark Platinum	-99	7,128.00	-99	900.00	8,028.00
Matte Black	-33	5,346.00	-33	675.00	6,021.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 6-fold, with control element

35 314 970	FF	Euro
-------------------	----	------

- min. recess depth 70 mm
 - max. recess depth 105 mm
- Concealed rough parts **90** 1,100.00
- For details and miscellaneous, see page 652



83 314 980 +
36 390 980

NEW

Towel warmer, 4-fold, projection right, with control element

- gauge 120 mm
- width 600mm
- height 550 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.



	1x 83 314 980 FF		1x 36 390 980 FF		Total price:
Standard article	FF	Euro	FF	Euro	Euro
Chrome	-00	2,640.00	-00	500.00	3,140.00
Brushed Chrome	-93	3,432.00	-93	650.00	4,082.00
Dark Chrome	-19	3,960.00	-19	750.00	4,710.00
Brushed Dark Platinum	-99	4,752.00	-99	900.00	5,652.00
Matte Black	-33	3,564.00	-33	675.00	4,239.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, with control element

35 312 970	FF	Euro
-------------------	----	------

- min. recess depth 70 mm
 - max. recess depth 105 mm
- Concealed rough parts **90** 850.00
- For details and miscellaneous, see page 651



83 316 980 +
36 390 980

NEW

Towel warmer, 6-fold, projection right, with control element

- gauge 120 mm
- width 600mm
- height 790 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.



	1x 83 316 980 FF		1x 36 390 980 FF		Total price:
Standard article	FF	Euro	FF	Euro	Euro
Chrome	-00	3,960.00	-00	500.00	4,460.00
Brushed Chrome	-93	5,148.00	-93	650.00	5,798.00
Dark Chrome	-19	5,940.00	-19	750.00	6,690.00
Brushed Dark Platinum	-99	7,128.00	-99	900.00	8,028.00
Matte Black	-33	5,346.00	-33	675.00	6,021.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 6-fold, with control element

35 314 970	FF	Euro
-------------------	----	------

- min. recess depth 70 mm
 - max. recess depth 105 mm
- Concealed rough parts **90** 1,100.00
- For details and miscellaneous, see page 652





Basin
from page 182

Bidet
from page 187

Shower
from page 186

Thermostats, mixers, diverters
and valves
from page 200

Bath
from page 202

Accessories
from page 207

Basin fittings

Single-lever basin mixers

130mm projection



33 500 845
33 521 845

with a raised pillar base

130mm projection



33 506 845
33 526 845

215mm projection



33 537 845

Three-hole basin mixers

130mm projection



20 713 845

Deck-mounted basin spouts

130mm projection



13 700 845

Wall-mounted single-lever basin mixers

170mm projection



36 860 845

Wall-mounted single-lever basin mixers

210mm projection



36 861 845

Touchfree

130mm projection



13 700 845 +
42 765 970

Showers

Shower sets



26 413 979 +
28 018 979

Shower pipes with shower thermostat



34 460 979 +
28 018 979
34 459 979

Head showers with one spray type



28 504 979

Head showers with multiple jet types



28 508 979



28 505 979

Rain showers with wall connection



28 649 970
28 648 970

Rain showers with wall connection



28 679 970
28 678 970



28 659 970
28 658 970

Rain showers with ceiling connection



28 669 970
28 668 970



28 689 970
28 688 970



28 699 970
28 698 970

Rain showers for ceiling connection



28 031 970

Rain showers for ceiling connection



28 032 970

Rain showers for ceiling installation



28 033 970



28 034 970

Hand shower sets with individual rosettes



27 802 845



27 803 845

Side showers



28 528 979
28 518 979

Massage modules

WATER POINTS



36 525 979
36 515 979

WATER BAR



36 527 979
36 517 979

WATER CURVE



36 514 979

WATER FAN



36 513 979
36 512 979

Waterfalls

WATER SHEET



13 415 979

WATER FALL



13 420 979

Waterfalls

WATER FALL



13 425 979

Kneipp modules

WATER TUBE



27 823 979 +
28 285 979
27 843 979

Bath fittings

Single-lever mixers



36 120 845



36 120 845

Wall-mounted mixers
for wall mounting

190mm projection



33 200 845

Three-hole single-le-
ver bath mixers

200mm projection



27 412 845

Bath spouts

210mm projection



13 801 845

Hand shower sets

230mm projection



27 702 979

Miscellaneous

26mm projection



36 243 970

integrated bath filling

26mm projection



36 247 970

33 500 845

**Single-lever basin mixer with pop-up waste**

- **130mm projection**
- 1 1/4" pop-up waste
- fixed spout
- circular, air-enriched flow
- height of mixer 127 mm
- height up to aerator 75 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2x European pressure hose
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	33 500 845 FF	FF	Euro
Chrome		-00	548.30
Brushed Chrome		-93	712.90
Brushed Platinum		-06	877.00
Brushed Light Gold		-27	822.60
Dark Chrome		-19	822.60
Brushed Dark Platinum		-99	986.90
Matte Black		-33	740.20

Product alternative**• without pop-up waste**

Standard article	33 521 845 FF	FF	Euro
Chrome		-00	475.60
Brushed Chrome		-93	618.20
Brushed Platinum		-06	760.90
Brushed Light Gold		-27	713.30
Dark Chrome		-19	713.30
Brushed Dark Platinum		-99	855.90
Matte Black		-33	642.00

33 506 845

**Single-lever basin mixer with raised base with pop-up waste**

- **130mm projection**
- 1 1/4" pop-up waste
- fixed spout
- circular, air-enriched flow
- height of mixer 236 mm
- height up to aerator 185 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2x European pressure hose
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	33 506 845 FF	FF	Euro
Chrome		-00	919.40
Brushed Chrome		-93	1,195.20
Brushed Platinum		-06	1,471.00
Brushed Light Gold		-27	1,379.20
Dark Chrome		-19	1,379.20
Brushed Dark Platinum		-99	1,654.90
Matte Black		-33	1,241.30

Product alternative**• without pop-up waste**

Standard article	33 526 845 FF	FF	Euro
Chrome		-00	800.20
Brushed Chrome		-93	1,040.30
Brushed Platinum		-06	1,280.50
Brushed Light Gold		-27	1,200.50
Dark Chrome		-19	1,200.50
Brushed Dark Platinum		-99	1,440.50
Matte Black		-33	1,080.40

33 537 845

**Single-lever basin mixer with raised base without pop-up waste**

- **215mm projection**
- fixed spout
- circular, air-enriched flow
- height of mixer 292 mm
- height up to aerator 241 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2x European pressure hose
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

for use on countertop bowls

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	33 537 845 FF	FF	Euro
Chrome		-00	1,022.50
Brushed Chrome		-93	1,329.20
Brushed Platinum		-06	1,636.20
Brushed Light Gold		-27	1,533.70
Dark Chrome		-19	1,533.70
Brushed Dark Platinum		-99	1,840.40
Matte Black		-33	1,380.30

20 713 845


Three-hole basin mixer with pop-up waste

- 130mm projection
- 1 1/4" pop-up waste
- fixed spout
- circular, air-enriched flow
- height of mixer 95 mm
- height up to aerator 75 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 48 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.
Custom-made options

- Blue marking
- Finish variants
- Flow rate modification
- Red marking
- Red/blue marking
- without logo
- without pop-up waste

Standard article	20 713 845 FF	FF	Euro
Chrome		-00	860.50
Brushed Chrome		-93	1,118.60
Brushed Platinum		-06	1,376.60
Brushed Light Gold		-27	1,290.70
Dark Chrome		-19	1,290.70
Brushed Dark Platinum		-99	1,548.80
Matte Black		-33	1,161.50



Required miscellaneous

High pressure hoses
12 506 970 FF | FF | Euro

- 2x 3/8" x 1/2" x 500mm high pressure hose

 Accessories | **90** | 90.70

13 700 845


Deck-mounted basin spout without pop-up waste

- 130mm projection
- fixed spout
- circular, air-enriched flow
- height of mixer 95 mm
- height up to aerator 75 mm
- hole diameter 35 mm
- 1/2" connection
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

For Touchfree control please order eSet Touchfree with temperature adjustment
Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	13 700 845 FF	FF	Euro
Chrome		-00	406.70
Brushed Chrome		-93	528.90
Brushed Platinum		-06	650.80
Brushed Light Gold		-27	610.20
Dark Chrome		-19	610.20
Brushed Dark Platinum		-99	732.20
Matte Black		-33	549.20

36 860 845


Wall-mounted single-lever basin mixer without pop-up waste

- 170mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette 78 x 78 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	36 860 845 FF	FF	Euro
Chrome		-00	815.70
Brushed Chrome		-93	1,060.40
Brushed Platinum		-06	1,304.80
Brushed Light Gold		-27	1,223.50
Dark Chrome		-19	1,223.50
Brushed Dark Platinum		-99	1,468.30
Matte Black		-33	1,101.20



Required miscellaneous

Concealed wall-mounted single-lever mixer
35 860 970 FF | FF | Euro

- min. recess depth 80 mm
- max. recess depth 95 mm
- mixer can be placed above, to the left or to the right of the spout.

 Concealed rough parts | **90** | 224.60

For details and miscellaneous, see page 640

36 861 845



Wall-mounted single-lever basin mixer without pop-up waste

- **210mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette 78 x 78 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	36 861 845 FF	FF	Euro
Chrome		-00	851.20
Brushed Chrome		-93	1,106.60
Brushed Platinum		-06	1,361.70
Brushed Light Gold		-27	1,276.80
Dark Chrome		-19	1,276.80
Brushed Dark Platinum		-99	1,532.20
Matte Black		-33	1,149.10



Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
Concealed rough parts		90	224.60

• min. recess depth 80 mm
• max. recess depth 95 mm
• mixer can be placed above, to the left or to the right of the spout.

For details and miscellaneous, see page 640

13 700 845 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting

- **130mm projection**
- fixed spout
- circular, air-enriched flow
- height of mixer 95 mm
- height up to aerator 75 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- Flow rate modification
- without logo

	1x 13 700 845 FF	1x 42 765 970 90 FF	Total price:
Set	max. flow 5.7 l/min		
	FF	Euro	Euro
Chrome	-00	406.70	90 687.50 1,094.20

Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings



For details and miscellaneous, see page 646

	35 740 970 FF	FF	Euro
Concealed rough parts		90	313.70

Miscellaneous

22 901 979



Angle valve

- rosette Ø 55 mm
- hose covering 200mm, for shortening

Custom-made options

- Finish variants
- without logo

Standard article	22 901 979 FF	FF	Euro
Chrome		-00	188.60
Brushed Chrome		-93	245.20
Brushed Platinum		-06	301.70
Brushed Light Gold		-27	282.90
Dark Chrome		-19	282.80
Brushed Dark Platinum		-99	339.30
Matte Black		-33	254.60

10 060 970



Siphon for basin

- rosette Ø 70 mm

Custom-made options

- Finish variants

Standard article	10 060 970 FF	FF	Euro
Chrome		-00	338.60
Brushed Chrome		-93	440.20
Brushed Platinum		-06	541.90
Brushed Light Gold		-27	508.00
Dark Chrome		-19	507.90
Brushed Dark Platinum		-99	609.50
Matte Black		-33	457.20

33 600 845


Single-lever bidet mixer with pop-up waste

- 123mm projection
- **european pop-up waste**
- ball-joint pivotable through 30°
- rectangular, air-enriched flow
- height of mixer 127 mm
- height up to aerator 83 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2x European pressure hose for bidet fitting
- max. flow 6 l/min

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	33 600 845 FF	FF	Euro
Chrome		-00	826.70
Brushed Chrome		-93	1,074.80
Brushed Platinum		-06	1,322.50
Brushed Light Gold		-27	1,240.10
Dark Chrome		-19	1,240.10
Brushed Dark Platinum		-99	1,488.00

27 701 970


Bidet spray

- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2" shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options

- Finish variants
- without logo

Standard article	27 701 970 FF	FF	Euro
Chrome		-00	323.10
Brushed Chrome		-93	420.00
Brushed Platinum		-06	516.80
Brushed Light Gold		-27	484.60
Dark Chrome		-19	484.60
Brushed Dark Platinum		-99	581.60



Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
Concealed rough parts		90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

27 701 670


Bidet spray

- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2" shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options

- Finish variants
- without logo

Standard article	27 701 670 FF	FF	Euro
Chrome		-00	323.10
Brushed Chrome		-93	420.00
Brushed Platinum		-06	516.80
Brushed Light Gold		-27	484.60
Dark Chrome		-19	484.60
Brushed Dark Platinum		-99	581.60



Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
Concealed rough parts		90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

26 413 979 +
28 018 979



Shower set

- slide bar
- Pipe diameter 18 mm
- gauge 853 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 7 l/min
- spray head Ø 100mm

Fits MEM, CL.1, IMO, META, TARA, VAIA, LULU, LISSÉ, CYO

NOTE: Hand shower sold separately. Please see hand shower options under the miscellaneous articles section of each series.

Custom-made options

- Finish variants
- Flow rate modification
- without logo

	1x 26 413 979 FF		1x 28 018 979 FF		Total price:
	FF	Euro	FF	Euro	Euro
Set					
Chrome	-00	420.30	-00	135.80	556.10
Brushed Chrome	-93	546.40	-93	176.50	722.90
Brushed Platinum	-06	685.60	-06	217.10	902.70
Brushed Light Gold	-27	630.60	-27	203.60	834.20
Dark Chrome	-19	630.70	-19	203.60	834.30
Brushed Dark Platinum	-99	756.40	-99	244.30	1,000.70
Matte Black	-33	578.30	-33	183.20	761.50



Recommended miscellaneous

Wall elbow

28 450 980 FF FF Euro

For details and miscellaneous, see main items

	FF	Euro
Chrome	-00	165.10
Brushed Chrome	-93	214.80
Brushed Platinum	-06	264.40
Brushed Light Gold	-27	247.70
Dark Chrome	-19	247.90
Brushed Dark Platinum	-99	297.40
Matte Black	-33	223.00



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF FF Euro

For details and miscellaneous, see page 645

Concealed rough parts 90 122.80

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.



	28 015 979 FF max. flow 15 l/min		28 017 979 FF max. flow 15 l/min		28 012 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min	
Alternative hand shower	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	236.10	-00	195.80	-00	237.40
Brushed Chrome	-93	164.20	-93	236.40	-93	306.80	-93	254.50	-93	308.70
Brushed Platinum	-06	202.30	-06	291.10	-06	377.70	-06	313.60	-06	379.90
Brushed Light Gold	-27	189.40	-27	272.80	-27	354.10	-27	293.80	-27	356.20
Dark Chrome	-19	189.40	-19	272.80	-19	354.10	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	425.00	-99	352.60	-99	427.30
Matte Black	-33	170.30	-33	245.70	-33	318.70	-33	264.40	-33	320.50

34 460 979 +
28 018 979



Showerpipe with shower thermostat

- shower with fixed riser projection 453mm
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower Ø 300 mm
- rain shower with anti-scale system
- Hand shower: Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- spray head Ø 100mm
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 1009mm
- height of fittings up to top edge of elbow 1150mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.

Fits IMO, META, TARA, VAIA, LISSÉ, LULU

Custom-made options

- Finish variants
- Flow rate modification
- Height modification
- Red/blue marking
- without logo

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.

Set	1x 34 460 979 FF max. flow 14 l/min		1x 28 018 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	2,734.90	-00	135.80	2,870.70
Brushed Chrome	-93	3,555.30	-93	176.50	3,731.80
Brushed Platinum	-06	4,375.70	-06	217.10	4,592.80
Brushed Light Gold	-27	4,102.30	-27	203.60	4,305.90
Dark Chrome	-19	4,102.30	-19	203.60	4,305.90
Brushed Dark Platinum	-99	4,922.60	-99	244.30	5,166.90
Matte Black	-33	3,692.00	-33	183.20	3,875.20

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- rain shower Ø 220 mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Standard article	34 459 979 FF	FF	Euro
Chrome		-00	2,596.40
Brushed Chrome		-93	3,375.40
Brushed Platinum		-06	4,061.00
Brushed Light Gold		-27	3,894.60
Dark Chrome		-19	3,894.60
Brushed Dark Platinum		-99	4,568.80
Matte Black		-33	3,426.70

Alternative hand shower	28 015 979 FF max. flow 15 l/min		28 017 979 FF max. flow 15 l/min		28 012 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	236.10	-00	195.80	-00	237.40
Brushed Chrome	-93	164.20	-93	236.40	-93	306.80	-93	254.50	-93	308.70
Brushed Platinum	-06	202.30	-06	291.10	-06	377.70	-06	313.60	-06	379.90
Brushed Light Gold	-27	189.40	-27	272.80	-27	354.10	-27	293.80	-27	356.20
Dark Chrome	-19	189.40	-19	272.80	-19	354.10	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	425.00	-99	352.60	-99	427.30
Matte Black	-33	170.30	-33	245.70	-33	318.70	-33	264.40	-33	320.50



28 504 979



Shower head

- 180-210mm projection
- ball-joint pivotable through 30°
- PURIFY RAIN, max. flow rate 7 l/min (at 3 bar)
- Function from: 6 l/min
- with anti-scale system
- spray head Ø 100mm
- rosette Ø 55 mm
- 1/2" connection

Fits META, TARA, VAIA, LISSÉ

Custom-made options

- Finish variants
- without logo

Standard article	28 504 979 FF	FF	Euro
Chrome		-00	591.60
Brushed Chrome		-93	769.00
Brushed Platinum		-06	946.90
Brushed Light Gold		-27	887.40
Dark Chrome		-19	887.60
Brushed Dark Platinum		-99	1,065.10
Matte Black		-33	798.80



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
Concealed rough parts		90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

28 508 979

**Shower head**

- **200mm projection**
- ball-joint pivotable through 30°
- Three settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system
- spray head Ø 92mm
- rosette Ø 55 mm
- 1/2" connection

Fits META, TARA, VAIA, LISSÉ

Custom-made options

- Finish variants

Standard article	28 508 979 FF	FF	Euro
Chrome		-00	661.80
Brushed Chrome		-93	860.40
Brushed Platinum		-06	1,058.50
Brushed Light Gold		-27	992.70
Dark Chrome		-19	992.60
Brushed Dark Platinum		-99	1,191.00
Matte Black		-33	893.30

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 508 979 FF	FF	Euro
Chrome		-000010	661.80
Brushed Chrome		-930010	860.40
Brushed Platinum		-060010	1,058.50
Brushed Light Gold		-270010	992.70
Dark Chrome		-190010	992.60
Brushed Dark Platinum		-990010	1,191.00
Matte Black		-330010	893.30



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 505 979

**Shower head**

- **155mm projection**
- ball-joint pivotable through 18° (in any direction)
- Three or five settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 7.6 l/min (at 3 bar)
- with anti-scale system
- spray head Ø 100mm
- rosette Ø 60 mm
- 1/2" connection
- Function from: 5.5 l/min

Fits META, TARA, VAIA, LISSÉ

Custom-made options

- Finish variants
- without logo

Standard article	28 505 979 FF	FF	Euro
Chrome		-00	368.70
Brushed Chrome		-93	479.40
Brushed Platinum		-06	590.00
Brushed Light Gold		-27	553.10
Dark Chrome		-19	553.10
Brushed Dark Platinum		-99	663.80
Matte Black		-33	497.90



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 649 970

Rain shower with wall fixing 220 mm

- 450mm projection
- rain shower Ø 220 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 7 l/min
- rosette Ø 60 mm
- 1/2" connection
- with anti-scale system
- quick clearing

Fits META, TARA, VAIA, LISSÉ
Custom-made options

- Finish variants
- Projection modification
- without logo

Standard article	28 649 970 FF	FF	Euro
Chrome		-00	964.10
Brushed Chrome		-93	1,253.30
Brushed Platinum		-06	1,542.50
Brushed Light Gold		-27	1,446.00
Dark Chrome		-19	1,446.10
Brushed Dark Platinum		-99	1,735.30
Matte Black		-33	1,301.60

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 648 970 FF	FF	Euro
Chrome		-00	964.10
Brushed Chrome		-93	1,253.30
Brushed Platinum		-06	1,542.50
Brushed Light Gold		-27	1,446.00
Dark Chrome		-19	1,446.00
Brushed Dark Platinum		-99	1,735.20
Matte Black		-33	1,301.50



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 679 970

Rain shower with wall fixing 300 mm

- 450mm projection
- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rosette Ø 60 mm
- 1/2" connection
- with anti-scale system
- quick clearing

Custom-made options

- Finish variants
- Projection modification
- without logo

Standard article	28 679 970 FF	FF	Euro
Chrome		-00	1,135.70
Brushed Chrome		-93	1,476.40
Brushed Platinum		-06	1,817.60
Brushed Light Gold		-27	1,703.50
Dark Chrome		-19	1,703.60
Brushed Dark Platinum		-99	2,044.30
Matte Black		-33	1,533.70

Product alternative

- FlowReduce
- Max. flow rate 9 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 678 970 FF	FF	Euro
Chrome		-00	1,135.70
Brushed Chrome		-93	1,476.40
Brushed Platinum		-06	1,817.10
Brushed Light Gold		-27	1,703.50
Dark Chrome		-19	1,703.50
Brushed Dark Platinum		-99	2,044.20
Matte Black		-33	1,533.30



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 659 970



Rain shower with wall fixing 400 mm

- 450mm projection
- rain shower Ø 400 mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- rosette Ø 60 mm
- 1/2" connection
- with anti-scale system

Fits META, TARA, VAIA, LISSÉ

Custom-made options

- Finish variants
- Flow rate modification
- Projection modification
- without logo

Standard article	28 659 970 FF	FF	Euro
Chrome		-00	1,988.40
Brushed Chrome		-93	2,584.90
Brushed Platinum		-06	3,181.50
Brushed Light Gold		-27	2,982.60
Dark Chrome		-19	2,982.70
Brushed Dark Platinum		-99	3,578.90
Matte Black		-33	2,684.30

Product alternative

- FlowReduce
- Max. flow rate 12 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 658 970 FF	FF	Euro
Chrome		-00	1,988.40
Brushed Chrome		-93	2,584.90
Brushed Platinum		-06	3,181.50
Brushed Light Gold		-27	2,982.60
Dark Chrome		-19	2,982.60
Brushed Dark Platinum		-99	3,579.00
Matte Black		-33	2,684.30



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 669 970



Rain shower with ceiling fixing 220 mm

- rain shower Ø 220 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 7 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system
- quick clearing

Fits IMO, META, TARA, VAIA, LISSÉ, CYO

Custom-made options

- Finish variants
- Length modification
- without logo

Standard article	28 669 970 FF	FF	Euro
Chrome		-00	819.30
Brushed Chrome		-93	1,065.00
Brushed Platinum		-06	1,311.20
Brushed Light Gold		-27	1,228.90
Dark Chrome		-19	1,228.90
Brushed Dark Platinum		-99	1,474.80
Matte Black		-33	1,106.40

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 668 970 FF	FF	Euro
Chrome		-00	819.30
Brushed Chrome		-93	1,065.00
Brushed Platinum		-06	1,310.90
Brushed Light Gold		-27	1,228.90
Dark Chrome		-19	1,228.90
Brushed Dark Platinum		-99	1,474.70
Matte Black		-33	1,106.00



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 689 970

Rain shower with ceiling fixing 300 mm

- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system
- quick clearing

Fits IMO, META, TARA, VAIA, LISSÉ, CYO
Custom-made options

- Finish variants
- Length modification
- without logo

Standard article	28 689 970 FF	FF	Euro
Chrome		-00	965.90
Brushed Chrome		-93	1,255.70
Brushed Platinum		-06	1,544.90
Brushed Light Gold		-27	1,448.90
Dark Chrome		-19	1,448.90
Brushed Dark Platinum		-99	1,738.50
Matte Black		-33	1,303.70

Product alternative

- FlowReduce
- Max. flow rate 9 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 688 970 FF	FF	Euro
Chrome		-00	965.90
Brushed Chrome		-93	1,255.70
Brushed Platinum		-06	1,545.40
Brushed Light Gold		-27	1,448.90
Dark Chrome		-19	1,448.90
Brushed Dark Platinum		-99	1,738.60
Matte Black		-33	1,304.00



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

 Concealed rough parts **90** 122.80

28 699 970

Rain shower with ceiling fixing 400 mm

- rain shower Ø 400 mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system
- quick clearing

Fits IMO, META, TARA, VAIA, LISSÉ, CYO
Custom-made options

- Finish variants
- Flow rate modification
- Length modification
- without logo

Standard article	28 699 970 FF	FF	Euro
Chrome		-00	1,778.20
Brushed Chrome		-93	2,311.60
Brushed Platinum		-06	2,845.00
Brushed Light Gold		-27	2,667.30
Dark Chrome		-19	2,667.10
Brushed Dark Platinum		-99	3,200.50
Matte Black		-33	2,400.30

Product alternative

- FlowReduce
- Max. flow rate 12 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 698 970 FF	FF	Euro
Chrome		-00	1,778.20
Brushed Chrome		-93	2,311.60
Brushed Platinum		-06	2,845.10
Brushed Light Gold		-27	2,667.30
Dark Chrome		-19	2,667.30
Brushed Dark Platinum		-99	3,200.60
Matte Black		-33	2,400.50



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

 Concealed rough parts **90** 122.80

28 031 970

**Rain shower for surface-mounted ceiling installation 300 mm**

- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Fits IMO, META, TARA, VAIA, LISSÉ, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 031 970 FF	FF	Euro
Chrome		-00	746.90
Brushed Chrome		-93	971.00
Brushed Platinum		-06	1,195.10
Brushed Light Gold		-27	1,120.30
Dark Chrome		-19	1,120.30
Brushed Dark Platinum		-99	1,344.40
Matte Black		-33	1,008.30

Required miscellaneous

**Concealed ceiling installation box with ceiling fixing**

35 041 970 FF FF Euro

- concealed rough parts
 - min. recess depth 90 mm
 - max. recess depth 115 mm
 - 2x female thread 1/2" outlet
- For details and miscellaneous, see page 648

28 032 970

**Rain shower for surface-mounted ceiling installation with light 300 mm**

- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- **Ceiling module power supply**
- 350mA (CC)
- **Spot lighting**
- LED colour temperature approx. 3000 K
- Bulbs protected against splashing water
- Contains energy efficiency class bulbs
- Technology: LED, not dimmable
- Provided by customer: Light switch
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Fits IMO, META, TARA, VAIA, LISSÉ, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 032 970 FF	FF	Euro
Chrome		-00	1,122.20
Brushed Chrome		-93	1,458.80
Brushed Platinum		-06	1,795.50
Brushed Light Gold		-27	1,683.20
Dark Chrome		-19	1,683.20
Brushed Dark Platinum		-99	2,020.00
Matte Black		-33	1,514.80

Required miscellaneous

**Concealed ceiling installation box for surface-mounted ceiling installation with light**

35 042 970 FF FF Euro

- concealed rough parts
 - min. recess depth 90 mm
 - max. recess depth 115 mm
 - 2x female thread 1/2" connections
 - Input 100-240V AC 50-60Hz
 - Output 350 mA SELV / Class 2
 - Provided by customer: Light switch
- For details and miscellaneous, see page 648

28 033 970

**Rain shower for recessed ceiling installation 300 mm**

- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- min. recess depth 137 mm
- with anti-scale system
- For simultaneous control of the jet types, we recommend the xTool thermostat module
- Not suitable for use in a steam room.

Fits IMO, META, TARA, VAIA, LISSÉ, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 033 970 FF	FF	Euro
Chrome		-00	1,497.40
Brushed Chrome		-93	1,946.70
Brushed Platinum		-06	2,395.80
Brushed Light Gold		-27	2,246.20
Dark Chrome		-19	2,246.10
Brushed Dark Platinum		-99	2,695.30
Matte Black		-33	2,021.50

Required miscellaneous

**Concealed ceiling installation box for recessed ceiling installation**

35 033 970 FF FF Euro

- concealed rough parts
 - recess depth 137mm
 - 2x female thread 1/2" outlet
 - flush-mounted installation box Ø 360 mm RAL 9003 signal white
- For details and miscellaneous, see page 647

28 034 970


Rain shower for recessed ceiling installation with light 300 mm

- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- min. recess depth 137 mm
- with anti-scale system
- **Ceiling module power supply**
- 12V DC (CV)
- **Spot lighting**
- LED coloured light RGBW
- Bulbs protected against splashing water
- **Ambient lighting**
- **Activation**
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

Fits IMO, META, TARA, VAIA, LISSÉ, CYO
Custom-made options

- Finish variants
- without logo

Standard article	28 034 970 FF	FF	Euro
Chrome		-00	2,248.00
Brushed Chrome		-93	2,922.30
Brushed Platinum		-06	3,596.80
Brushed Light Gold		-27	3,372.00
Dark Chrome		-19	3,371.90
Brushed Dark Platinum		-99	4,046.30
Matte Black		-33	3,034.80

Required miscellaneous


Concealed ceiling installation box for recessed ceiling installation with light

Standard article	35 034 970 FF	FF	Euro
concealed rough parts	Concealed rough parts	90	1,498.70
flush-mounted reflection box Ø 360 mm RAL 9003 signal white			
recess depth 137mm			
2x female thread 1/2" outlet			
Input 100-240V AC 50-60Hz			
Output 12V DC SELV / Class 2			
ZigBee Light Link RGBW controller			

For details and miscellaneous, see page 647

27 802 845


Hand shower set with individual rosettes

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 78mm
- rosette for shower holder 60 x 78mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow

Fits LISSÉ
Intrinsic protection against back flow.
Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 802 845 FF	FF	Euro
Chrome		-00	493.40
Brushed Chrome		-93	641.40
Brushed Platinum		-06	789.40
Brushed Light Gold		-27	740.10
Dark Chrome		-19	740.10
Brushed Dark Platinum		-99	888.10
Matte Black		-33	666.20

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 802 845 FF	FF	Euro
Chrome		-000010	493.40
Brushed Chrome		-930010	641.40
Brushed Platinum		-060010	789.40
Brushed Light Gold		-270010	740.10
Dark Chrome		-190010	740.10
Brushed Dark Platinum		-990010	888.10
Matte Black		-330010	666.20



Recommended miscellaneous

Concealed wall elbow

Standard article	35 085 970 FF	FF	Euro
min. recess depth 90 mm	Concealed rough parts	90	122.80
max. recess depth 163 mm			

For details and miscellaneous, see page 645

27 803 845

**Hand shower set with individual rosettes**

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 78mm
- rosette for shower holder 60 x 78mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow

Intrinsic protection against back flow.**Fits LISSÉ****Custom-made options**

- Finish variants
- Flow rate modification
- without logo

Standard article	27 803 845 FF	FF	Euro
Chrome		-00	476.50
Brushed Chrome		-93	619.40
Brushed Platinum		-06	762.50
Brushed Light Gold		-27	714.70
Dark Chrome		-19	714.70
Brushed Dark Platinum		-99	857.60
Matte Black		-33	643.00

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 803 845 FF	FF	Euro
Chrome		-000010	476.50
Brushed Chrome		-930010	619.40
Brushed Platinum		-060010	762.50
Brushed Light Gold		-270010	714.70
Dark Chrome		-190010	714.70
Brushed Dark Platinum		-990010	857.60
Matte Black		-330010	643.00



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

Concealed rough parts **90** 122.80

28 528 979

**Body spray without volume control**

- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- HORIZONTAL RAIN, max. flow rate 7 l/min (at 3 bar)
- with anti-scale system
- rosette Ø 55 mm
- 1/2" connection

Fits META, TARA, VAIA, LISSÉ**Custom-made options**

- Finish variants
- without logo

Standard article	28 528 979 FF	FF	Euro
Chrome		-00	313.00
Brushed Chrome		-93	406.90
Brushed Platinum		-06	500.70
Brushed Light Gold		-27	469.50
Dark Chrome		-19	469.50
Brushed Dark Platinum		-99	563.30
Matte Black		-33	422.50

Product alternative

- FlowReduce
- Max. flow rate 5 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 518 979 FF	FF	Euro
Chrome		-00	313.00
Brushed Chrome		-93	406.90
Brushed Platinum		-06	500.90
Brushed Light Gold		-27	469.50
Dark Chrome		-19	469.50
Brushed Dark Platinum		-99	563.30
Matte Black		-33	422.40



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

Concealed rough parts **90** 122.80

36 525 979


WATER POINTS Concealed body spray

- HORIZONTAL RAIN, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- cover plate 120 x 120 mm

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	36 525 979 FF	FF	Euro
Chrome		-00	549.80
Brushed Chrome		-93	714.70
Brushed Platinum		-06	879.60
Brushed Light Gold		-27	824.70
Dark Chrome		-19	824.70
Brushed Dark Platinum		-99	989.50
Matte Black		-33	742.20

Product alternative

- FlowReduce
- Max. flow rate 6 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 515 979 FF	FF	Euro
Chrome		-00	549.80
Brushed Chrome		-93	714.70
Brushed Platinum		-06	879.20
Brushed Light Gold		-27	824.70
Dark Chrome		-19	824.80
Brushed Dark Platinum		-99	989.50
Matte Black		-33	742.00



Required miscellaneous

Concealed wall installation box

	35 205 970 FF	FF	Euro
Concealed rough parts		90	223.00

- min. recess depth 85 mm
 - max. recess depth 110 mm
- For details and miscellaneous, see page 645



Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
Concealed rough parts		90	112.20

For details and miscellaneous, see page 655

36 527 979


WATER BAR Concealed body spray

- HORIZONTAL RAIN, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- cover plate 240 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	36 527 979 FF	FF	Euro
Chrome		-00	849.00
Brushed Chrome		-93	1,103.60
Brushed Platinum		-06	1,358.50
Brushed Light Gold		-27	1,273.50
Dark Chrome		-19	1,273.50
Brushed Dark Platinum		-99	1,528.20
Matte Black		-33	1,146.10

Product alternative

- FlowReduce
- Max. flow rate 6 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 517 979 FF	FF	Euro
Chrome		-00	849.00
Brushed Chrome		-93	1,103.60
Brushed Platinum		-06	1,358.70
Brushed Light Gold		-27	1,273.50
Dark Chrome		-19	1,273.50
Brushed Dark Platinum		-99	1,527.90
Matte Black		-33	1,168.80



Required miscellaneous

Concealed wall installation box

	35 206 970 FF	FF	Euro
Concealed rough parts		90	301.70

- min. recess depth 100 mm
 - max. recess depth 173 mm
- For details and miscellaneous, see page 645



Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
Concealed rough parts		90	112.20

For details and miscellaneous, see page 655

36 514 979

**WATER CURVE Concealed body spray**

- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- cover plate 120 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	36 514 979 FF	FF	Euro
Chrome	-00		1,104.80
Brushed Chrome	-93		1,436.20
Brushed Platinum	-06		1,767.70
Brushed Light Gold	-27		1,657.20
Dark Chrome	-19		1,657.10
Brushed Dark Platinum	-99		1,988.70
Matte Black	-33		1,491.20



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

36 513 979

**WATER FAN vertical Concealed body spray**

- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- cover plate 240 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	36 513 979 FF	FF	Euro
Chrome	-00		824.20
Brushed Chrome	-93		1,071.50
Brushed Platinum	-06		1,319.20
Brushed Light Gold	-27		1,236.30
Dark Chrome	-19		1,236.30
Brushed Dark Platinum	-99		1,483.40
Matte Black	-33		1,134.80

Product alternative

- horizontal water jet
- Max. flow rate 10 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 512 979 FF	FF	Euro
Chrome	-00		824.20
Brushed Chrome	-93		1,071.50
Brushed Platinum	-06		1,319.20
Brushed Light Gold	-27		1,236.30
Dark Chrome	-19		1,236.30
Brushed Dark Platinum	-99		1,483.40
Matte Black	-33		1,134.80

Required miscellaneous

**Concealed wall installation box**

Standard article	35 206 970 FF	FF	Euro
Concealed wall installation box			

- min. recess depth 100 mm
 - max. recess depth 173 mm
- Concealed rough parts **90** 301.70
- For details and miscellaneous, see page 645

Required miscellaneous

**xGRID Installation track 555 mm**

Standard article	12 360 970 FF	FF	Euro
xGRID Installation track 555 mm			

- Concealed rough parts **90** 112.20
- For details and miscellaneous, see page 655

13 415 979

**WATER SHEET Cascade spout for wall mounting**

- 150mm projection
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	13 415 979 FF	FF	Euro
Chrome	-00		1,137.90
Brushed Chrome	-93		1,479.30
Brushed Platinum	-06		1,820.60
Brushed Light Gold	-27		1,706.90
Dark Chrome	-19		1,707.00
Brushed Dark Platinum	-99		2,048.20
Matte Black	-33		1,535.90




Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

13 420 979



WATER FALL Cascade spout for wall mounting

- **120mm projection**
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	13 420 979 FF	FF	Euro
Chrome		-00	1,625.60
Brushed Chrome		-93	2,113.40
Brushed Platinum		-06	2,601.50
Brushed Light Gold		-27	2,438.50
Dark Chrome		-19	2,438.60
Matte Black		-33	2,194.90



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
		90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

13 425 979



WATER FALL Cascade spout with individual jets for wall mounting

- **22mm projection**
- PEARLSTREAM
- plate 240 mm x 60 mm
- connection 1/2", for shortening
- plug-link mounting
- Max. flow rate 9.5 l/min (at 3 bar)

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	13 425 979 FF	FF	Euro
Chrome		-00	1,208.00
Brushed Chrome		-93	1,570.30
Brushed Platinum		-06	1,932.80
Brushed Light Gold		-27	1,812.00
Dark Chrome		-19	1,811.80
Brushed Dark Platinum		-99	2,174.10
Matte Black		-33	1,630.70



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
		90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

27 823 979 +
28 285 979



WATER TUBE Kneipp wall elbow with hose holder with individual rosettes

- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- with volume control
- rosettes Ø 60 mm
- holder for Kneipp hose
- 1/2" wall elbow

Intrinsic protection against back flow.

Fits META, TARA, VAIA, LISSÉ

Custom-made options

- Finish variants
- without logo

Set	1x 27 823 979 FF max. flow 15 l/min		1x 28 285 979 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	589.50	-00	104.90	694.40
Brushed Chrome	-93	766.30	-93	136.30	902.60
Brushed Platinum	-06	943.20	-06	167.80	1,111.00
Brushed Light Gold	-27	884.30	-27	157.30	1,041.60
Dark Chrome	-19	884.00	-19	157.30	1,041.30
Brushed Dark Platinum	-99	1,061.00	-99	188.70	1,249.70
Matte Black	-33	795.70	-33	141.50	937.20

Product alternative

- FlowReduce
- Max. flow rate 9 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 843 979 FF	FF	Euro
Chrome		-00	589.50
Brushed Chrome		-93	766.30
Brushed Platinum		-06	943.30
Brushed Light Gold		-27	884.30
Dark Chrome		-19	884.30
Brushed Dark Platinum		-99	1,061.10
Matte Black		-33	795.90



Recommended miscellaneous

WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

	28 286 979 FF	FF	Euro
Chrome		-00	104.90
Brushed Chrome		-93	136.30
Brushed Platinum		-06	167.80
Brushed Light Gold		-27	157.30
Dark Chrome		-19	157.30
Brushed Dark Platinum		-99	188.70
Matte Black		-33	141.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

	35 085 970 FF	FF	Euro
Concealed rough parts		90	122.80

28 450 845



Wall elbow

- 3/8" shower outlet
- rosette 60 x 78 mm
- 1/2" connection

Intrinsic protection against back flow.

Fits LISSÉ

Custom-made options

- Finish variants
- without logo

Standard article	28 450 845 FF	FF	Euro
Chrome		-00	120.40
Brushed Chrome		-93	156.60
Brushed Platinum		-06	192.60
Brushed Light Gold		-27	180.60
Dark Chrome		-19	180.60
Brushed Dark Platinum		-99	216.70
Matte Black		-33	162.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

	35 085 970 FF	FF	Euro
Concealed rough parts		90	122.80

28 050 845

Wall bracket

- rosette 60 x 78 mm

Custom-made options

- Finish variants
- without logo

Standard article	28 050 845 FF	FF	Euro
Chrome		-00	155.10
Brushed Chrome		-93	201.60
Brushed Platinum		-06	248.00
Brushed Light Gold		-27	232.60
Dark Chrome		-19	232.60
Brushed Dark Platinum		-99	279.10
Matte Black		-33	209.30

28 060 970

Wall bracket swivel

- pivotable 75°

Custom-made options

- Finish variants

Standard article	28 060 970 FF	FF	Euro
Chrome		-00	197.80
Brushed Chrome		-93	257.10
Brushed Platinum		-06	316.60
Brushed Light Gold		-27	296.50
Dark Chrome		-19	296.60
Brushed Dark Platinum		-99	356.10
Matte Black		-33	267.20

12 570 970

Slide unit

- for pipe diameter 23.5 mm

Custom-made options

- Finish variants

Standard article	12 570 970 FF	FF	Euro
Chrome		-00	137.00
Brushed Chrome		-93	178.10
Brushed Platinum		-06	219.50
Brushed Light Gold		-27	205.50
Dark Chrome		-19	205.40
Brushed Dark Platinum		-99	246.80
Matte Black		-33	185.20

12 580 970

Slide unit

- for pipe diameter 18 mm

Custom-made options

- Finish variants

Standard article	12 580 970 FF	FF	Euro
Chrome		-00	137.00
Brushed Chrome		-93	178.10
Brushed Platinum		-06	219.50
Brushed Light Gold		-27	205.50
Dark Chrome		-19	205.40
Brushed Dark Platinum		-99	246.80
Matte Black		-33	185.20

33 300 845

**Single-lever shower mixer for wall mounting**

- 3/8" shower outlet
- slide-on rosettes Ø 60 mm
- 1/2" connection
- gauge 150 mm - 15 mm

Intrinsic protection against back flow.**Fits LISSÉ****Custom-made options**

- Finish variants
- Red/blue marking
- without logo

Standard article	33 300 845 FF	FF	Euro
Chrome		-00	688.80
Brushed Chrome		-93	895.40
Brushed Platinum		-06	1,101.80
Brushed Light Gold		-27	1,033.20
Dark Chrome		-19	1,033.20
Brushed Dark Platinum		-99	1,239.80
Matte Black		-33	929.80



Required miscellaneous

Single holder for 16 mm AluPEX pipes

29 021 970 FF	FF	Euro
	Accessories	90
		99.10

- for 16 mm AluPEX pipes

34 442 979

**Shower thermostat for wall mounting**

- 3/8" shower outlet
- slide-on rosettes Ø 70 mm
- 1/2" connection
- gauge 150 mm - 13 mm
- with volume control

Intrinsic protection against back flow.**For combination with slide bar set****Fits MEM, IMO, META, TARA, VAIA, LULU, LISSÉ****Custom-made options**

- Finish variants
- Red/blue marking
- without logo

Standard article	34 442 979 FF	FF	Euro
Chrome		-00	701.50
Brushed Chrome		-93	912.00
Brushed Platinum		-06	1,122.20
Brushed Light Gold		-27	1,052.20
Dark Chrome		-19	1,052.20
Brushed Dark Platinum		-99	1,262.30
Matte Black		-33	946.80

36 060 845

**Concealed single-lever mixer with cover plate**

- cover plate 78 x 78 mm

Fits LISSÉ**Custom-made options**

- Finish variants
- Red/blue marking
- without logo

Standard article	36 060 845 FF	FF	Euro
Chrome		-00	412.80
Brushed Chrome		-93	536.60
Brushed Platinum		-06	660.40
Brushed Light Gold		-27	619.20
Dark Chrome		-19	619.20
Brushed Dark Platinum		-99	742.80
Matte Black		-33	557.20



Required miscellaneous

Concealed wall-mounted single-lever mixer

35 860 970 FF	FF	Euro
	Concealed rough parts	90
		224.60

- min. recess depth 80 mm
 - max. recess depth 95 mm
- For details and miscellaneous, see page 640

36 120 845

**Concealed single-lever mixer with diverter**

- automatic diverter
- cover plate 150 x 90 mm

Fits LISSÉ**Custom-made options**

- Finish variants
- Red/blue marking
- without logo

Standard article	36 120 845 FF	FF	Euro
Chrome		-00	535.50
Brushed Chrome		-93	696.20
Brushed Platinum		-06	856.90
Brushed Light Gold		-27	803.30
Dark Chrome		-19	803.30
Brushed Dark Platinum		-99	964.00
Matte Black		-33	723.10



Required miscellaneous

Concealed single-lever mixer

35 020 970 FF	FF	Euro
	Concealed rough parts	90
		236.90

- min. recess depth 80 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 641



Required miscellaneous

Concealed single-lever mixer with backflow preventor

35 021 970 FF	FF	Euro
	Concealed rough parts	90
		338.50

- min. recess depth 80 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 641

36 425 845


Concealed thermostat with one function volume control

- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits LISSÉ
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 425 845 FF	FF	Euro
Chrome	-00		785.40
Brushed Chrome	-93		1,020.90
Brushed Platinum	-06		1,256.80
Brushed Light Gold	-27		1,178.00
Dark Chrome	-19		1,178.00
Brushed Dark Platinum	-99		1,413.60
Matte Black	-33		1,060.30



Required miscellaneous

Concealed thermostat
35 425 970 FF | FF | Euro

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts **90** | 435.80
- For details and miscellaneous, see page 641



Required miscellaneous

Concealed thermostat with built-in isolators
35 426 970 FF | FF | Euro

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts **90** | 457.70
- For details and miscellaneous, see page 641

36 426 845


Concealed thermostat with two function volume control

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits LISSÉ
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 426 845 FF	FF	Euro
Chrome	-00		931.40
Brushed Chrome	-93		1,211.00
Brushed Platinum	-06		1,490.50
Brushed Light Gold	-27		1,397.20
Dark Chrome	-19		1,397.20
Brushed Dark Platinum	-99		1,676.60
Matte Black	-33		1,257.40



Required miscellaneous

Concealed thermostat
35 425 970 FF | FF | Euro

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts **90** | 435.80
- For details and miscellaneous, see page 641



Required miscellaneous

Concealed thermostat with built-in isolators
35 426 970 FF | FF | Euro

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts **90** | 457.70
- For details and miscellaneous, see page 641

36 427 845


Concealed thermostat with three function volume control

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits LISSÉ
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 427 845 FF	FF	Euro
Chrome	-00		966.00
Brushed Chrome	-93		1,255.90
Brushed Platinum	-06		1,545.70
Brushed Light Gold	-27		1,449.10
Dark Chrome	-19		1,449.10
Brushed Dark Platinum	-99		1,738.80
Matte Black	-33		1,304.20



Required miscellaneous

Concealed thermostat
35 427 970 FF | FF | Euro

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts **90** | 456.60
- For details and miscellaneous, see page 642



Required miscellaneous

Concealed thermostat with built-in isolators
35 428 970 FF | FF | Euro

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts **90** | 479.00
- For details and miscellaneous, see page 642

33 200 845

**Single-lever bath mixer for wall mounting without shower set**

- 190-200mm projection
- circular normal flow
- automatic bath/shower diverter
- 3/8" shower outlet
- slide-on rosettes Ø 60 mm
- 1/2" connection
- gauge 150 mm - 15 mm
- max. flow 13.5 l/min at 3 bar flow pressure

Intrinsic protection against back flow.

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	33 200 845 FF	FF	Euro
Chrome		-00	806.90
Brushed Chrome		-93	1,049.00
Brushed Platinum		-06	1,290.90
Brushed Light Gold		-27	1,210.30
Dark Chrome		-19	1,210.30
Brushed Dark Platinum		-99	1,452.30
Matte Black		-33	1,089.10

27 412 845

**Three-hole single-lever bath mixer for bath rim or tile edge installation**

- spout: circular, air-enriched flow
- max. flow 16.9 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- 200mm projection
- automatic bath/shower diverter
- height of mixer 141 mm
- height up to aerator 88 mm
- hole diameter spout 32 mm
- hole diameter single-lever mixer 35 mm
- hole diameter for complete hand shower set 32 mm
- rosette for complete hand shower set Ø 50mm
- metal shower hose 1750mm with integrated anti-twist protection

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Intrinsic protection against back flow.**Custom-made options**

- Finish variants
- Red/blue marking
- without hand shower
- without logo

Standard article	27 412 845 FF	FF	Euro
Chrome		-00	1,916.50
Brushed Chrome		-93	2,491.50
Brushed Platinum		-06	3,066.50
Brushed Light Gold		-27	2,874.70
Dark Chrome		-19	2,874.70
Brushed Dark Platinum		-99	3,449.80
Matte Black		-33	2,587.40



Recommended miscellaneous

Perfecto installation kit

12 614 970 FF FF Euro

For details and miscellaneous, see page 646

Concealed rough parts 90 1,794.10

Recommended miscellaneous

Decorative caps for Perfecto

12 801 970 FF FF Euro

- 1 pair

Chrome	-00	55.50
Brushed Chrome	-93	72.10
Brushed Platinum	-06	89.00
Brushed Light Gold	-27	83.20
Dark Chrome	-19	83.40
Brushed Dark Platinum	-99	99.80
Matte Black	-33	75.30

13 801 845

**Bath spout for wall mounting**

- 210mm projection
- circular normal flow
- hole diameter 37 mm
- 1/2" connection
- plug-link mounting
- max. flow 21.5 l/min at 3 bar flow pressure

Custom-made options

- Finish variants
- without logo

Standard article	13 801 845 FF	FF	Euro
Chrome		-00	582.40
Brushed Chrome		-93	757.10
Brushed Platinum		-06	931.80
Brushed Light Gold		-27	873.50
Dark Chrome		-19	873.50
Brushed Dark Platinum		-99	1,048.20
Matte Black		-33	786.20



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF FF Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts 90 122.80

For details and miscellaneous, see page 645

27 702 979


Hand shower set for bath rim or tile edge installation

- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- with anti-scale system
- rosette Ø 50 mm
- hole diameter 32 mm
- metal shower hose 1750mm with integrated anti-twist protection

Two-piece design allows hose to later be changed without dismantling the fitting.

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- without hand shower
- without logo

Standard article	27 702 979 FF	FF	Euro
Chrome		-00	580.70
Brushed Chrome		-93	754.90
Brushed Platinum		-06	929.00
Brushed Light Gold		-27	871.10
Dark Chrome		-19	871.10
Brushed Dark Platinum		-99	1,045.30
Matte Black		-33	783.90

36 120 845


Concealed single-lever mixer with diverter

- automatic diverter
- cover plate 150 x 90 mm

Fits LISSÉ

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 120 845 FF	FF	Euro
Chrome		-00	535.50
Brushed Chrome		-93	696.20
Brushed Platinum		-06	856.90
Brushed Light Gold		-27	803.30
Dark Chrome		-19	803.30
Brushed Dark Platinum		-99	964.00
Matte Black		-33	723.10



Required miscellaneous

Concealed single-lever mixer

35 020 970 FF FF Euro

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 641

Concealed rough parts 90 236.90



Required miscellaneous

Concealed single-lever mixer with backflow preventor

35 021 970 FF FF Euro

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 641

Concealed rough parts 90 338.50

36 243 970


Pop-up waste and overflow

- drain Ø 52mm

Also suitable for king-size baths.

Custom-made options

- Finish variants
- without logo

Standard article	36 243 970 FF	FF	Euro
Chrome		-00	221.00
Brushed Chrome		-93	287.40
Brushed Platinum		-06	353.90
Brushed Light Gold		-27	331.60
Dark Chrome		-19	331.70
Brushed Dark Platinum		-99	397.80
Matte Black		-33	298.70



Required miscellaneous

Pop-up waste and overflow

35 227 970 FF FF Euro

- bowden cable length 725 mm

Concealed rough parts 90 179.20

36 247 970

**Bath spout with pop-up waste and overflow**

- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

Custom-made options

- Finish variants
- without logo

Standard article	36 247 970 FF	FF	Euro
Chrome		-00	334.40
Brushed Chrome		-93	434.80
Brushed Platinum		-06	535.10
Brushed Light Gold		-27	501.70
Dark Chrome		-19	501.70
Brushed Dark Platinum		-99	601.80
Matte Black		-33	451.30



Required miscellaneous

Bath spout with pop-up waste and overflow

	35 248 970 FF	FF	Euro
• bowden cable length 725 mm	Concealed rough parts	90	493.60



Required miscellaneous

Vacuum breaker

	36 150 970 FF	FF	Euro
Chrome		-00	91.70
Brushed Chrome		-93	119.30
Brushed Platinum		-06	146.70
Brushed Light Gold		-27	137.60
Dark Chrome		-19	137.50
Brushed Dark Platinum		-99	164.90
Matte Black		-33	123.90

83 020 979


Bath grip

- gauge 200 mm
- width 240mm
- height 40 mm
- rosette Ø 40 mm
- 75mm projection

Custom-made options

- Finish variants

Standard article	83 020 979 FF	FF	Euro
Chrome		-00	289.30
Brushed Chrome		-93	376.20
Brushed Platinum		-06	462.90
Brushed Light Gold		-27	434.00
Dark Chrome		-19	434.10
Brushed Dark Platinum		-99	520.80
Matte Black		-33	390.60

83 211 979


Towel bar 1-piece non-swivel

- rosette Ø 40 mm
- 490mm projection

Custom-made options

- Finish variants

Standard article	83 211 979 FF	FF	Euro
Chrome		-00	169.60
Brushed Chrome		-93	220.60
Brushed Platinum		-06	271.70
Brushed Light Gold		-27	254.50
Dark Chrome		-19	254.40
Brushed Dark Platinum		-99	305.40
Matte Black		-33	229.00

83 215 979


Towel bar 1-piece non-swivel

- rosette Ø 40 mm
- 360mm projection

Custom-made options

- Finish variants

Standard article	83 215 979 FF	FF	Euro
Chrome		-00	155.60
Brushed Chrome		-93	202.30
Brushed Platinum		-06	249.30
Brushed Light Gold		-27	233.40
Dark Chrome		-19	233.20
Brushed Dark Platinum		-99	280.10
Matte Black		-33	210.00

83 200 979


Towel ring round

- width 185mm
- rosette Ø 40 mm
- 55mm projection

Custom-made options

- Finish variants

Standard article	83 200 979 FF	FF	Euro
Chrome		-00	176.50
Brushed Chrome		-93	229.50
Brushed Platinum		-06	282.80
Brushed Light Gold		-27	264.70
Dark Chrome		-19	264.90
Brushed Dark Platinum		-99	317.70
Matte Black		-33	238.20

83 400 979


Tumbler holder wall model

- crystal glass, transparent
- width 60mm
- height 120 mm
- 110mm projection

Custom-made options

- Finish variants

Standard article	83 400 979 FF	FF	Euro
Chrome		-00	278.90
Brushed Chrome		-93	362.70
Brushed Platinum		-06	446.30
Brushed Light Gold		-27	418.50
Dark Chrome		-19	418.50
Brushed Dark Platinum		-99	502.00
Matte Black		-33	376.50

83 401 979


Tumbler holder wall model

- crystal glass brush holder, matte
- width 60mm
- height 120 mm
- 110mm projection

Custom-made options

- Finish variants

Standard article	83 401 979 FF	FF	Euro
Chrome		-00	278.90
Brushed Chrome		-93	362.70
Brushed Platinum		-06	446.30
Brushed Light Gold		-27	418.50
Dark Chrome		-19	418.50
Brushed Dark Platinum		-99	502.00
Matte Black		-33	376.50



Recommended miscellaneous

Standard article	08 90 00 008 FF	FF	Euro
Crystal tumbler		-99	72.10
Glass		82	

83 410 979



Soap dish wall model


- width 120mm
- height 20 mm
- 145mm projection

Custom-made options

- Finish variants

Standard article	83 410 979 FF	FF	Euro
Chrome		-00	289.30
Brushed Chrome		-93	376.20
Brushed Platinum		-06	462.90
Brushed Light Gold		-27	434.00
Dark Chrome		-19	434.10
Brushed Dark Platinum		-99	520.90
Matte Black		-33	390.60

83 482 970



Shelf wall model

- width 300mm
- height 26 mm
- 100mm projection
- without grid element

Custom-made options

- Finish variants

Standard article	83 482 970 FF	FF	Euro
Chrome		-00	157.10
Brushed Chrome		-93	204.20
Brushed Platinum		-06	251.20
Brushed Light Gold		-27	235.70
Dark Chrome		-19	235.60
Brushed Dark Platinum		-99	282.80
Matte Black		-33	212.20

Required miscellaneous

Grid element

- plastic grid elements

82 482 970 FF	FF	Euro
Taupe	-53	66.80
Matte Black	-33	66.80
Light Grey	-52	66.80
Creamy White	-51	66.80

83 435 970



Dispenser wall model


- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 96mm projection

Custom-made options

- Finish variants
- without logo

Standard article	83 435 970 FF	FF	Euro
Chrome		-00	457.60
Brushed Chrome		-93	594.90
Brushed Platinum		-06	732.10
Brushed Light Gold		-27	686.50
Dark Chrome		-19	686.50
Brushed Dark Platinum		-99	823.80
Matte Black		-33	617.90

83 290 970



Shower basket for wall mounting

- width 200mm
- height 70 mm
- 115mm projection

Custom-made options

- Finish variants

Standard article	83 290 970 FF	FF	Euro
Chrome		-00	221.60
Brushed Chrome		-93	288.10
Brushed Platinum		-06	354.60
Brushed Light Gold		-27	332.40
Dark Chrome		-19	332.40
Brushed Dark Platinum		-99	398.90
Matte Black		-33	299.20

83 500 979



Tissue holder without cover

- width 150mm
- height 95 mm
- rosette Ø 40 mm
- 40mm projection

Custom-made options

- Finish variants

Standard article	83 500 979 FF	FF	Euro
Chrome		-00	262.50
Brushed Chrome		-93	341.30
Brushed Platinum		-06	420.00
Brushed Light Gold		-27	393.90
Dark Chrome		-19	393.90
Brushed Dark Platinum		-99	472.60
Matte Black		-33	354.40

83 510 979



Tissue holder with cover

- width 150mm
- height 95 mm
- rosette Ø 40 mm
- 40mm projection

Custom-made options

- Finish variants

Standard article	83 510 979 FF	FF	Euro
Chrome		-00	337.00
Brushed Chrome		-93	438.10
Brushed Platinum		-06	538.90
Brushed Light Gold		-27	505.50
Dark Chrome		-19	505.30
Brushed Dark Platinum		-99	606.60
Matte Black		-33	455.10

83 590 979


Reserve tissue holder

- rosette Ø 40 mm
- 105mm projection

Custom-made options

- Finish variants

Standard article	83 590 979 FF	FF	Euro
Chrome		-00	172.60
Brushed Chrome		-93	224.40
Brushed Platinum		-06	276.30
Brushed Light Gold		-27	258.90
Dark Chrome		-19	258.90
Brushed Dark Platinum		-99	310.60
Matte Black		-33	233.00

83 900 970


Toilet brush set wall model

- crystal glass
- brush, matte black
- width 126mm
- height 415 mm
- 120mm projection

Custom-made options

- Finish variants

Standard article	83 900 970 FF	FF	Euro
Chrome		-00	396.20
Brushed Chrome		-93	515.20
Brushed Platinum		-06	634.00
Brushed Light Gold		-27	594.40
Dark Chrome		-19	594.50
Brushed Dark Platinum		-99	713.30
Matte Black		-33	535.10

83 910 979


Toilet brush set wall model

- brush, matte black
- width 100mm
- height 456 mm
- 110mm projection

Custom-made options

- Finish variants
- without logo

Standard article	83 910 979 FF	FF	Euro
Chrome		-00	519.20
Brushed Chrome		-93	675.10
Brushed Platinum		-06	830.90
Brushed Light Gold		-27	778.80
Dark Chrome		-19	778.90
Brushed Dark Platinum		-99	934.60
Matte Black		-33	700.90

84 910 979


Toilet brush set free-standing model

- brush, matte black
- width 100mm
- height 456 mm

Custom-made options

- Finish variants
- without logo

Standard article	84 910 979 FF	FF	Euro
Chrome		-00	469.70
Brushed Chrome		-93	610.60
Brushed Platinum		-06	751.50
Brushed Light Gold		-27	704.60
Dark Chrome		-19	704.70
Brushed Dark Platinum		-99	845.40
Matte Black		-33	634.20

12 660 979


Cover plate for the concealed WC cistern made by TeCe

- **Not available in the United States and Canada due to local code requirements. Please contact us for more information.**

- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)

- **This product is compatible with the following TECE products:**

- TECEprofil dry wall construction, article numbers:
- 9300300, 9300322, 9300301, 9300344, 9300309, 9300303, 9300388, 9300366, 9300102, 9300103, 9300329, 9300377, 9300378, 9400302, 9400303, 9400304, 9041335, 9041336, 9041337
- TECEbox wet wall construction, article numbers:
- 9370300, 9375300, 9371300

Custom-made options

- Finish variants
- without logo

Standard article	12 660 979 FF	FF	Euro
Chrome		-00	852.30
Brushed Chrome		-93	1,108.10
Brushed Platinum		-06	1,364.00
Brushed Light Gold		-27	1,278.50
Dark Chrome		-19	1,278.40
Brushed Dark Platinum		-99	1,534.30
Matte Black		-33	1,150.60

12 665 979



Flush plate for concealed WC cisterns made by Geberit round

- cover plate 169 x 246 x 12 mm
- Mechanical flush plate with manual flush buttons
- For 2-volume flushing system
- Includes mounting frame, actuator rods and fastening material
- Sound-absorbing push rods, tool-free fast adjustment
- **Compatible with all Geberit Sigma series cisterns from 2001 onwards**

Custom-made options

- Finish variants
- without logo

Standard article	12 665 979 FF	FF	Euro
Chrome		-00	485.30
Brushed Chrome		-93	631.00
Brushed Platinum		-06	776.50
Brushed Light Gold		-27	728.00
Dark Chrome		-19	728.00
Brushed Dark Platinum		-99	873.60
Matte Black		-33	655.20

83 150 979

NEW

Lighted mirror round

- Wall mounting
- Diameter: 600 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material



Standard article	83 150 979 FF	FF	Euro
Matte White		-10	1,767.00
Matte Black		-33	1,767.00

83 151 979

NEW

Lighted mirror round

- Wall mounting
- Diameter: 750 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material



Standard article	83 151 979 FF	FF	Euro
Matte White		-10	2,065.00
Matte Black		-33	2,065.00

83 150 980

NEW

Lighted mirror angular

- Wall mounting
- height 800 mm
- width 400mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material



Standard article	83 150 980 FF	FF	Euro
Matte White		-10	1,652.00
Matte Black		-33	1,652.00

83 151 980

NEW

Lighted mirror angular

- Wall mounting
- height 1000 mm
- width 600mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material



Standard article	83 151 980 FF	FF	Euro
Matte White		-10	1,951.00
Matte Black		-33	1,951.00

36 390 979

NEW Electronic control elements for heated towel rail



- rosette Ø 80 mm
- Control element for towel warmer: 833XX979-FF
- Degree of protection IP 44, CE marking

Note: Different conditioning.

Standard article	36 390 979 FF	FF	Euro
Chrome		-00	500.00
Brushed Chrome		-93	650.00
Dark Chrome		-19	750.00
Brushed Dark Platinum		-99	900.00
Matte Black		-33	675.00

83 304 979

NEW Towel warmer, 4-fold, projection left, without control element



- gauge 120 mm
- width 610mm
- height 440 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	83 304 979 FF	FF	Euro
Chrome		-00	1,760.00
Brushed Chrome		-93	2,288.00
Dark Chrome		-19	2,640.00
Brushed Dark Platinum		-99	3,168.00
Matte Black		-33	2,376.00

Required miscellaneous



Concealed wall installation box for heated towel rail, 4-fold, without control element

35 311 970 FF

FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 651

Concealed rough parts 90 750.00

83 306 979

NEW Towel warmer, 6-fold, projection left, without control element



- gauge 120 mm
- width 610mm
- height 680 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	83 306 979 FF	FF	Euro
Chrome		-00	2,640.00
Brushed Chrome		-93	3,432.00
Dark Chrome		-19	3,960.00
Brushed Dark Platinum		-99	4,752.00
Matte Black		-33	3,564.00

Required miscellaneous



Concealed wall installation box for heated towel rail, 6-fold, without control element

35 313 970 FF

FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 652

Concealed rough parts 90 1,000.00

83 314 979

NEW Towel warmer, 4-fold, projection right, without control element



- gauge 120 mm
- width 610mm
- height 440 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	83 314 979 FF	FF	Euro
Chrome		-00	1,760.00
Brushed Chrome		-93	2,288.00
Dark Chrome		-19	2,640.00
Brushed Dark Platinum		-99	3,168.00
Matte Black		-33	2,376.00

Required miscellaneous



Concealed wall installation box for heated towel rail, 4-fold, without control element

35 311 970 FF

FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 651

Concealed rough parts 90 750.00

83 316 979

NEW Towel warmer, 6-fold, projection right, without control element



- gauge 120 mm
- width 610mm
- height 680 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	83 316 979 FF	FF	Euro
Chrome		-00	2,640.00
Brushed Chrome		-93	3,432.00
Dark Chrome		-19	3,960.00
Brushed Dark Platinum		-99	4,752.00
Matte Black		-33	3,564.00

Required miscellaneous



Concealed wall installation box for heated towel rail, 6-fold, without control element

35 313 970 FF

FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 652

Concealed rough parts 90 1,000.00

83 304 979 +
36 390 979

NEW Towel warmer, 4-fold, projection left, with control element



- gauge 120 mm
- width 610mm
- height 560 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Standard article	1x 83 304 979 FF		1x 36 390 979 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,760.00	-00	500.00	2,260.00
Brushed Chrome	-93	2,288.00	-93	650.00	2,938.00
Dark Chrome	-19	2,640.00	-19	750.00	3,390.00
Brushed Dark Platinum	-99	3,168.00	-99	900.00	4,068.00
Matte Black	-33	2,376.00	-33	675.00	3,051.00



Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, with control element

35 312 970 FF | FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- Concealed rough parts **90** Euro 850.00
- For details and miscellaneous, see page 651

83 306 979 +
36 390 979

NEW Towel warmer, 6-fold, projection left, with control element



- gauge 120 mm
- width 610mm
- height 800 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Standard article	1x 83 306 979 FF		1x 36 390 979 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	2,640.00	-00	500.00	3,140.00
Brushed Chrome	-93	3,432.00	-93	650.00	4,082.00
Dark Chrome	-19	3,960.00	-19	750.00	4,710.00
Brushed Dark Platinum	-99	4,752.00	-99	900.00	5,652.00
Matte Black	-33	3,564.00	-33	675.00	4,239.00



Required miscellaneous

Concealed wall installation box for heated towel rail, 6-fold, with control element

35 314 970 FF | FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- Concealed rough parts **90** Euro 1,100.00
- For details and miscellaneous, see page 652

83 314 979 +
36 390 979

NEW Towel warmer, 4-fold, projection right, with control element



- gauge 120 mm
- width 610mm
- height 560 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Standard article	1x 83 314 979 FF		1x 36 390 979 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,760.00	-00	500.00	2,260.00
Brushed Chrome	-93	2,288.00	-93	650.00	2,938.00
Dark Chrome	-19	2,640.00	-19	750.00	3,390.00
Brushed Dark Platinum	-99	3,168.00	-99	900.00	4,068.00
Matte Black	-33	2,376.00	-33	675.00	3,051.00



Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, with control element

35 312 970 FF | FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- Concealed rough parts **90** Euro 850.00
- For details and miscellaneous, see page 651

83 316 979 +
 36 390 979

NEW Towel warmer, 6-fold, projection right, with control element

- gauge 120 mm
- width 610mm
- height 800 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.


Standard article	1x 83 316 979 FF		1x 36 390 979 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	2,640.00	-00	500.00	3,140.00
Brushed Chrome	-93	3,432.00	-93	650.00	4,082.00
Dark Chrome	-19	3,960.00	-19	750.00	4,710.00
Brushed Dark Platinum	-99	4,752.00	-99	900.00	5,652.00
Matte Black	-33	3,564.00	-33	675.00	4,239.00

Required miscellaneous


Concealed wall installation box for heated towel rail, 6-fold, with control element

35 314 970 FF		FF	Euro
• min. recess depth 70 mm	Concealed rough parts	90	1,100.00
• max. recess depth 105 mm			

For details and miscellaneous, see page 652



Basin
from page 216

Bidet
from page 218

Shower
from page 221

Thermostats, mixers, diverters
and valves
from page 229

Bath
from page 232

Accessories
from page 237

Basin fittings

Single-lever basin mixers

155mm projection



33 500 710
33 521 710

Three-hole basin mixers

155mm projection



20 713 710

Wall-mounted single-lever basin mixers

200mm projection



36 860 710

Showers

Shower sets



26 413 710 +
28 012 979



26 413 979 +
28 018 979



34 460 979 +
28 018 979
34 459 979

Shower pipes with shower thermostat

Head showers with multiple jet types



28 508 710

Rain showers with wall connection



28 786 710
28 784 710

Rain showers with ceiling connection



28 796 710
28 766 710

Rain showers for ceiling connection



28 041 980



28 042 980



28 043 980



28 044 980

Rain showers for ceiling installation

Hand shower sets with individual rosettes



27 808 710

Massage modules

WATER POINTS



36 525 979
36 515 979

Massage modules

WATER BAR



36 527 979
36 517 979

WATER CURVE



36 514 979

WATER FAN



36 513 979
36 512 979

Waterfalls

WATER SHEET



13 415 979

WATER FALL



13 420 979

WATER FALL



13 425 979

Kneipp modules

WATER TUBE



27 823 979 +
28 285 979
27 843 979

Bath fittings

Single-lever mixers



36 122 710



36 122 710

Free-standing bath fittings

215mm projection



25 863 710

Wall-mounted mixers for wall mounting

190mm projection



33 200 710

Three-hole single-lever bath mixers

215mm projection



27 412 710

Bath shower sets

215mm projection



27 512 710

Bath spouts

200mm projection



13 801 710

Miscellaneous

26mm projection



36 243 970

integrated bath filling

26mm projection



36 247 970

33 500 710

**Single-lever basin mixer with pop-up waste**

- 155mm projection
- 1 1/4" pop-up waste
- fixed spout
- circular, air-enriched flow
- height of mixer 113 mm
- height up to aerator 90 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2x European pressure hose
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.**Custom-made options**

- Finish variants
- Red/blue marking
- without logo

Standard article	33 500 710 FF	FF	Euro
Chrome		-00	982.50
Brushed Platinum		-06	1,572.00

Product alternative

- without pop-up waste

Standard article	33 521 710 FF	FF	Euro
Chrome		-00	933.30
Brushed Platinum		-06	1,493.50

20 713 710

**Three-hole basin mixer with pop-up waste**

- 155mm projection
- fixed spout
- 1 1/4" pop-up waste
- circular, air-enriched flow
- height of mixer 114 mm
- height up to aerator 90 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette 47 x 55 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.**Custom-made options**

- Finish variants
- Red/blue marking
- without logo
- without pop-up waste

Standard article	20 713 710 FF	FF	Euro
Chrome		-00	1,341.80
Brushed Platinum		-06	2,147.10



Recommended miscellaneous

High pressure hoses

	12 506 970 FF	FF	Euro
• 2x 3/8" x 1/2" x 500mm high pressure hose		90	90.70

Accessories

36 860 710

**Wall-mounted single-lever basin mixer without pop-up waste**

- 200mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette 78 x 78 mm
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 860 710 FF	FF	Euro
Chrome		-00	922.00
Brushed Platinum		-06	1,475.40



Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
• min. recess depth 80 mm		90	224.60

Concealed rough parts

- max. recess depth 95 mm
 - mixer can be placed above, to the left or to the right of the spout.
- For details and miscellaneous, see page 640

Miscellaneous

22 901 979

**Angle valve**

- rosette Ø 55 mm
- hose covering 200mm, for shortening

Custom-made options

- Finish variants
- without logo

Standard article	22 901 979 FF	FF	Euro
Chrome		-00	188.60
Brushed Platinum		-06	301.70

10 060 970



Siphon for basin

- rosette Ø 70 mm

Custom-made options

- Finish variants

Standard article	10 060 970 FF	FF	Euro
Chrome		-00	338.60
Brushed Platinum		-06	541.90

27 701 970

**Bidet spray**

- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2" shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options

- Finish variants
- without logo

Standard article	27 701 970	FF	Euro
Chrome		-00	323.10
Brushed Platinum		-06	516.80



Recommended miscellaneous

Concealed wall elbow	35 085 970	FF	Euro
	Concealed rough parts	90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

27 701 670

**Bidet spray**

- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2" shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options

- Finish variants
- without logo

Standard article	27 701 670	FF	Euro
Chrome		-00	323.10
Brushed Platinum		-06	516.80



Recommended miscellaneous

Concealed wall elbow	35 085 970	FF	Euro
	Concealed rough parts	90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

26 413 710 +
28 012 979

Shower set

- slide bar
- Pipe diameter 18 mm
- Four settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, COMPACT CASCADE, max. flow rate 15 l/min (at 3 bar)
- rosette 78 x 55 mm
- gauge 800 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- spray head Ø 120mm

Fits LULU

NOTE: Hand shower sold separately. Please see hand shower options under the miscellaneous articles section of each series.

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Set	1x 26 413 710 FF		1x 28 012 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	702.00	-00	236.10	938.10
Brushed Platinum	-06	1,122.70	-06	377.70	1,500.40



Recommended miscellaneous

Wall elbow
28 450 710 FF FF Euro

For details and miscellaneous, see main items

 Chrome **-00** 172.60

 Brushed Platinum **-06** 275.80


Recommended miscellaneous

Concealed wall elbow
35 085 970 FF FF Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

 Concealed rough parts **90** 122.80

For details and miscellaneous, see page 645

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.


 1 jet
Ø 100 mm

 1 jet
Ø 130 mm

 5 jets
Ø 100 mm

 5 jets
Ø 130 mm


1 jet

28 015 979 FF
max. flow 15 l/min

28 017 979 FF
max. flow 15 l/min

28 018 979 FF
max. flow 15 l/min

28 016 979 FF
max. flow 15 l/min

28 029 979 FF
max. flow 15 l/min

Alternative hand shower

Alternative hand shower	28 015 979 FF		28 017 979 FF		28 018 979 FF		28 016 979 FF		28 029 979 FF	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	135.80	-00	195.80	-00	237.40
Brushed Platinum	-06	202.30	-06	291.10	-06	217.10	-06	313.60	-06	379.90

 26 413 979 +
28 018 979

Shower set

- slide bar
- Pipe diameter 18 mm
- gauge 853 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 7 l/min
- spray head Ø 100mm

Fits MEM, CL.1, IMO, META, TARA, VAIA, LULU, LISSÉ, CYO

NOTE: Hand shower sold separately. Please see hand shower options under the miscellaneous articles section of each series.

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Set	1x 26 413 979 FF		1x 28 018 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	420.30	-00	135.80	556.10
Brushed Platinum	-06	685.60	-06	217.10	902.70



Recommended miscellaneous

Wall elbow
28 450 980 FF FF Euro

For details and miscellaneous, see main items

 Chrome **-00** 165.10

 Brushed Platinum **-06** 264.40


Recommended miscellaneous

Concealed wall elbow
35 085 970 FF FF Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

 Concealed rough parts **90** 122.80

For details and miscellaneous, see page 645

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.


 1 jet
Ø 100 mm

 1 jet
Ø 130 mm

 4 jets
Ø 120 mm

 5 jets
Ø 130 mm


1 jet

28 015 979 FF
max. flow 15 l/min

28 017 979 FF
max. flow 15 l/min

28 012 979 FF
max. flow 15 l/min

28 016 979 FF
max. flow 15 l/min

28 029 979 FF
max. flow 15 l/min

Alternative hand shower

Alternative hand shower	28 015 979 FF		28 017 979 FF		28 012 979 FF		28 016 979 FF		28 029 979 FF	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	236.10	-00	195.80	-00	237.40
Brushed Platinum	-06	202.30	-06	291.10	-06	377.70	-06	313.60	-06	379.90

34 460 979 +
28 018 979



Showerpipe with shower thermostat

- shower with fixed riser projection 453mm
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower Ø 300 mm
- rain shower with anti-scale system
- Hand shower: Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- spray head Ø 100mm
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 1009mm
- height of fittings up to top edge of elbow 1150mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.

Fits IMO, META, TARA, VAIA, LISSÉ, LULU

Custom-made options

- Finish variants
- Flow rate modification
- Height modification
- Red/blue marking
- without logo

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.

Set	1x 34 460 979 FF max. flow 14 l/min		1x 28 018 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	2,734.90	-00	135.80	2,870.70
Brushed Platinum	-06	4,375.70	-06	217.10	4,592.80

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- rain shower Ø 220 mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Standard article	34 459 979 FF	FF	Euro
Chrome		-00	2,596.40
Brushed Platinum		-06	4,061.00

Alternative hand shower	28 015 979 FF max. flow 15 l/min		28 017 979 FF max. flow 15 l/min		28 012 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	236.10	-00	195.80	-00	237.40
Brushed Platinum	-06	202.30	-06	291.10	-06	377.70	-06	313.60	-06	379.90



28 508 710



Shower head

- 200mm projection
- ball-joint pivotable through 30°
- Three settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- spray head Ø 92mm
- rosette 78 x 55 mm
- 1/2" connection
- Function from: 7 l/min

Fits LULU

Custom-made options

- Finish variants

Standard article	28 508 710 FF	FF	Euro
Chrome		-00	657.80
Brushed Platinum		-06	1,052.70

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 508 710 FF	FF	Euro
Chrome		-000010	657.80
Brushed Platinum		-060010	1,052.70



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
Concealed rough parts		90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

28 786 710

Rain shower with wall fixing 300 x 240 mm

- 450mm projection
- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- rosette 78 x 60 mm
- 1/2" connection
- with anti-scale system
- quick clearing

Fits LULU
Custom-made options

- Finish variants
- Projection modification
- without logo

Standard article	28 786 710 FF	FF	Euro
Chrome		-00	1,477.50
Brushed Platinum		-06	2,364.30

Product alternative

- FlowReduce
- Max. flow rate 12 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 784 710 FF	FF	Euro
Chrome		-00	1,477.50
Brushed Platinum		-06	2,364.10



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 796 710

Rain shower with ceiling fixing 300 x 240 mm

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- distance between ceiling and lower edge of the shower 165mm
- rosette 78 x 55, as required
- 1/2" connection
- with anti-scale system
- quick clearing

Fits LULU
Custom-made options

- Finish variants
- Length modification
- without logo

Standard article	28 796 710 FF	FF	Euro
Chrome		-00	1,256.10
Brushed Platinum		-06	2,009.80

Product alternative

- FlowReduce
- max. flow 12 l/min
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 766 710 FF	FF	Euro
Chrome		-00	1,256.10
Brushed Platinum		-06	2,009.80



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 041 980

Rain shower for surface-mounted ceiling installation 300 x 240 mm

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- For simultaneous control of the jet types, we recommend the xTool thermostat module
- Not suitable for use in a steam room.

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	28 041 980 FF	FF	Euro
Chrome		-00	746.90
Brushed Platinum		-06	1,195.10

Required miscellaneous


Concealed ceiling installation box with ceiling fixing

Standard article	35 041 970 FF	FF	Euro
Concealed ceiling installation box with ceiling fixing			

- concealed rough parts
 - min. recess depth 90 mm
 - max. recess depth 115 mm
 - 2x female thread 1/2" outlet
- Concealed rough parts **90** 497.90
- For details and miscellaneous, see page 648

28 042 980



Rain shower for surface-mounted ceiling installation with light 300 x 240 mm

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- **Ceiling module power supply**
- 350mA (CC)
- **Spot lighting**
- LED colour temperature approx. 3000 K
- Bulbs protected against splashing water
- Contains energy efficiency class bulbs
- Technology: LED, not dimmable
- Provided by customer: Light switch
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 042 980 FF	FF	Euro
Chrome		-00	1,122.20
Brushed Platinum		-06	1,795.50

Required miscellaneous



Concealed ceiling installation box for surface-mounted ceiling installation with light

	35 042 970 FF	FF	Euro
Concealed rough parts		90	748.00

- concealed rough parts
- min. recess depth 90 mm
- max. recess depth 115 mm
- 2x female thread 1/2" connections
- Input 100-240V AC 50-60Hz
- Output 350 mA SELV / Class 2
- Provided by customer: Light switch

For details and miscellaneous, see page 648

28 043 980



Rain shower for recessed ceiling installation 300 x 240 mm

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- min. recess depth 137 mm
- with anti-scale system
- For simultaneous control of the jet types, we recommend the xTool thermostat module
- Not suitable for use in a steam room.

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 043 980 FF	FF	Euro
Chrome		-00	1,497.40
Brushed Platinum		-06	2,395.80

Required miscellaneous



Concealed ceiling installation box for recessed ceiling installation

	35 043 970 FF	FF	Euro
Concealed rough parts		90	998.30

- concealed rough parts
- recess depth 137mm
- 2x female thread 1/2" outlet
- flush-mounted RAL 9003 signal white light reflection box 310 x 250 mm

For details and miscellaneous, see page 647

28 044 980



Rain shower for recessed ceiling installation with light 300 x 240 mm

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- min. recess depth 137 mm
- with anti-scale system
- **Ceiling module power supply**
- 12V DC (CV)
- **Spot lighting**
- LED coloured light RGBW
- Bulbs protected against splashing water
- **Ambient lighting**
- **Activation**
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

includes light bulbs with a Class G energy efficiency

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 044 980 FF	FF	Euro
Chrome		-00	2,248.00
Brushed Platinum		-06	3,596.80

Required miscellaneous



Concealed ceiling installation box for recessed ceiling installation with light

	35 044 970 FF	FF	Euro
Concealed rough parts		90	1,498.70

- concealed rough parts
- flush-mounted installation box 360x 300 mm RAL 9003 signal white
- recess depth 137mm
- Input 100-240V AC 50-60Hz
- Output 12V DC SELV / Class 2
- ZigBee Light Link RGBW controller

For details and miscellaneous, see page 648

27 808 710


Hand shower set with individual rosettes

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 78 x 55mm
- rosette for shower holder 78 x 55mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow

Intrinsic protection against back flow.
Fits LULU
Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 808 710 FF	FF	Euro
Chrome		-00	687.00
Brushed Platinum		-06	1,099.30

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 808 710 FF	FF	Euro
Chrome		-000010	687.00
Brushed Platinum		-060010	1,099.30



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

36 525 979


WATER POINTS Concealed body spray

- HORIZONTAL RAIN, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- cover plate 120 x 120 mm

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	36 525 979 FF	FF	Euro
Chrome		-00	549.80
Brushed Platinum		-06	879.60

Product alternative

- FlowReduce
- Max. flow rate 6 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 515 979 FF	FF	Euro
Chrome		-00	549.80
Brushed Platinum		-06	879.20



Required miscellaneous

Standard article	35 205 970 FF	FF	Euro
Concealed wall installation box			

- min. recess depth 85 mm
 - max. recess depth 110 mm
- Concealed rough parts **90** 223.00
- For details and miscellaneous, see page 645



Required miscellaneous

Standard article	12 360 970 FF	FF	Euro
xGRID Installation track 555 mm			

- For details and miscellaneous, see page 655
- Concealed rough parts **90** 112.20

36 527 979


WATER BAR Concealed body spray

- HORIZONTAL RAIN, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- cover plate 240 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	36 527 979 FF	FF	Euro
Chrome		-00	849.00
Brushed Platinum		-06	1,358.50

Product alternative

- FlowReduce
- Max. flow rate 6 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 517 979 FF	FF	Euro
Chrome		-00	849.00
Brushed Platinum		-06	1,358.70



Required miscellaneous

Standard article	35 206 970 FF	FF	Euro
Concealed wall installation box			

- min. recess depth 100 mm
 - max. recess depth 173 mm
- Concealed rough parts **90** 301.70
- For details and miscellaneous, see page 645



Required miscellaneous

Standard article	12 360 970 FF	FF	Euro
xGRID Installation track 555 mm			

- For details and miscellaneous, see page 655
- Concealed rough parts **90** 112.20

36 514 979



WATER CURVE Concealed body spray

- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- cover plate 120 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	36 514 979 FF	FF	Euro
Chrome		-00	1,104.80
Brushed Platinum		-06	1,767.70



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
-----------------------------	----------------------	----	------

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

36 513 979



WATER FAN vertical Concealed body spray

- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- cover plate 240 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	36 513 979 FF	FF	Euro
Chrome		-00	824.20
Brushed Platinum		-06	1,319.20

Product alternative

- horizontal water jet
- Max. flow rate 10 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 512 979 FF	FF	Euro
Chrome		-00	824.20
Brushed Platinum		-06	1,319.20

Required miscellaneous



Concealed wall installation box

35 206 970 FF	FF	Euro
----------------------	----	------

- min. recess depth 100 mm
 - max. recess depth 173 mm
- Concealed rough parts **90** 301.70
- For details and miscellaneous, see page 645

Required miscellaneous



xGRID Installation track 555 mm

12 360 970 FF	FF	Euro
----------------------	----	------

- Concealed rough parts **90** 112.20
- For details and miscellaneous, see page 655

13 415 979



WATER SHEET Cascade spout for wall mounting

- 150mm projection
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	13 415 979 FF	FF	Euro
Chrome		-00	1,137.90
Brushed Platinum		-06	1,820.60




Recommended miscellaneous

35 085 970 FF	FF	Euro
----------------------	----	------

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

13 420 979



WATER FALL Cascade spout for wall mounting

- 120mm projection
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	13 420 979 FF	FF	Euro
Chrome		-00	1,625.60
Brushed Platinum		-06	2,601.50



Recommended miscellaneous

35 085 970 FF	FF	Euro
----------------------	----	------

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

13 425 979



WATER FALL Cascade spout with individual jets for wall mounting

- 22mm projection
- PEARLSTREAM
- plate 240 mm x 60 mm
- connection 1/2", for shortening
- plug-link mounting
- Max. flow rate 9.5 l/min (at 3 bar)

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	13 425 979 FF	FF	Euro
Chrome		-00	1,208.00
Brushed Platinum		-06	1,932.80



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
• min. recess depth 90 mm			
• max. recess depth 163 mm		Concealed rough parts	90 122.80

For details and miscellaneous, see page 645

27 823 979 +
28 285 979



WATER TUBE Kneipp wall elbow with hose holder with individual rosettes

- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- with volume control
- rosettes Ø 60 mm
- holder for Kneipp hose
- 1/2" wall elbow

Intrinsic protection against back flow.

Fits META, TARA, VAIA, LISSÉ

Custom-made options

- Finish variants
- without logo

Set	1x 27 823 979 FF max. flow 15 l/min		1x 28 285 979 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	589.50	-00	104.90	694.40
Brushed Platinum	-06	943.20	-06	167.80	1,111.00

Product alternative

- FlowReduce
- Max. flow rate 9 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 843 979 FF	FF	Euro
Chrome		-00	589.50
Brushed Platinum		-06	943.30



Recommended miscellaneous

WATER TUBE Kneipp hose black 2000 mm	28 286 979 FF	FF	Euro
• hose nozzle with sleeve M33			
• with holding ring		Chrome	-00 104.90
		Brushed Platinum	-06 167.80



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
• min. recess depth 90 mm			
• max. recess depth 163 mm		Concealed rough parts	90 122.80

For details and miscellaneous, see page 645

28 450 710



Wall elbow

- 3/8" shower outlet
- rosette 78 x 55 mm
- 1/2" connection

Intrinsic protection against back flow.

Fits LULU

Custom-made options

- Finish variants
- without logo

Standard article	28 450 710 FF	FF	Euro
Chrome		-00	172.60
Brushed Platinum		-06	275.80



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
• min. recess depth 90 mm			
• max. recess depth 163 mm		Concealed rough parts	90 122.80

For details and miscellaneous, see page 645

28 060 970



Wall bracket swivel

- pivotable 75°

Custom-made options

- Finish variants

Standard article	28 060 970 FF	FF	Euro
Chrome		-00	197.80
Brushed Platinum		-06	316.60

12 570 970

**Slide unit**

- for pipe diameter 23.5 mm

Custom-made options

- Finish variants

Standard article	12 570 970	FF	Euro
Chrome		-00	137.00
Brushed Platinum		-06	219.50

12 580 970

**Slide unit**

- for pipe diameter 18 mm

Custom-made options

- Finish variants

Standard article	12 580 970	FF	Euro
Chrome		-00	137.00
Brushed Platinum		-06	219.50

34 442 979


Shower thermostat for wall mounting

- 3/8" shower outlet
- slide-on rosettes Ø 70 mm
- 1/2" connection
- gauge 150 mm - 13 mm
- with volume control

Intrinsic protection against back flow.
For combination with slide bar set
Fits MEM, IMO, META, TARA, VAIA, LULU, LISSÉ
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	34 442 979 FF	FF	Euro
Chrome		-00	701.50
Brushed Platinum		-06	1,122.20

36 122 710


Concealed single-lever mixer with diverter

- automatic diverter
- cover plate 150 x 90 mm

Fits LULU
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 122 710 FF	FF	Euro
Chrome		-00	903.90
Brushed Platinum		-06	1,446.50



Required miscellaneous

Concealed single-lever mixer
35 020 970 FF FF Euro

- min. recess depth 80 mm
 - max. recess depth 105 mm
- Concealed rough parts **90** 236.90
- For details and miscellaneous, see page 641



Required miscellaneous

Concealed single-lever mixer with backflow preventor
35 021 970 FF FF Euro

- min. recess depth 80 mm
 - max. recess depth 105 mm
- Concealed rough parts **90** 338.50
- For details and miscellaneous, see page 641

36 425 710


Concealed thermostat with one function volume control

- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits LULU
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 425 710 FF	FF	Euro
Chrome		-00	845.70
Brushed Platinum		-06	1,353.20



Required miscellaneous

Concealed thermostat
35 425 970 FF FF Euro

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts **90** 435.80
- For details and miscellaneous, see page 641



Required miscellaneous

Concealed thermostat with built-in isolators
35 426 970 FF FF Euro

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts **90** 457.70
- For details and miscellaneous, see page 641

36 426 710


Concealed thermostat with two function volume control

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits LULU
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 426 710 FF	FF	Euro
Chrome		-00	1,000.70
Brushed Platinum		-06	1,601.20



Required miscellaneous

Concealed thermostat
35 425 970 FF FF Euro

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts **90** 435.80
- For details and miscellaneous, see page 641



Required miscellaneous

Concealed thermostat with built-in isolators
35 426 970 FF FF Euro

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts **90** 457.70
- For details and miscellaneous, see page 641

36 427 710



Concealed thermostat with three function volume control

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits LULU

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 427 710	FF	FF	Euro
Chrome		-00		1,038.40
Brushed Platinum		-06		1,661.40



Required miscellaneous

Concealed thermostat **35 427 970** FF | FF Euro

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts **90** 456.60
- For details and miscellaneous, see page 642



Required miscellaneous

Concealed thermostat with built-in isolators **35 428 970** FF | FF Euro

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts **90** 479.00
- For details and miscellaneous, see page 642

36 501 710 +
36 607 710



xTOOL Thermostat module with 1 valve

- cover plate 120 x 120 mm
- rosette 78 x 55 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

Fits LULU

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 501 710 FF		1x 36 607 710 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,307.50	-00	262.10	1,569.60
Brushed Platinum	-06	2,091.40	-06	419.00	2,510.40



Required miscellaneous

xTOOL Concealed thermostat module with 1 valve **35 511 970** FF | FF Euro

- min. recess depth 85 mm
 - max. recess depth 110 mm
- Concealed rough parts **90** 708.30
- For details and miscellaneous, see page 642



Required miscellaneous

xGRID Installation track 555 mm **12 360 970** FF | FF Euro

- For details and miscellaneous, see page 655
- Concealed rough parts **90** 112.20



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction **12 340 970** FF | FF Euro

- For details and miscellaneous, see page 655
- Concealed rough parts **90** 113.00

36 503 710 +
 2x **36 607 710**

xTOOL Thermostat module with 2 valves

- cover plate 120 x 120 mm
- rosette 78 x 55 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

Fits LULU
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 503 710 FF		2x 36 607 710 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,307.50	-00	262.10	1,831.70
Brushed Platinum	-06	2,091.40	-06	419.00	2,929.40



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves
35 521 970 FF | FF | Euro

- min. recess depth 85 mm
 - max. recess depth 110 mm
- For details and miscellaneous, see page 643

 Concealed rough parts **90** | 1,180.70


Required miscellaneous

xTOOL Concealed thermostat module with 2 valves
35 524 970 FF | FF | Euro

- min. recess depth 85 mm
 - max. recess depth 110 mm
- For details and miscellaneous, see page 643

 Concealed rough parts **90** | 1,167.70


Required miscellaneous

xGRID Installation track 555 mm
12 360 970 FF | FF | Euro

For details and miscellaneous, see page 655

 Concealed rough parts **90** | 112.20


Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction
12 340 970 FF | FF | Euro

For details and miscellaneous, see page 655

 Concealed rough parts **90** | 113.00

36 503 710 +
 3x **36 607 710**

xTOOL Thermostat module with 3 valves

- cover plate 120 x 120 mm
- rosette 78 x 55 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

Fits LULU
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 503 710 FF		3x 36 607 710 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,307.50	-00	262.10	2,093.80
Brushed Platinum	-06	2,091.40	-06	419.00	3,348.40



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves
35 531 970 FF | FF | Euro

- min. recess depth 85 mm
 - max. recess depth 110 mm
- For details and miscellaneous, see page 643

 Concealed rough parts **90** | 1,268.90


Required miscellaneous

xTOOL Concealed thermostat module with 3 valves
35 534 970 FF | FF | Euro

- min. recess depth 85 mm
 - max. recess depth 110 mm
- For details and miscellaneous, see page 643

 Concealed rough parts **90** | 1,374.60


Required miscellaneous

xGRID Installation track 555 mm
12 360 970 FF | FF | Euro

For details and miscellaneous, see page 655

 Concealed rough parts **90** | 112.20


Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction
12 340 970 FF | FF | Euro

For details and miscellaneous, see page 655

 Concealed rough parts **90** | 113.00

36 501 710

**xTOOL Concealed thermostat without volume control 1/2"**

- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

Fits LULU**Custom-made options**

- Finish variants
- Red/blue marking
- without logo

Standard article	36 501 710 FF	FF	Euro
Chrome		-00	1,307.50
Brushed Platinum		-06	2,091.40

Product alternative

- 3/4" thermostat cartridge with integrated filters

Standard article	36 503 710 FF	FF	Euro
Chrome		-00	1,307.50
Brushed Platinum		-06	2,091.40



Required miscellaneous

xTOOL Concealed thermostat module without volume control**35 503 970** FF FF Euro

- min. recess depth 85 mm
 - max. recess depth 110 mm
- For details and miscellaneous, see page 642

Concealed rough parts **90** 864.70

Required miscellaneous

xGRID Installation track 555 mm**12 360 970** FF FF Euro

- For details and miscellaneous, see page 655
- Concealed rough parts **90** 112.20

36 607 710

**Wall valve clockwise closing 1/2"**

- rosette 78 x 55 mm
- head part with cut-to-length spindle and sleeve

Fits LULU**Custom-made options**

- Finish variants
- without logo

Standard article	36 607 710 FF	FF	Euro
Chrome		-00	262.10
Brushed Platinum		-06	419.00



Required miscellaneous

Wall valve 1/2"**35 607 970** FF FF Euro

- min. recess depth 75 mm
 - max. recess depth 145 mm
- For details and miscellaneous, see page 644

Concealed rough parts **90** 90.90

36 608 710

**Wall valve clockwise closing 3/4"**

- rosette 78 x 55 mm
- head part with cut-to-length spindle and sleeve

Fits LULU**Custom-made options**

- Finish variants
- without logo

Standard article	36 608 710 FF	FF	Euro
Chrome		-00	262.10
Brushed Platinum		-06	419.00



Required miscellaneous

Wall valve 3/4"**35 608 970** FF FF Euro

- min. recess depth 75 mm
 - max. recess depth 145 mm
- For details and miscellaneous, see page 644

Concealed rough parts **90** 119.20

36 200 710

**Concealed two-way diverter**

- rotary diverter
- rosette 60 x 78 mm

Fits LULU**Custom-made options**

- Finish variants
- without logo

Standard article	36 200 710 FF	FF	Euro
Chrome		-00	621.20
Brushed Platinum		-06	994.00



Required miscellaneous

Concealed two-way diverter**35 202 970** FF FF Euro

- min. recess depth 85 mm
 - max. recess depth 155 mm
- For details and miscellaneous, see page 644

Concealed rough parts **90** 295.90

36 210 710



Concealed three-way diverter

- rotary diverter
- rosette 60 x 78 mm

Fits LULU

Custom-made options

- Finish variants
- without logo

Standard article	36 210 710	FF	FF	Euro
Chrome			-00	621.20
Brushed Platinum			-06	994.00



Required miscellaneous

Concealed three-way diverter

	35 203 970	FF	FF	Euro
• min. recess depth 85 mm			90	360.40
• max. recess depth 155 mm				
Concealed rough parts				

For details and miscellaneous, see page 644

25 863 710



Single-lever bath mixer with stand pipe for free-standing assembly with hand shower set

- spout: circular, air-enriched flow
- max. flow 26.4 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- bar-type hand shower with anti-scale system
- wall bracket
- automatic bath/shower diverter
- **215mm projection**
- total height 932 - 1002 mm
- stand pipe height 598 - 668 mm
- height up to aerator 825 - 895 mm
- push-on rosette 131 x 131 mm
- metal shower hose 1250mm with integrated anti-twist protection

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Flow rate modification
- Height modification
- Red/blue marking
- without hand shower
- without logo

Standard article	25 863 710 FF	FF	Euro
Chrome		-00	4,858.80
Brushed Platinum		-06	7,774.00



Required miscellaneous

Concealed floor mounting

	35 945 970 FF	FF	Euro
• min. recess depth 80 mm			
• max. recess depth 150 mm			
Concealed rough parts		90	840.10

For details and miscellaneous, see page 644

33 200 710



Single-lever bath mixer for wall mounting without shower set

- **190mm projection**
- circular normal flow
- automatic bath/shower diverter
- 3/8" shower outlet
- 1/2" connection
- gauge 150 mm - 10 mm
- max. flow 17.8 l/min at 3 bar flow pressure

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	33 200 710 FF	FF	Euro
Chrome		-00	1,192.50
Brushed Platinum		-06	1,908.20

27 412 710



Three-hole single-lever bath mixer for bath rim or tile edge installation

- spout: circular, air-enriched flow
- max. flow 26.4 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- height of mixer 110 mm
- height up to aerator 84 mm
- **215mm projection**
- hole diameter spout 32 mm
- hole diameter single-lever mixer 35 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout 63 x 63mm
- rosette for complete hand shower set 63 x 63mm
- rosette for single-lever mixer 52 x 52mm
- metal shower hose 1750mm with integrated anti-twist protection

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Red/blue marking
- without hand shower
- without logo

Standard article	27 412 710 FF	FF	Euro
Chrome		-00	2,221.90
Brushed Platinum		-06	3,555.10



Recommended miscellaneous

Perfecto installation kit

	12 614 970 FF	FF	Euro
For details and miscellaneous, see page 646			
Concealed rough parts		90	1,794.10

Recommended miscellaneous

Decorative caps for Perfecto

	12 801 970 FF	FF	Euro
• 1 pair			
Chrome		-00	55.50
Brushed Platinum		-06	89.00

27 512 710


Bath shower set for bath rim or tile edge installation

- spout: circular, air-enriched flow
- max. flow 23.5 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- **215mm projection**
- automatic bath/shower diverter
- height of mixer 110 mm
- height up to aerator 84 mm
- hole diameter valve 32 mm
- hole diameter spout 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout 63 x 63mm
- rosette for complete hand shower set 63 x 63mm
- rosette for deck valve 63 x 63mm
- metal shower hose 1750mm with integrated anti-twist protection

Intrinsic protection against back flow.

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Custom-made options

- Finish variants
- Red/blue marking
- without hand shower
- without logo

Standard article	27 512 710 FF	FF	Euro
Chrome		-00	2,221.10
Brushed Platinum		-06	3,553.90



Recommended miscellaneous

Perfecto installation kit	12 614 970 FF	FF	Euro
For details and miscellaneous, see page 646	Concealed rough parts	90	1,794.10

Recommended miscellaneous

Decorative caps for Perfecto	12 801 970 FF	FF	Euro
• 1 pair	Chrome	-00	55.50
	Brushed Platinum	-06	89.00

13 801 710


Bath spout for wall mounting

- **200mm projection**
- circular normal flow
- hole diameter 37 mm
- 1/2" connection
- plug-link mounting
- max. flow 23.5 l/min at 3 bar flow pressure

Custom-made options

- Finish variants
- without logo

Standard article	13 801 710 FF	FF	Euro
Chrome		-00	646.10
Brushed Platinum		-06	1,033.50



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
• min. recess depth 90 mm	Concealed rough parts	90	122.80
• max. recess depth 163 mm			

For details and miscellaneous, see page 645

36 122 710


Concealed single-lever mixer with diverter

- automatic diverter
- cover plate 150 x 90 mm

Fits LULU
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 122 710 FF	FF	Euro
Chrome		-00	903.90
Brushed Platinum		-06	1,446.50



Required miscellaneous

Concealed single-lever mixer	35 020 970 FF	FF	Euro
• min. recess depth 80 mm	Concealed rough parts	90	236.90
• max. recess depth 105 mm			

For details and miscellaneous, see page 641



Required miscellaneous

Concealed single-lever mixer with backflow preventor	35 021 970 FF	FF	Euro
• min. recess depth 80 mm	Concealed rough parts	90	338.50
• max. recess depth 105 mm			

For details and miscellaneous, see page 641

36 243 970


Pop-up waste and overflow

- drain Ø 52mm

Also suitable for king-size baths.
Custom-made options

- Finish variants
- without logo

Standard article	36 243 970 FF	FF	Euro
Chrome		-00	221.00
Brushed Platinum		-06	353.90



Required miscellaneous

Pop-up waste and overflow	35 227 970 FF	FF	Euro
• bowden cable length 725 mm	Concealed rough parts	90	179.20

36 247 970



Bath spout with pop-up waste and overflow

- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

Custom-made options

- Finish variants
- without logo

Standard article	36 247 970	FF	FF	Euro
Chrome			-00	334.40
Brushed Platinum			-06	535.10



Required miscellaneous

Bath spout with pop-up waste and overflow

	35 248 970	FF	FF	Euro
• bowden cable length 725 mm			90	493.60
	Concealed rough parts			



Required miscellaneous

Vacuum breaker

	36 150 970	FF	FF	Euro
			Chrome	-00 91.70
			Brushed Platinum	-06 146.70

83 030 976

Bath grip

- gauge 278 mm
- width 320mm
- Height: 35 mm
- 89mm projection

Standard article	83 030 976 FF	FF	Euro
Chrome		-00	233.20
Brushed Platinum		-06	373.10

83 060 976

Towel bar

- gauge 558 mm
- width 600mm
- Height: 35 mm
- 89mm projection

Standard article	83 060 976 FF	FF	Euro
Chrome		-00	259.10
Brushed Platinum		-06	414.70

Recommended miscellaneous


Attachment set for towel bar/tumbler mounting on one side with cover

	11 001 976 FF	FF	Euro
Chrome		-00	65.90
Brushed Platinum		-06	105.50

83 080 976

Towel bar

- gauge 758 mm
- width 800mm
- Height: 35 mm
- 89mm projection

Standard article	83 080 976 FF	FF	Euro
Chrome		-00	308.50
Brushed Platinum		-06	493.60

Recommended miscellaneous


Attachment set for towel bar/tumbler mounting on one side with cover

	11 001 976 FF	FF	Euro
Chrome		-00	65.90
Brushed Platinum		-06	105.50

83 215 976

Towel bar

- gauge 358 mm
- width 35mm
- Height: 400 mm
- 89mm projection
- Holds up to 6 guest towels

Standard article	83 215 976 FF	FF	Euro
Chrome		-00	302.60
Brushed Platinum		-06	484.20

83 211 976

Towel bar 1-piece non-swivel

- width 32mm
- Height: 80 mm
- 453mm projection

Standard article	83 211 976 FF	FF	Euro
Chrome		-00	220.20
Brushed Platinum		-06	352.40

83 210 976

Towel bar in two parts non-swivel

- width 55mm
- Height: 32 mm
- 450mm projection

Standard article	83 210 976 FF	FF	Euro
Chrome		-00	275.40
Brushed Platinum		-06	440.60

83 200 976

Towel ring

- width 220mm
- Height: 130 mm
- 66mm projection

Standard article	83 200 976 FF	FF	Euro
Chrome		-00	241.80
Brushed Platinum		-06	387.00

83 250 976

**Hooks**

- width 32mm
- Height: 73 mm
- 43mm projection

Standard article	83 250 976 FF	FF	Euro
Chrome		-00	48.40
Brushed Platinum		-06	77.50

83 256 976

**Hooks in two parts**

- width 126mm
- Height: 47 mm
- 49mm projection

Standard article	83 256 976 FF	FF	Euro
Chrome		-00	82.60
Brushed Platinum		-06	132.10

83 400 976

**Tumbler holder**

- gauge 90 mm
- width 140mm
- Height: 152 mm
- 103mm projection
- crystal glass brush holder, matte

Standard article	83 400 976 FF	FF	Euro
Chrome		-00	220.20
Brushed Platinum		-06	352.40

83 410 976

**Soap dish**

- gauge 90 mm
- width 140mm
- Height: 95 mm
- 103mm projection
- crystal glass brush holder, matte

Standard article	83 410 976 FF	FF	Euro
Chrome		-00	220.30
Brushed Platinum		-06	352.50

83 433 976

**Shelf**

- width 300mm
- 121mm projection

Standard article	83 433 976 FF	FF	Euro
Chrome		-00	400.80
Brushed Platinum		-06	641.30

83 430 976

**Lotion dispenser**

- gauge 90 mm
- width 140mm
- Height: 130 mm
- 103mm projection
- Crystal glass container, frosted

Standard article	83 430 976 FF	FF	Euro
Chrome		-00	253.50
Brushed Platinum		-06	405.60

83 500 976

**Tissue holder**

- gauge 61 mm
- width 155mm
- Height: 37 mm
- 89mm projection

Standard article	83 500 976 FF	FF	Euro
Chrome		-00	185.10
Brushed Platinum		-06	296.10

83 515 976

**Tissue holder with shelf**

- gauge 90 mm
- width 145mm
- Height: 73 mm
- 103mm projection

Standard article	83 515 976 FF	FF	Euro
Chrome		-00	275.60
Brushed Platinum		-06	441.00

83 525 976

**Tissue holder**

- gauge 230 mm
- width 285mm
- Height: 51 mm
- 103mm projection

Standard article	83 525 976 FF	FF	Euro
Chrome		-00	430.00
Brushed Platinum		-06	688.00

83 590 976


Reserve tissue holder

- gauge 61 mm
- width 90mm
- Height: 155 mm
- 132mm projection

Standard article	83 590 976 FF	FF	Euro
Chrome		-00	187.30
Brushed Platinum		-06	299.60

83 900 976


Toilet brush set

- gauge 61 mm
- width 100mm
- Height: 451 mm
- 136mm projection

Standard article	83 900 976 FF	FF	Euro
Chrome		-00	264.40
Brushed Platinum		-06	423.00

12 660 979


Cover plate for the concealed WC cistern made by TeCe

- **Not available in the United States and Canada due to local code requirements. Please contact us for more information.**

- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)

This product is compatible with the following TECE products:

- TECEprofil dry wall construction, article numbers: 9300300, 9300322, 9300301, 9300344, 9300309, 9300303, 9300388, 9300366, 9300102, 9300103, 9300329, 9300377, 9300378, 9400302, 9400303, 9400304, 9041335, 9041336, 9041337
- TECEbox wet wall construction, article numbers: 9370300, 9375300, 9371300

Custom-made options

- Finish variants
- without logo

Standard article	12 660 979 FF	FF	Euro
Chrome		-00	852.30
Brushed Platinum		-06	1,364.00

12 665 979


Flush plate for concealed WC cisterns made by Geberit round

- cover plate 169 x 246 x 12 mm
- Mechanical flush plate with manual flush buttons
- For 2-volume flushing system
- Includes mounting frame, actuator rods and fastening material
- Sound-absorbing push rods, tool-free fast adjustment
- **Compatible with all Geberit Sigma series cisterns from 2001 onwards**

Custom-made options

- Finish variants
- without logo

Standard article	12 665 979 FF	FF	Euro
Chrome		-00	485.30
Brushed Platinum		-06	776.50

83 150 979

NEW
Lighted mirror round


- Wall mounting
- Diameter: 600 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material

Standard article	83 150 979 FF	FF	Euro
Matte White		-10	1,767.00
Matte Black		-33	1,767.00

83 151 979

NEW

Lighted mirror round

- Wall mounting
- Diameter: 750 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material



Standard article	83 151 979 FF	FF	Euro
Matte White		-10	2,065.00
Matte Black		-33	2,065.00

83 150 980

NEW

Lighted mirror angular

- Wall mounting
- height 800 mm
- width 400mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material



Standard article	83 150 980 FF	FF	Euro
Matte White		-10	1,652.00
Matte Black		-33	1,652.00

83 151 980

NEW

Lighted mirror angular

- Wall mounting
- height 1000 mm
- width 600mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material



Standard article	83 151 980 FF	FF	Euro
Matte White		-10	1,951.00
Matte Black		-33	1,951.00

36 390 979

NEW

Electronic control elements for heated towel rail

- rosette Ø 80 mm
- Control element for towel warmer: 833XX979-FF
- Degree of protection IP 44, CE marking



Note: Different conditioning.

Standard article	36 390 979 FF	FF	Euro
Chrome		-00	500.00

83 304 979

NEW

Towel warmer, 4-fold, projection left, without control element

- gauge 120 mm
- width 610mm
- height 440 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC



Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	83 304 979 FF	FF	Euro
Chrome		-00	1,760.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, without control element



- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 651

Concealed rough parts	35 311 970 FF	FF	Euro
		90	750.00

83 306 979

NEW Towel warmer, 6-fold, projection left, without control element

- gauge 120 mm
- width 610mm
- height 680 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.



Standard article	83 306 979 FF	FF	Euro
Chrome		-00	2,640.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 6-fold, without control element

35 313 970 FF	FF	Euro
---------------	----	------

• min. recess depth 70 mm	Concealed rough parts	90	1,000.00
• max. recess depth 105 mm			

For details and miscellaneous, see page 652



83 314 979

NEW Towel warmer, 4-fold, projection right, without control element

- gauge 120 mm
- width 610mm
- height 440 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.



Standard article	83 314 979 FF	FF	Euro
Chrome		-00	1,760.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, without control element

35 311 970 FF	FF	Euro
---------------	----	------

• min. recess depth 70 mm	Concealed rough parts	90	750.00
• max. recess depth 105 mm			

For details and miscellaneous, see page 651



83 316 979

NEW Towel warmer, 6-fold, projection right, without control element

- gauge 120 mm
- width 610mm
- height 680 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.



Standard article	83 316 979 FF	FF	Euro
Chrome		-00	2,640.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 6-fold, without control element

35 313 970 FF	FF	Euro
---------------	----	------

• min. recess depth 70 mm	Concealed rough parts	90	1,000.00
• max. recess depth 105 mm			

For details and miscellaneous, see page 652



83 304 979 +
36 390 979

NEW Towel warmer, 4-fold, projection left, with control element

- gauge 120 mm
- width 610mm
- height 560 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.



Standard article	FF	Euro	FF	Euro	Total price:
1x 83 304 979 FF			1x 36 390 979 FF		
Chrome	-00	1,760.00	-00	500.00	2,260.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, with control element

35 312 970 FF	FF	Euro
---------------	----	------

• min. recess depth 70 mm	Concealed rough parts	90	850.00
• max. recess depth 105 mm			

For details and miscellaneous, see page 651



83 306 979 +
36 390 979

NEW Towel warmer, 6-fold, projection left, with control element

- gauge 120 mm
- width 610mm
- height 800 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.



	1x 83 306 979 FF		1x 36 390 979 FF		Total price:
Standard article	FF	Euro	FF	Euro	Euro
Chrome	-00	2,640.00	-00	500.00	3,140.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 6-fold, with control element

	35 314 970 FF		FF	Euro
			90	1,100.00
		Concealed rough parts		

• min. recess depth 70 mm
• max. recess depth 105 mm
For details and miscellaneous, see page 652



83 314 979 +
36 390 979

NEW Towel warmer, 4-fold, projection right, with control element

- gauge 120 mm
- width 610mm
- height 560 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.



	1x 83 314 979 FF		1x 36 390 979 FF		Total price:
Standard article	FF	Euro	FF	Euro	Euro
Chrome	-00	1,760.00	-00	500.00	2,260.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, with control element

	35 312 970 FF		FF	Euro
			90	850.00
		Concealed rough parts		

• min. recess depth 70 mm
• max. recess depth 105 mm
For details and miscellaneous, see page 651



83 316 979 +
36 390 979

NEW Towel warmer, 6-fold, projection right, with control element

- gauge 120 mm
- width 610mm
- height 800 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.



	1x 83 316 979 FF		1x 36 390 979 FF		Total price:
Standard article	FF	Euro	FF	Euro	Euro
Chrome	-00	2,640.00	-00	500.00	3,140.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 6-fold, with control element

	35 314 970 FF		FF	Euro
			90	1,100.00
		Concealed rough parts		

• min. recess depth 70 mm
• max. recess depth 105 mm
For details and miscellaneous, see page 652



MADISON



Basin
from page 244

Bidet
from page 246

Shower
from page 249

Thermostats, mixers, diverters
and valves
from page 259

Bath
from page 262

Accessories
from page 267

Basin fittings

Single-hole basin mixers

130mm projection



22 500 360

Three-hole basin mixers

135mm projection



20 700 360

135mm projection



20 700 370 +
2x 11 170 370

Wall-mounted basin mixers

190mm projection



36 712 361

Showers

Shower sets



26 413 370 +
28 002 970

Shower pipes with shower mixer



26 632 360 +
28 002 970
26 633 360

Shower pipes with shower thermostat



34 459 360 +
11 420 360 +
28 002 978
34 458 360

Head showers with multiple jet types



28 508 360

Rain showers with wall connection



28 545 977
28 544 977

Hand shower sets with individual rosettes



27 803 361

Massage modules

WATER POINTS



36 525 979
36 515 979

WATER BAR



36 527 979
36 517 979

WATER CURVE



36 514 979

WATER FAN



36 513 979
36 512 979

Waterfalls

WATER SHEET



13 415 979

WATER FALL



13 420 979

Waterfalls

WATER FALL



13 425 979

Kneipp modules

WATER TUBE



27 823 979 +
28 285 979
27 843 979

Bath fittings

Free-standing bath fittings

245mm projection



25 943 360

Bath shower sets

225mm projection



27 502 360

Miscellaneous

26mm projection



36 243 970

integrated bath filling

26mm projection



36 247 970

22 500 360



Single-hole basin mixer with pop-up waste

- 130mm projection
- 1 1/4" pop-up waste
- fixed spout
- circular, air-enriched flow
- height of mixer 100 mm
- height up to aerator 65 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 2x US pressure hose, 3/8"
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	22 500 360 FF	FF	Euro
Chrome		-00	982.70
Platinum		-08	1,572.70
Brushed Platinum		-06	1,572.70
Durabrand (23kt Gold)		-09	2,063.70
Brushed Durabrand (23kt Gold)		-28	2,063.70
Brushed Dark Brass		-39	1,572.40
Brushed Bronze		-42	1,572.40
Brushed Dark Platinum		-99	1,769.00

20 700 360



Three-hole basin mixer with pop-up waste

- 135mm projection
- 1 1/4" pop-up waste
- fixed spout
- circular, air-enriched flow
- height of mixer 72 mm
- height up to aerator 40 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- without rosette
- 2x 1/2" x 1/2" high pressure hose
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	20 700 360 FF	FF	Euro
Chrome		-00	1,561.80
Platinum		-08	2,499.10
Brushed Platinum		-06	2,499.10
Durabrand (23kt Gold)		-09	3,279.80
Brushed Durabrand (23kt Gold)		-28	3,279.80
Brushed Dark Brass		-39	2,498.90
Brushed Bronze		-42	2,498.90
Brushed Dark Platinum		-99	2,811.50



Recommended miscellaneous

High pressure hoses

20 700 360 FF	FF	Euro
12 506 970	90	90.70

- 2x 3/8" x 1/2" x 500mm high pressure hose

Accessories

20 700 370 +
2x 11 170 370



Three-hole basin mixer with pop-up waste

- 135mm projection
- 1 1/4" pop-up waste
- fixed spout
- circular, air-enriched flow
- height of mixer 72 mm
- height up to aerator 40 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- without rosette
- 2x 1/2" x 1/2" high pressure hose
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

NOTE: For the white lever inserts please order 2x 11 170 370-12

Only suitable for basins with an overflow.

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 20 700 370 FF max. flow 7 l/min		2x 11 170 370 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,522.80	-00	114.30	1,751.40
Platinum	-08	2,436.30	-08	183.00	2,802.30
Brushed Platinum	-06	2,436.30	-06	183.00	2,802.30
Durabrand (23kt Gold)	-09	3,197.90	-09	240.00	3,677.90
Brushed Durabrand (23kt Gold)	-28	3,197.90	-28	240.00	3,677.90
Brushed Dark Brass	-39	2,436.40	-39	182.90	2,802.20
Brushed Bronze	-42	182.90	-42	2,436.40	2,802.20
Brushed Dark Platinum	-99	2,740.80	-99	205.80	3,152.40



Recommended miscellaneous

High pressure hoses

20 700 370 FF	FF	Euro
12 506 970	90	90.70

- 2x 3/8" x 1/2" x 500mm high pressure hose

Accessories

36 712 361


Wall-mounted basin mixer without pop-up waste
• 190mm projection

- fixed spout
- circular, air-enriched flow
- hole diameter valve 40 mm
- hole diameter spout 40 mm
- slide-on rosettes Ø 55 mm
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Projection modification
- Red/blue marking
- without logo

Standard article	36 712 361 FF	FF	Euro
Chrome		-00	1,291.80
Platinum		-08	2,066.70
Brushed Platinum		-06	2,066.70
Durabrand (23kt Gold)		-09	2,712.80
Brushed Durabrand (23kt Gold)		-28	2,712.80
Brushed Dark Brass		-39	2,066.90
Brushed Bronze		-42	2,066.90
Brushed Dark Platinum		-99	2,325.20



Required miscellaneous

Concealed wall-mounted mixer centred spout

35 700 970 FF FF Euro

- min. recess depth 85 mm
 - max. recess depth 145 mm
- Concealed rough parts **90** 193.30
- For details and miscellaneous, see page 640



Required miscellaneous

Concealed wall-mounted mixer variable positioning

35 720 970 FF FF Euro

- min. recess depth 85 mm
 - max. recess depth 145 mm
- Concealed rough parts **90** 154.20
- For details and miscellaneous, see page 640

Miscellaneous

22 900 360


Angle valve

- rosette Ø 60 mm
- porcelain insert COLD

Custom-made options

- Finish variants
- without logo

Standard article	22 900 360 FF	FF	Euro
Chrome		-00	214.10
Platinum		-08	342.70
Brushed Platinum		-06	342.70
Durabrand (23kt Gold)		-09	449.60
Brushed Durabrand (23kt Gold)		-28	449.60
Brushed Dark Brass		-39	342.60
Brushed Bronze		-42	342.60
Brushed Dark Platinum		-99	385.30

22 900 361


Angle valve

- rosette Ø 60 mm
- porcelain insert HOT

Custom-made options

- Finish variants
- without logo

Standard article	22 900 361 FF	FF	Euro
Chrome		-00	214.10
Platinum		-08	342.70
Brushed Platinum		-06	342.70
Durabrand (23kt Gold)		-09	449.60
Brushed Durabrand (23kt Gold)		-28	449.60
Brushed Dark Brass		-39	342.60
Brushed Bronze		-42	342.60
Brushed Dark Platinum		-99	385.30

10 040 970


Siphon for basin 1 1/4"

- rosette Ø 80 mm

Custom-made options

- Finish variants

Standard article	10 040 970 FF	FF	Euro
Chrome		-00	487.90
Platinum		-08	780.40
Brushed Platinum		-06	780.40
Durabrand (23kt Gold)		-09	1,024.60
Brushed Durabrand (23kt Gold)		-28	1,024.60
Brushed Dark Brass		-39	780.60
Brushed Bronze		-42	780.60
Brushed Dark Platinum		-99	878.30

11 170 370


Lever insert

- for basin fittings

NOTE: Mixers are supplied without lever inserts. Please order the lever inserts separately!

Custom-made options

- Finish variants

Standard article	11 170 370 FF	FF	Euro
Chrome		-00	114.30
Platinum		-08	183.00
Brushed Platinum		-06	183.00
Durabrand (23kt Gold)		-09	240.00
Brushed Durabrand (23kt Gold)		-28	240.00
Brushed Dark Brass		-39	182.90
Brushed Bronze		-42	182.90
Brushed Dark Platinum		-99	205.80

24 510 360



Single-hole bidet mixer with pop-up waste

- 125mm projection
- **european pop-up waste**
- ball-joint pivotable through 15°
- circular, air-enriched flow
- height of mixer 88 mm
- height up to aerator 78 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 2x European pressure hose for bidet fitting
- max. flow 7 l/min

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	24 510 360 FF	FF	Euro
Chrome		-00	1,228.50
Platinum		-08	1,965.40
Brushed Platinum		-06	1,965.40
Durabronz (23kt Gold)		-09	2,579.90
Brushed Durabronz (23kt Gold)		-28	2,579.90
Brushed Dark Brass		-39	1,965.50
Brushed Bronze		-42	1,965.50
Brushed Dark Platinum		-99	2,211.40

27 701 970



Bidet spray

- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2" shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options

- Finish variants
- without logo

Standard article	27 701 970 FF	FF	Euro
Chrome		-00	323.10
Platinum		-08	516.80
Brushed Platinum		-06	516.80
Durabronz (23kt Gold)		-09	678.50
Brushed Durabronz (23kt Gold)		-28	678.50
Brushed Dark Brass		-39	517.00
Brushed Bronze		-42	516.90
Brushed Dark Platinum		-99	581.60



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF FF Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts **90** 122.80

For details and miscellaneous, see page 645

27 701 670



Bidet spray

- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2" shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options

- Finish variants
- without logo

Standard article	27 701 670 FF	FF	Euro
Chrome		-00	323.10
Platinum		-08	516.80
Brushed Platinum		-06	516.80
Brushed Durabronz (23kt Gold)		-28	678.50
Brushed Dark Brass		-39	517.00
Brushed Bronze		-42	516.90
Brushed Dark Platinum		-99	581.60



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF FF Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts **90** 122.80

For details and miscellaneous, see page 645

26 413 370 +
 28 002 970

Shower set

- slide bar
- Pipe diameter 18 mm
- rosettes Ø 60 mm
- gauge 850 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 1/2"
- COMPACT RAIN, max. flow rate 9 l/min (at 3 bar)
- spray head Ø 64mm

Fits MADISON
Custom-made options

- Finish variants
- without logo

Set	1x 26 413 370 FF		1x 28 002 970 FF max. flow 9 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	772.10	-00	306.00	1,078.10
Platinum	-08	1,235.60	-08	489.40	1,725.00
Brushed Platinum	-06	1,235.60	-06	489.40	1,725.00
Durabron (23kt Gold)	-09	1,621.40	-09	642.60	2,264.00
Brushed Durabron (23kt Gold)	-28	1,621.40	-28	642.60	2,264.00
Brushed Dark Brass	-39	1,235.40	-39	489.70	1,725.10
Brushed Bronze	-42	1,235.40	-42	489.70	1,725.10
Brushed Dark Platinum	-99	1,389.90	-99	550.60	1,940.50



Recommended miscellaneous

Wall elbow		28 450 370 FF	FF	Euro
For details and miscellaneous, see main items				
	Chrome	-00		118.00
	Platinum	-08		188.90
	Brushed Platinum	-06		188.90
	Durabron (23kt Gold)	-09		247.80
	Brushed Durabron (23kt Gold)	-28		247.80
	Brushed Dark Brass	-39		188.90
	Brushed Bronze	-42		188.90
	Brushed Dark Platinum	-99		212.60



Recommended miscellaneous

Wall elbow		28 450 410 FF	FF	Euro
For details and miscellaneous, see main items				
	Chrome	-00		106.80
	Platinum	-08		170.90
	Brushed Platinum	-06		170.90
	Durabron (23kt Gold)	-09		224.30
	Brushed Durabron (23kt Gold)	-28		224.30
	Brushed Dark Brass	-39		170.90
	Brushed Bronze	-42		170.90
	Brushed Dark Platinum	-99		192.30



Recommended miscellaneous

Concealed wall elbow		35 085 970 FF	FF	Euro
For details and miscellaneous, see page 645				
• min. recess depth 90 mm	Concealed rough parts	90		122.80
• max. recess depth 163 mm				

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 607.


 3 jets
 Ø 95 mm

Alternative hand shower		28 002 978 FF max. flow 9 l/min	FF	Euro
Chrome	-00			236.10
Platinum	-08			377.70
Brushed Platinum	-06			377.70
Durabron (23kt Gold)	-09			495.80
Brushed Durabron (23kt Gold)	-28			495.80
Brushed Dark Brass	-39			377.70
Brushed Bronze	-42			377.70
Brushed Dark Platinum	-99			425.00

26 632 360 +
28 002 970



Showerpipe with shower mixer

- shower with fixed riser projection 420mm
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 8 l/min
- rain shower Ø 200 mm
- Hand shower: COMPACT RAIN, max. flow rate 9 l/min (at 3 bar)
- spray head Ø 64mm
- rotary diverter for fixed-riser shower/hand shower
- height of fittings up to top edge of elbow 1180mm
- height of fittings up to rain shower (bottom edge) 1009mm
- rosette for shower holder Ø 66mm
- rosette for wall mounting Ø 70mm
- rosette for shower mixer Ø 60mm
- gauge 150 mm - 13 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" connection
- Pipe diameter 20 mm

Custom-made options

- Finish variants
- Height modification
- Red/blue marking
- without logo

Set	1x 26 632 360 FF max. flow 14 l/min		1x 28 002 970 FF max. flow 9 l/min		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	3,186.10	-00	306.00	3,492.10
Platinum	-08	5,097.70	-08	489.40	5,587.10
Brushed Platinum	-06	5,097.70	-06	489.40	5,587.10
Durabrand (23kt Gold)	-09	6,690.80	-09	642.60	7,333.40
Brushed Durabrand (23kt Gold)	-28	6,690.80	-28	642.60	7,333.40
Brushed Dark Brass	-39	5,097.80	-39	489.70	5,587.50
Brushed Bronze	-42	5,097.80	-42	489.70	5,587.50
Brushed Dark Platinum	-99	5,735.00	-99	550.60	6,285.60

Product alternative

- FlowReduce
- Max. flow rate 7 l/min
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Standard article	26 633 360 FF	FF	Euro
Chrome		-00	3,186.10
Platinum		-08	5,097.70
Brushed Platinum		-06	5,097.70
Durabrand (23kt Gold)		-09	6,690.80
Brushed Durabrand (23kt Gold)		-28	6,690.80
Brushed Dark Brass		-39	5,097.80
Brushed Bronze		-42	5,097.80
Brushed Dark Platinum		-99	5,734.90

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 607.



3 jets
Ø 95 mm

Alternative hand shower	28 002 978 FF max. flow 9 l/min	FF	Euro
Chrome		-00	236.10
Platinum		-08	377.70
Brushed Platinum		-06	377.70
Durabrand (23kt Gold)		-09	495.80
Brushed Durabrand (23kt Gold)		-28	495.80
Brushed Dark Brass		-39	377.70
Brushed Bronze		-42	377.70
Brushed Dark Platinum		-99	425.00

34 459 360 +
11 420 360 +
28 002 978



Showerpipe with shower thermostat

- shower with fixed riser projection 420mm
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 8 l/min
- rain shower Ø 200 mm
- rain shower with anti-scale system
- Hand shower: Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUA-PRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- spray head Ø 95mm
- rotary diverter for fixed-riser shower/hand shower
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1160mm
- two-part push-on rosette Ø 65 mm
- rosette for shower holder Ø 65mm
- rosette for wall mounting Ø 60mm
- gauge 150 mm - 13 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" connection
- Pipe diameter 20 mm

Fits MADISON

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Height modification
- Red/blue marking
- without logo

Set	1x 34 459 360 FF		1x 11 420 360 FF 1x 28 002 978 FF		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	3,181.80	-00	287.60 236.10	3,705.50
Platinum	-08	5,091.10	-08	460.00 377.70	5,928.80
Brushed Platinum	-06	5,091.10	-06	460.00 377.70	5,928.80
Durabrass (23kt Gold)	-09	6,681.80	-09	604.00 495.80	7,781.60
Brushed Durabrass (23kt Gold)	-28	6,681.80	-28	604.00 495.80	7,781.60
Brushed Dark Brass	-39	5,090.90	-39	460.10 377.70	5,928.70
Brushed Bronze	-42	5,090.90	-42	460.10 377.70	5,928.70
Brushed Dark Platinum	-99	5,727.20	-99	517.60 425.00	6,669.80

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Standard article	34 458 360 FF	FF	Euro
Chrome		-00	3,181.80
Platinum		-08	5,090.80
Brushed Platinum		-06	5,090.80
Durabrass (23kt Gold)		-09	6,681.80
Brushed Durabrass (23kt Gold)		-28	6,681.80
Brushed Dark Brass		-39	5,090.90
Brushed Bronze		-42	5,090.90
Brushed Dark Platinum		-99	5,727.10

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 602.



1 jet
Ø 64 mm

Alternative hand shower	28 002 970 FF max. flow 9 l/min	
	FF	Euro
Chrome	-00	306.00
Platinum	-08	489.40
Brushed Platinum	-06	489.40
Durabrass (23kt Gold)	-09	642.60
Brushed Durabrass (23kt Gold)	-28	642.60
Brushed Dark Brass	-39	489.70
Brushed Bronze	-42	489.70
Brushed Dark Platinum	-99	550.60

28 508 360



Shower head

- 200mm projection
- ball-joint pivotable through 30°
- Three settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system
- spray head Ø 94mm
- rosette Ø 55 mm
- 1/2" connection

Fits MADISON

Custom-made options

- Finish variants
- without logo

Standard article	28 508 360 FF	FF	Euro
Chrome		-00	661.80
Platinum		-08	1,058.60
Brushed Platinum		-06	1,058.60
Durabrass (23kt Gold)		-09	1,389.80
Brushed Durabrass (23kt Gold)		-28	1,389.80
Brushed Dark Brass		-39	1,058.80
Brushed Bronze		-42	1,058.80
Brushed Dark Platinum		-99	1,191.00

Product alternative

- Flow/Reduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 508 360 FF	FF	Euro
Chrome		-000010	661.80
Platinum		-080010	1,058.60
Brushed Platinum		-060010	1,058.60
Durabrass (23kt Gold)		-090010	1,389.80
Brushed Durabrass (23kt Gold)		-280010	1,389.80
Brushed Dark Brass		-390010	1,058.80
Brushed Bronze		-420010	1,058.80
Brushed Dark Platinum		-990010	1,191.00



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 545 977



Rain shower with wall fixing 200 mm

- 435mm projection
- rain shower Ø 200 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 8 l/min
- rosette Ø 55 mm
- 1/2" connection
- with anti-scale system

Fits MADISON

Custom-made options

- Finish variants
- Projection modification
- without logo

Standard article	28 545 977 FF	FF	Euro
Chrome		-00	1,230.60
Platinum		-08	1,968.80
Brushed Platinum		-06	1,968.80
Durabrass (23kt Gold)		-09	2,584.30
Brushed Durabrass (23kt Gold)		-28	2,584.30
Brushed Dark Brass		-39	1,969.10
Brushed Bronze		-42	1,969.10
Brushed Dark Platinum		-99	2,215.10

Product alternative

- Flow/Reduce
- Max. flow rate 7 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 544 977 FF	FF	Euro
Chrome		-00	1,230.60
Platinum		-08	1,969.10
Brushed Platinum		-06	1,969.10
Durabrass (23kt Gold)		-09	2,584.30
Brushed Durabrass (23kt Gold)		-28	2,584.30
Brushed Dark Brass		-39	1,969.10
Brushed Bronze		-42	1,969.10
Brushed Dark Platinum		-99	2,215.20



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 565 977


Rain shower with ceiling fixing 200 mm

- rain shower Ø 200 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 8 l/min
- distance between ceiling and lower edge of the shower 185mm
- rosette Ø 55 mm
- 1/2" connection
- with anti-scale system

Fits MADISON
Custom-made options

- Finish variants
- Length modification
- without logo

Standard article	28 565 977 FF	FF	Euro
Chrome		-00	930.10
Platinum		-08	1,488.20
Brushed Platinum		-06	1,488.20
Durabrass (23kt Gold)		-09	1,953.20
Brushed Durabrass (23kt Gold)		-28	1,953.20
Brushed Dark Brass		-39	1,488.10
Brushed Bronze		-42	1,488.10
Brushed Dark Platinum		-99	1,674.10

Product alternative

- Flow/Reduce
- Max. flow rate 7 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 564 977 FF	FF	Euro
Chrome		-00	930.10
Platinum		-08	1,488.10
Brushed Platinum		-06	1,488.10
Durabrass (23kt Gold)		-09	1,953.20
Brushed Durabrass (23kt Gold)		-28	1,953.20
Brushed Dark Brass		-39	1,488.10
Brushed Bronze		-42	1,488.10
Brushed Dark Platinum		-99	1,674.20



Recommended miscellaneous

Concealed wall elbow 35 085 970 FF FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts 90 122.80
- For details and miscellaneous, see page 645

27 803 361


Hand shower set with individual rosettes

- spray head Ø 64mm
- COMPACT RAIN, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- 1/2" shower outlet
- rosette for wall elbow Ø 55mm
- rosette for shower holder Ø 55mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- Function from: 6 l/min

Fits MADISON
Intrinsic protection against back flow.
Custom-made options

- Finish variants
- without hand shower
- without logo

Standard article	27 803 361 FF	FF	Euro
Chrome		-00	680.90
Platinum		-08	1,089.00
Brushed Platinum		-06	1,089.00
Durabrass (23kt Gold)		-09	1,429.90
Brushed Durabrass (23kt Gold)		-28	1,429.90
Brushed Dark Brass		-39	1,089.50
Brushed Bronze		-42	1,089.50
Brushed Dark Platinum		-99	1,225.70

Product alternative

- Flow/Reduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 803 361 FF	FF	Euro
Chrome		-000010	680.90
Platinum		-080010	1,089.00
Brushed Platinum		-060010	1,089.00
Durabrass (23kt Gold)		-090010	1,429.90
Brushed Durabrass (23kt Gold)		-280010	1,429.90
Brushed Dark Brass		-390010	1,089.50
Brushed Bronze		-420010	1,089.50
Brushed Dark Platinum		-990010	1,225.70



Recommended miscellaneous

Concealed wall elbow 35 085 970 FF FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts 90 122.80
- For details and miscellaneous, see page 645

36 525 979



WATER POINTS Concealed body spray

- HORIZONTAL RAIN, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- cover plate 120 x 120 mm

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	36 525 979 FF	FF	Euro
Chrome		-00	549.80
Platinum		-08	879.60
Brushed Platinum		-06	879.60
Brushed Durabross (23kt Gold)		-28	1,154.60
Brushed Dark Brass		-39	879.70
Brushed Bronze		-42	879.60
Brushed Dark Platinum		-99	989.50

Product alternative

- FlowReduce
- Max. flow rate 6 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 515 979 FF	FF	Euro
Chrome		-00	549.80
Platinum		-08	879.20
Brushed Platinum		-06	879.20
Brushed Durabross (23kt Gold)		-28	1,154.60
Brushed Dark Brass		-39	879.70
Brushed Bronze		-42	879.60
Brushed Dark Platinum		-99	989.50



Required miscellaneous

Concealed wall installation box

	35 205 970 FF	FF	Euro
Concealed rough parts		90	223.00

• min. recess depth 85 mm
• max. recess depth 110 mm
For details and miscellaneous, see page 645



Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
Concealed rough parts		90	112.20

For details and miscellaneous, see page 655

36 527 979



WATER BAR Concealed body spray

- HORIZONTAL RAIN, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- cover plate 240 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	36 527 979 FF	FF	Euro
Chrome		-00	849.00
Platinum		-08	1,358.50
Brushed Platinum		-06	1,358.50
Brushed Durabross (23kt Gold)		-28	1,782.90
Brushed Dark Brass		-39	1,358.50
Brushed Bronze		-42	1,358.50
Brushed Dark Platinum		-99	1,528.20

Product alternative

- FlowReduce
- Max. flow rate 6 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 517 979 FF	FF	Euro
Chrome		-00	849.00
Platinum		-08	1,358.70
Brushed Platinum		-06	1,358.70
Brushed Durabross (23kt Gold)		-28	1,782.90
Brushed Dark Brass		-39	1,358.50
Brushed Bronze		-42	1,358.50
Brushed Dark Platinum		-99	1,527.90



Required miscellaneous

Concealed wall installation box

	35 206 970 FF	FF	Euro
Concealed rough parts		90	301.70

• min. recess depth 100 mm
• max. recess depth 173 mm
For details and miscellaneous, see page 645



Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
Concealed rough parts		90	112.20

For details and miscellaneous, see page 655

36 514 979


WATER CURVE Concealed body spray

- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- cover plate 120 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	36 514 979 FF	FF	Euro
Chrome	-00		1,104.80
Platinum	-08		1,767.70
Brushed Platinum	-06		1,767.70
Brushed Durabronze (23kt Gold)	-28		2,320.10
Brushed Dark Brass	-39		1,767.70
Brushed Bronze	-42		1,767.80
Brushed Dark Platinum	-99		1,988.70



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
Concealed rough parts	90		122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

36 513 979


WATER FAN vertical Concealed body spray

- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- cover plate 240 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	36 513 979 FF	FF	Euro
Chrome	-00		824.20
Platinum	-08		1,319.20
Brushed Platinum	-06		1,319.20
Brushed Durabronze (23kt Gold)	-28		1,730.80
Brushed Dark Brass	-39		1,318.70
Brushed Bronze	-42		1,318.70
Brushed Dark Platinum	-99		1,483.40

Product alternative

- horizontal water jet
- Max. flow rate 10 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 512 979 FF	FF	Euro
Chrome	-00		824.20
Platinum	-08		1,319.20
Brushed Platinum	-06		1,319.20
Brushed Durabronze (23kt Gold)	-28		1,730.80
Brushed Dark Brass	-39		1,318.70
Brushed Bronze	-42		1,318.70
Brushed Dark Platinum	-99		1,483.40

Required miscellaneous



Standard article	35 206 970 FF	FF	Euro
Concealed wall installation box			
Concealed rough parts	90		301.70

- min. recess depth 100 mm
 - max. recess depth 173 mm
- For details and miscellaneous, see page 645

Required miscellaneous



Standard article	12 360 970 FF	FF	Euro
xGRID Installation track 555 mm			
Concealed rough parts	90		112.20

For details and miscellaneous, see page 655

13 415 979


WATER SHEET Cascade spout for wall mounting

- 150mm projection
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	13 415 979 FF	FF	Euro
Chrome	-00		1,137.90
Platinum	-08		1,820.60
Brushed Platinum	-06		1,820.60
Brushed Durabronze (23kt Gold)	-28		2,389.60
Brushed Dark Brass	-39		1,820.70
Brushed Bronze	-42		1,820.70
Brushed Dark Platinum	-99		2,048.20




Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
Concealed rough parts	90		122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

13 420 979



WATER FALL Cascade spout for wall mounting

- 120mm projection
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	13 420 979 FF	FF	Euro
Chrome		-00	1,625.60
Platinum		-08	2,601.50
Brushed Platinum		-06	2,601.50
Brushed Durabronze (23kt Gold)		-28	3,413.80
Brushed Dark Brass		-39	2,601.10
Brushed Bronze		-42	2,601.10



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
----------------------	---------------	----	------

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

Concealed rough parts	90		122.80
-----------------------	----	--	--------

13 425 979



WATER FALL Cascade spout with individual jets for wall mounting

- 22mm projection
- PEARLSTREAM
- plate 240 mm x 60 mm
- connection 1/2", for shortening
- plug-link mounting
- Max. flow rate 9.5 l/min (at 3 bar)

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	13 425 979 FF	FF	Euro
Chrome		-00	1,208.00
Platinum		-08	1,932.80
Brushed Platinum		-06	1,932.80
Brushed Durabronze (23kt Gold)		-28	2,536.80
Brushed Dark Brass		-39	1,932.80
Brushed Bronze		-42	1,932.80
Brushed Dark Platinum		-99	2,174.10



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
----------------------	---------------	----	------

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

Concealed rough parts	90		122.80
-----------------------	----	--	--------

27 823 979 +
28 285 979

WATER TUBE Kneipp wall elbow with hose holder with individual rosettes

- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- with volume control
- rosettes Ø 60 mm
- holder for Kneipp hose
- 1/2" wall elbow

Intrinsic protection against back flow.
Fits META, TARA, VAIA, LISSÉ
Custom-made options

- Finish variants
- without logo

Set	1x 27 823 979 FF max. flow 15 l/min		1x 28 285 979 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	589.50	-00	104.90	694.40
Platinum	-08	943.20	-08	167.70	1,110.90
Brushed Platinum	-06	943.20	-06	167.80	1,111.00
Brushed Durabronze (23kt Gold)	-28	1,238.00	-28	220.30	1,458.30
Brushed Dark Brass	-39	943.20	-39	167.80	1,111.00
Brushed Bronze	-42	943.30	-42	167.80	1,111.10
Brushed Dark Platinum	-99	1,061.00	-99	188.70	1,249.70

Product alternative

- FlowReduce
- Max. flow rate 9 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 843 979 FF	FF	Euro
Chrome		-00	589.50
Platinum		-08	943.30
Brushed Platinum		-06	943.30
Brushed Durabronze (23kt Gold)		-28	1,238.00
Brushed Dark Brass		-39	943.20
Brushed Bronze		-42	943.30
Brushed Dark Platinum		-99	1,061.10



Recommended miscellaneous

WATER TUBE Kneipp hose black 2000 mm

	28 286 979 FF	FF	Euro
• hose nozzle with sleeve M33		-00	104.90
• with holding ring		-08	167.70
		-06	167.80
		-28	220.30
		-39	167.80
		-42	167.80
		-99	188.70



Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm		90	122.80
• max. recess depth 163 mm			

For details and miscellaneous, see page 645

28 450 370


Wall elbow

- 1/2" shower outlet
- rosette Ø 60 mm
- 1/2" connection

Intrinsic protection against back flow.
Fits MADISON
Custom-made options

- Finish variants

Standard article	28 450 370 FF	FF	Euro
Chrome		-00	118.00
Platinum		-08	188.90
Brushed Platinum		-06	188.90
Durabronze (23kt Gold)		-09	247.80
Brushed Durabronze (23kt Gold)		-28	247.80
Brushed Dark Brass		-39	188.90
Brushed Bronze		-42	188.90
Brushed Dark Platinum		-99	212.60



Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm		90	122.80
• max. recess depth 163 mm			

For details and miscellaneous, see page 645

28 450 410



Wall elbow

- 1/2" shower outlet
- rosette Ø 55 mm
- 1/2" connection

Intrinsic protection against back flow.

Fits MADISON

Custom-made options

- Finish variants
- without logo

Standard article	28 450 410 FF	FF	Euro
Chrome		-00	106.80
Platinum		-08	170.90
Brushed Platinum		-06	170.90
Durabrand (23kt Gold)		-09	224.30
Brushed Durabrand (23kt Gold)		-28	224.30
Brushed Dark Brass		-39	170.90
Brushed Bronze		-42	170.90
Brushed Dark Platinum		-99	192.30



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 060 970



Wall bracket swivel

- pivotable 75°

Custom-made options

- Finish variants

Standard article	28 060 970 FF	FF	Euro
Chrome		-00	197.80
Platinum		-08	316.60
Brushed Platinum		-06	316.60
Brushed Durabrand (23kt Gold)		-28	415.40
Brushed Dark Brass		-39	316.40
Brushed Bronze		-42	316.30
Brushed Dark Platinum		-99	356.10

12 570 970



Slide unit

- for pipe diameter 23.5 mm

Custom-made options

- Finish variants

Standard article	12 570 970 FF	FF	Euro
Chrome		-00	137.00
Platinum		-08	219.50
Brushed Platinum		-06	219.50
Brushed Durabrand (23kt Gold)		-28	287.70
Brushed Dark Brass		-39	219.20
Brushed Bronze		-42	219.20
Brushed Dark Platinum		-99	246.80

12 580 970



Slide unit

- for pipe diameter 18 mm

Custom-made options

- Finish variants

Standard article	12 580 970 FF	FF	Euro
Chrome		-00	137.00
Platinum		-08	219.50
Brushed Platinum		-06	219.50
Brushed Durabrand (23kt Gold)		-28	287.70
Brushed Dark Brass		-39	219.20
Brushed Bronze		-42	219.20
Brushed Dark Platinum		-99	246.80

36 425 977


Concealed thermostat with one function volume control

- cover plate Ø 175 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MADISON
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 425 977 FF	FF	Euro
Chrome		-00	762.00
Platinum		-08	1,218.90
Brushed Platinum		-06	1,218.90
Durabrand (23kt Gold)		-09	1,600.20
Brushed Durabrand (23kt Gold)		-28	1,600.20
Brushed Dark Brass		-39	1,219.20
Brushed Bronze		-42	1,219.20
Brushed Dark Platinum		-99	1,371.50



Required miscellaneous

Concealed thermostat
35 425 970 FF FF Euro

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts **90** 435.80
- For details and miscellaneous, see page 641



Required miscellaneous

Concealed thermostat with built-in isolators
35 426 970 FF FF Euro

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts **90** 457.70
- For details and miscellaneous, see page 641

36 426 977


Concealed thermostat with two function volume control

- rotary diverter with volume control and shut-off function
- cover plate Ø 175 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MADISON
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 426 977 FF	FF	Euro
Chrome		-00	911.40
Platinum		-08	1,457.50
Brushed Platinum		-06	1,457.50
Durabrand (23kt Gold)		-09	1,913.90
Brushed Durabrand (23kt Gold)		-28	1,913.90
Brushed Dark Brass		-39	1,458.30
Brushed Bronze		-42	1,458.30
Brushed Dark Platinum		-99	1,640.10



Required miscellaneous

Concealed thermostat
35 425 970 FF FF Euro

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts **90** 435.80
- For details and miscellaneous, see page 641



Required miscellaneous

Concealed thermostat with built-in isolators
35 426 970 FF FF Euro

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts **90** 457.70
- For details and miscellaneous, see page 641

36 427 977



Concealed thermostat with three function volume control

- rotary diverter with volume control and shut-off function
- cover plate Ø 175 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MADISON

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 427 977	FF	FF	Euro
Chrome			-00	947.20
Platinum			-08	1,515.10
Brushed Platinum			-06	1,515.10
Durabross (23kt Gold)			-09	1,989.10
Brushed Durabross (23kt Gold)			-28	1,989.10
Brushed Dark Brass			-39	1,515.50
Brushed Bronze			-42	1,515.50
Brushed Dark Platinum			-99	1,705.10



Required miscellaneous

Concealed thermostat

	35 427 970	FF	FF	Euro
• min. recess depth 80 mm			Concealed rough parts	90
• max. recess depth 136 mm				456.60

For details and miscellaneous, see page 642



Required miscellaneous

Concealed thermostat with built-in isolators

	35 428 970	FF	FF	Euro
• min. recess depth 80 mm			Concealed rough parts	90
• max. recess depth 136 mm				479.00

For details and miscellaneous, see page 642

36 501 977 +
36 607 361



xTOOL Thermostat module with 1 valve

- cover plate Ø 124 mm
- rosette Ø 55 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

Fits MADISON

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 501 977 FF		1x 36 607 361 FF		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	1,137.70	-00	289.20	1,426.90
Platinum	-08	1,820.30	-08	462.80	2,283.10
Brushed Platinum	-06	1,820.30	-06	462.80	2,283.10
Durabross (23kt Gold)	-09	2,389.20	-09	607.30	2,996.50
Brushed Durabross (23kt Gold)	-28	2,389.20	-28	607.30	2,996.50
Brushed Dark Brass	-39	1,820.40	-39	462.80	2,283.20
Brushed Bronze	-42	1,820.40	-42	462.80	2,283.20
Brushed Dark Platinum	-99	2,047.80	-99	520.50	2,568.30



Required miscellaneous

xTOOL Concealed thermostat module with 1 valve

	35 511 970	FF	FF	Euro
• min. recess depth 85 mm			Concealed rough parts	90
• max. recess depth 110 mm				708.30

For details and miscellaneous, see page 642



Required miscellaneous

xGRID Installation track 555 mm

	12 360 970	FF	FF	Euro
For details and miscellaneous, see page 655			Concealed rough parts	90
				112.20



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

	12 340 970	FF	FF	Euro
For details and miscellaneous, see page 655			Concealed rough parts	90
				113.00

36 503 977 +
2x 36 607 361



xTOOL Thermostat module with 2 valves

- cover plate Ø 124 mm
- rosette Ø 55 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

Fits MADISON

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 503 977 FF		2x 36 607 361 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,137.70	-00	289.20	1,716.10
Platinum	-08	1,820.30	-08	462.80	2,745.90
Brushed Platinum	-06	1,820.30	-06	462.80	2,745.90
Durabron (23kt Gold)	-09	2,389.20	-09	607.30	3,603.80
Brushed Durabron (23kt Gold)	-28	2,389.20	-28	607.30	3,603.80
Brushed Dark Brass	-39	1,820.40	-39	462.80	2,746.00
Brushed Bronze	-42	1,820.40	-42	462.80	2,746.00
Brushed Dark Platinum	-99	2,047.80	-99	520.50	3,088.80



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 521 970 FF | FF Euro

- min. recess depth 85 mm
 - max. recess depth 110 mm
- For details and miscellaneous, see page 643

Concealed rough parts | **90** | 1,180.70

Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 524 970 FF | FF Euro

- min. recess depth 85 mm
 - max. recess depth 110 mm
- For details and miscellaneous, see page 643

Concealed rough parts | **90** | 1,167.70



Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF | FF Euro

For details and miscellaneous, see page 655

Concealed rough parts | **90** | 112.20



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF | FF Euro

For details and miscellaneous, see page 655

Concealed rough parts | **90** | 113.00

36 503 977 +
3x 36 607 361



xTOOL Thermostat module with 3 valves

- cover plate Ø 124 mm
- rosette Ø 55 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 503 977 FF		3x 36 607 361 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,137.70	-00	289.20	2,005.30
Platinum	-08	1,820.30	-08	462.80	3,208.70
Brushed Platinum	-06	1,820.30	-06	462.80	3,208.70
Durabronz (23kt Gold)	-09	2,389.20	-09	607.30	4,211.10
Brushed Durabronz (23kt Gold)	-28	2,389.20	-28	607.30	4,211.10
Brushed Dark Brass	-39	1,820.40	-39	462.80	3,208.80
Brushed Bronze	-42	1,820.40	-42	462.80	3,208.80
Brushed Dark Platinum	-99	2,047.80	-99	520.50	3,609.30



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

	35 531 970 FF	FF	Euro
• min. recess depth 85 mm			
• max. recess depth 110 mm			
Concealed rough parts	90		1,268.90

For details and miscellaneous, see page 643



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

	35 534 970 FF	FF	Euro
• min. recess depth 85 mm			
• max. recess depth 110 mm			
Concealed rough parts	90		1,374.60

For details and miscellaneous, see page 643



Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
Concealed rough parts	90		112.20

For details and miscellaneous, see page 655



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

	12 340 970 FF	FF	Euro
Concealed rough parts	90		113.00

For details and miscellaneous, see page 655

36 501 977



xTOOL Concealed thermostat without volume control 1/2"

- cover plate Ø 124 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

Fits MADISON

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 501 977 FF	FF	Euro
Chrome	-00		1,137.70
Platinum	-08		1,820.30
Brushed Platinum	-06		1,820.30
Durabronz (23kt Gold)	-09		2,389.20
Brushed Durabronz (23kt Gold)	-28		2,389.20
Brushed Dark Brass	-39		1,820.40
Brushed Bronze	-42		1,820.40
Brushed Dark Platinum	-99		2,047.80

Product alternative

- 3/4" thermostat cartridge with integrated filters

Standard article	36 503 977 FF	FF	Euro
Chrome	-00		1,137.70
Platinum	-08		1,820.30
Brushed Platinum	-06		1,820.30
Durabronz (23kt Gold)	-09		2,389.20
Brushed Durabronz (23kt Gold)	-28		2,389.20
Brushed Dark Brass	-39		1,820.40
Brushed Bronze	-42		1,820.40
Brushed Dark Platinum	-99		2,047.80



Required miscellaneous

xTOOL Concealed thermostat module without volume control

	35 503 970 FF	FF	Euro
• min. recess depth 85 mm			
• max. recess depth 110 mm			
Concealed rough parts	90		864.70

For details and miscellaneous, see page 642



Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
Concealed rough parts	90		112.20

For details and miscellaneous, see page 655

36 607 361


Wall valve clockwise closing 1/2"

- rosette Ø 55 mm
- head part with cut-to-length spindle and sleeve
- 3x porcelain insert: HOT, COLD and NEUTRAL

Fits MADISON
Custom-made options

- Finish variants
- without logo

Standard article	36 607 361 FF	FF	Euro
Chrome	-00		289.20
Platinum	-08		462.80
Brushed Platinum	-06		462.80
Durabrass (23kt Gold)	-09		607.30
Brushed Durabrass (23kt Gold)	-28		607.30
Brushed Dark Brass	-39		462.80
Brushed Bronze	-42		462.80
Brushed Dark Platinum	-99		520.50



Required miscellaneous

Wall valve 1/2"
35 607 970 FF FF Euro

- min. recess depth 75 mm
- max. recess depth 145 mm

Concealed rough parts

90 90.90

For details and miscellaneous, see page 644

36 608 361


Wall valve clockwise closing 3/4"

- rosette Ø 55 mm
- head part with cut-to-length spindle and sleeve
- 3x porcelain insert: HOT, COLD and NEUTRAL

Fits MADISON
Custom-made options

- Finish variants
- without logo

Standard article	36 608 361 FF	FF	Euro
Chrome	-00		289.20
Platinum	-08		462.80
Brushed Platinum	-06		462.80
Durabrass (23kt Gold)	-09		607.30
Brushed Durabrass (23kt Gold)	-28		607.30
Brushed Dark Brass	-39		462.80
Brushed Bronze	-42		462.80
Brushed Dark Platinum	-99		520.50



Required miscellaneous

Wall valve 3/4"
35 608 970 FF FF Euro

- min. recess depth 75 mm
- max. recess depth 145 mm

Concealed rough parts

90 119.20

For details and miscellaneous, see page 644

36 200 361


Concealed two-way diverter

- rotary diverter
- rosette Ø 60 mm
- NEUTRAL porcelain insert

Fits MADISON
Custom-made options

- Finish variants
- without logo

Standard article	36 200 361 FF	FF	Euro
Chrome	-00		552.70
Platinum	-08		884.00
Brushed Platinum	-06		884.00
Durabrass (23kt Gold)	-09		1,160.70
Brushed Durabrass (23kt Gold)	-28		1,160.70
Brushed Dark Brass	-39		884.40
Brushed Bronze	-42		884.40
Brushed Dark Platinum	-99		994.70



Required miscellaneous

Concealed two-way diverter
35 202 970 FF FF Euro

- min. recess depth 85 mm
- max. recess depth 155 mm

Concealed rough parts

90 295.90

For details and miscellaneous, see page 644

36 210 361


Concealed three-way diverter

- rotary diverter
- rosette Ø 60 mm
- NEUTRAL porcelain insert

Fits MADISON
Custom-made options

- Finish variants
- without logo

Standard article	36 210 361 FF	FF	Euro
Chrome	-00		552.70
Platinum	-08		884.00
Brushed Platinum	-06		884.00
Durabrass (23kt Gold)	-09		1,160.70
Brushed Durabrass (23kt Gold)	-28		1,160.70
Brushed Dark Brass	-39		884.40
Brushed Bronze	-42		884.40
Brushed Dark Platinum	-99		994.70



Required miscellaneous

Concealed three-way diverter
35 203 970 FF FF Euro

- min. recess depth 85 mm
- max. recess depth 155 mm

Concealed rough parts

90 360.40

For details and miscellaneous, see page 644

25 943 360



Two-hole bath mixer for free-standing assembly with hand shower set

- **245mm projection**
- spout: rectangular normal flow
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- hand shower with anti-scale system
- rotary diverter for bath/shower
- wall bracket
- total height 901 mm
- stand pipes height 730 mm
- height up to aerator 610 mm
- slide-on rosettes Ø 90 mm
- gauge 153 mm
- metal shower hose 1250mm with integrated anti-twist protection
- max. flow 51 l/min at 3 bar flow pressure

Intrinsic protection against back flow.

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Custom-made options

- Finish variants
- Red/blue marking
- without hand shower
- without logo

Standard article	25 943 360 FF	FF	Euro
Chrome		-00	4,194.60
Platinum		-08	6,711.30
Brushed Platinum		-06	6,711.30
Durabrand (23kt Gold)		-09	8,808.70
Brushed Durabrand (23kt Gold)		-28	8,808.70
Brushed Dark Brass		-39	6,711.30
Brushed Bronze		-42	6,711.30
Brushed Dark Platinum		-99	7,550.40



Required miscellaneous

Concealed floor mounting

	35 944 970 FF	FF	Euro
• min. recess depth 80 mm			
• max. recess depth 160 mm			
Concealed rough parts		90	537.90

For details and miscellaneous, see page 644

25 023 360



Bath mixer for wall mounting with hand shower set

- **160mm projection**
- Hand shower: COMPACT RAIN, max. flow rate 9 l/min (at 3 bar)
- spout: rectangular normal flow
- wall bracket
- rotary diverter for bath/shower
- rosette Ø 70 mm
- 1/2" connection
- gauge 153 mm
- metal shower hose 1250mm with integrated anti-twist protection
- max. spout flow rate 26 l/min

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Red/blue marking
- without hand shower
- without logo

Standard article	25 023 360 FF	FF	Euro
Chrome		-00	1,708.00
Platinum		-08	2,732.60
Brushed Platinum		-06	2,732.60
Durabrand (23kt Gold)		-09	3,586.80
Brushed Durabrand (23kt Gold)		-28	3,586.80
Brushed Dark Brass		-39	2,732.90
Brushed Bronze		-42	2,732.90
Brushed Dark Platinum		-99	3,074.60

27 502 360


Bath shower set for bath rim or tile edge installation

- spout: circular, air-enriched flow
- max. spout flow rate 23 l/min
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- **225mm projection**
- automatic bath/shower diverter
- height of mixer 185 mm
- height up to aerator 140 mm
- hole diameter valve 32 mm
- hole diameter spout 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for complete hand shower set Ø 55mm
- rosette for deck valve Ø 55mm
- metal shower hose 1750mm with integrated anti-twist protection

Intrinsic protection against back flow.

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Custom-made options

- Finish variants
- Red/blue marking
- without hand shower
- without logo

Standard article	27 502 360 FF	FF	Euro
Chrome		-00	3,303.10
Platinum		-08	5,284.80
Brushed Platinum		-06	5,284.80
Durabronz (23kt Gold)		-09	6,936.50
Brushed Durabronz (23kt Gold)		-28	6,936.50
Brushed Dark Brass		-39	5,284.90
Brushed Bronze		-42	5,284.90
Brushed Dark Platinum		-99	5,945.60



Recommended miscellaneous

Perfecto installation kit	12 614 970 FF	FF	Euro
For details and miscellaneous, see page 646		Concealed rough parts	90
			1,794.10

Recommended miscellaneous

Decorative caps for Perfecto	12 801 970 FF	FF	Euro
• 1 pair		Chrome	-00
		Platinum	-08
		Brushed Platinum	-06
		Durabronz (23kt Gold)	-09
		Brushed Durabronz (23kt Gold)	-28
		Brushed Dark Brass	-39
		Brushed Bronze	-42
		Brushed Dark Platinum	-99
			55.50
			89.00
			89.00
			116.60
			116.60
			88.80
			88.80
			99.80

36 243 970


Pop-up waste and overflow

- drain Ø 52mm

Also suitable for king-size baths.

Custom-made options

- Finish variants
- without logo

Standard article	36 243 970 FF	FF	Euro
Chrome		-00	221.00
Platinum		-08	353.90
Brushed Platinum		-06	353.90
Durabronz (23kt Gold)		-09	464.10
Brushed Durabronz (23kt Gold)		-28	464.10
Brushed Dark Brass		-39	353.70
Brushed Bronze		-42	353.60
Brushed Dark Platinum		-99	397.80



Required miscellaneous

Pop-up waste and overflow	35 227 970 FF	FF	Euro
• bowden cable length 725 mm		Concealed rough parts	90
			179.20

36 247 970



Bath spout with pop-up waste and overflow

- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

Custom-made options

- Finish variants
- without logo

Standard article	36 247 970 FF	FF	Euro
Chrome		-00	334.40
Platinum		-08	535.10
Brushed Platinum		-06	535.10
Durabrand (23kt Gold)		-09	702.20
Brushed Durabrand (23kt Gold)		-28	702.20
Brushed Dark Brass		-39	535.10
Brushed Bronze		-42	535.10
Brushed Dark Platinum		-99	601.80



Required miscellaneous

Vacuum breaker	36 150 970 FF	FF	Euro
Chrome		-00	91.70
Platinum		-08	146.70
Brushed Platinum		-06	146.70
Durabrand (23kt Gold)		-09	192.60
Brushed Durabrand (23kt Gold)		-28	192.60
Brushed Dark Brass		-39	146.70
Brushed Bronze		-42	146.80
Brushed Dark Platinum		-99	164.90



Required miscellaneous

Bath spout with pop-up waste and overflow

	35 248 970 FF	FF	Euro
• bowden cable length 725 mm	Concealed rough parts	90	493.60

83 030 361


Bath grip

- gauge 300 mm
- width 360mm
- height 60 mm
- rosette Ø 60 mm
- 90mm projection

Custom-made options

- Finish variants

Standard article	83 030 361 FF	FF	Euro
Chrome		-00	344.20
Platinum		-08	550.90
Brushed Platinum		-06	550.90
Durabrand (23kt Gold)		-09	722.80
Brushed Durabrand (23kt Gold)		-28	722.80
Brushed Dark Brass		-39	550.70
Brushed Bronze		-42	550.70
Brushed Dark Platinum		-99	619.60



Recommended miscellaneous

**Mounting for towel bar/
tumbler mounting on two
sides**

- for towel bar mounting plus towel bar mounting on back.

12 358 970 FF	FF	Euro
Accessories	90	75.30

83 045 361


Towel bar

- gauge 450 mm
- width 510mm
- height 60 mm
- rosette Ø 60 mm
- 90mm projection

Note: Standard glass mounting for 8 mm glass only

For 12 mm or more, contact Dornbracht Technical Service

Custom-made options

- Finish variants
- Gauge modification

Standard article	83 045 361 FF	FF	Euro
Chrome		-00	374.00
Platinum		-08	598.10
Brushed Platinum		-06	598.10
Durabrand (23kt Gold)		-09	785.40
Brushed Durabrand (23kt Gold)		-28	785.40
Brushed Dark Brass		-39	598.40
Brushed Bronze		-42	598.40
Brushed Dark Platinum		-99	672.90



Recommended miscellaneous

**Mounting for towel bar/
tumbler mounting on two
sides**

- for towel bar mounting plus towel bar mounting on back.

12 358 970 FF	FF	Euro
Accessories	90	75.30

83 060 361


Towel bar

- gauge 600 mm
- width 660mm
- height 60 mm
- rosette Ø 60 mm
- 90mm projection

Note: Standard glass mounting for 8 mm glass only

For 12 mm or more, contact Dornbracht Technical Service

Custom-made options

- Finish variants
- Gauge modification

Standard article	83 060 361 FF	FF	Euro
Chrome		-00	387.20
Platinum		-08	619.50
Brushed Platinum		-06	619.50
Durabrand (23kt Gold)		-09	813.10
Brushed Durabrand (23kt Gold)		-28	813.10
Brushed Dark Brass		-39	619.40
Brushed Bronze		-42	619.40
Brushed Dark Platinum		-99	696.80



Recommended miscellaneous

**Mounting for towel bar/
tumbler mounting on two
sides**

- for towel bar mounting plus towel bar mounting on back.

12 358 970 FF	FF	Euro
Accessories	90	75.30

83 210 361


Towel bar in two parts swivel

- width 85mm
- height 70 mm
- rosette Ø 60 mm
- 485mm projection

Custom-made options

- Finish variants

Standard article	83 210 361 FF	FF	Euro
Chrome		-00	378.40
Platinum		-08	605.60
Brushed Platinum		-06	605.60
Durabrand (23kt Gold)		-09	794.60
Brushed Durabrand (23kt Gold)		-28	794.60
Brushed Dark Brass		-39	605.40
Brushed Bronze		-42	605.40
Brushed Dark Platinum		-99	681.40

83 200 361



Towel ring round

- width 185mm
- rosette Ø 60 mm
- 97mm projection

Custom-made options

- Finish variants

Standard article	83 200 361 FF	FF	Euro
Chrome		-00	236.40
Platinum		-08	378.10
Brushed Platinum		-06	378.10
Durabrand (23kt Gold)		-09	496.40
Brushed Durabrand (23kt Gold)		-28	496.40
Brushed Dark Brass		-39	378.20
Brushed Bronze		-42	378.20
Brushed Dark Platinum		-99	425.40

83 250 970



Hooks

- 1 pair
- 35mm projection

Custom-made options

- Finish variants

Standard article	83 250 970 FF	FF	Euro
Chrome		-00	37.90
Platinum		-08	60.80
Brushed Platinum		-06	60.80
Durabrand (23kt Gold)		-09	79.60
Brushed Durabrand (23kt Gold)		-28	79.60
Brushed Dark Brass		-39	60.70
Brushed Bronze		-42	60.70
Brushed Dark Platinum		-99	68.20

83 251 970



Hooks

- 55mm projection

Custom-made options

- Finish variants

Standard article	83 251 970 FF	FF	Euro
Chrome		-00	36.60
Platinum		-08	58.60
Brushed Platinum		-06	58.60
Durabrand (23kt Gold)		-09	76.90
Brushed Durabrand (23kt Gold)		-28	76.90
Brushed Dark Brass		-39	58.50
Brushed Bronze		-42	58.50
Brushed Dark Platinum		-99	65.90

83 252 970



Hooks

- 75mm projection

Custom-made options

- Finish variants

Standard article	83 252 970 FF	FF	Euro
Chrome		-00	48.10
Platinum		-08	76.60
Brushed Platinum		-06	76.60
Durabrand (23kt Gold)		-09	101.00
Brushed Durabrand (23kt Gold)		-28	101.00
Brushed Dark Brass		-39	76.90
Brushed Bronze		-42	76.90
Brushed Dark Platinum		-99	86.50

83 400 979



Tumbler holder wall model

- crystal glass, transparent
- width 60mm
- height 120 mm
- 110mm projection

Custom-made options

- Finish variants

Standard article	83 400 979 FF	FF	Euro
Chrome		-00	278.90
Platinum		-08	446.30
Brushed Platinum		-06	446.30
Durabrand (23kt Gold)		-09	585.70
Brushed Durabrand (23kt Gold)		-28	585.70
Brushed Dark Brass		-39	446.30
Brushed Bronze		-42	446.30
Brushed Dark Platinum		-99	502.00

83 401 979



Tumbler holder wall model

- crystal glass brush holder, matte
- width 60mm
- height 120 mm
- 110mm projection

Custom-made options

- Finish variants

Standard article	83 401 979 FF	FF	Euro
Chrome		-00	278.90
Platinum		-08	446.30
Brushed Platinum		-06	446.30
Durabrand (23kt Gold)		-09	585.70
Brushed Durabrand (23kt Gold)		-28	585.70
Brushed Dark Brass		-39	446.30
Brushed Bronze		-42	446.30
Brushed Dark Platinum		-99	502.00



Recommended miscellaneous

Standard article	08 90 00 008 FF	FF	Euro
Crystal tumbler		-00	72.10
	Glass	82	72.10

83 410 979


Soap dish wall model

- width 120mm
- height 20 mm
- 145mm projection

Custom-made options

- Finish variants

Standard article	83 410 979 FF	FF	Euro
Chrome		-00	289.30
Platinum		-08	462.90
Brushed Platinum		-06	462.90
Durabrand (23kt Gold)		-09	607.50
Brushed Durabrand (23kt Gold)		-28	607.50
Brushed Dark Brass		-39	462.90
Brushed Bronze		-42	462.90
Brushed Dark Platinum		-99	520.90

83 435 970


Dispenser wall model


- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 96mm projection

Custom-made options

- Finish variants
- without logo

Standard article	83 435 970 FF	FF	Euro
Chrome		-00	457.60
Platinum		-08	732.10
Brushed Platinum		-06	732.10
Brushed Durabrand (23kt Gold)		-28	961.00
Brushed Dark Brass		-39	732.20
Brushed Bronze		-42	732.20
Brushed Dark Platinum		-99	823.80

83 290 970


Shower basket for wall mounting

- width 200mm
- height 70 mm
- 115mm projection

Custom-made options

- Finish variants

Standard article	83 290 970 FF	FF	Euro
Chrome		-00	221.60
Platinum		-08	354.60
Brushed Platinum		-06	354.60
Durabrand (23kt Gold)		-09	465.40
Brushed Durabrand (23kt Gold)		-28	465.40
Brushed Dark Brass		-39	354.50
Brushed Bronze		-42	354.40
Brushed Dark Platinum		-99	398.90

83 500 361


Tissue holder without cover

- width 145mm
- height 120 mm
- 95mm projection

Custom-made options

- Finish variants

Standard article	83 500 361 FF	FF	Euro
Chrome		-00	237.40
Platinum		-08	380.10
Brushed Platinum		-06	380.10
Durabrand (23kt Gold)		-09	498.50
Brushed Durabrand (23kt Gold)		-28	498.50
Brushed Dark Brass		-39	379.90
Brushed Bronze		-42	379.90
Brushed Dark Platinum		-99	427.80

83 510 361


Tissue holder with cover

- width 145mm
- height 90 mm
- 150mm projection

Custom-made options

- Finish variants

Standard article	83 510 361 FF	FF	Euro
Chrome		-00	296.90
Platinum		-08	475.10
Brushed Platinum		-06	475.10
Durabrand (23kt Gold)		-09	623.50
Brushed Durabrand (23kt Gold)		-28	623.50
Brushed Dark Brass		-39	475.10
Brushed Bronze		-42	475.10
Brushed Dark Platinum		-99	534.80

83 590 361


Reserve tissue holder

- height 170 mm
- rosette Ø 60 mm
- 93mm projection

Custom-made options

- Finish variants

Standard article	83 590 361 FF	FF	Euro
Chrome		-00	236.40
Platinum		-08	378.10
Brushed Platinum		-06	378.10
Durabrand (23kt Gold)		-09	496.40
Brushed Durabrand (23kt Gold)		-28	496.40
Brushed Dark Brass		-39	378.20
Brushed Bronze		-42	378.20
Brushed Dark Platinum		-99	425.40

83 900 361



Toilet brush set wall model

- crystal glass brush holder, matte
- brush head, white
- width 110mm
- height 400 mm
- 147mm projection

Custom-made options

- Finish variants

Standard article	83 900 361 FF	FF	Euro
Chrome		-00	566.00
Platinum		-08	905.20
Brushed Platinum		-06	905.20
Durabrand (23kt Gold)		-09	1,188.60
Brushed Durabrand (23kt Gold)		-28	1,188.60
Brushed Dark Brass		-39	905.60
Brushed Bronze		-42	905.60
Brushed Dark Platinum		-99	1,018.70

83 910 979



Toilet brush set wall model

- brush, matte black
- width 100mm
- height 456 mm
- 110mm projection

Custom-made options

- Finish variants
- without logo

Standard article	83 910 979 FF	FF	Euro
Chrome		-00	519.20
Platinum		-08	830.90
Brushed Platinum		-06	830.90
Brushed Durabrand (23kt Gold)		-28	1,090.30
Brushed Dark Brass		-39	830.80
Brushed Bronze		-42	830.70
Brushed Dark Platinum		-99	934.60

12 660 979



Cover plate for the concealed WC cistern made by TeCe

- **Not available in the United States and Canada due to local code requirements. Please contact us for more information.**

- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)

- **This product is compatible with the following TECE products:**

- TECEprofil dry wall construction, article numbers: 9300300, 9300322, 9300301, 9300344, 9300309, 9300303, 9300388, 9300366, 9300102, 9300103, 9300329, 9300377, 9300378, 9400302, 9400303, 9400304, 9041335, 9041336, 9041337

- TECEbox wet wall construction, article numbers: 9370300, 9375300, 9371300

Custom-made options

- Finish variants
- without logo

Standard article	12 660 979 FF	FF	Euro
Chrome		-00	852.30
Platinum		-08	1,364.00
Brushed Platinum		-06	1,364.00
Brushed Durabrand (23kt Gold)		-28	1,789.80
Brushed Dark Brass		-39	1,363.70
Brushed Bronze		-42	1,363.80
Brushed Dark Platinum		-99	1,534.30

12 665 979



Flush plate for concealed WC cisterns made by Geberit round

- cover plate 169 x 246 x 12 mm
- Mechanical flush plate with manual flush buttons
- For 2-volume flushing system
- Includes mounting frame, actuator rods and fastening material
- Sound-absorbing push rods, tool-free fast adjustment
- **Compatible with all Geberit Sigma series cisterns from 2001 onwards**

Custom-made options

- Finish variants
- without logo

Standard article	12 665 979 FF	FF	Euro
Chrome		-00	485.30
Platinum		-08	776.50
Brushed Platinum		-06	776.50
Durabrand (23kt Gold)		-09	1,019.10
Brushed Durabrand (23kt Gold)		-28	1,019.10
Brushed Dark Brass		-39	776.50
Brushed Bronze		-42	776.50
Brushed Dark Platinum		-99	873.60

83 150 979

NEW



Lighted mirror round

- Wall mounting
- Diameter: 600 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material

Standard article	83 150 979 FF	FF	Euro
Matte White		-10	1,767.00
Matte Black		-33	1,767.00

83 151 979

NEW

Lighted mirror round

- Wall mounting
- Diameter: 750 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material

Standard article	83 151 979 FF	FF	Euro
Matte White		-10	2,065.00
Matte Black		-33	2,065.00



83 150 980

NEW

Lighted mirror angular

- Wall mounting
- height 800 mm
- width 400mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material

Standard article	83 150 980 FF	FF	Euro
Matte White		-10	1,652.00
Matte Black		-33	1,652.00



83 151 980

NEW

Lighted mirror angular

- Wall mounting
- height 1000 mm
- width 600mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material

Standard article	83 151 980 FF	FF	Euro
Matte White		-10	1,951.00
Matte Black		-33	1,951.00



36 390 979

NEW

Electronic control elements for heated towel rail

- rosette Ø 80 mm
- Control element for towel warmer: 833XX979-FF
- Degree of protection IP 44, CE marking

Note: Different conditioning.

Standard article	36 390 979 FF	FF	Euro
Chrome		-00	500.00
Brushed Dark Platinum		-99	900.00



83 304 979

NEW

Towel warmer, 4-fold, projection left, without control element

- gauge 120 mm
- width 610mm
- height 440 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element
Activation must be handled by the customer
Note: Different conditioning.

Standard article	83 304 979 FF	FF	Euro
Chrome		-00	1,760.00
Brushed Dark Platinum		-99	3,168.00



Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, without control element

35 311 970 FF	FF	Euro
Concealed rough parts	90	750.00

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 651



83 306 979

NEW

Towel warmer, 6-fold, projection left, without control element

- gauge 120 mm
- width 610mm
- height 680 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.



Standard article	83 306 979 FF	FF	Euro
Chrome		-00	2,640.00
Brushed Dark Platinum		-99	4,752.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 6-fold, without control element

35 313 970 FF	FF	Euro
Concealed rough parts	90	1,000.00

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 652



83 314 979

NEW

Towel warmer, 4-fold, projection right, without control element

- gauge 120 mm
- width 610mm
- height 440 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.



Standard article	83 314 979 FF	FF	Euro
Chrome		-00	1,760.00
Brushed Dark Platinum		-99	3,168.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, without control element

35 311 970 FF	FF	Euro
Concealed rough parts	90	750.00

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 651



83 316 979

NEW

Towel warmer, 6-fold, projection right, without control element

- gauge 120 mm
- width 610mm
- height 680 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.



Standard article	83 316 979 FF	FF	Euro
Chrome		-00	2,640.00
Brushed Dark Platinum		-99	4,752.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 6-fold, without control element

35 313 970 FF	FF	Euro
Concealed rough parts	90	1,000.00

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 652



83 304 979 +
36 390 979

NEW

Towel warmer, 4-fold, projection left, with control element

- gauge 120 mm
- width 610mm
- height 560 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.



Standard article	1x 83 304 979 FF		1x 36 390 979 FF		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	1,760.00	-00	500.00	2,260.00
Brushed Dark Platinum	-99	3,168.00	-99	900.00	4,068.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, with control element

35 312 970 FF	FF	Euro
Concealed rough parts	90	850.00

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 651



83 306 979 +
36 390 979

NEW Towel warmer, 6-fold, projection left, with control element

- gauge 120 mm
- width 610mm
- height 800 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.


Standard article	1x 83 306 979 FF		1x 36 390 979 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	2,640.00	-00	500.00	3,140.00
Brushed Dark Platinum	-99	4,752.00	-99	900.00	5,652.00

Required miscellaneous


Concealed wall installation box for heated towel rail, 6-fold, with control element

35 314 970 FF		FF	Euro
Concealed rough parts		90	1,100.00

• min. recess depth 70 mm
• max. recess depth 105 mm
For details and miscellaneous, see page 652

 83 314 979 +
36 390 979

NEW Towel warmer, 4-fold, projection right, with control element

- gauge 120 mm
- width 610mm
- height 560 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.


Standard article	1x 83 314 979 FF		1x 36 390 979 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,760.00	-00	500.00	2,260.00
Brushed Dark Platinum	-99	3,168.00	-99	900.00	4,068.00

Required miscellaneous


Concealed wall installation box for heated towel rail, 4-fold, with control element

35 312 970 FF		FF	Euro
Concealed rough parts		90	850.00

• min. recess depth 70 mm
• max. recess depth 105 mm
For details and miscellaneous, see page 651

 83 316 979 +
36 390 979

NEW Towel warmer, 6-fold, projection right, with control element

- gauge 120 mm
- width 610mm
- height 800 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.


Standard article	1x 83 316 979 FF		1x 36 390 979 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	2,640.00	-00	500.00	3,140.00
Brushed Dark Platinum	-99	4,752.00	-99	900.00	5,652.00

Required miscellaneous


Concealed wall installation box for heated towel rail, 6-fold, with control element

35 314 970 FF		FF	Euro
Concealed rough parts		90	1,100.00

• min. recess depth 70 mm
• max. recess depth 105 mm
For details and miscellaneous, see page 652

MEM

Sieger Design



Basin
from page 279

Bidet
from page 289

Shower
from page 288

Thermostats, mixers, diverters
and valves
from page 308

Bath
from page 318

Accessories
from page 325

Basin fittings

Single-lever basin mixers

165mm projection

33 500 782
33 521 782

113mm projection

33 502 782
33 522 782

200mm projection

33 501 782
33 526 782

Three-hole basin mixers

165mm projection



20 705 782

165mm projection



20 713 782

200mm projection



20 715 782

Deck-mounted basin spouts

200mm projection

13 715 782
13 716 782

Wall-mounted single-lever basin mixers

177mm projection



36 860 782

207mm projection

36 861 782
36 864 782

247mm projection



36 862 782

185mm projection



36 805 782

125mm projection



36 867 782

Wall-mounted basin mixers

126mm projection



36 702 782

170mm projection



36 707 782

200mm projection



36 712 782

240mm projection



36 717 782

Wall-mounted basin spouts

200mm projection



13 800 782

Touchfree

165mm projection



44 521 782

Touchfree

200mm projection

13 716 782 +
42 765 970

200mm projection

13 800 782 +
42 765 970

Showers

Shower sets



26 413 980 +
28 012 979



26 413 979 +
28 018 979



34 459 980 +
28 018 979
34 458 980



28 504 670



28 508 980



28 765 980
28 764 980

Rain showers with ceiling connection



28 775 980
28 774 980



28 041 980



28 042 980



28 043 980



28 044 980



Hand shower sets
with integrated
shower holder

27 802 970

Rain showers for ceiling connection

Rain showers for ceiling installation

Hand shower sets with individual rosettes



27 808 980



27 809 985



27 818 980

Hand shower sets with cover plate

Side showers



28 528 782
28 518 782

Massage modules

WATER POINTS



36 525 979
36 515 979

WATER BAR



36 527 979
36 517 979

Massage modules

WATER CURVE



36 514 979

WATER FAN



36 513 979
36 512 979

Waterfalls

WATER SHEET



13 415 979

WATER FALL



13 420 979

WATER FALL



13 425 979

Kneipp modules



27 838 979
27 858 979

Kneipp modules

WATER TUBE



27 821 979 +
28 285 979
27 841 979

Bath fittings

Single-lever mixers



36 120 670



29 300 670



36 120 670

Free-standing bath fittings

281mm projection



25 863 782

Three-hole single-lever bath mixers

220mm projection



27 412 782



27 532 782

Bath shower sets

220mm projection

Bath spouts

235mm projection




13 630 740

220mm projection



13 801 782

200mm projection



13 430 740

Hand shower sets

230mm projection



27 702 980

Diverters

29 140 670



29 140 670

Miscellaneous

26mm projection



36 243 970

integrated bath filling

26mm projection



36 247 970

33 500 782

Single-lever basin mixer with pop-up waste

- **165mm projection**
- 1 1/4" pop-up waste
- fixed spout
- rectangular, air-enriched flow
- height of mixer 310 mm
- height up to aerator 202 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 2x US pressure hose, 3/8"
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.
Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	33 500 782 FF	FF	Euro
Chrome		-00	1,245.80
Platinum		-08	1,993.10
Brushed Platinum		-06	1,993.10
Champagne (22kt Gold)		-47	2,740.80
Brushed Champagne (22kt Gold)		-46	2,740.80
Brushed Durabronze (23kt Gold)		-28	2,616.20
Brushed Dark Brass		-39	1,993.30
Brushed Bronze		-42	1,993.30
Dark Chrome		-19	1,868.80
Brushed Dark Platinum		-99	2,242.20

Product alternative

- **without pop-up waste**

Standard article	33 521 782 FF	FF	Euro
Chrome		-00	1,187.60
Platinum		-08	1,900.50
Brushed Platinum		-06	1,900.50
Champagne (22kt Gold)		-47	2,612.70
Brushed Champagne (22kt Gold)		-46	2,612.70
Brushed Durabronze (23kt Gold)		-28	2,494.00
Brushed Dark Brass		-39	1,900.10
Brushed Bronze		-42	1,900.10
Dark Chrome		-19	1,781.50
Brushed Dark Platinum		-99	2,137.80

33 502 782

Single-lever basin mixer with pop-up waste

- **113mm projection**
- 1 1/4" pop-up waste
- fixed spout
- rectangular, air-enriched flow
- height of mixer 284 mm
- height up to aerator 216 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 2x US pressure hose, 3/8"
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.
Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	33 502 782 FF	FF	Euro
Chrome		-00	1,166.70
Platinum		-08	1,866.60
Brushed Platinum		-06	1,866.60
Champagne (22kt Gold)		-47	2,566.70
Brushed Champagne (22kt Gold)		-46	2,566.70
Brushed Durabronze (23kt Gold)		-28	2,450.10
Brushed Dark Brass		-39	1,866.70
Brushed Bronze		-42	1,866.70
Dark Chrome		-19	1,750.00
Brushed Dark Platinum		-99	2,100.10

Product alternative

- **without pop-up waste**

Standard article	33 522 782 FF	FF	Euro
Chrome		-00	1,109.20
Platinum		-08	1,774.80
Brushed Platinum		-06	1,774.80
Champagne (22kt Gold)		-47	2,440.20
Brushed Champagne (22kt Gold)		-46	2,440.20
Brushed Durabronze (23kt Gold)		-28	2,329.30
Brushed Dark Brass		-39	1,774.70
Brushed Bronze		-42	1,774.70
Dark Chrome		-19	1,663.90
Brushed Dark Platinum		-99	1,996.70

33 501 782

**Single-lever basin mixer with pop-up waste**

- 200mm projection
- 1 1/4" pop-up waste
- fixed spout
- rectangular, air-enriched flow
- height of mixer 340 mm
- height up to aerator 216 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 2x US pressure hose, 3/8"
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	33 501 782 FF	FF	Euro
Chrome	-00		1,304.20
Platinum	-08		2,086.50
Brushed Platinum	-06		2,086.50
Champagne (22kt Gold)	-47		2,869.20
Brushed Champagne (22kt Gold)	-46		2,869.20
Brushed Durabronze (23kt Gold)	-28		2,738.80
Brushed Dark Brass	-39		2,086.70
Brushed Bronze	-42		2,086.70
Dark Chrome	-19		1,956.30
Brushed Dark Platinum	-99		2,347.60

Product alternative

- without pop-up waste

Standard article	33 526 782 FF	FF	Euro
Chrome	-00		1,242.90
Platinum	-08		1,989.10
Brushed Platinum	-06		1,989.10
Champagne (22kt Gold)	-47		2,734.40
Brushed Champagne (22kt Gold)	-46		2,734.40
Brushed Durabronze (23kt Gold)	-28		2,610.10
Brushed Dark Brass	-39		1,988.60
Brushed Bronze	-42		1,988.60
Dark Chrome	-19		1,864.50
Brushed Dark Platinum	-99		2,237.50

20 705 782

**Three-hole basin mixer with pop-up waste**

- 165mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 144 mm
- height up to aerator 78 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- rosette 60 x 60 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options

- Blue marking
- Finish variants
- Flow rate modification
- Glass Design handle variant
- Nature Squared handle variant
- Red marking
- Red/blue marking
- without logo
- without pop-up waste

Standard article	20 705 782 FF	FF	Euro
Chrome	-00		1,635.50
Platinum	-08		2,616.80
Brushed Platinum	-06		2,616.80
Champagne (22kt Gold)	-47		3,598.10
Brushed Champagne (22kt Gold)	-46		3,598.10
Brushed Durabronze (23kt Gold)	-28		3,434.60
Brushed Dark Brass	-39		2,616.80
Brushed Bronze	-42		2,616.80
Dark Chrome	-19		2,453.40
Brushed Dark Platinum	-99		2,943.90



Recommended miscellaneous

High pressure hoses

	12 506 970 FF	FF	Euro
• 2x 3/8" x 1/2" x 500mm high pressure hose	Accessories	90	90.70

20 713 782


Three-hole basin mixer with pop-up waste

- **165mm projection**
- 1 1/4" pop-up waste
- fixed spout
- rectangular, air-enriched flow
- height of mixer 277 mm
- height up to aerator 170 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- rosette 60 x 60 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 8.3 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.
Custom-made options

- Blue marking
- Finish variants
- Flow rate modification
- Glass Design handle variant
- Nature Squared handle variant
- Red marking
- Red/blue marking
- without logo
- without pop-up waste

Standard article	20 713 782 FF	FF	Euro
Chrome		-00	1,635.50
Platinum		-08	2,617.10
Brushed Platinum		-06	2,617.10
Champagne (22kt Gold)		-47	3,598.10
Brushed Champagne (22kt Gold)		-46	3,598.10
Brushed Durabronze (23kt Gold)		-28	3,434.60
Brushed Dark Brass		-39	2,616.80
Brushed Bronze		-42	2,616.80
Dark Chrome		-19	2,453.40
Brushed Dark Platinum		-99	2,944.00



Recommended miscellaneous

	High pressure hoses	12 506 970 FF	FF	Euro
• 2x 3/8" x 1/2" x 500mm high pressure hose			Accessories	90
				90.70

20 715 782


Three-hole basin mixer with pop-up waste

- **200mm projection**
- fixed spout
- 1 1/4" pop-up waste
- rectangular, air-enriched flow
- height of mixer 320 mm
- height up to aerator 195 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- rosette 60 x 60 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 8.3 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.
Custom-made options

- Blue marking
- Finish variants
- Flow rate modification
- Glass Design handle variant
- Nature Squared handle variant
- Red marking
- Red/blue marking
- without logo
- without pop-up waste

Standard article	20 715 782 FF	FF	Euro
Chrome		-00	1,713.20
Platinum		-08	2,741.20
Brushed Platinum		-06	2,741.20
Champagne (22kt Gold)		-47	3,769.00
Brushed Champagne (22kt Gold)		-46	3,769.00
Brushed Durabronze (23kt Gold)		-28	3,597.70
Brushed Dark Brass		-39	2,741.10
Brushed Bronze		-42	2,741.10
Dark Chrome		-19	2,569.90
Brushed Dark Platinum		-99	3,083.90



Recommended miscellaneous

	High pressure hoses	12 506 970 FF	FF	Euro
• 2x 3/8" x 1/2" x 500mm high pressure hose			Accessories	90
				90.70

13 715 782

**Deck-mounted basin spout with pop-up waste**

- 200mm projection
- 1 1/4" pop-up waste
- fixed spout
- rectangular, air-enriched flow
- height of mixer 321 mm
- height up to aerator 190 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- rosette 60 x 60 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	13 715 782 FF	FF	Euro
Chrome		-00	1,055.10
Platinum		-08	1,688.30
Brushed Platinum		-06	1,688.30
Champagne (22kt Gold)		-47	2,321.20
Brushed Champagne (22kt Gold)		-46	2,321.20
Brushed Durabrass (23kt Gold)		-28	2,215.70
Brushed Dark Brass		-39	1,688.20
Brushed Bronze		-42	1,688.20
Dark Chrome		-19	1,582.60
Brushed Dark Platinum		-99	1,899.30

Product alternative

- without pop-up waste

Standard article	13 716 782 FF	FF	Euro
Chrome		-00	1,031.60
Platinum		-08	1,650.70
Brushed Platinum		-06	1,650.70
Champagne (22kt Gold)		-47	2,269.50
Brushed Champagne (22kt Gold)		-46	2,269.50
Brushed Durabrass (23kt Gold)		-28	2,166.40
Brushed Dark Brass		-39	1,650.70
Brushed Bronze		-42	1,650.70
Dark Chrome		-19	1,547.60
Brushed Dark Platinum		-99	1,857.10

36 860 782

**Wall-mounted single-lever basin mixer without pop-up waste**

- 177mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout 80 x 60mm
- rosette for mixer 80 x 80mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- Projection modification
- Red/blue marking
- without logo

Standard article	36 860 782 FF	FF	Euro
Chrome		-00	1,035.70
Platinum		-08	1,657.70
Brushed Platinum		-06	1,657.70
Champagne (22kt Gold)		-47	2,278.50
Brushed Champagne (22kt Gold)		-46	2,278.50
Brushed Durabrass (23kt Gold)		-28	2,175.00
Brushed Dark Brass		-39	1,657.10
Brushed Bronze		-42	1,657.10
Dark Chrome		-19	1,553.50
Brushed Dark Platinum		-99	1,864.70



Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
Concealed rough parts		90	224.60

- min. recess depth 80 mm
- max. recess depth 95 mm
- mixer can be placed above, to the left or to the right of the spout.

For details and miscellaneous, see page 640

36 861 782


Wall-mounted single-lever basin mixer without pop-up waste

- **207mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout 80 x 60mm
- rosette for mixer 80 x 80mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- Projection modification
- Red/blue marking
- without logo

Standard article	36 861 782 FF	FF	Euro
Chrome	-00		1,092.50
Platinum	-08		1,748.40
Brushed Platinum	-06		1,748.40
Champagne (22kt Gold)	-47		2,403.50
Brushed Champagne (22kt Gold)	-46		2,403.50
Brushed Durabronze (23kt Gold)	-28		2,294.30
Brushed Dark Brass	-39		1,748.00
Brushed Bronze	-42		1,748.00
Dark Chrome	-19		1,638.90
Brushed Dark Platinum	-99		1,966.70

Product alternative

- cover plate 80 x 180 mm

Standard article	36 864 782 FF	FF	Euro
Chrome	-00		1,237.10
Platinum	-08		1,979.00
Brushed Platinum	-06		1,979.00
Champagne (22kt Gold)	-47		2,721.60
Brushed Champagne (22kt Gold)	-46		2,721.60
Brushed Durabronze (23kt Gold)	-28		2,597.90
Brushed Dark Brass	-39		1,979.50
Brushed Bronze	-42		1,979.50
Dark Chrome	-19		1,855.60
Brushed Dark Platinum	-99		2,226.90



Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
Concealed rough parts	90		224.60

- min. recess depth 80 mm
- max. recess depth 95 mm
- mixer can be placed above, to the left or to the right of the spout.

For details and miscellaneous, see page 640

36 862 782


Wall-mounted single-lever basin mixer without pop-up waste

- **247mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout 80 x 60mm
- rosette for mixer 80 x 80mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- Projection modification
- Red/blue marking
- without logo

Standard article	36 862 782 FF	FF	Euro
Chrome	-00		1,138.00
Platinum	-08		1,821.60
Brushed Platinum	-06		1,821.60
Champagne (22kt Gold)	-47		2,503.60
Brushed Champagne (22kt Gold)	-46		2,503.60
Brushed Durabronze (23kt Gold)	-28		2,389.80
Brushed Dark Brass	-39		1,820.80
Brushed Bronze	-42		1,820.80
Dark Chrome	-19		1,707.10
Brushed Dark Platinum	-99		2,048.40



Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
Concealed rough parts	90		224.60

- min. recess depth 80 mm
- max. recess depth 95 mm
- mixer can be placed above, to the left or to the right of the spout.

For details and miscellaneous, see page 640

36 805 782

**Wall-mounted single-lever basin mixer without pop-up waste**

- **185mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter 35 mm
- rosette Ø 60 mm
- max. flow 5.7 l/min
- lead-free
- with single-point mounting
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	36 805 782 FF	FF	Euro
Chrome		-00	1,092.50
Platinum		-08	1,748.20
Brushed Platinum		-06	1,748.20
Champagne (22kt Gold)		-47	2,403.50
Brushed Champagne (22kt Gold)		-46	2,403.50
Brushed Durabronz (23kt Gold)		-28	2,294.30
Brushed Dark Brass		-39	1,748.00
Brushed Bronze		-42	1,748.00
Dark Chrome		-19	1,638.90
Brushed Dark Platinum		-99	1,966.70



Required miscellaneous

Concealed wall mounting

35 050 970 FF FF Euro

- min. recess depth 80 mm
 - max. recess depth 105 mm
- Concealed rough parts **90** 320.80
- For details and miscellaneous, see page 640

36 867 782

**Wall-mounted single-lever basin mixer without pop-up waste**

- **125mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter spout 35 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout 80 x 60mm
- rosette for mixer 80 x 80mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- Projection modification
- Red/blue marking
- without logo

Standard article	36 867 782 FF	FF	Euro
Chrome		-00	997.70
Platinum		-08	1,596.40
Brushed Platinum		-06	1,596.40
Champagne (22kt Gold)		-47	2,194.90
Brushed Champagne (22kt Gold)		-46	2,194.90
Brushed Durabronz (23kt Gold)		-28	2,095.20
Brushed Dark Brass		-39	1,596.30
Brushed Bronze		-42	1,596.30
Dark Chrome		-19	1,496.50
Brushed Dark Platinum		-99	1,795.80



Required miscellaneous

Concealed wall-mounted single-lever mixer

35 860 970 FF FF Euro

- min. recess depth 80 mm
 - max. recess depth 95 mm
 - mixer can be placed above, to the left or to the right of the spout.
- Concealed rough parts **90** 224.60
- For details and miscellaneous, see page 640

36 702 782

**Wall-mounted basin mixer without pop-up waste**

- **126mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter valve 35 mm
- hole diameter spout 35 mm
- individual rosettes 60 x 60 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Blue marking
- Finish variants
- Flow rate modification
- Glass Design handle variant
- Nature Squared handle variant
- Projection modification
- Red marking
- Red/blue marking
- without logo

Standard article	36 702 782 FF	FF	Euro
Chrome		-00	1,173.70
Platinum		-08	1,878.00
Brushed Platinum		-06	1,878.00
Champagne (22kt Gold)		-47	2,582.10
Brushed Champagne (22kt Gold)		-46	2,582.10
Brushed Durabronz (23kt Gold)		-28	2,464.80
Brushed Dark Brass		-39	1,877.90
Brushed Bronze		-42	1,877.90
Dark Chrome		-19	1,760.60
Brushed Dark Platinum		-99	2,112.70



Required miscellaneous

Concealed wall-mounted mixer centred spout

35 700 970 FF FF Euro

- min. recess depth 110 mm
 - max. recess depth 150 mm
- Concealed rough parts **90** 193.30
- For details and miscellaneous, see page 640



Required miscellaneous

Concealed wall-mounted mixer variable positioning

35 720 970 FF FF Euro

- min. recess depth 110 mm
 - max. recess depth 150 mm
- Concealed rough parts **90** 154.20
- For details and miscellaneous, see page 640

36 707 782


Wall-mounted basin mixer without pop-up waste
• 170mm projection

- fixed spout
- rectangular, air-enriched flow
- hole diameter valve 40 mm
- hole diameter spout 40 mm
- individual rosettes 60 x 60 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Blue marking
- Finish variants
- Flow rate modification
- Glass Design handle variant
- Nature Squared handle variant
- Projection modification
- Red marking
- Red/blue marking
- without logo

Standard article	36 707 782 FF	FF	Euro
Chrome		-00	1,255.70
Platinum		-08	2,009.30
Brushed Platinum		-06	2,009.30
Champagne (22kt Gold)		-47	2,762.50
Brushed Champagne (22kt Gold)		-46	2,762.50
Brushed Durabronze (23kt Gold)		-28	2,637.00
Brushed Dark Brass		-39	2,009.10
Brushed Bronze		-42	2,009.10
Dark Chrome		-19	1,883.70
Brushed Dark Platinum		-99	2,260.40



Required miscellaneous

Concealed wall-mounted mixer centred spout
35 700 970 FF | FF | Euro

- min. recess depth 110 mm
- max. recess depth 150 mm

 Concealed rough parts **90** | 193.30
 For details and miscellaneous, see page 640


Required miscellaneous

Concealed wall-mounted mixer variable positioning
35 720 970 FF | FF | Euro

- min. recess depth 110 mm
- max. recess depth 150 mm

 Concealed rough parts **90** | 154.20
 For details and miscellaneous, see page 640

36 712 782


Wall-mounted basin mixer without pop-up waste
• 200mm projection

- fixed spout
- rectangular, air-enriched flow
- hole diameter valve 40 mm
- hole diameter spout 40 mm
- individual rosettes 60 x 60 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Blue marking
- Finish variants
- Flow rate modification
- Glass Design handle variant
- Nature Squared handle variant
- Projection modification
- Red marking
- Red/blue marking
- without logo

Standard article	36 712 782 FF	FF	Euro
Chrome		-00	1,312.70
Platinum		-08	2,100.20
Brushed Platinum		-06	2,100.20
Champagne (22kt Gold)		-47	2,887.90
Brushed Champagne (22kt Gold)		-46	2,887.90
Brushed Durabronze (23kt Gold)		-28	2,756.70
Brushed Dark Brass		-39	2,100.40
Brushed Bronze		-42	2,100.40
Dark Chrome		-19	1,969.10
Brushed Dark Platinum		-99	2,362.70



Required miscellaneous

Concealed wall-mounted mixer centred spout
35 700 970 FF | FF | Euro

- min. recess depth 110 mm
- max. recess depth 150 mm

 Concealed rough parts **90** | 193.30
 For details and miscellaneous, see page 640


Required miscellaneous

Concealed wall-mounted mixer variable positioning
35 720 970 FF | FF | Euro

- min. recess depth 110 mm
- max. recess depth 150 mm

 Concealed rough parts **90** | 154.20
 For details and miscellaneous, see page 640

36 717 782

**Wall-mounted basin mixer without pop-up waste****• 240mm projection**

- fixed spout
- rectangular, air-enriched flow
- hole diameter valve 40 mm
- hole diameter spout 40 mm
- individual rosette 60 x 60 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Blue marking
- Finish variants
- Flow rate modification
- Glass Design handle variant
- Nature Squared handle variant
- Projection modification
- Red marking
- Red/blue marking
- without logo

Standard article	36 717 782 FF	FF	Euro
Chrome		-00	1,367.80
Platinum		-08	2,188.20
Brushed Platinum		-06	2,188.20
Champagne (22kt Gold)		-47	3,009.20
Brushed Champagne (22kt Gold)		-46	3,009.20
Brushed Durabrass (23kt Gold)		-28	2,872.40
Brushed Dark Brass		-39	2,188.50
Brushed Bronze		-42	2,188.50
Dark Chrome		-19	2,052.00
Brushed Dark Platinum		-99	2,462.40



Required miscellaneous

Concealed wall-mounted mixer centred spout

35 700 970 FF FF Euro

- min. recess depth 110 mm
 - max. recess depth 150 mm
- For details and miscellaneous, see page 640

Concealed rough parts 90 193.30



Required miscellaneous

Concealed wall-mounted mixer variable positioning

35 720 970 FF FF Euro

- min. recess depth 110 mm
 - max. recess depth 150 mm
- For details and miscellaneous, see page 640

Concealed rough parts 90 154.20

13 800 782

**Wall-mounted basin spout without pop-up waste****• 200mm projection**

- fixed spout
- rectangular, air-enriched flow
- hole diameter 37 mm
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Projection modification
- without logo

Standard article	13 800 782 FF	FF	Euro
Chrome		-00	765.30
Platinum		-08	1,223.90
Brushed Platinum		-06	1,223.90
Champagne (22kt Gold)		-47	1,683.70
Brushed Champagne (22kt Gold)		-46	1,683.70
Brushed Durabrass (23kt Gold)		-28	1,607.10
Brushed Dark Brass		-39	1,224.50
Brushed Bronze		-42	1,224.50
Dark Chrome		-19	1,147.90
Brushed Dark Platinum		-99	1,377.40



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

Concealed rough parts 90 122.80

44 521 782

**Washstand fitting with electronic opening and closing function without pop-up waste****• 165mm projection**

- Infrared sensor technology
- height of mixer 313 mm
- height up to aerator 206 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- rectangular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Indirect temperature control (undercounter)
- Control box included
- Adjustable sensor detection range
- Battery or plug-in power supply operated (batteries not included)
- 4x AA (1.5V) batteries required
- lead-free
- 1x screw-in M 8 x 1 pressure hose, leak-tested
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Batteries not included**Custom-made options**

- Finish variants
- Flow rate modification
- without logo

Standard article	44 521 782 FF	FF	Euro
Chrome		-00	918.20
Platinum		-08	1,469.20
Brushed Platinum		-06	1,469.20
Champagne (22kt Gold)		-47	2,020.00
Brushed Champagne (22kt Gold)		-46	2,020.00
Brushed Durabrass (23kt Gold)		-28	1,928.20
Brushed Dark Brass		-39	1,469.20
Brushed Bronze		-42	1,469.20
Dark Chrome		-19	1,377.40
Brushed Dark Platinum		-99	1,652.80
Matte Black		-33	1,239.70

13 716 782 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting

- 200mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 321 mm
- height up to aerator 190 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- Flow rate modification
- without logo

	1x 13 716 782 FF max. flow 5.7 l/min	1x 42 765 970 90 FF	Total price:
Set	FF	Euro	Euro
Chrome	-00	1,031.60	90 687.50 1,719.10



Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

For details and miscellaneous, see page 646	35 740 970 FF	FF	Euro
Concealed rough parts	90		313.70

13 800 782 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting

- 200mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter 37 mm
- rosette for spout 60 x 60mm
- 1/2" connection
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- Projection modification
- without logo

	1x 13 800 782 FF max. flow 5.7 l/min	1x 42 765 970 90 FF	Total price:
Set	FF	Euro	Euro
Chrome	-00	765.30	90 687.50 1,452.80



Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

• min. recess depth 90 mm	35 741 970 FF	FF	Euro
• max. recess depth 125 mm	Concealed rough parts	90	313.70
For details and miscellaneous, see page 646			



Recommended miscellaneous

Concealed wall elbow

• min. recess depth 90 mm	35 085 970 FF	FF	Euro
• max. recess depth 163 mm	Concealed rough parts	90	122.80
For details and miscellaneous, see page 645			

Miscellaneous

22 901 782



Angle valve

- rosette 60 x 60 mm
- hose covering 200mm, for shortening
- 1/2" connection

Custom-made options

- Finish variants
- without logo

Standard article	22 901 782 FF	FF	Euro
Chrome	-00		215.10
Platinum	-08		344.20
Brushed Platinum	-06		344.20
Champagne (22kt Gold)	-47		473.20
Brushed Champagne (22kt Gold)	-46		473.20
Brushed Durabronze (23kt Gold)	-28		451.70
Brushed Dark Brass	-39		344.10
Brushed Bronze	-42		344.10
Dark Chrome	-19		322.70
Brushed Dark Platinum	-99		387.30
Matte Black	-33		290.60

10 060 780

**Siphon for basin 1 1/4"**

- rosette 78 x 78 mm

Custom-made options

- Finish variants

Standard article	10 060 780 FF	FF	Euro
Chrome		-00	387.40
Platinum		-08	619.90
Brushed Platinum		-06	619.90
Champagne (22kt Gold)		-47	774.70
Brushed Champagne (22kt Gold)		-46	774.70
Brushed Durabronze (23kt Gold)		-28	813.50
Brushed Dark Brass		-39	619.90
Brushed Bronze		-42	619.80
Dark Chrome		-19	581.10
Brushed Dark Platinum		-99	697.30
Matte Black		-33	523.20

33 600 782


Single-lever bidet mixer with pop-up waste

- 110mm projection
- european pop-up waste
- ball-joint pivotable through 44°
- rectangular, air-enriched flow
- height of mixer 180 mm
- height up to aerator 140 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 2x European pressure hose for bidet fitting
- max. flow 6 l/min

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo
- without pop-up waste

Standard article	33 600 782 FF	FF	Euro
Chrome	-00		1,536.20
Platinum	-08		2,458.00
Brushed Platinum	-06		2,458.00
Champagne (22kt Gold)	-47		3,379.60
Brushed Champagne (22kt Gold)	-46		3,379.60
Brushed Durabronze (23kt Gold)	-28		3,226.00
Brushed Dark Brass	-39		2,458.00
Brushed Bronze	-42		2,458.00
Dark Chrome	-19		2,304.50
Brushed Dark Platinum	-99		2,765.20

27 701 970


Bidet spray

- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2" shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options

- Finish variants
- without logo

Standard article	27 701 970 FF	FF	Euro
Chrome	-00		323.10
Platinum	-08		516.80
Brushed Platinum	-06		516.80
Champagne (22kt Gold)	-47		710.80
Brushed Champagne (22kt Gold)	-46		710.80
Durabronze (23kt Gold)	-09		678.50
Brushed Durabronze (23kt Gold)	-28		678.50
Brushed Dark Brass	-39		517.00
Brushed Bronze	-42		516.90
Dark Chrome	-19		484.60
Brushed Dark Platinum	-99		581.60



Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm			
• max. recess depth 163 mm			
Concealed rough parts	90		122.80

For details and miscellaneous, see page 645

27 701 670


Bidet spray

- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2" shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options

- Finish variants
- without logo

Standard article	27 701 670 FF	FF	Euro
Chrome	-00		323.10
Platinum	-08		516.80
Brushed Platinum	-06		516.80
Champagne (22kt Gold)	-47		710.80
Brushed Champagne (22kt Gold)	-46		710.80
Brushed Durabronze (23kt Gold)	-28		678.50
Brushed Dark Brass	-39		517.00
Brushed Bronze	-42		516.90
Dark Chrome	-19		484.60
Brushed Dark Platinum	-99		581.60



Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm			
• max. recess depth 163 mm			
Concealed rough parts	90		122.80

For details and miscellaneous, see page 645

26 413 980 +
28 012 979**Shower set**

- slide bar
- Pipe diameter 18 mm
- rosette 60 x 60 mm
- gauge 800 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- Four settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, COMPACT CASCADE, max. flow rate 15 l/min (at 3 bar)
- spray head Ø 120mm

Fits MEM, CL.1, IMO, CYO**Intrinsic protection against back flow.****Custom-made options**

- Finish variants
- Flow rate modification
- without logo

Set	1x 26 413 980 FF		1x 28 012 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	701.90	-00	236.10	938.00
Platinum	-08	1,122.50	-08	377.70	1,500.20
Brushed Platinum	-06	1,122.50	-06	377.70	1,500.20
Champagne (22kt Gold)	-47	1,544.20	-47	519.40	2,063.60
Brushed Champagne (22kt Gold)	-46	1,544.20	-46	519.40	2,063.60
Brushed Durabronze (23kt Gold)	-28	1,474.00	-28	495.80	1,969.80
Brushed Dark Brass	-39	1,123.10	-39	377.70	1,500.80
Brushed Bronze	-42	1,123.10	-42	377.70	1,500.80
Dark Chrome	-19	1,052.80	-19	354.10	1,406.90
Brushed Dark Platinum	-99	1,262.90	-99	425.00	1,687.90
Matte Black	-33	947.20	-33	318.70	1,265.90



Recommended miscellaneous

Wall elbow**28 450 980 FF** FF Euro

For details and miscellaneous, see main items

Chrome	-00	165.10
Platinum	-08	264.40
Brushed Platinum	-06	264.40
Champagne (22kt Gold)	-47	363.20
Brushed Champagne (22kt Gold)	-46	363.20
Brushed Durabronze (23kt Gold)	-28	346.70
Brushed Dark Brass	-39	264.20
Brushed Bronze	-42	264.20
Dark Chrome	-19	247.90
Brushed Dark Platinum	-99	297.40
Matte Black	-33	223.00



Recommended miscellaneous

Concealed wall elbow**35 085 970 FF** FF Euro

For details and miscellaneous, see page 645

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 605.

Alternative hand shower	5 jets Ø 100 mm		1 jet		1 jet Ø 100 mm		1 jet Ø 130 mm		5 jets Ø 130 mm	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	135.80	-00	237.40	-00	126.30	-00	181.90	-00	195.80
Platinum	-08	217.10	-08	379.90	-08	202.30	-08	291.10	-08	313.60
Brushed Platinum	-06	217.10	-06	379.90	-06	202.30	-06	291.10	-06	313.60
Champagne (22kt Gold)	-47	298.80	-47	522.30	-47	277.90	-47	400.20	-47	430.80
Brushed Champagne (22kt Gold)	-46	298.80	-46	522.30	-46	277.90	-46	400.20	-46	430.80
Brushed Durabronze (23kt Gold)	-28	285.20	-28	498.50	-28	265.20	-28	382.00	-28	411.20
Brushed Dark Brass	-39	217.20	-39	379.90	-39	202.10	-39	291.10	-39	313.30
Brushed Bronze	-42	217.10	-42	379.90	-42	202.00	-42	291.00	-42	313.30
Dark Chrome	-19	203.60	-19	356.20	-19	189.40	-19	272.80	-19	293.80
Brushed Dark Platinum	-99	244.30	-99	427.30	-99	227.20	-99	327.30	-99	352.60
Matte Black	-33	183.20	-33	320.50	-33	170.30	-33	245.70	-33	264.40

26 413 979 +
28 018 979

Shower set

- slide bar
- Pipe diameter 18 mm
- gauge 853 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 7 l/min
- spray head Ø 100mm

Fits MEM, CL.1, IMO, META, TARA, VAIA, LULU, LISSÉ, CYO
NOTE: Hand shower sold separately. Please see hand shower options under the miscellaneous articles section of each series.
Custom-made options

- Finish variants
- Flow rate modification
- without logo

Set	1x 26 413 979 FF		1x 28 018 979 FF		Total price:
	FF	Euro	FF	Euro	
Chrome	-00	420.30	-00	135.80	556.10
Platinum	-08	672.50	-08	217.10	889.60
Brushed Platinum	-06	685.60	-06	217.10	902.70
Champagne (22kt Gold)	-47	924.70	-47	298.80	1,223.50
Brushed Champagne (22kt Gold)	-46	924.70	-46	298.80	1,223.50
Brushed Durabronze (23kt Gold)	-28	882.60	-28	285.20	1,167.80
Brushed Dark Brass	-39	672.60	-39	217.20	889.80
Brushed Bronze	-42	672.60	-42	217.10	889.70
Dark Chrome	-19	630.70	-19	203.60	834.30
Brushed Dark Platinum	-99	756.40	-99	244.30	1,000.70
Matte Black	-33	578.30	-33	183.20	761.50



Recommended miscellaneous

Wall elbow
28 450 980 FF

For details and miscellaneous, see main items

	FF	Euro
Chrome	-00	165.10
Platinum	-08	264.40
Brushed Platinum	-06	264.40
Champagne (22kt Gold)	-47	363.20
Brushed Champagne (22kt Gold)	-46	363.20
Brushed Durabronze (23kt Gold)	-28	346.70
Brushed Dark Brass	-39	264.20
Brushed Bronze	-42	264.20
Dark Chrome	-19	247.90
Brushed Dark Platinum	-99	297.40
Matte Black	-33	223.00



Recommended miscellaneous

Concealed wall elbow
35 085 970 FF

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

 Concealed rough parts **90** 122.80

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.

 1 jet
Ø 100 mm

 1 jet
Ø 130 mm

 4 jets
Ø 120 mm

 5 jets
Ø 130 mm


1 jet

Alternative hand shower	28 015 979 FF		28 017 979 FF		28 012 979 FF		28 016 979 FF		28 029 979 FF	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	236.10	-00	195.80	-00	237.40
Platinum	-08	202.30	-08	291.10	-08	377.70	-08	313.60	-08	379.90
Brushed Platinum	-06	202.30	-06	291.10	-06	377.70	-06	313.60	-06	379.90
Champagne (22kt Gold)	-47	277.90	-47	400.20	-47	519.40	-47	430.80	-47	522.30
Brushed Champagne (22kt Gold)	-46	277.90	-46	400.20	-46	519.40	-46	430.80	-46	522.30
Brushed Durabronze (23kt Gold)	-28	265.20	-28	382.00	-28	495.80	-28	411.20	-28	498.50
Brushed Dark Brass	-39	202.10	-39	291.10	-39	377.70	-39	313.30	-39	379.90
Brushed Bronze	-42	202.00	-42	291.00	-42	377.70	-42	313.30	-42	379.90
Dark Chrome	-19	189.40	-19	272.80	-19	354.10	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	425.00	-99	352.60	-99	427.30
Matte Black	-33	170.30	-33	245.70	-33	318.70	-33	264.40	-33	320.50

34 459 980 +
28 018 979**Showerpipe with shower thermostat**

- shower with fixed riser projection 453mm
- Rain shower: PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- rain shower 300 x 240mm
- rain shower with anti-scale system
- Hand shower: COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- spray head Ø 100mm
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 1009mm
- height of fittings up to top edge of elbow 1150mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Fits MEM, CL-1, IMO, CYO

Custom-made options

- Finish variants
- Flow rate modification
- Height modification
- Red/blue marking
- without logo

Set	1x 34 459 980 FF max. flow 20 l/min		1x 28 018 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	3,079.20	-00	135.80	3,215.00
Platinum	-08	4,926.70	-08	217.10	5,143.80
Brushed Platinum	-06	4,926.80	-06	217.10	5,143.90
Champagne (22kt Gold)	-47	6,774.20	-47	298.80	7,073.00
Brushed Champagne (22kt Gold)	-46	6,774.20	-46	298.80	7,073.00
Brushed Durabrass (23kt Gold)	-28	6,466.30	-28	285.20	6,751.50
Brushed Dark Brass	-39	4,926.70	-39	217.20	5,143.90
Brushed Bronze	-42	4,926.70	-42	217.10	5,143.80
Dark Chrome	-19	4,618.90	-19	203.60	4,822.50
Brushed Dark Platinum	-99	5,542.50	-99	244.30	5,786.80
Matte Black	-33	4,157.10	-33	183.20	4,340.30

Product alternative

- FlowReduce
- Max. flow rate 12 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Standard article	34 458 980 FF	FF	Euro
Chrome		-00	3,079.20
Platinum		-08	4,926.70
Brushed Platinum		-06	4,926.70
Champagne (22kt Gold)		-47	6,774.20
Brushed Champagne (22kt Gold)		-46	6,774.20
Brushed Durabrass (23kt Gold)		-28	6,466.30
Brushed Dark Brass		-39	4,926.70
Brushed Bronze		-42	4,926.70
Dark Chrome		-19	4,618.80
Brushed Dark Platinum		-99	5,542.50
Matte Black		-33	4,156.90

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.



Alternative hand shower	28 015 979 FF max. flow 15 l/min		28 017 979 FF max. flow 15 l/min		28 012 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	236.10	-00	195.80	-00	237.40
Platinum	-08	202.30	-08	291.10	-08	377.70	-08	313.60	-08	379.90
Brushed Platinum	-06	202.30	-06	291.10	-06	377.70	-06	313.60	-06	379.90
Champagne (22kt Gold)	-47	277.90	-47	400.20	-47	519.40	-47	430.80	-47	522.30
Brushed Champagne (22kt Gold)	-46	277.90	-46	400.20	-46	519.40	-46	430.80	-46	522.30
Brushed Durabrass (23kt Gold)	-28	265.20	-28	382.00	-28	495.80	-28	411.20	-28	498.50
Brushed Dark Brass	-39	202.10	-39	291.10	-39	377.70	-39	313.30	-39	379.90
Brushed Bronze	-42	202.00	-42	291.00	-42	377.70	-42	313.30	-42	379.90
Dark Chrome	-19	189.40	-19	272.80	-19	354.10	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	425.00	-99	352.60	-99	427.30
Matte Black	-33	170.30	-33	245.70	-33	318.70	-33	264.40	-33	320.50

28 504 670

Shower head

- **180-210mm projection**
- ball-joint pivotable through 30°
- PURIFY RAIN, max. flow rate 7 l/min (at 3 bar)
- with anti-scale system
- spray head Ø 100mm
- rosette 60 x 60 mm
- 1/2" connection
- Function from: 6 l/min

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	28 504 670 FF	FF	Euro
Chrome	-00		613.10
Platinum	-08		980.90
Brushed Platinum	-06		972.80
Champagne (22kt Gold)	-47		1,348.80
Brushed Champagne (22kt Gold)	-46		1,348.80
Brushed Durabronze (23kt Gold)	-28		1,287.50
Brushed Dark Brass	-39		980.90
Brushed Bronze	-42		980.90
Dark Chrome	-19		919.50
Brushed Dark Platinum	-99		1,103.40
Matte Black	-33		827.60



Recommended miscellaneous

Concealed wall elbow
35 085 970 FF FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 508 980

Shower head

- **200mm projection**
- ball-joint pivotable through 30°
- Three settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system
- spray head Ø 92mm
- rosette 60 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	28 508 980 FF	FF	Euro
Chrome	-00		680.40
Platinum	-08		1,088.60
Brushed Platinum	-06		1,088.30
Champagne (22kt Gold)	-47		1,496.90
Brushed Champagne (22kt Gold)	-46		1,496.90
Brushed Durabronze (23kt Gold)	-28		1,428.80
Brushed Dark Brass	-39		1,088.70
Brushed Bronze	-42		1,088.70
Dark Chrome	-19		1,020.50
Brushed Dark Platinum	-99		1,224.90
Matte Black	-33		918.60

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 508 980 FF	FF	Euro
Chrome	-000010		680.40
Platinum	-080010		1,088.60
Brushed Platinum	-060010		1,088.30
Champagne (22kt Gold)	-470010		1,496.90
Brushed Champagne (22kt Gold)	-460010		1,496.90
Brushed Durabronze (23kt Gold)	-280010		1,428.80
Brushed Dark Brass	-390010		1,088.70
Brushed Bronze	-420010		1,088.70
Dark Chrome	-190010		1,020.50
Brushed Dark Platinum	-990010		1,224.90
Matte Black	-330010		918.60



Recommended miscellaneous

Concealed wall elbow
35 085 970 FF FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 765 980

**Rain shower with wall fixing 300 x 240 mm**

- 450mm projection
- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- rosette 60 x 60 mm
- 1/2" connection
- with anti-scale system
- quick clearing

Fits MEM, CL.1, IMO, CYO**Custom-made options**

- Finish variants
- Projection modification
- without logo

Standard article	28 765 980 FF	FF	Euro
Chrome		-00	1,528.60
Platinum		-08	2,445.70
Brushed Platinum		-06	2,445.70
Champagne (22kt Gold)		-47	3,362.90
Brushed Champagne (22kt Gold)		-46	3,362.90
Brushed Durabronze (23kt Gold)		-28	3,210.10
Brushed Dark Brass		-39	2,445.80
Brushed Bronze		-42	2,445.80
Dark Chrome		-19	2,293.00
Brushed Dark Platinum		-99	2,751.50
Matte Black		-33	2,063.70

Product alternative

- FlowReduce
- Max. flow rate 12 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 764 980 FF	FF	Euro
Chrome		-00	1,528.60
Platinum		-08	2,445.80
Brushed Platinum		-06	2,445.80
Champagne (22kt Gold)		-47	3,362.90
Brushed Champagne (22kt Gold)		-46	3,362.90
Brushed Durabronze (23kt Gold)		-28	3,210.10
Brushed Dark Brass		-39	2,445.80
Brushed Bronze		-42	2,445.80
Dark Chrome		-19	2,293.00
Brushed Dark Platinum		-99	2,751.50
Matte Black		-33	2,063.70



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

FF

Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts

90

122.80

For details and miscellaneous, see page 645

28 775 980

Rain shower with ceiling fixing 300 x 240 mm

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- distance between ceiling and lower edge of the shower 165mm
- rosette 60 x 60, as required
- 1/2" connection
- with anti-scale system
- quick clearing

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- Length modification
- without logo

Standard article	28 775 980 FF	FF	Euro
Chrome	-00		1,299.30
Platinum	-08		2,079.10
Brushed Platinum	-06		2,079.10
Champagne (22kt Gold)	-47		2,858.50
Brushed Champagne (22kt Gold)	-46		2,858.50
Brushed Durabronze (23kt Gold)	-28		2,728.50
Brushed Dark Brass	-39		2,079.00
Brushed Bronze	-42		2,079.00
Dark Chrome	-19		1,949.00
Brushed Dark Platinum	-99		2,338.70
Matte Black	-33		1,754.20

Product alternative

- FlowReduce
- Max. flow rate 12 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 774 980 FF	FF	Euro
Chrome	-00		1,299.30
Platinum	-08		2,079.10
Brushed Platinum	-06		2,079.10
Champagne (22kt Gold)	-47		2,858.50
Brushed Champagne (22kt Gold)	-46		2,858.50
Brushed Durabronze (23kt Gold)	-28		2,728.50
Brushed Dark Brass	-39		2,079.00
Brushed Bronze	-42		2,079.00
Dark Chrome	-19		1,949.10
Brushed Dark Platinum	-99		2,338.80
Matte Black	-33		1,754.20



Recommended miscellaneous

Concealed wall elbow
35 085 970 FF | FF | Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

 Concealed rough parts **90** | 122.80

For details and miscellaneous, see page 645

28 041 980

Rain shower for surface-mounted ceiling installation 300 x 240 mm

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- For simultaneous control of the jet types, we recommend the xTool thermostat module
- Not suitable for use in a steam room.

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	28 041 980 FF	FF	Euro
Chrome	-00		746.90
Platinum	-08		1,195.10
Brushed Platinum	-06		1,195.10
Champagne (22kt Gold)	-47		1,643.20
Brushed Champagne (22kt Gold)	-46		1,643.20
Brushed Durabronze (23kt Gold)	-28		1,568.50
Brushed Dark Brass	-39		1,195.00
Brushed Bronze	-42		1,195.00
Dark Chrome	-19		1,120.30
Brushed Dark Platinum	-99		1,344.40
Matte Black	-33		1,008.30

Required miscellaneous

Concealed ceiling installation box with ceiling fixing
35 041 970 FF | FF | Euro

- concealed rough parts
- min. recess depth 90 mm
- max. recess depth 115 mm
- 2x female thread 1/2" outlet

 Concealed rough parts **90** | 497.90

For details and miscellaneous, see page 648

28 042 980


Rain shower for surface-mounted ceiling installation with light 300 x 240 mm

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- **Ceiling module power supply**
- 350mA (CC)
- **Spot lighting**
- LED colour temperature approx. 3000 K
- Bulbs protected against splashing water
- Contains energy efficiency class bulbs
- Technology: LED, not dimmable
- Provided by customer: Light switch
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	28 042 980 FF	FF	Euro
Chrome		-00	1,122.20
Platinum		-08	1,795.50
Brushed Platinum		-06	1,795.50
Champagne (22kt Gold)		-47	2,468.80
Brushed Champagne (22kt Gold)		-46	2,468.80
Brushed Durabronze (23kt Gold)		-28	2,356.60
Brushed Dark Brass		-39	1,795.50
Brushed Bronze		-42	1,795.50
Dark Chrome		-19	1,683.20
Brushed Dark Platinum		-99	2,020.00
Matte Black		-33	1,514.80

Required miscellaneous


Concealed ceiling installation box for surface-mounted ceiling installation with light

	35 042 970 FF	FF	Euro
concealed rough parts		90	748.00
min. recess depth 90 mm			
max. recess depth 115 mm			
2x female thread 1/2" connections			
Input 100-240V AC 50-60Hz			
Output 350 mA SELV / Class 2			
Provided by customer: Light switch			

For details and miscellaneous, see page 648

28 043 980


Rain shower for recessed ceiling installation 300 x 240 mm

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- min. recess depth 137 mm
- with anti-scale system
- For simultaneous control of the jet types, we recommend the xTool thermostat module
- Not suitable for use in a steam room.

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	28 043 980 FF	FF	Euro
Chrome		-00	1,497.40
Platinum		-08	2,395.80
Brushed Platinum		-06	2,395.80
Champagne (22kt Gold)		-47	3,294.30
Brushed Champagne (22kt Gold)		-46	3,294.30
Brushed Durabronze (23kt Gold)		-28	3,144.50
Brushed Dark Brass		-39	2,395.90
Brushed Bronze		-42	2,395.90
Dark Chrome		-19	2,246.10
Brushed Dark Platinum		-99	2,695.30
Matte Black		-33	2,021.50

Required miscellaneous


Concealed ceiling installation box for recessed ceiling installation

	35 043 970 FF	FF	Euro
concealed rough parts		90	998.30
recess depth 137mm			
2x female thread 1/2" outlet			
flush-mounted RAL 9003 signal white light reflection box 310 x 250 mm			

For details and miscellaneous, see page 647

28 044 980


Rain shower for recessed ceiling installation with light 300 x 240 mm

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- min. recess depth 137 mm
- with anti-scale system
- **Ceiling module power supply**
- 12V DC (CV)
- **Spot lighting**
- LED coloured light RGBW
- Bulbs protected against splashing water
- **Ambient lighting**
- **Activation**
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

includes light bulbs with a Class G energy efficiency

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 044 980 FF	FF	Euro
Chrome		-00	2,248.00
Platinum		-08	3,596.80
Brushed Platinum		-06	3,596.80
Champagne (22kt Gold)		-47	4,945.60
Brushed Champagne (22kt Gold)		-46	4,945.60
Brushed Durabronze (23kt Gold)		-28	4,720.80
Brushed Dark Brass		-39	3,596.80
Brushed Bronze		-42	3,596.80
Dark Chrome		-19	3,371.90
Brushed Dark Platinum		-99	4,046.30
Matte Black		-33	3,034.80

Required miscellaneous

Concealed ceiling installation box for recessed ceiling installation with light


- concealed rough parts
 - flush-mounted installation box 360x 300 mm RAL 9003 signal white
 - recess depth 137mm
 - Input 100-240V AC 50-60Hz
 - Output 12V DC SELV / Class 2
 - ZigBee Light Link RGBW controller
- For details and miscellaneous, see page 648

Standard article	35 044 970 FF	FF	Euro
Concealed rough parts		90	1,498.70

27 802 970


Hand shower set with integrated shower holder

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection
- rosette 60 x 60 mm
- 1/2" connection

Intrinsic protection against back flow.

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 802 970 FF	FF	Euro
Chrome		-00	469.60
Platinum		-08	750.60
Brushed Platinum		-06	750.60
Champagne (22kt Gold)		-47	1,033.10
Brushed Champagne (22kt Gold)		-46	1,033.10
Brushed Durabronze (23kt Gold)		-28	986.20
Brushed Dark Brass		-39	751.30
Brushed Bronze		-42	751.30
Dark Chrome		-19	704.50
Brushed Dark Platinum		-99	844.90
Matte Black		-33	634.20

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 802 970 FF	FF	Euro
Chrome		-000010	469.60
Platinum		-080010	750.60
Brushed Platinum		-060010	750.60
Champagne (22kt Gold)		-470010	1,033.10
Brushed Champagne (22kt Gold)		-460010	1,033.10
Brushed Durabronze (23kt Gold)		-280010	986.20
Brushed Dark Brass		-390010	751.30
Brushed Bronze		-420010	751.30
Dark Chrome		-190010	704.50
Brushed Dark Platinum		-990010	844.90
Matte Black		-330010	634.20



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

Standard article	35 085 970 FF	FF	Euro
Concealed rough parts		90	122.80

27 808 980

**Hand shower set with individual rosettes**

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow

Intrinsic protection against back flow.**Fits MEM, CL.1, IMO, CYO****Custom-made options**

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 808 980 FF	FF	Euro
Chrome		-00	708.60
Platinum		-08	1,133.70
Brushed Platinum		-06	1,133.70
Champagne (22kt Gold)		-47	1,558.90
Brushed Champagne (22kt Gold)		-46	1,558.90
Brushed Durabronze (23kt Gold)		-28	1,488.10
Brushed Dark Brass		-39	1,133.80
Brushed Bronze		-42	1,133.80
Dark Chrome		-19	1,062.90
Brushed Dark Platinum		-99	1,275.20
Matte Black		-33	956.80

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 808 980 FF	FF	Euro
Chrome		-000010	708.60
Platinum		-080010	1,133.70
Brushed Platinum		-060010	1,133.70
Champagne (22kt Gold)		-470010	1,558.90
Brushed Champagne (22kt Gold)		-460010	1,558.90
Brushed Durabronze (23kt Gold)		-280010	1,488.10
Brushed Dark Brass		-390010	1,133.80
Brushed Bronze		-420010	1,133.80
Dark Chrome		-190010	1,062.90
Brushed Dark Platinum		-990010	1,275.20
Matte Black		-330010	956.80



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

FF

Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts

90

122.80

For details and miscellaneous, see page 645

27 809 985

Hand shower set with individual rosettes with volume control

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with volume control
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow

Fits MEM, CL.1, CYO
Intrinsic protection against back flow.
Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 809 985 FF	FF	Euro
Chrome		-00	930.10
Platinum		-08	1,488.00
Brushed Platinum		-06	1,488.20
Champagne (22kt Gold)		-47	2,046.20
Brushed Champagne (22kt Gold)		-46	2,046.20
Brushed Durabronze (23kt Gold)		-28	1,953.20
Brushed Dark Brass		-39	1,488.10
Brushed Bronze		-42	1,488.10
Dark Chrome		-19	1,395.20
Brushed Dark Platinum		-99	1,674.10

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 809 985 FF	FF	Euro
Chrome		-000010	930.10
Platinum		-080010	1,488.00
Brushed Platinum		-060010	1,488.20
Champagne (22kt Gold)		-470010	2,046.20
Brushed Champagne (22kt Gold)		-460010	2,046.20
Brushed Durabronze (23kt Gold)		-280010	1,953.20
Brushed Dark Brass		-390010	1,488.10
Brushed Bronze		-420010	1,488.10
Dark Chrome		-190010	1,395.20
Brushed Dark Platinum		-990010	1,674.10



Recommended miscellaneous

Concealed wall elbow
35 085 970 FF

FF

Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts

90

122.80

For details and miscellaneous, see page 645

27 818 980

**Hand shower set with cover plate**

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- cover plate 240 x 60 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow

Intrinsic protection against back flow.

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 818 980 FF	FF	Euro
Chrome		-00	842.40
Platinum		-08	1,348.30
Brushed Platinum		-06	1,347.70
Champagne (22kt Gold)		-47	1,853.30
Brushed Champagne (22kt Gold)		-46	1,853.30
Brushed Durabronze (23kt Gold)		-28	1,769.00
Brushed Dark Brass		-39	1,347.90
Brushed Bronze		-42	1,347.90
Dark Chrome		-19	1,263.80
Brushed Dark Platinum		-99	1,516.40
Matte Black		-33	1,137.30

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 818 980 FF	FF	Euro
Chrome		-000010	842.40
Platinum		-080010	1,348.30
Brushed Platinum		-060010	1,347.70
Champagne (22kt Gold)		-470010	1,853.30
Brushed Champagne (22kt Gold)		-460010	1,853.30
Brushed Durabronze (23kt Gold)		-280010	1,769.00
Brushed Dark Brass		-390010	1,347.90
Brushed Bronze		-420010	1,347.90
Dark Chrome		-190010	1,263.80
Brushed Dark Platinum		-990010	1,516.40
Matte Black		-330010	1,137.30



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

FF

Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts

90

122.80

For details and miscellaneous, see page 645

28 528 782

Body spray without volume control

- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- HORIZONTAL RAIN, max. flow rate 7 l/min (at 3 bar)
- anti-scale system
- rosette 60 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	28 528 782 FF	FF	Euro
Chrome		-00	378.40
Platinum		-08	605.40
Brushed Platinum		-06	605.40
Champagne (22kt Gold)		-47	832.50
Brushed Champagne (22kt Gold)		-46	832.50
Brushed Durabronze (23kt Gold)		-28	794.60
Brushed Dark Brass		-39	605.40
Brushed Bronze		-42	605.40
Dark Chrome		-19	567.60
Brushed Dark Platinum		-99	681.20
Matte Black		-33	510.90

Product alternative

- FlowReduce
- Max. flow rate 5 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 518 782 FF	FF	Euro
Chrome		-00	378.40
Platinum		-08	605.60
Brushed Platinum		-06	605.60
Champagne (22kt Gold)		-47	832.50
Brushed Champagne (22kt Gold)		-46	832.50
Brushed Durabronze (23kt Gold)		-28	794.60
Brushed Dark Brass		-39	605.40
Brushed Bronze		-42	605.40
Dark Chrome		-19	567.60
Brushed Dark Platinum		-99	681.30
Matte Black		-33	510.90



Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
<ul style="list-style-type: none"> • min. recess depth 90 mm • max. recess depth 163 mm For details and miscellaneous, see page 645	Concealed rough parts	90	122.80

36 525 979

**WATER POINTS Concealed body spray**

- HORIZONTAL RAIN, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- cover plate 120 x 120 mm

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	36 525 979 FF	FF	Euro
Chrome		-00	549.80
Platinum		-08	879.60
Brushed Platinum		-06	879.60
Champagne (22kt Gold)		-47	1,209.60
Brushed Champagne (22kt Gold)		-46	1,209.60
Brushed Durabronze (23kt Gold)		-28	1,154.60
Brushed Dark Brass		-39	879.70
Brushed Bronze		-42	879.60
Dark Chrome		-19	824.70
Brushed Dark Platinum		-99	989.50
Matte Black		-33	742.20

Product alternative

- FlowReduce
- Max. flow rate 6 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 515 979 FF	FF	Euro
Chrome		-00	549.80
Platinum		-08	879.20
Brushed Platinum		-06	879.20
Champagne (22kt Gold)		-47	1,209.60
Brushed Champagne (22kt Gold)		-46	1,209.60
Brushed Durabronze (23kt Gold)		-28	1,154.60
Brushed Dark Brass		-39	879.70
Brushed Bronze		-42	879.60
Dark Chrome		-19	824.80
Brushed Dark Platinum		-99	989.50
Matte Black		-33	742.00



Required miscellaneous

Concealed wall installation box

	35 205 970 FF	FF	Euro
• min. recess depth 85 mm			
• max. recess depth 110 mm			
Concealed rough parts		90	223.00

For details and miscellaneous, see page 645



Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
Concealed rough parts		90	112.20

For details and miscellaneous, see page 655

36 527 979

WATER BAR Concealed body spray

- HORIZONTAL RAIN, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- cover plate 240 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	36 527 979 FF	FF	Euro
Chrome		-00	849.00
Platinum		-08	1,358.50
Brushed Platinum		-06	1,358.50
Champagne (22kt Gold)		-47	1,867.80
Brushed Champagne (22kt Gold)		-46	1,867.80
Brushed Durabronze (23kt Gold)		-28	1,782.90
Brushed Dark Brass		-39	1,358.50
Brushed Bronze		-42	1,358.50
Dark Chrome		-19	1,273.50
Brushed Dark Platinum		-99	1,528.20
Matte Black		-33	1,146.10

Product alternative

- FlowReduce
- Max. flow rate 6 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 517 979 FF	FF	Euro
Chrome		-00	849.00
Platinum		-08	1,358.70
Brushed Platinum		-06	1,358.70
Champagne (22kt Gold)		-47	1,867.80
Brushed Champagne (22kt Gold)		-46	1,867.80
Brushed Durabronze (23kt Gold)		-28	1,782.90
Brushed Dark Brass		-39	1,358.50
Brushed Bronze		-42	1,358.50
Dark Chrome		-19	1,273.50
Brushed Dark Platinum		-99	1,527.90
Matte Black		-33	1,168.80

Required miscellaneous


Concealed wall installation box
35 206 970 FF FF Euro

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 645

 Concealed rough parts **90** 301.70

Required miscellaneous


xGRID Installation track 555 mm
12 360 970 FF FF Euro

For details and miscellaneous, see page 655

 Concealed rough parts **90** 112.20

36 514 979

WATER CURVE Concealed body spray

- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- cover plate 120 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	36 514 979 FF	FF	Euro
Chrome		-00	1,104.80
Platinum		-08	1,767.70
Brushed Platinum		-06	1,767.70
Champagne (22kt Gold)		-47	2,430.60
Brushed Champagne (22kt Gold)		-46	2,430.60
Brushed Durabronze (23kt Gold)		-28	2,320.10
Brushed Dark Brass		-39	1,767.70
Brushed Bronze		-42	1,767.80
Dark Chrome		-19	1,657.10
Brushed Dark Platinum		-99	1,988.70
Matte Black		-33	1,491.20

Recommended miscellaneous


Concealed wall elbow
35 085 970 FF FF Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

 Concealed rough parts **90** 122.80

36 513 979

**WATER FAN vertical Concealed body spray**

- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- cover plate 240 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	36 513 979 FF	FF	Euro
Chrome	-00		824.20
Platinum	-08		1,319.20
Brushed Platinum	-06		1,319.20
Champagne (22kt Gold)	-47		1,813.20
Brushed Champagne (22kt Gold)	-46		1,813.20
Brushed Durabronze (23kt Gold)	-28		1,730.80
Brushed Dark Brass	-39		1,318.70
Brushed Bronze	-42		1,318.70
Dark Chrome	-19		1,236.30
Brushed Dark Platinum	-99		1,483.40
Matte Black	-33		1,134.80

Product alternative

- horizontal water jet
- Max. flow rate 10 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 512 979 FF	FF	Euro
Chrome	-00		824.20
Platinum	-08		1,319.20
Brushed Platinum	-06		1,319.20
Champagne (22kt Gold)	-47		1,813.20
Brushed Champagne (22kt Gold)	-46		1,813.20
Brushed Durabronze (23kt Gold)	-28		1,730.80
Brushed Dark Brass	-39		1,318.70
Brushed Bronze	-42		1,318.70
Dark Chrome	-19		1,236.30
Brushed Dark Platinum	-99		1,483.40
Matte Black	-33		1,134.80

Required miscellaneous

**Concealed wall installation box**

35 206 970 FF FF Euro

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 645

Concealed rough parts 90 301.70

Required miscellaneous

**xGRID Installation track 555 mm**

12 360 970 FF FF Euro

For details and miscellaneous, see page 655

Concealed rough parts 90 112.20

13 415 979

**WATER SHEET Cascade spout for wall mounting**

- 150mm projection
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	13 415 979 FF	FF	Euro
Chrome	-00		1,137.90
Platinum	-08		1,820.60
Brushed Platinum	-06		1,820.60
Champagne (22kt Gold)	-47		2,503.40
Brushed Champagne (22kt Gold)	-46		2,503.40
Brushed Durabronze (23kt Gold)	-28		2,389.60
Brushed Dark Brass	-39		1,820.70
Brushed Bronze	-42		1,820.70
Dark Chrome	-19		1,707.00
Brushed Dark Platinum	-99		2,048.20
Matte Black	-33		1,535.90

Recommended miscellaneous

**Concealed wall elbow**

35 085 970 FF FF Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

Concealed rough parts 90 122.80

13 420 979


WATER FALL Cascade spout for wall mounting

- 120mm projection
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	13 420 979 FF	FF	Euro
Chrome		-00	1,625.60
Platinum		-08	2,601.50
Brushed Platinum		-06	2,601.50
Champagne (22kt Gold)		-47	3,576.30
Brushed Champagne (22kt Gold)		-46	3,576.30
Brushed Durabronze (23kt Gold)		-28	3,413.80
Brushed Dark Brass		-39	2,601.10
Brushed Bronze		-42	2,601.10
Dark Chrome		-19	2,438.60
Matte Black		-33	2,194.90



Recommended miscellaneous

Concealed wall elbow 35 085 970 FF FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts 90 122.80
- For details and miscellaneous, see page 645

13 425 979


WATER FALL Cascade spout with individual jets for wall mounting

- 22mm projection
- PEARLSTREAM
- plate 240 mm x 60 mm
- connection 1/2", for shortening
- plug-link mounting
- Max. flow rate 9.5 l/min (at 3 bar)

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	13 425 979 FF	FF	Euro
Chrome		-00	1,208.00
Platinum		-08	1,932.80
Brushed Platinum		-06	1,932.80
Champagne (22kt Gold)		-47	2,657.60
Brushed Champagne (22kt Gold)		-46	2,657.60
Brushed Durabronze (23kt Gold)		-28	2,536.80
Brushed Dark Brass		-39	1,932.80
Brushed Bronze		-42	1,932.80
Dark Chrome		-19	1,811.80
Brushed Dark Platinum		-99	2,174.10
Matte Black		-33	1,630.70



Recommended miscellaneous

Concealed wall elbow 35 085 970 FF FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts 90 122.80
- For details and miscellaneous, see page 645

27 838 979

**Affusion pipe with cover plate**

- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- 3/8" shower outlet
- cover plate 240 x 60 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" connection
- plug-link mounting

Intrinsic protection against back flow.

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	27 838 979 FF	FF	Euro
Chrome		-00	903.00
Platinum		-08	1,444.70
Brushed Platinum		-06	1,444.70
Champagne (22kt Gold)		-47	1,986.60
Brushed Champagne (22kt Gold)		-46	1,986.60
Brushed Durabronze (23kt Gold)		-28	1,896.30
Brushed Dark Brass		-39	1,444.80
Brushed Bronze		-42	1,444.80
Dark Chrome		-19	1,354.60
Brushed Dark Platinum		-99	1,625.20
Matte Black		-33	1,219.00

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 858 979 FF	FF	Euro
Chrome		-00	903.00
Platinum		-08	1,444.80
Brushed Platinum		-06	1,444.80
Champagne (22kt Gold)		-47	1,986.60
Brushed Champagne (22kt Gold)		-46	1,986.60
Brushed Durabronze (23kt Gold)		-28	1,896.30
Brushed Dark Brass		-39	1,444.80
Brushed Bronze		-42	1,444.80
Dark Chrome		-19	1,354.60
Brushed Dark Platinum		-99	1,625.30
Matte Black		-33	1,219.00



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

FF

Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts

90

122.80

For details and miscellaneous, see page 645

27 821 979 +
 28 285 979

WATER TUBE Kneipp wall elbow

- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- with volume control
- individual rosette 60 x 60 mm
- holder for Kneipp hose
- 1/2" wall elbow
- hose nozzle with sleeve M33
- with holding ring

Intrinsic protection against back flow.
Fits CL.1, CYO, IMO, MEM
Custom-made options

- Finish variants
- without logo

Set	1x 27 821 979 FF max. flow 15 l/min		1x 28 285 979 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	685.30	-00	104.90	790.20
Platinum	-08	1,096.50	-08	167.70	1,264.20
Brushed Platinum	-06	1,096.50	-06	167.80	1,264.30
Champagne (22kt Gold)	-47	1,507.70	-47	230.80	1,738.50
Brushed Champagne (22kt Gold)	-46	1,507.70	-46	230.80	1,738.50
Brushed Durabronze (23kt Gold)	-28	1,439.10	-28	220.30	1,659.40
Brushed Dark Brass	-39	1,096.40	-39	167.80	1,264.20
Brushed Bronze	-42	1,096.40	-42	167.80	1,264.20
Dark Chrome	-19	1,028.00	-19	157.30	1,185.30
Brushed Dark Platinum	-99	1,233.70	-99	188.70	1,422.40
Matte Black	-33	925.10	-33	141.50	1,066.60

Product alternative

- FlowReduce
- Max. flow rate 9 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 841 979 FF	FF	Euro
Chrome		-00	685.30
Platinum		-08	1,096.50
Brushed Platinum		-06	1,096.50
Champagne (22kt Gold)		-47	1,507.70
Brushed Champagne (22kt Gold)		-46	1,507.70
Brushed Durabronze (23kt Gold)		-28	1,439.10
Brushed Dark Brass		-39	1,096.40
Brushed Bronze		-42	1,096.40
Dark Chrome		-19	685.30
Brushed Dark Platinum		-99	1,233.50
Matte Black		-33	925.10



Recommended miscellaneous

**WATER TUBE Kneipp
hose black 2000 mm**

	28 286 979 FF	FF	Euro
• hose nozzle with sleeve M33		-00	104.90
• with holding ring		-08	167.70
		-06	167.80
		-47	230.80
		-46	230.80
		-28	220.30
		-39	167.80
		-42	167.80
		-19	157.30
		-99	188.70
		-33	141.50



Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm		90	122.80
• max. recess depth 163 mm			

For details and miscellaneous, see page 645

28 490 970

**Wall elbow with integrated shower holder**

- 3/8" shower outlet
- rosette 60 x 60 mm
- 1/2" connection

Intrinsic protection against back flow.**Custom-made options**

- Finish variants
- without logo

Standard article	28 490 970 FF	FF	Euro
Chrome		-00	238.30
Platinum		-08	381.70
Brushed Platinum		-06	381.70
Champagne (22kt Gold)		-47	524.30
Brushed Champagne (22kt Gold)		-46	524.30
Brushed Durabrass (23kt Gold)		-28	500.40
Brushed Dark Brass		-39	381.30
Brushed Bronze		-42	381.30
Dark Chrome		-19	357.70
Brushed Dark Platinum		-99	428.70
Matte Black		-33	321.80



Recommended miscellaneous

Concealed wall elbow 35 085 970 FF FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 450 980

**Wall elbow**

- 3/8" shower outlet
- rosette 60 x 60 mm
- 1/2" connection

Intrinsic protection against back flow.**Fits MEM, CL.1, IMO, CYO****Custom-made options**

- Finish variants
- without logo

Standard article	28 450 980 FF	FF	Euro
Chrome		-00	165.10
Platinum		-08	264.40
Brushed Platinum		-06	264.40
Champagne (22kt Gold)		-47	363.20
Brushed Champagne (22kt Gold)		-46	363.20
Brushed Durabrass (23kt Gold)		-28	346.70
Brushed Dark Brass		-39	264.20
Brushed Bronze		-42	264.20
Dark Chrome		-19	247.90
Brushed Dark Platinum		-99	297.40
Matte Black		-33	223.00



Recommended miscellaneous

Concealed wall elbow 35 085 970 FF FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 050 980

**Wall bracket**

- rosette 60 x 60 mm

Custom-made options

- Finish variants

Standard article	28 050 980 FF	FF	Euro
Chrome		-00	214.40
Platinum		-08	343.40
Brushed Platinum		-06	343.40
Champagne (22kt Gold)		-47	471.70
Brushed Champagne (22kt Gold)		-46	471.70
Brushed Durabrass (23kt Gold)		-28	450.20
Brushed Dark Brass		-39	343.10
Brushed Bronze		-42	343.10
Dark Chrome		-19	321.70
Brushed Dark Platinum		-99	385.90
Matte Black		-33	289.50

28 060 970

**Wall bracket swivel**

- pivotable 75°

Custom-made options

- Finish variants

Standard article	28 060 970 FF	FF	Euro
Chrome		-00	197.80
Platinum		-08	316.60
Brushed Platinum		-06	316.60
Champagne (22kt Gold)		-47	435.20
Brushed Champagne (22kt Gold)		-46	435.20
Brushed Durabrass (23kt Gold)		-28	415.40
Brushed Dark Brass		-39	316.40
Brushed Bronze		-42	316.30
Dark Chrome		-19	296.60
Brushed Dark Platinum		-99	356.10
Matte Black		-33	267.20

12 570 970



Slide unit

- for pipe diameter 23.5 mm

Custom-made options

- Finish variants

Standard article	12 570 970 FF	FF	Euro
Chrome		-00	137.00
Platinum		-08	219.50
Brushed Platinum		-06	219.50
Champagne (22kt Gold)		-47	301.40
Brushed Champagne (22kt Gold)		-46	301.40
Brushed Durabronze (23kt Gold)		-28	287.70
Brushed Dark Brass		-39	219.20
Brushed Bronze		-42	219.20
Dark Chrome		-19	205.40
Brushed Dark Platinum		-99	246.80
Matte Black		-33	185.20

12 580 970



Slide unit

- for pipe diameter 18 mm

Custom-made options

- Finish variants

Standard article	12 580 970 FF	FF	Euro
Chrome		-00	137.00
Platinum		-08	219.50
Brushed Platinum		-06	219.50
Champagne (22kt Gold)		-47	301.40
Brushed Champagne (22kt Gold)		-46	301.40
Brushed Durabronze (23kt Gold)		-28	287.70
Brushed Dark Brass		-39	219.20
Brushed Bronze		-42	219.20
Dark Chrome		-19	205.40
Brushed Dark Platinum		-99	246.80
Matte Black		-33	185.20

34 442 979

**Shower thermostat for wall mounting**

- 3/8" shower outlet
- slide-on rosettes Ø 70 mm
- 1/2" connection
- gauge 150 mm - 13 mm
- with volume control

Intrinsic protection against back flow.**For combination with slide bar set****Fits MEM, IMO, META, TARA, VAIA, LULU, LISSÉ****Custom-made options**

- Finish variants
- Red/blue marking
- without logo

Standard article	34 442 979 FF	FF	Euro
Chrome	-00		701.50
Platinum	-08		1,122.20
Brushed Platinum	-06		1,122.20
Champagne (22kt Gold)	-47		1,543.30
Brushed Champagne (22kt Gold)	-46		1,543.30
Brushed Durabrass (23kt Gold)	-28		1,473.20
Brushed Dark Brass	-39		1,122.50
Brushed Bronze	-42		1,122.40
Dark Chrome	-19		1,052.20
Brushed Dark Platinum	-99		1,262.30
Matte Black	-33		946.80

36 060 670

**Concealed single-lever mixer with cover plate**

- cover plate 80 x 80 mm

Fits MEM, CL.1, IMO, CYO**Custom-made options**

- Finish variants
- Red/blue marking
- without logo

Standard article	36 060 670 FF	FF	Euro
Chrome	-00		469.70
Platinum	-08		758.50
Brushed Platinum	-06		758.50
Champagne (22kt Gold)	-47		1,033.30
Brushed Champagne (22kt Gold)	-46		1,033.30
Brushed Durabrass (23kt Gold)	-28		986.40
Brushed Dark Brass	-39		751.50
Brushed Bronze	-42		751.50
Dark Chrome	-19		704.70
Brushed Dark Platinum	-99		845.60
Matte Black	-33		634.20



Required miscellaneous

Concealed wall-mounted single-lever mixer

35 860 970 FF FF Euro

- min. recess depth 80 mm
- max. recess depth 95 mm

For details and miscellaneous, see page 640

Concealed rough parts 90 224.60

36 046 970

**Concealed single-lever mixer with cover plate with integrated shower connection**

- cover plate 80 x 80 mm

Intrinsic protection against back flow.**Custom-made options**

- Finish variants
- Red/blue marking
- without logo

Standard article	36 046 970 FF	FF	Euro
Chrome	-00		573.80
Platinum	-08		918.10
Brushed Platinum	-06		918.10
Champagne (22kt Gold)	-47		1,262.40
Brushed Champagne (22kt Gold)	-46		1,262.40
Brushed Durabrass (23kt Gold)	-28		1,205.00
Brushed Dark Brass	-39		918.10
Brushed Bronze	-42		918.10
Dark Chrome	-19		860.80
Brushed Dark Platinum	-99		1,033.00
Matte Black	-33		774.70



Required miscellaneous

Concealed wall mounting

35 050 970 FF FF Euro

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 640

Concealed rough parts 90 320.80

36 120 670

Concealed single-lever mixer with diverter

- automatic diverter
- cover plate 150 x 90 mm

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 120 670 FF	FF	Euro
Chrome	-00		602.70
Platinum	-08		964.20
Brushed Platinum	-06		964.20
Champagne (22kt Gold)	-47		1,325.90
Brushed Champagne (22kt Gold)	-46		1,325.90
Brushed Durabronze (23kt Gold)	-28		1,265.70
Brushed Dark Brass	-39		964.30
Brushed Bronze	-42		964.30
Dark Chrome	-19		903.80
Brushed Dark Platinum	-99		1,084.60
Matte Black	-33		813.60



Required miscellaneous

Concealed single-lever mixer
35 020 970 FF | FF | Euro

- min. recess depth 80 mm
- max. recess depth 105 mm

 Concealed rough parts **90** | 236.90

For details and miscellaneous, see page 641



Required miscellaneous

Concealed single-lever mixer with backflow preventor
35 021 970 FF | FF | Euro

- min. recess depth 80 mm
- max. recess depth 105 mm

 Concealed rough parts **90** | 338.50

For details and miscellaneous, see page 641

36 425 670

Concealed thermostat with one function volume control

- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 425 670 FF	FF	Euro
Chrome	-00		756.00
Platinum	-08		1,220.60
Brushed Platinum	-06		1,220.60
Champagne (22kt Gold)	-47		1,663.20
Brushed Champagne (22kt Gold)	-46		1,663.20
Brushed Durabronze (23kt Gold)	-28		1,587.60
Brushed Dark Brass	-39		1,209.60
Brushed Bronze	-42		1,209.60
Dark Chrome	-19		1,134.10
Brushed Dark Platinum	-99		1,360.90
Matte Black	-33		1,030.30



Required miscellaneous

Concealed thermostat
35 425 970 FF | FF | Euro

- min. recess depth 80 mm
- max. recess depth 136 mm

 Concealed rough parts **90** | 435.80

For details and miscellaneous, see page 641



Required miscellaneous

Concealed thermostat with built-in isolators
35 426 970 FF | FF | Euro

- min. recess depth 80 mm
- max. recess depth 136 mm

 Concealed rough parts **90** | 457.70

For details and miscellaneous, see page 641

36 426 670

**Concealed thermostat with two function volume control**

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 426 670 FF	FF	Euro
Chrome	-00		896.40
Platinum	-08		1,447.60
Brushed Platinum	-06		1,447.60
Champagne (22kt Gold)	-47		1,972.10
Brushed Champagne (22kt Gold)	-46		1,972.10
Brushed Durabronze (23kt Gold)	-28		1,882.40
Brushed Dark Brass	-39		1,434.30
Brushed Bronze	-42		1,434.30
Dark Chrome	-19		1,344.70
Brushed Dark Platinum	-99		1,613.40
Matte Black	-33		1,221.60



Required miscellaneous

Concealed thermostat 35 425 970 FF FF Euro

- min. recess depth 80 mm
- max. recess depth 136 mm

Concealed rough parts 90 435.80
For details and miscellaneous, see page 641

Required miscellaneous

Concealed thermostat with built-in isolators 35 426 970 FF FF Euro

- min. recess depth 80 mm
- max. recess depth 136 mm

Concealed rough parts 90 457.70
For details and miscellaneous, see page 641

36 427 670

**Concealed thermostat with three function volume control**

- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 427 670 FF	FF	Euro
Chrome	-00		950.50
Platinum	-08		1,489.70
Brushed Platinum	-06		1,534.50
Champagne (22kt Gold)	-47		2,091.10
Brushed Champagne (22kt Gold)	-46		2,091.10
Brushed Durabronze (23kt Gold)	-28		1,996.10
Brushed Dark Brass	-39		1,520.80
Brushed Bronze	-42		1,520.80
Dark Chrome	-19		1,425.60
Brushed Dark Platinum	-99		1,710.70
Matte Black	-33		1,294.90



Required miscellaneous

Concealed thermostat 35 427 970 FF FF Euro

- min. recess depth 80 mm
- max. recess depth 136 mm

Concealed rough parts 90 456.60
For details and miscellaneous, see page 642

Required miscellaneous

Concealed thermostat with built-in isolators 35 428 970 FF FF Euro

- min. recess depth 80 mm
- max. recess depth 136 mm

Concealed rough parts 90 479.00
For details and miscellaneous, see page 642

36 501 780 +
36 607 782

xTOOL Thermostat module with 1 valve

- cover plate 120 x 120 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

Fits MEM, CL.1, CYO
36 501 985-FF can also be used as an alternative.
Note: Important! The minimum recess depths make it necessary to have a wall of 2 x 6 cross-pieces.
Custom-made options

- Finish variants
- Glass Design handle variant
- Nature Squared handle variant
- Red/blue marking
- without logo

Set	1x 36 501 780 FF		1x 36 607 782 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,291.30	-00	274.50	1,565.80
Platinum	-08	2,066.50	-08	439.10	2,505.60
Brushed Platinum	-06	2,066.50	-06	439.10	2,505.60
Champagne (22kt Gold)	-47	2,840.90	-47	603.90	3,444.80
Brushed Champagne (22kt Gold)	-46	2,840.90	-46	603.90	3,444.80
Brushed Durabronz (23kt Gold)	-28	2,711.70	-28	576.50	3,288.20
Brushed Dark Brass	-39	2,066.10	-39	439.20	2,505.30
Brushed Bronze	-42	2,066.10	-42	439.20	2,505.30
Dark Chrome	-19	1,937.10	-19	411.70	2,348.80
Brushed Dark Platinum	-99	2,324.60	-99	493.90	2,818.50



Required miscellaneous

xTOOL Concealed thermostat module with 1 valve
35 511 970 FF | FF | Euro

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 642

 Concealed rough parts **90** | 708.30


Required miscellaneous

xGRID Installation track 555 mm
12 360 970 FF | FF | Euro

For details and miscellaneous, see page 655

 Concealed rough parts **90** | 112.20


Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction
12 340 970 FF | FF | Euro

For details and miscellaneous, see page 655

 Concealed rough parts **90** | 113.00

 36 503 780 +
2x 36 607 782

xTOOL Thermostat module with 2 valves

- cover plate 120 x 120 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

36 503 985-FF can also be used as an alternative.
Note: Important! The minimum recess depths make it necessary to have a wall of 2 x 6 cross-pieces.
Custom-made options

- Finish variants
- Glass Design handle variant
- Nature Squared handle variant
- Red/blue marking
- without logo

Set	1x 36 503 780 FF		2x 36 607 782 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,291.30	-00	274.50	1,840.30
Platinum	-08	2,066.50	-08	439.10	2,944.70
Brushed Platinum	-06	2,066.50	-06	439.10	2,944.70
Champagne (22kt Gold)	-47	2,840.90	-47	603.90	4,048.70
Brushed Champagne (22kt Gold)	-46	2,840.90	-46	603.90	4,048.70
Brushed Durabronz (23kt Gold)	-28	2,711.70	-28	576.50	3,864.70
Brushed Dark Brass	-39	2,066.10	-39	439.20	2,944.50
Brushed Bronze	-42	2,066.10	-42	439.20	2,944.50
Dark Chrome	-19	1,937.10	-19	411.70	2,760.50
Brushed Dark Platinum	-99	2,324.60	-99	493.90	3,312.40



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves
35 521 970 FF | FF | Euro

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 643

 Concealed rough parts **90** | 1,180.70


Required miscellaneous

xTOOL Concealed thermostat module with 2 valves
35 524 970 FF | FF | Euro

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 643

 Concealed rough parts **90** | 1,167.70


Required miscellaneous

xGRID Installation track 555 mm
12 360 970 FF | FF | Euro

For details and miscellaneous, see page 655

 Concealed rough parts **90** | 112.20


Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction
12 340 970 FF | FF | Euro

For details and miscellaneous, see page 655

 Concealed rough parts **90** | 113.00

36 503 780 +
3x 36 607 782



xTOOL Thermostat module with 3 valves

- cover plate 120 x 120 mm
- rosette 60 x 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

36 503 985-FF can also be used as an alternative.

Note: Important! The minimum recess depths make it necessary to have a wall of 2 x 6 cross-pieces.

Custom-made options

- Finish variants
- Glass Design handle variant
- Nature Squared handle variant
- Red/blue marking
- without logo

Set	1x 36 503 780 FF		3x 36 607 782 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,291.30	-00	274.50	2,114.80
Platinum	-08	2,066.50	-08	439.10	3,383.80
Brushed Platinum	-06	2,066.50	-06	439.10	3,383.80
Champagne (22kt Gold)	-47	2,840.90	-47	603.90	4,652.60
Brushed Champagne (22kt Gold)	-46	2,840.90	-46	603.90	4,652.60
Brushed Durabronze (23kt Gold)	-28	2,711.70	-28	576.50	4,441.20
Brushed Dark Brass	-39	2,066.10	-39	439.20	3,383.70
Brushed Bronze	-42	2,066.10	-42	439.20	3,383.70
Dark Chrome	-19	1,937.10	-19	411.70	3,172.20
Brushed Dark Platinum	-99	2,324.60	-99	493.90	3,806.30



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 531 970 FF | FF Euro

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 643

Concealed rough parts | 90 | 1,268.90



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 534 970 FF | FF Euro

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 643

Concealed rough parts | 90 | 1,374.60



Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF | FF Euro

For details and miscellaneous, see page 655

Concealed rough parts | 90 | 112.20



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF | FF Euro

For details and miscellaneous, see page 655

Concealed rough parts | 90 | 113.00

36 501 780

xTOOL Concealed thermostat without volume control 1/2"

- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

Fits MEM, CL.1, CYO

Note: Important! The minimum recess depths make it necessary to have a wall of 2 x 6 cross-pieces.

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 501 780 FF	FF	Euro
Chrome		-00	1,291.30
Platinum		-08	2,066.50
Brushed Platinum		-06	2,066.50
Champagne (22kt Gold)		-47	2,840.90
Brushed Champagne (22kt Gold)		-46	2,840.90
Brushed Durabronze (23kt Gold)		-28	2,711.70
Brushed Dark Brass		-39	2,066.10
Brushed Bronze		-42	2,066.10
Dark Chrome		-19	1,937.10
Brushed Dark Platinum		-99	2,324.60
Matte Black		-33	1,742.70

Product alternative

- 3/4" thermostat cartridge with integrated filters

Standard article	36 503 780 FF	FF	Euro
Chrome		-00	1,291.30
Platinum		-08	2,066.50
Brushed Platinum		-06	2,066.50
Champagne (22kt Gold)		-47	2,840.90
Brushed Champagne (22kt Gold)		-46	2,840.90
Brushed Durabronze (23kt Gold)		-28	2,711.70
Brushed Dark Brass		-39	2,066.10
Brushed Bronze		-42	2,066.10
Dark Chrome		-19	1,937.10
Brushed Dark Platinum		-99	2,324.60
Matte Black		-33	1,742.70

Required miscellaneous


xTOOL Concealed thermostat module without volume control

	35 503 970 FF	FF	Euro
• min. recess depth 115 mm			
• max. recess depth 155 mm			
Concealed rough parts		90	864.70

For details and miscellaneous, see page 642

Required miscellaneous


xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
Concealed rough parts		90	112.20

For details and miscellaneous, see page 655

36 501 985

**xTOOL Concealed thermostat without volume control 1/2"**

- cover plate 120 x 120 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

Fits MEM, CL.1, CYO

Note: Important! The minimum recess depths make it necessary to have a wall of 2 x 6 cross-pieces.

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 501 985 FF	FF	Euro
Chrome		-00	1,319.50
Platinum		-08	2,111.40
Brushed Platinum		-06	2,111.40
Champagne (22kt Gold)		-47	2,902.90
Brushed Champagne (22kt Gold)		-46	2,902.90
Brushed Durabronze (23kt Gold)		-28	2,771.00
Brushed Dark Brass		-39	2,111.30
Brushed Bronze		-42	2,111.30
Dark Chrome		-19	1,979.60
Brushed Dark Platinum		-99	2,375.20
Matte Black		-33	1,781.20

Product alternative

- 3/4" thermostat cartridge with integrated filters

Standard article	36 503 985 FF	FF	Euro
Chrome		-00	1,319.50
Platinum		-08	2,111.40
Brushed Platinum		-06	2,111.40
Champagne (22kt Gold)		-47	2,902.90
Brushed Champagne (22kt Gold)		-46	2,902.90
Brushed Durabronze (23kt Gold)		-28	2,771.00
Brushed Dark Brass		-39	2,111.30
Brushed Bronze		-42	2,111.30
Dark Chrome		-19	1,979.60
Brushed Dark Platinum		-99	2,375.20
Matte Black		-33	1,781.20

Required miscellaneous

**xTOOL Concealed thermostat module without volume control**

35 503 970 FF FF Euro

- min. recess depth 95 mm
 - max. recess depth 160 mm
- For details and miscellaneous, see page 642

Concealed rough parts 90 864.70

Required miscellaneous

**xGRID Installation track 555 mm**

12 360 970 FF FF Euro

For details and miscellaneous, see page 655

Concealed rough parts 90 112.20

36 607 782

**Wall valve clockwise closing 1/2"**

- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve

Fits MEM

Custom-made options

- Finish variants
- Glass Design handle variant
- Nature Squared handle variant
- without logo

Standard article	36 607 782 FF	FF	Euro
Chrome		-00	274.50
Platinum		-08	439.10
Brushed Platinum		-06	439.10
Champagne (22kt Gold)		-47	603.90
Brushed Champagne (22kt Gold)		-46	603.90
Brushed Durabronze (23kt Gold)		-28	576.50
Brushed Dark Brass		-39	439.20
Brushed Bronze		-42	439.20
Dark Chrome		-19	411.70
Brushed Dark Platinum		-99	493.90

Required miscellaneous

**Wall valve 1/2"**

35 607 970 FF FF Euro

- min. recess depth 105 mm
 - max. recess depth 150 mm
- For details and miscellaneous, see page 644

Concealed rough parts 90 90.90

36 608 782

Wall valve clockwise closing 3/4"

- rosette 60 x 60 mm
- head part with cut-to-length spindle and sleeve

Fits MEM
Custom-made options

- Finish variants
- Glass Design handle variant
- Nature Squared handle variant
- without logo

Standard article	36 608 782 FF	FF	Euro
Chrome		-00	274.50
Platinum		-08	439.10
Brushed Platinum		-06	439.10
Champagne (22kt Gold)		-47	603.90
Brushed Champagne (22kt Gold)		-46	603.90
Brushed Durabrass (23kt Gold)		-28	576.50
Brushed Dark Brass		-39	439.20
Brushed Bronze		-42	439.20
Dark Chrome		-19	411.70
Brushed Dark Platinum		-99	493.90



Required miscellaneous

Wall valve 3/4"
35 608 970 FF FF Euro

- min. recess depth 105 mm
- max. recess depth 150 mm

 Concealed rough parts **90** 119.20

For details and miscellaneous, see page 644

36 604 782

Wall valve clockwise closing 1/2"

- With hammered effect texture
- **rosette 60 x 60 mm**
- head part with cut-to-length spindle and sleeve

Custom-made options

- Finish variants
- without logo

Standard article	36 604 782 FF	FF	Euro
Chrome		-00	356.90
Platinum		-08	571.00
Brushed Platinum		-06	571.00
Champagne (22kt Gold)		-47	785.20
Brushed Champagne (22kt Gold)		-46	785.20
Brushed Durabrass (23kt Gold)		-28	749.50
Brushed Dark Brass		-39	571.00
Brushed Bronze		-42	571.00
Dark Chrome		-19	535.20
Brushed Dark Platinum		-99	642.30



Required miscellaneous

Wall valve 1/2"
35 607 970 FF FF Euro

- min. recess depth 105 mm
- max. recess depth 150 mm

 Concealed rough parts **90** 90.90

For details and miscellaneous, see page 644

36 605 782

Wall valve clockwise closing 1/2"

- With linear texture
- **rosette 60 x 60 mm**
- head part with cut-to-length spindle and sleeve

Custom-made options

- Finish variants
- without logo

Standard article	36 605 782 FF	FF	Euro
Chrome		-00	356.90
Platinum		-08	571.00
Brushed Platinum		-06	571.00
Champagne (22kt Gold)		-47	785.20
Brushed Champagne (22kt Gold)		-46	785.20
Brushed Durabrass (23kt Gold)		-28	749.50
Brushed Dark Brass		-39	571.00
Brushed Bronze		-42	571.00
Dark Chrome		-19	535.20
Brushed Dark Platinum		-99	642.30



Required miscellaneous

Wall valve 1/2"
35 607 970 FF FF Euro

- min. recess depth 105 mm
- max. recess depth 150 mm

 Concealed rough parts **90** 90.90

For details and miscellaneous, see page 644

20 000 782

**Deck valve clockwise closing cold**

- hole diameter 32 mm
- rosette 60 x 60 mm
- with cold marking

Fits MEM**Custom-made options**

- Blue marking
- Finish variants
- Glass Design handle variant
- Nature Squared handle variant
- without logo

Standard article	20 000 782 FF	FF	Euro
Chrome		-00	329.20
Platinum		-08	526.50
Brushed Platinum		-06	526.50
Champagne (22kt Gold)		-47	724.20
Brushed Champagne (22kt Gold)		-46	724.20
Brushed Durabronze (23kt Gold)		-28	691.30
Brushed Dark Brass		-39	526.70
Brushed Bronze		-42	526.70
Dark Chrome		-19	493.80
Brushed Dark Platinum		-99	592.50

Product alternative

- with hot marking

Standard article	20 000 783 FF	FF	Euro
Chrome		-00	329.20
Platinum		-08	526.50
Brushed Platinum		-06	526.50
Champagne (22kt Gold)		-47	724.20
Brushed Champagne (22kt Gold)		-46	724.20
Brushed Durabronze (23kt Gold)		-28	691.30
Brushed Dark Brass		-39	526.70
Brushed Bronze		-42	526.70
Dark Chrome		-19	493.80
Brushed Dark Platinum		-99	592.50

20 004 782

**Deck valve clockwise closing cold**

- With hammered effect texture
- hole diameter 32 mm
- rosette 60 x 60 mm
- with cold marking

Custom-made options

- Blue marking
- Finish variants
- without logo

Standard article	20 004 782 FF	FF	Euro
Chrome		-00	427.90
Platinum		-08	684.50
Brushed Platinum		-06	684.50
Champagne (22kt Gold)		-47	941.40
Brushed Champagne (22kt Gold)		-46	941.40
Brushed Durabronze (23kt Gold)		-28	898.60
Brushed Dark Brass		-39	684.50
Brushed Bronze		-42	684.50
Dark Chrome		-19	641.90
Brushed Dark Platinum		-99	770.20

20 004 783

**Deck valve anti-clockwise closing hot**

- With hammered effect texture
- hole diameter 32 mm
- rosette 60 x 60 mm
- with hot marking

Custom-made options

- Finish variants
- Red marking
- without logo

Standard article	20 004 783 FF	FF	Euro
Chrome		-00	427.90
Platinum		-08	684.50
Brushed Platinum		-06	684.50
Champagne (22kt Gold)		-47	941.40
Brushed Champagne (22kt Gold)		-46	941.40
Brushed Durabronze (23kt Gold)		-28	898.60
Brushed Dark Brass		-39	684.50
Brushed Bronze		-42	684.50
Dark Chrome		-19	641.90
Brushed Dark Platinum		-99	770.20

20 005 782

**Deck valve clockwise closing cold**

- With linear texture
- hole diameter 32 mm
- rosette 60 x 60 mm
- with cold marking

Custom-made options

- Blue marking
- Finish variants
- without logo

Standard article	20 005 782 FF	FF	Euro
Chrome		-00	427.90
Platinum		-08	684.50
Brushed Platinum		-06	684.50
Champagne (22kt Gold)		-47	941.40
Brushed Champagne (22kt Gold)		-46	941.40
Brushed Durabronze (23kt Gold)		-28	898.60
Brushed Dark Brass		-39	684.50
Brushed Bronze		-42	684.50
Dark Chrome		-19	641.90
Brushed Dark Platinum		-99	770.20

20 005 783

Deck valve anti-clockwise closing hot

- With linear texture
- hole diameter 32 mm
- rosette 60 x 60 mm
- with hot marking

Custom-made options

- Finish variants
- Red marking
- without logo

Standard article	20 005 783 FF	FF	Euro
Chrome	-00		427.90
Platinum	-08		684.50
Brushed Platinum	-06		684.50
Champagne (22kt Gold)	-47		941.40
Brushed Champagne (22kt Gold)	-46		941.40
Brushed Durabronze (23kt Gold)	-28		898.60
Brushed Dark Brass	-39		684.50
Brushed Bronze	-42		684.50
Dark Chrome	-19		641.90
Brushed Dark Platinum	-99		770.20

36 200 782

Concealed two-way diverter

- rotary diverter
- rosette 60 x 60 mm

Fits MEM
Custom-made options

- Finish variants
- Glass Design handle variant
- Nature Squared handle variant
- without logo

Standard article	36 200 782 FF	FF	Euro
Chrome	-00		640.70
Platinum	-08		1,025.10
Brushed Platinum	-06		1,025.10
Champagne (22kt Gold)	-47		1,409.50
Brushed Champagne (22kt Gold)	-46		1,409.50
Brushed Durabronze (23kt Gold)	-28		1,345.50
Brushed Dark Brass	-39		1,025.10
Brushed Bronze	-42		1,025.10
Dark Chrome	-19		961.00
Brushed Dark Platinum	-99		1,153.20



Required miscellaneous

Concealed two-way diverter
35 202 970 FF FF Euro

- min. recess depth 115 mm
- max. recess depth 160 mm

 Concealed rough parts **90** 295.90

For details and miscellaneous, see page 644

36 210 782

Concealed three-way diverter

- rotary diverter
- rosette 60 x 60 mm

Fits MEM
Custom-made options

- Finish variants
- Glass Design handle variant
- Nature Squared handle variant
- without logo

Standard article	36 210 782 FF	FF	Euro
Chrome	-00		640.70
Platinum	-08		1,025.10
Brushed Platinum	-06		1,025.10
Champagne (22kt Gold)	-47		1,409.50
Brushed Champagne (22kt Gold)	-46		1,409.50
Brushed Durabronze (23kt Gold)	-28		1,345.50
Brushed Dark Brass	-39		1,025.10
Brushed Bronze	-42		1,025.10
Dark Chrome	-19		961.00
Brushed Dark Platinum	-99		1,153.20



Required miscellaneous

Concealed three-way diverter
35 203 970 FF FF Euro

- min. recess depth 115 mm
- max. recess depth 160 mm

 Concealed rough parts **90** 360.40

For details and miscellaneous, see page 644

25 863 782


Single-lever bath mixer with stand pipe for free-standing assembly with hand shower set

- **281mm projection**
- spout: cascade
- max. flow 25.1 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- bar-type hand shower with anti-scale system
- wall bracket
- automatic bath/shower diverter
- total height 1139 - 1209 mm
- stand pipe height 598 - 668 mm
- height up to aerator 968 - 1038 mm
- push-on rosette 131 x 131 mm
- metal shower hose 1250mm with integrated anti-twist protection

Custom-made options

- Finish variants
- Flow rate modification
- Height modification
- Red/blue marking
- without hand shower
- without logo

Standard article	25 863 782 FF	FF	Euro
Chrome		-00	4,858.80
Platinum		-08	7,774.00
Brushed Platinum		-06	7,774.00
Champagne (22kt Gold)		-47	10,689.40
Brushed Champagne (22kt Gold)		-46	10,689.40
Brushed Durabronze (23kt Gold)		-28	10,203.50
Brushed Dark Brass		-39	7,774.10
Brushed Bronze		-42	7,774.10
Dark Chrome		-19	7,288.30
Brushed Dark Platinum		-99	8,745.80



Required miscellaneous

Concealed floor mounting

	35 945 970 FF	FF	Euro
• min. recess depth 80 mm		90	840.10
• max. recess depth 150 mm			
Concealed rough parts			
For details and miscellaneous, see page 644			

13 672 780


Bath spout without diverter for free-standing assembly

- **280mm projection**
- cascade
- total height 830 - 900 mm
- height up to aerator 665 - 735 mm
- push-on rosette 130 x 130 mm
- max. flow 47.8 l/min at 3 bar flow pressure

Custom-made options

- Finish variants
- without logo

Standard article	13 672 780 FF	FF	Euro
Chrome		-00	2,443.40
Platinum		-08	3,909.50
Brushed Platinum		-06	3,909.50
Champagne (22kt Gold)		-47	5,375.50
Brushed Champagne (22kt Gold)		-46	5,375.50
Brushed Durabronze (23kt Gold)		-28	5,131.10
Brushed Dark Brass		-39	3,909.40
Brushed Bronze		-42	3,909.40
Dark Chrome		-19	3,665.00



Required miscellaneous

Concealed floor mounting

	35 945 970 FF	FF	Euro
• min. recess depth 80 mm		90	840.10
• max. recess depth 150 mm			
Concealed rough parts			
For details and miscellaneous, see page 644			

27 412 782


Three-hole single-lever bath mixer for bath rim or tile edge installation

- **220mm projection**
- spout: rectangular normal flow
- max. flow 20.4 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- height of mixer 300 mm
- height up to aerator 170 mm
- hole diameter spout 32 mm
- single-lever mixer hole diameter 35 mm
- hole diameter for complete hand shower set 32 mm
- rosette for mixer 60 x 60mm
- rosette for spout 60 x 60mm
- rosette for complete hand shower set 60 x 60mm
- metal shower hose 2250mm with integrated anti-twist protection

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Red/blue marking
- without hand shower
- without logo

Standard article	27 412 782 FF	FF	Euro
Chrome		-00	2,757.60
Platinum		-08	4,412.50
Brushed Platinum		-06	4,412.50
Champagne (22kt Gold)		-47	6,066.70
Brushed Champagne (22kt Gold)		-46	6,066.70
Brushed Durabronze (23kt Gold)		-28	5,791.00
Brushed Dark Brass		-39	4,412.20
Brushed Bronze		-42	4,412.20
Dark Chrome		-19	4,136.40
Brushed Dark Platinum		-99	4,963.70



Recommended miscellaneous

Perfecto installation kit
12 614 970 FF FF Euro

For details and miscellaneous, see page 646

 Concealed rough parts **90** 1,794.10

Recommended miscellaneous

Decorative caps for Perfecto
12 801 970 FF FF Euro

• 1 pair

Chrome		-00	55.50
Platinum		-08	89.00
Brushed Platinum		-06	89.00
Champagne (22kt Gold)		-47	122.10
Brushed Champagne (22kt Gold)		-46	122.10
Brushed Durabronze (23kt Gold)		-28	116.60
Brushed Dark Brass		-39	88.80
Brushed Bronze		-42	88.80
Dark Chrome		-19	83.40
Brushed Dark Platinum		-99	99.80

27 532 782


Bath shower set for bath rim or tile edge installation

- **220mm projection**
- spout: rectangular normal flow
- max. flow 27.3 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- height of mixer 300 mm
- height up to aerator 170 mm
- hole diameter valve 32 mm
- hole diameter spout 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout 60 x 60mm
- rosette for complete hand shower set 60 x 60mm
- rosette for deck valve 60 x 60mm
- metal shower hose 1750mm with integrated anti-twist protection

Intrinsic protection against back flow.

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Custom-made options

- Blue marking
- Finish variants
- Glass Design handle variant
- Nature Squared handle variant
- Red marking
- Red/blue marking
- without hand shower
- without logo

Standard article	27 532 782 FF	FF	Euro
Chrome		-00	2,617.50
Platinum		-08	4,188.00
Brushed Platinum		-06	4,188.00
Champagne (22kt Gold)		-47	5,758.50
Brushed Champagne (22kt Gold)		-46	5,758.50
Brushed Durabronze (23kt Gold)		-28	5,496.80
Brushed Dark Brass		-39	4,188.10
Brushed Bronze		-42	4,188.10
Dark Chrome		-19	3,926.30
Brushed Dark Platinum		-99	4,711.60



Recommended miscellaneous

Perfecto installation kit
12 614 970 FF FF Euro

For details and miscellaneous, see page 646

 Concealed rough parts **90** 1,794.10


Recommended miscellaneous

Decorative caps for Perfecto
12 801 970 FF FF Euro

• 1 pair

Chrome		-00	55.50
Platinum		-08	89.00
Brushed Platinum		-06	89.00
Champagne (22kt Gold)		-47	122.10
Brushed Champagne (22kt Gold)		-46	122.10
Brushed Durabronze (23kt Gold)		-28	116.60
Brushed Dark Brass		-39	88.80
Brushed Bronze		-42	88.80
Dark Chrome		-19	83.40
Brushed Dark Platinum		-99	99.80

13 630 740

**Bath cascade spout without diverter for deck mounting**

- 235mm projection
- cascade
- height of mixer 100 mm
- height up to aerator 80 mm
- hole diameter 32 mm
- 1/2" connection
- max. flow 26.5 l/min at 3 bar flow pressure

Custom-made options

- Finish variants
- without logo

Standard article	13 630 740 FF	FF	Euro
Chrome		-00	2,274.40
Platinum		-08	3,639.00
Brushed Platinum		-06	3,639.20
Champagne (22kt Gold)		-47	5,003.70
Brushed Champagne (22kt Gold)		-46	5,003.70
Brushed Durabrass (23kt Gold)		-28	4,776.20
Brushed Dark Brass		-39	3,639.10
Brushed Bronze		-42	3,639.10
Dark Chrome		-19	3,411.60
Brushed Dark Platinum		-99	4,093.80

13 801 782

**Bath spout for wall mounting**

- 220mm projection
- rectangular, air-enriched flow
- rosette 60 x 60 mm
- hole diameter 37 mm
- 1/2" connection
- max. flow 38.5 l/min at 3 bar flow pressure

Custom-made options

- Finish variants
- Projection modification
- without logo

Standard article	13 801 782 FF	FF	Euro
Chrome		-00	731.00
Platinum		-08	1,170.00
Brushed Platinum		-06	1,170.00
Champagne (22kt Gold)		-47	1,608.20
Brushed Champagne (22kt Gold)		-46	1,608.20
Brushed Durabrass (23kt Gold)		-28	1,535.10
Brushed Dark Brass		-39	1,169.60
Brushed Bronze		-42	1,169.60
Dark Chrome		-19	1,096.50
Brushed Dark Platinum		-99	1,315.90



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts 90 122.80

For details and miscellaneous, see page 645

13 430 740

**Bath cascade spout for wall mounting**

- 200mm projection
- cascade
- plate 180 mm x 60 mm
- hole diameter 40 mm
- 1/2" connection
- plug-link mounting
- max. flow 26.5 l/min at 3 bar flow pressure

Custom-made options

- Finish variants
- without logo

Standard article	13 430 740 FF	FF	Euro
Chrome		-00	1,694.90
Platinum		-08	2,711.60
Brushed Platinum		-06	2,711.60
Champagne (22kt Gold)		-47	3,728.80
Brushed Champagne (22kt Gold)		-46	3,728.80
Brushed Durabrass (23kt Gold)		-28	3,559.30
Brushed Dark Brass		-39	2,711.80
Brushed Bronze		-42	2,711.80
Dark Chrome		-19	2,542.20
Brushed Dark Platinum		-99	3,050.70
Matte Black		-33	2,288.20



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts 90 122.80

For details and miscellaneous, see page 645

27 702 980

**Hand shower set for bath rim or tile edge installation**

- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- with anti-scale system
- rosette 60 x 60 mm
- hole diameter 32 mm
- metal shower hose 2250mm with integrated anti-twist protection

Two-piece design allows hose to later be changed without dismantling the fitting.

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 702 980 FF	FF	Euro
Chrome		-00	571.00
Platinum		-08	913.40
Brushed Platinum		-06	913.40
Champagne (22kt Gold)		-47	1,256.20
Brushed Champagne (22kt Gold)		-46	1,256.20
Brushed Durabrass (23kt Gold)		-28	1,199.10
Brushed Dark Brass		-39	913.60
Brushed Bronze		-42	913.60
Dark Chrome		-19	856.40
Brushed Dark Platinum		-99	1,027.70
Matte Black		-33	770.50

29 300 670


Single-lever bath mixer for bath rim or tile edge installation

- rosette 60 x 60 mm
- hole diameter 35 mm
- max. flow 35.7 l/min at 3 bar flow pressure

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	29 300 670 FF	FF	Euro
Chrome		-00	676.00
Platinum		-08	1,081.50
Brushed Platinum		-06	1,081.50
Champagne (22kt Gold)		-47	1,487.20
Brushed Champagne (22kt Gold)		-46	1,487.20
Brushed Durabronze (23kt Gold)		-28	1,419.60
Brushed Dark Brass		-39	1,081.60
Brushed Bronze		-42	1,081.60
Dark Chrome		-19	1,013.80
Brushed Dark Platinum		-99	1,216.60
Matte Black		-33	912.60

29 140 670


Two-way diverter for bath rim or tile edge installation

- automatic bath/shower diverter
- hole diameter 32 mm
- rosette 60 x 60 mm
- 1/2" connection
- max. flow 64.9 l/min at 3 bar flow pressure

Custom-made options

- Finish variants
- without logo

Standard article	29 140 670 FF	FF	Euro
Chrome		-00	872.00
Platinum		-08	1,395.20
Brushed Platinum		-06	1,395.20
Champagne (22kt Gold)		-47	1,918.40
Brushed Champagne (22kt Gold)		-46	1,918.40
Brushed Durabronze (23kt Gold)		-28	1,831.20
Brushed Dark Brass		-39	1,395.20
Brushed Bronze		-42	1,395.20
Dark Chrome		-19	1,307.90
Brushed Dark Platinum		-99	1,569.60
Matte Black		-33	1,177.20

36 120 670


Concealed single-lever mixer with diverter

- automatic diverter
- cover plate 150 x 90 mm

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 120 670 FF	FF	Euro
Chrome		-00	602.70
Platinum		-08	964.20
Brushed Platinum		-06	964.20
Champagne (22kt Gold)		-47	1,325.90
Brushed Champagne (22kt Gold)		-46	1,325.90
Brushed Durabronze (23kt Gold)		-28	1,265.70
Brushed Dark Brass		-39	964.30
Brushed Bronze		-42	964.30
Dark Chrome		-19	903.80
Brushed Dark Platinum		-99	1,084.60



Required miscellaneous

Concealed single-lever mixer
35 020 970 FF FF Euro

- min. recess depth 80 mm
- max. recess depth 105 mm

 Concealed rough parts **90** 236.90
 For details and miscellaneous, see page 641


Required miscellaneous

Concealed single-lever mixer with backflow preventor
35 021 970 FF FF Euro

- min. recess depth 80 mm
- max. recess depth 105 mm

 Concealed rough parts **90** 338.50
 For details and miscellaneous, see page 641

36 243 970

**Pop-up waste and overflow**

- drain Ø 52mm

Also suitable for king-size baths.

Custom-made options

- Finish variants
- without logo

Standard article	36 243 970 FF	FF	Euro
Chrome		-00	221.00
Platinum		-08	353.90
Brushed Platinum		-06	353.90
Champagne (22kt Gold)		-47	486.20
Brushed Champagne (22kt Gold)		-46	486.20
Durabrand (23kt Gold)		-09	464.10
Brushed Durabrand (23kt Gold)		-28	464.10
Brushed Dark Brass		-39	353.70
Brushed Bronze		-42	353.60
Dark Chrome		-19	331.70
Brushed Dark Platinum		-99	397.80
Matte Black		-33	298.70



Required miscellaneous

Pop-up waste and overflow

- bowden cable length 725 mm

35 227 970 FF	FF	Euro
	90	179.20

36 247 970

**Bath spout with pop-up waste and overflow**

- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

Custom-made options

- Finish variants
- without logo

Standard article	36 247 970 FF	FF	Euro
Chrome		-00	334.40
Platinum		-08	535.10
Brushed Platinum		-06	535.10
Champagne (22kt Gold)		-47	735.70
Brushed Champagne (22kt Gold)		-46	735.70
Durabrand (23kt Gold)		-09	702.20
Brushed Durabrand (23kt Gold)		-28	702.20
Brushed Dark Brass		-39	535.10
Brushed Bronze		-42	535.10
Dark Chrome		-19	501.70
Brushed Dark Platinum		-99	601.80
Matte Black		-33	451.30



Required miscellaneous

Vacuum breaker

36 150 970 FF	FF	Euro
Chrome	-00	91.70
Platinum	-08	146.70
Brushed Platinum	-06	146.70
Champagne (22kt Gold)	-47	201.70
Brushed Champagne (22kt Gold)	-46	201.70
Durabrand (23kt Gold)	-09	192.60
Brushed Durabrand (23kt Gold)	-28	192.60
Brushed Dark Brass	-39	146.70
Brushed Bronze	-42	146.80
Dark Chrome	-19	137.50
Brushed Dark Platinum	-99	164.90
Matte Black	-33	123.90




Required miscellaneous

Bath spout with pop-up waste and overflow

- bowden cable length 725 mm

35 248 970 FF	FF	Euro
	90	493.60

83 030 780

Bath grip

- gauge 185 mm
- width 300mm
- height 35 mm
- 65mm projection

Custom-made options

- Finish variants

Standard article	83 030 780 FF	FF	Euro
Chrome		-00	421.80
Platinum		-08	674.50
Brushed Platinum		-06	674.50
Champagne (22kt Gold)		-47	928.00
Brushed Champagne (22kt Gold)		-46	928.00
Brushed Durabronze (23kt Gold)		-28	885.80
Brushed Dark Brass		-39	674.90
Brushed Bronze		-42	674.90
Dark Chrome		-19	632.70
Brushed Dark Platinum		-99	759.10

83 060 780

Towel bar

- gauge 400 mm
- width 600mm
- height 35 mm
- 80mm projection

Custom-made options

- Finish variants

Standard article	83 060 780 FF	FF	Euro
Chrome		-00	482.30
Platinum		-08	771.60
Brushed Platinum		-06	771.60
Champagne (22kt Gold)		-47	1,061.10
Brushed Champagne (22kt Gold)		-46	1,061.10
Brushed Durabronze (23kt Gold)		-28	1,012.80
Brushed Dark Brass		-39	771.80
Brushed Bronze		-42	771.80
Dark Chrome		-19	723.50
Brushed Dark Platinum		-99	868.10

83 070 780


Towel bar

- gauge 320 mm
- width 450mm
- height 35 mm
- 80mm projection

Custom-made options

- Finish variants

Standard article	83 070 780 FF	FF	Euro
Chrome		-00	505.90
Platinum		-08	809.50
Brushed Platinum		-06	809.50
Champagne (22kt Gold)		-47	1,113.00
Brushed Champagne (22kt Gold)		-46	1,113.00
Brushed Durabronze (23kt Gold)		-28	1,062.40
Brushed Dark Brass		-39	809.50
Brushed Bronze		-42	809.50
Dark Chrome		-19	758.80
Brushed Dark Platinum		-99	910.60

83 210 780

Towel bar in two parts non-swivel

- width 90mm
- height 35 mm
- 420mm projection

Custom-made options

- Finish variants

Standard article	83 210 780 FF	FF	Euro
Chrome		-00	428.00
Platinum		-08	685.00
Brushed Platinum		-06	685.00
Champagne (22kt Gold)		-47	941.60
Brushed Champagne (22kt Gold)		-46	941.60
Brushed Durabronze (23kt Gold)		-28	898.80
Brushed Dark Brass		-39	684.70
Brushed Bronze		-42	684.70
Dark Chrome		-19	642.10
Brushed Dark Platinum		-99	770.30

83 200 780

Towel ring angular

- width 190mm
- height 35 mm
- 105mm projection

Custom-made options

- Finish variants

Standard article	83 200 780 FF	FF	Euro
Chrome		-00	340.50
Platinum		-08	544.90
Brushed Platinum		-06	544.90
Champagne (22kt Gold)		-47	749.10
Brushed Champagne (22kt Gold)		-46	749.10
Brushed Durabronze (23kt Gold)		-28	715.10
Brushed Dark Brass		-39	544.90
Brushed Bronze		-42	544.90
Dark Chrome		-19	510.90
Brushed Dark Platinum		-99	613.00

83 251 780

**Hooks**

- width 19mm
- height 44 mm
- 35mm projection

Custom-made options

- Finish variants

Standard article	83 251 780 FF	FF	Euro
Chrome		-00	114.70
Platinum		-08	183.50
Brushed Platinum		-06	183.50
Champagne (22kt Gold)		-47	252.30
Brushed Champagne (22kt Gold)		-46	252.30
Brushed Durabronze (23kt Gold)		-28	240.90
Brushed Dark Brass		-39	183.50
Brushed Bronze		-42	183.50
Dark Chrome		-19	172.10
Brushed Dark Platinum		-99	206.60

83 251 220

**Hooks**

- 55mm projection

Custom-made options

- Finish variants

Standard article	83 251 220 FF	FF	Euro
Chrome		-00	44.90
Platinum		-08	71.60
Brushed Platinum		-06	71.60
Champagne (22kt Gold)		-47	98.80
Brushed Champagne (22kt Gold)		-46	98.80
Durabronze (23kt Gold)		-09	94.30
Brushed Durabronze (23kt Gold)		-28	94.30
Brushed Dark Brass		-39	71.90
Brushed Bronze		-42	71.80
Dark Chrome		-19	67.30
Brushed Dark Platinum		-99	80.60
Matte Black		-33	60.70

83 251 979

**Hooks**

- rosette Ø 40 mm
- 50mm projection

Custom-made options

- Finish variants

Standard article	83 251 979 FF	FF	Euro
Chrome		-00	73.40
Brushed Platinum		-06	117.60
Champagne (22kt Gold)		-47	161.50
Brushed Champagne (22kt Gold)		-46	161.50
Brushed Durabronze (23kt Gold)		-28	154.10
Brushed Dark Brass		-39	117.50
Brushed Bronze		-42	117.40
Dark Chrome		-19	110.20
Brushed Dark Platinum		-99	132.00
Matte Black		-33	99.20

83 256 979

**Hooks in two parts**

- width 80mm
- rosette Ø 40 mm
- 55mm projection

Custom-made options

- Finish variants

Standard article	83 256 979 FF	FF	Euro
Chrome		-00	136.20
Brushed Platinum		-06	218.40
Champagne (22kt Gold)		-47	299.60
Brushed Champagne (22kt Gold)		-46	299.60
Brushed Durabronze (23kt Gold)		-28	286.00
Brushed Dark Brass		-39	217.80
Brushed Bronze		-42	217.80
Dark Chrome		-19	204.20
Brushed Dark Platinum		-99	245.30
Matte Black		-33	183.90

83 400 979

**Tumbler holder wall model**

- crystal glass, transparent
- width 60mm
- height 120 mm
- 110mm projection

Custom-made options

- Finish variants

Standard article	83 400 979 FF	FF	Euro
Chrome		-00	278.90
Platinum		-08	446.30
Brushed Platinum		-06	446.30
Champagne (22kt Gold)		-47	613.60
Brushed Champagne (22kt Gold)		-46	613.60
Durabronze (23kt Gold)		-09	585.70
Brushed Durabronze (23kt Gold)		-28	585.70
Brushed Dark Brass		-39	446.30
Brushed Bronze		-42	446.30
Dark Chrome		-19	418.50
Brushed Dark Platinum		-99	502.00
Matte Black		-33	376.50

83 401 979


Tumbler holder wall model

- crystal glass brush holder, matte
- width 60mm
- height 120 mm
- 110mm projection

Custom-made options

- Finish variants

Standard article	83 401 979 FF	FF	Euro
Chrome		-00	278.90
Platinum		-08	446.30
Brushed Platinum		-06	446.30
Champagne (22kt Gold)		-47	613.60
Brushed Champagne (22kt Gold)		-46	613.60
Durabrass (23kt Gold)		-09	585.70
Brushed Durabrass (23kt Gold)		-28	585.70
Brushed Dark Brass		-39	446.30
Brushed Bronze		-42	446.30
Dark Chrome		-19	418.50
Brushed Dark Platinum		-99	502.00
Matte Black		-33	376.50



Recommended miscellaneous

Crystal tumbler	08 90 00 008 FF	FF	Euro
Glass		82	72.10

83 400 780


Tumbler holder wall model

- crystal glass
- width 75mm
- height 118 mm
- 85mm projection

Custom-made options

- Finish variants

Standard article	83 400 780 FF	FF	Euro
Chrome		-00	374.30
Platinum		-08	599.00
Brushed Platinum		-06	599.00
Champagne (22kt Gold)		-47	823.50
Brushed Champagne (22kt Gold)		-46	823.50
Brushed Durabrass (23kt Gold)		-28	786.00
Brushed Dark Brass		-39	598.80
Brushed Bronze		-42	598.80
Dark Chrome		-19	561.60
Brushed Dark Platinum		-99	673.60

83 410 979


Soap dish wall model


- width 120mm
- height 20 mm
- 145mm projection

Custom-made options

- Finish variants

Standard article	83 410 979 FF	FF	Euro
Chrome		-00	289.30
Platinum		-08	462.90
Brushed Platinum		-06	462.90
Champagne (22kt Gold)		-47	636.50
Brushed Champagne (22kt Gold)		-46	636.50
Durabrass (23kt Gold)		-09	607.50
Brushed Durabrass (23kt Gold)		-28	607.50
Brushed Dark Brass		-39	462.90
Brushed Bronze		-42	462.90
Dark Chrome		-19	434.10
Brushed Dark Platinum		-99	520.90
Matte Black		-33	390.60

83 410 780


Soap dish wall model

- width 120mm
- height 45 mm
- 120mm projection

Custom-made options

- Finish variants

Standard article	83 410 780 FF	FF	Euro
Chrome		-00	382.70
Platinum		-08	611.70
Brushed Platinum		-06	611.70
Champagne (22kt Gold)		-47	841.90
Brushed Champagne (22kt Gold)		-46	841.90
Brushed Durabrass (23kt Gold)		-28	803.70
Brushed Dark Brass		-39	612.40
Brushed Bronze		-42	612.40
Dark Chrome		-19	574.00
Brushed Dark Platinum		-99	688.90

83 435 970

**Dispenser wall model**

- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 96mm projection

Custom-made options

- Finish variants
- without logo

Standard article	83 435 970 FF	FF	Euro
Chrome		-00	457.60
Platinum		-08	732.10
Brushed Platinum		-06	732.10
Champagne (22kt Gold)		-47	1,006.70
Brushed Champagne (22kt Gold)		-46	1,006.70
Brushed Durabronze (23kt Gold)		-28	961.00
Brushed Dark Brass		-39	732.20
Brushed Bronze		-42	732.20
Dark Chrome		-19	686.50
Brushed Dark Platinum		-99	823.80
Matte Black		-33	617.90

84 435 970

**Dispenser free-standing model**


- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 59mm projection

Custom-made options

- Finish variants
- without logo

Standard article	84 435 970 FF	FF	Euro
Chrome		-00	421.60
Platinum		-08	674.00
Brushed Platinum		-06	674.00
Champagne (22kt Gold)		-47	927.50
Brushed Champagne (22kt Gold)		-46	927.50
Brushed Durabronze (23kt Gold)		-28	885.40
Brushed Dark Brass		-39	674.50
Brushed Bronze		-42	674.50
Dark Chrome		-19	632.50
Brushed Dark Platinum		-99	758.90
Matte Black		-33	569.10

83 290 970

**Shower basket for wall mounting**

- width 200mm
- height 70 mm
- 115mm projection

Custom-made options

- Finish variants

Standard article	83 290 970 FF	FF	Euro
Chrome		-00	221.60
Platinum		-08	354.60
Brushed Platinum		-06	354.60
Champagne (22kt Gold)		-47	487.50
Brushed Champagne (22kt Gold)		-46	487.50
Durabronze (23kt Gold)		-09	465.40
Brushed Durabronze (23kt Gold)		-28	465.40
Brushed Dark Brass		-39	354.50
Brushed Bronze		-42	354.40
Dark Chrome		-19	332.40
Brushed Dark Platinum		-99	398.90
Matte Black		-33	299.20

83 500 780

**Tissue holder without cover**

- width 140mm
- height 35 mm
- 85mm projection

Custom-made options

- Finish variants

Standard article	83 500 780 FF	FF	Euro
Chrome		-00	307.70
Platinum		-08	492.10
Brushed Platinum		-06	492.10
Champagne (22kt Gold)		-47	676.90
Brushed Champagne (22kt Gold)		-46	676.90
Brushed Durabronze (23kt Gold)		-28	646.20
Brushed Dark Brass		-39	492.20
Brushed Bronze		-42	492.20
Dark Chrome		-19	461.40
Brushed Dark Platinum		-99	553.60

83 590 780

**Reserve tissue holder**

- width 132mm
- height 35 mm
- 116mm projection

Custom-made options

- Finish variants

Standard article	83 590 780 FF	FF	Euro
Chrome		-00	307.70
Platinum		-08	492.10
Brushed Platinum		-06	492.10
Champagne (22kt Gold)		-47	676.90
Brushed Champagne (22kt Gold)		-46	676.90
Brushed Durabronze (23kt Gold)		-28	646.20
Brushed Dark Brass		-39	492.20
Brushed Bronze		-42	492.20
Dark Chrome		-19	461.40
Brushed Dark Platinum		-99	553.60

83 900 780


Toilet brush set wall model

- crystal glass brush holder, matte
- brush, matte black
- width 118mm
- height 415 mm
- 118mm projection

Custom-made options

- Finish variants

Standard article	83 900 780 FF	FF	Euro
Chrome	-00		475.70
Platinum	-08		761.10
Brushed Platinum	-06		761.10
Champagne (22kt Gold)	-47		1,046.50
Brushed Champagne (22kt Gold)	-46		1,046.50
Brushed Durabronze (23kt Gold)	-28		999.00
Brushed Dark Brass	-39		761.10
Brushed Bronze	-42		761.10
Dark Chrome	-19		713.40
Brushed Dark Platinum	-99		856.20

83 910 979


Toilet brush set wall model

- brush, matte black
- width 100mm
- height 456 mm
- 110mm projection

Custom-made options

- Finish variants
- without logo

Standard article	83 910 979 FF	FF	Euro
Chrome	-00		519.20
Platinum	-08		830.90
Brushed Platinum	-06		830.90
Champagne (22kt Gold)	-47		1,142.20
Brushed Champagne (22kt Gold)	-46		1,142.20
Brushed Durabronze (23kt Gold)	-28		1,090.30
Brushed Dark Brass	-39		830.80
Brushed Bronze	-42		830.70
Dark Chrome	-19		778.90
Brushed Dark Platinum	-99		934.60
Matte Black	-33		700.90

84 910 979


Toilet brush set free-standing model

- brush, matte black
- width 100mm
- height 456 mm

Custom-made options

- Finish variants
- without logo

Standard article	84 910 979 FF	FF	Euro
Chrome	-00		469.70
Platinum	-08		751.50
Brushed Platinum	-06		751.50
Champagne (22kt Gold)	-47		1,033.30
Brushed Champagne (22kt Gold)	-46		1,033.30
Brushed Durabronze (23kt Gold)	-28		986.40
Brushed Dark Brass	-39		751.50
Brushed Bronze	-42		751.60
Dark Chrome	-19		704.70
Brushed Dark Platinum	-99		845.40
Matte Black	-33		634.20

12 660 979


Cover plate for the concealed WC cistern made by TeCe

- **Not available in the United States and Canada due to local code requirements. Please contact us for more information.**

- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)

This product is compatible with the following TECE products:

- TECEprofil dry wall construction, article numbers: 9300300, 9300322, 9300301, 9300344, 9300309, 9300303, 9300388, 9300366, 9300102, 9300103, 9300329, 9300377, 9300378, 9400302, 9400303, 9400304, 9041335, 9041336, 9041337
- TECEbox wet wall construction, article numbers: 9370300, 9375300, 9371300

Custom-made options

- Finish variants
- without logo

Standard article	12 660 979 FF	FF	Euro
Chrome	-00		852.30
Platinum	-08		1,364.00
Brushed Platinum	-06		1,364.00
Champagne (22kt Gold)	-47		1,875.10
Brushed Champagne (22kt Gold)	-46		1,875.10
Brushed Durabronze (23kt Gold)	-28		1,789.80
Brushed Dark Brass	-39		1,363.70
Brushed Bronze	-42		1,363.80
Dark Chrome	-19		1,278.40
Brushed Dark Platinum	-99		1,534.30
Matte Black	-33		1,150.60

12 665 980

**Flush plate for concealed WC cisterns made by Geberit angular**

- cover plate 169 x 246 x 12 mm
- Mechanical flush plate with manual flush buttons
- For 2-volume flushing system
- Includes mounting frame, actuator rods and fastening material
- Sound-absorbing push rods, tool-free fast adjustment
- **Compatible with all Geberit Sigma series cisterns from 2001 onwards**

Custom-made options

- Finish variants
- without logo

Standard article	12 665 980 FF	FF	Euro
Chrome		-00	485.30
Platinum		-08	776.50
Brushed Platinum		-06	776.50
Champagne (22kt Gold)		-47	1,067.70
Brushed Champagne (22kt Gold)		-46	1,067.70
Durabross (23kt Gold)		-09	1,019.10
Brushed Durabross (23kt Gold)		-28	1,019.10
Brushed Dark Brass		-39	776.50
Brushed Bronze		-42	776.50
Dark Chrome		-19	728.00
Brushed Dark Platinum		-99	873.60
Matte Black		-33	655.20

83 150 979

**NEW Lighted mirror round**

- Wall mounting
- Diameter: 600 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material

Standard article	83 150 979 FF	FF	Euro
Matte White		-10	1,767.00
Matte Black		-33	1,767.00

83 151 979

**NEW Lighted mirror round**

- Wall mounting
- Diameter: 750 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material

Standard article	83 151 979 FF	FF	Euro
Matte White		-10	2,065.00
Matte Black		-33	2,065.00

83 150 980

**NEW Lighted mirror angular**

- Wall mounting
- height 800 mm
- width 400mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material

Standard article	83 150 980 FF	FF	Euro
Matte White		-10	1,652.00
Matte Black		-33	1,652.00

83 151 980

**NEW Lighted mirror angular**

- Wall mounting
- height 1000 mm
- width 600mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material

Standard article	83 151 980 FF	FF	Euro
Matte White		-10	1,951.00
Matte Black		-33	1,951.00

36 390 980

NEW Electronic control elements for heated towel rail

- rosette 60 x 60 mm
- Control element for towel warmer: 833XX980-FF
- Degree of protection IP 44, CE marking

Note: Different conditioning.


Standard article	36 390 980 FF	FF	Euro
Chrome		-00	500.00
Brushed Champagne (22kt Gold)		-46	1,100.00
Dark Chrome		-19	750.00
Brushed Dark Platinum		-99	900.00
Matte Black		-33	675.00

83 304 980

NEW Towel warmer, 4-fold, projection left, without control element

- gauge 120 mm
- width 600mm
- height 420 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element
Activation must be handled by the customer
Note: Different conditioning.


Standard article	83 304 980 FF	FF	Euro
Chrome		-00	2,640.00
Brushed Champagne (22kt Gold)		-46	5,808.00
Dark Chrome		-19	3,960.00
Brushed Dark Platinum		-99	4,752.00
Matte Black		-33	3,564.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, without control element
35 311 970 FF FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- Concealed rough parts **90** 750.00
- For details and miscellaneous, see page 651



83 306 980

NEW Towel warmer, 6-fold, projection left, without control element

- gauge 120 mm
- width 600mm
- height 660 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element
Activation must be handled by the customer
Note: Different conditioning.


Standard article	83 306 980 FF	FF	Euro
Chrome		-00	3,960.00
Brushed Champagne (22kt Gold)		-46	8,712.00
Dark Chrome		-19	5,940.00
Brushed Dark Platinum		-99	7,128.00
Matte Black		-33	5,346.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 6-fold, without control element
35 313 970 FF FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- Concealed rough parts **90** 1,000.00
- For details and miscellaneous, see page 652



83 314 980

NEW Towel warmer, 4-fold, projection right, without control element

- gauge 120 mm
- width 600mm
- height 420 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element
Activation must be handled by the customer
Note: Different conditioning.


Standard article	83 314 980 FF	FF	Euro
Chrome		-00	2,640.00
Brushed Champagne (22kt Gold)		-46	5,808.00
Dark Chrome		-19	3,960.00
Brushed Dark Platinum		-99	4,752.00
Matte Black		-33	3,564.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, without control element
35 311 970 FF FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- Concealed rough parts **90** 750.00
- For details and miscellaneous, see page 651



83 316 980

NEW Towel warmer, 6-fold, projection right, without control element

- gauge 120 mm
- width 600mm
- height 660 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element
Activation must be handled by the customer
Note: Different conditioning.


Standard article	83 316 980 FF	FF	Euro
Chrome		-00	3,960.00
Brushed Champagne (22kt Gold)		-46	8,712.00
Dark Chrome		-19	5,940.00
Brushed Dark Platinum		-99	7,128.00
Matte Black		-33	5,346.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 6-fold, without control element
35 313 970 FF FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- Concealed rough parts **90** 1,000.00
- For details and miscellaneous, see page 652



83 304 980 +
36 390 980**NEW** Towel warmer, 4-fold, projection left, with control element

- gauge 120 mm
- width 600mm
- height 550 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

	1x 83 304 980 FF		1x 36 390 980 FF		Total price:
Standard article	FF	Euro	FF	Euro	Euro
Chrome	-00	2,640.00	-00	500.00	3,140.00
Brushed Champagne (22kt Gold)	-46	5,808.00	-46	1,100.00	6,908.00
Dark Chrome	-19	3,960.00	-19	750.00	4,710.00
Brushed Dark Platinum	-99	4,752.00	-99	900.00	5,652.00
Matte Black	-33	3,564.00	-33	675.00	4,239.00

Required miscellaneous

**Concealed wall installation box for heated towel rail, 4-fold, with control element****35 312 970** FF | FF Euro

- min. recess depth 70 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 651

Concealed rough parts **90** 850.0083 306 980 +
36 390 980**NEW** Towel warmer, 6-fold, projection left, with control element

- gauge 120 mm
- width 600mm
- height 790 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

	1x 83 306 980 FF		1x 36 390 980 FF		Total price:
Standard article	FF	Euro	FF	Euro	Euro
Chrome	-00	3,960.00	-00	500.00	4,460.00
Brushed Champagne (22kt Gold)	-46	8,712.00	-46	1,100.00	9,812.00
Dark Chrome	-19	5,940.00	-19	750.00	6,690.00
Brushed Dark Platinum	-99	7,128.00	-99	900.00	8,028.00
Matte Black	-33	5,346.00	-33	675.00	6,021.00

Required miscellaneous

**Concealed wall installation box for heated towel rail, 6-fold, with control element****35 314 970** FF | FF Euro

- min. recess depth 70 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 652

Concealed rough parts **90** 1,100.0083 314 980 +
36 390 980**NEW** Towel warmer, 4-fold, projection right, with control element

- gauge 120 mm
- width 600mm
- height 550 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

	1x 83 314 980 FF		1x 36 390 980 FF		Total price:
Standard article	FF	Euro	FF	Euro	Euro
Chrome	-00	2,640.00	-00	500.00	3,140.00
Brushed Champagne (22kt Gold)	-46	5,808.00	-46	1,100.00	6,908.00
Dark Chrome	-19	3,960.00	-19	750.00	4,710.00
Brushed Dark Platinum	-99	4,752.00	-99	900.00	5,652.00
Matte Black	-33	3,564.00	-33	675.00	4,239.00

Required miscellaneous

**Concealed wall installation box for heated towel rail, 4-fold, with control element****35 312 970** FF | FF Euro

- min. recess depth 70 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 651

Concealed rough parts **90** 850.00

83 316 980 +
36 390 980

NEW Towel warmer, 6-fold, projection right, with control element

- gauge 120 mm
- width 600mm
- height 790 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.



Standard article	1x 83 316 980 FF		1x 36 390 980 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	3,960.00	-00	500.00	4,460.00
Brushed Champagne (22kt Gold)	-46	8,712.00	-46	1,100.00	9,812.00
Dark Chrome	-19	5,940.00	-19	750.00	6,690.00
Brushed Dark Platinum	-99	7,128.00	-99	900.00	8,028.00
Matte Black	-33	5,346.00	-33	675.00	6,021.00



Required miscellaneous

Concealed wall installation box for heated towel rail, 6-fold, with control element

	35 314 970	FF		Euro
• min. recess depth 70 mm		Concealed rough parts	90	1,100.00
• max. recess depth 105 mm				

For details and miscellaneous, see page 652

META

Sieger Design



Basin
from page 339

Bidet
from page 350

Shower
from page 353

Thermostats, mixers, diverters
and valves
from page 377

Bath
from page 390


Accessories
from page 397

Basin fittings




Single-lever basin mixers

105mm projection	125mm projection	135mm projection	125mm projection	125mm projection	125mm projection
					
33 525 660	33 501 660 33 526 660	33 502 660 33 522 660	33 501 662 33 526 662	33 504 660 33 529 660	33 505 660 33 530 660



Single-lever basin mixers

123mm projection	165mm projection	167mm projection
		
33 510 661 33 525 661	33 560 661 33 565 661	33 500 661 33 505 661


Free-standing basin mixers

196mm projection	202mm projection	with a raised pillar base 165mm projection
		
22 584 660	22 584 661	33 539 660


with a raised pillar base

135mm projection	201mm projection
	
33 537 660	33 534 661


Three-hole basin mixers

168mm projection

20 713 661

Pillar taps

105mm projection	123mm projection	123mm projection
		
17 500 660	17 500 661	17 500 662


Single taps

126mm projection

30 010 662



Wall-mounted single-lever basin mixers

185mm projection	190mm projection	125mm projection	125mm projection	250mm projection
				
36 805 660	36 860 660 36 862 660	36 867 660	36 867 662	36 861 660 36 863 660

Wall-mounted single-lever basin mixers

190mm projection	250mm projection	190mm projection	250mm projection
			
36 860 662	36 861 662	36 860 664	36 861 664

Touchfree

125mm projection	125mm projection
	
44 511 660	44 515 660

Touchfree

165mm projection

166mm projection

190mm projection



44 521 660



13 716 882 +
42 765 970



13 800 882 +
42 765 970

Showers

Shower sets

Shower pipes with
shower thermostat

Shower stele with
single-lever shower
mixer

Head showers with
one spray type

Head showers with
multiple jet types



26 413 979 +
28 018 979



26 413 625 +
28 018 979



34 460 979 +
28 018 979
34 459 979



26 024 661 +
28 029 979
26 025 661



28 504 979



28 508 979

Head showers with
multiple jet types

Rain showers with wall connection

Rain showers with ceiling connection



28 505 979



28 649 970
28 648 970



28 679 970
28 678 970



28 659 970
28 658 970



28 669 970
28 668 970



28 689 970
28 688 970

Rain showers with
ceiling connection

Rain showers for ceiling connection

Rain showers for ceiling installation

Hand shower sets
with integrated
shower holder



28 699 970
28 698 970



28 031 970



28 032 970



28 033 970



28 034 970



27 802 660

Hand shower sets with integrated shower holder



27 803 660

Hand shower sets with individual rosettes



27 805 625



27 806 625

Side showers



28 528 979
28 518 979

Massage modules

WATER POINTS



36 525 979
36 515 979

WATER BAR



36 527 979
36 517 979

Massage modules

WATER CURVE



36 514 979

WATER FAN



36 513 979
36 512 979

Waterfalls

WATER SHEET



13 415 979

WATER FALL



13 420 979

WATER FALL



13 425 979

Kneipp modules

WATER TUBE



27 823 979 +
28 285 979
27 843 979

Bath fittings

Single-lever mixers



36 120 660



29 300 660



36 120 660

Free-standing bath fittings

281mm projection



25 863 661

Wall-mounted mixers for wall mounting

202mm projection



33 200 660

202mm projection



33 233 660

Bath thermostats

210mm projection



34 201 979

210mm projection



34 234 979

Bath shower sets

221mm projection



27 632 661

Bath spouts

200mm projection



13 801 660

Hand shower sets

230mm projection



27 702 660

Diverters



29 140 660

Miscellaneous

26mm projection



36 243 970

integrated bath filling

26mm projection



36 247 970

33 525 660


Single-lever basin mixer without pop-up waste

- **105mm projection**
- fixed spout
- circular, air-enriched flow
- height of mixer 138 mm
- height up to aerator 57 mm
- hole diameter 35 mm
- rosette Ø 50 mm optional
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2 x pressure hose with 3/8" cap nut
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	33 525 660 FF	FF	Euro
Chrome		-00	343.60
Brushed Chrome		-93	446.80
Platinum		-08	549.80
Brushed Platinum		-06	549.70
Light Gold		-26	515.50
Brushed Light Gold		-27	515.50
Brushed Dark Brass		-39	549.80
Brushed Bronze		-42	549.80
Dark Chrome		-19	515.40
Brushed Dark Platinum		-99	618.50
Matte Black		-33	463.80
Red		-29	463.90
Orange		-30	463.90
Dark Green		-31	463.90

33 501 660


Single-lever basin mixer with pop-up waste

- **125mm projection**
- 1 1/4" pop-up waste
- fixed spout
- circular, air-enriched flow
- height of mixer 133 mm
- height up to aerator 52 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2 x pressure hose with 3/8" cap nut
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.
Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo
- Bi-colour handle variant

Product alternative

- without pop-up waste

Standard article	33 501 660 FF	FF	Euro
Chrome		-00	417.50
Brushed Chrome		-93	542.70
Brushed Platinum		-06	668.10
Light Gold		-26	626.30
Brushed Light Gold		-27	626.30
Brushed Dark Brass		-39	668.00
Brushed Bronze		-42	668.00
Dark Chrome		-19	626.30
Brushed Dark Platinum		-99	751.40
Matte Black		-33	563.30

Standard article	33 526 660 FF	FF	Euro
Chrome		-00	388.30
Brushed Chrome		-93	504.80
Brushed Platinum		-06	621.30
Light Gold		-26	582.50
Brushed Light Gold		-27	582.50
Brushed Dark Brass		-39	621.30
Brushed Bronze		-42	621.30
Dark Chrome		-19	582.60
Brushed Dark Platinum		-99	699.00
Matte Black		-33	524.00

33 502 660


Single-lever basin mixer with pop-up waste

- **135mm projection**
- 1 1/4" pop-up waste
- fixed spout
- circular, air-enriched flow
- height of mixer 158 mm
- height up to aerator 77 mm
- hole diameter 35 mm
- 2 x pressure hose with 3/8" cap nut
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.
Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Product alternative

- without pop-up waste

Standard article	33 502 660 FF	FF	Euro
Chrome		-00	456.20
Brushed Chrome		-93	593.10
Brushed Platinum		-06	729.80
Light Gold		-26	684.40
Brushed Light Gold		-27	684.40
Brushed Dark Brass		-39	729.90
Brushed Bronze		-42	730.00
Dark Chrome		-19	684.40
Brushed Dark Platinum		-99	821.20
Matte Black		-33	615.40

Standard article	33 522 660 FF	FF	Euro
Chrome		-00	424.30
Brushed Chrome		-93	551.60
Brushed Platinum		-06	678.70
Light Gold		-26	636.50
Brushed Light Gold		-27	636.50
Brushed Dark Brass		-39	678.90
Brushed Bronze		-42	678.90
Dark Chrome		-19	636.50
Brushed Dark Platinum		-99	763.80
Matte Black		-33	572.60

33 501 662



META SLIM Single-lever basin mixer with pop-up waste

- 125mm projection
- 1 1/4" pop-up waste
- fixed spout
- circular, air-enriched flow
- height of mixer 134 mm
- height up to aerator 52 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2 x pressure hose with 3/8" cap nut
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	33 501 662 FF	FF	Euro
Chrome		-00	510.10
Brushed Chrome		-93	663.10
Platinum		-08	816.20
Brushed Platinum		-06	816.20
Light Gold		-26	765.20
Brushed Light Gold		-27	765.20
Brushed Dark Brass		-39	816.20
Brushed Bronze		-42	816.20
Dark Chrome		-19	765.30
Brushed Dark Platinum		-99	918.20
Matte Black		-33	688.60
Red		-29	688.70
Orange		-30	688.70
Dark Green		-31	688.70

Product alternative

- without pop-up waste

Standard article	33 526 662 FF	FF	Euro
Chrome		-00	474.50
Brushed Chrome		-93	616.90
Brushed Platinum		-06	759.20
Light Gold		-26	711.80
Brushed Light Gold		-27	711.80
Brushed Dark Brass		-39	759.20
Brushed Bronze		-42	759.20
Dark Chrome		-19	711.80
Brushed Dark Platinum		-99	854.10
Matte Black		-33	640.50

33 504 660



Single-lever basin mixer with pop-up waste

- 125mm projection
- With linear texture
- fixed spout
- circular, air-enriched flow
- height of mixer 135 mm
- height up to aerator 52 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	33 504 660 FF	FF	Euro
Chrome		-00	542.00
Brushed Chrome		-93	704.60
Brushed Platinum		-06	867.20
Light Gold		-26	813.00
Brushed Light Gold		-27	813.00
Brushed Dark Brass		-39	867.20
Brushed Bronze		-42	867.20
Dark Chrome		-19	812.90
Brushed Dark Platinum		-99	975.60
Matte Black		-33	731.60

Product alternative

- without pop-up waste

Standard article	33 529 660 FF	FF	Euro
Chrome		-00	504.20
Brushed Chrome		-93	655.50
Brushed Platinum		-06	806.70
Light Gold		-26	756.30
Brushed Light Gold		-27	756.30
Brushed Dark Brass		-39	806.70
Brushed Bronze		-42	806.70
Dark Chrome		-19	756.30
Brushed Dark Platinum		-99	907.50
Matte Black		-33	680.60

33 505 660


Single-lever basin mixer with pop-up waste

- 125mm projection
- With faceted texture
- fixed spout
- circular, air-enriched flow
- height of mixer 135 mm
- height up to aerator 52 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.
Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	33 505 660 FF	FF	Euro
Chrome		-00	542.00
Brushed Chrome		-93	704.60
Brushed Platinum		-06	867.20
Light Gold		-26	813.00
Brushed Light Gold		-27	813.00
Brushed Dark Brass		-39	867.20
Brushed Bronze		-42	867.20
Dark Chrome		-19	812.90
Brushed Dark Platinum		-99	975.60

Product alternative

- without pop-up waste

Standard article	33 530 660 FF	FF	Euro
Chrome		-00	504.20
Brushed Chrome		-93	655.50
Brushed Platinum		-06	806.70
Light Gold		-26	756.30
Brushed Light Gold		-27	756.30
Brushed Dark Brass		-39	806.70
Brushed Bronze		-42	806.70
Dark Chrome		-19	756.30
Brushed Dark Platinum		-99	907.50

22 584 660


Single-lever basin mixer with stand pipe without pop-up waste

- 196mm projection
- fixed spout
- circular, air-enriched flow
- total height 1033 - 1103 mm
- height up to aerator 951 – 1021 mm
- rosette Ø 135 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	22 584 660 FF	FF	Euro
Chrome		-00	1,717.90
Brushed Chrome		-93	2,233.30
Brushed Platinum		-06	2,748.50
Light Gold		-26	2,576.80
Brushed Light Gold		-27	2,576.80
Brushed Dark Brass		-39	2,748.60
Brushed Bronze		-42	2,748.60
Dark Chrome		-19	2,576.70
Brushed Dark Platinum		-99	3,092.20
Matte Black		-33	2,319.10



Required miscellaneous

Concealed floor mounting

	35 945 970 FF	FF	Euro
• min. recess depth 80 mm		90	840.10
• max. recess depth 150 mm			

For details and miscellaneous, see page 644

22 584 661


Single-lever basin mixer with stand pipe without pop-up waste

- 202mm projection
- circular, air-enriched flow
- total height 1197 - 1267 mm
- height up to water outlet point 1098 mm
- rosette Ø 135 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- pivoting spout

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	22 584 661 FF	FF	Euro
Chrome		-00	1,833.70
Brushed Chrome		-93	2,383.70
Brushed Platinum		-06	2,933.80
Light Gold		-26	2,750.50
Brushed Light Gold		-27	2,750.50
Brushed Dark Brass		-39	2,933.90
Brushed Bronze		-42	2,933.80
Dark Chrome		-19	2,750.40
Brushed Dark Platinum		-99	3,300.60
Matte Black		-33	2,475.40



Required miscellaneous

Concealed floor mounting

	35 945 970 FF	FF	Euro
• min. recess depth 80 mm		90	840.10
• max. recess depth 150 mm			

For details and miscellaneous, see page 644

33 510 661



Single-lever basin mixer with pop-up waste

- 123mm projection
- 1 1/4" pop-up waste
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 272 mm
- height up to aerator 202 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2 x pressure hose with 3/8" cap nut
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	33 510 661 FF	FF	Euro
Chrome	-00		635.90
Brushed Chrome	-93		826.60
Brushed Platinum	-06		1,017.50
Light Gold	-26		953.80
Brushed Light Gold	-27		953.80
Brushed Dark Brass	-39		1,017.40
Brushed Bronze	-42		1,017.30
Dark Chrome	-19		953.80
Brushed Dark Platinum	-99		1,144.50
Matte Black	-33		858.40

Product alternative

- without pop-up waste

Standard article	33 525 661 FF	FF	Euro
Chrome	-00		583.80
Brushed Chrome	-93		759.00
Brushed Platinum	-06		934.10
Light Gold	-26		875.80
Brushed Light Gold	-27		875.80
Brushed Dark Brass	-39		934.10
Brushed Bronze	-42		934.10
Dark Chrome	-19		875.80
Brushed Dark Platinum	-99		1,050.90
Matte Black	-33		788.20

33 560 661



Single-lever basin mixer with pop-up waste

- 180° spout
- 165mm projection
- 1 1/4" pop-up waste
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 310 mm
- height up to aerator 199 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2 x pressure hose with 3/8" cap nut
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

for use on countertop bowls

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	33 560 661 FF	FF	Euro
Chrome	-00		672.20
Brushed Chrome	-93		873.80
Brushed Platinum	-06		1,075.60
Light Gold	-26		1,008.30
Brushed Light Gold	-27		1,008.30
Brushed Dark Brass	-39		1,075.50
Brushed Bronze	-42		1,075.50
Dark Chrome	-19		1,008.40
Brushed Dark Platinum	-99		1,209.90
Matte Black	-33		907.50

Product alternative

- without pop-up waste

Standard article	33 565 661 FF	FF	Euro
Chrome	-00		620.30
Brushed Chrome	-93		806.30
Brushed Platinum	-06		992.20
Light Gold	-26		930.40
Brushed Light Gold	-27		930.40
Brushed Dark Brass	-39		992.50
Brushed Bronze	-42		992.50
Dark Chrome	-19		930.40
Brushed Dark Platinum	-99		1,116.50
Matte Black	-33		837.40

33 500 661


Single-lever basin mixer with pop-up waste

- 167mm projection
- 1 1/4" pop-up waste
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 310 mm
- height up to aerator 225 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2 x pressure hose with 3/8" cap nut
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.
Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	33 500 661 FF	FF	Euro
Chrome	-00		672.20
Brushed Chrome	-93		873.80
Brushed Platinum	-06		1,075.60
Light Gold	-26		1,008.30
Brushed Light Gold	-27		1,008.30
Brushed Dark Brass	-39		1,075.50
Brushed Bronze	-42		1,075.50
Dark Chrome	-19		1,008.40
Brushed Dark Platinum	-99		1,209.90
Matte Black	-33		907.50

Product alternative

- without pop-up waste

Standard article	33 505 661 FF	FF	Euro
Chrome	-00		620.30
Brushed Chrome	-93		806.30
Brushed Platinum	-06		992.20
Light Gold	-26		930.40
Brushed Light Gold	-27		930.40
Brushed Dark Brass	-39		992.50
Brushed Bronze	-42		992.50
Dark Chrome	-19		930.40
Brushed Dark Platinum	-99		1,116.50
Matte Black	-33		837.40

33 539 660


Single-lever basin mixer with raised base without pop-up waste

- 165mm projection
- fixed spout
- circular, air-enriched flow
- height of mixer 300 mm
- height up to aerator 219 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2 x pressure hose with 3/8" cap nut
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

for use on countertop bowls
Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	33 539 660 FF	FF	Euro
Chrome	-00		600.50
Brushed Chrome	-93		780.60
Brushed Platinum	-06		960.90
Light Gold	-26		900.80
Brushed Light Gold	-27		900.80
Brushed Dark Brass	-39		960.80
Brushed Bronze	-42		960.70
Dark Chrome	-19		900.90
Brushed Dark Platinum	-99		1,080.90
Matte Black	-33		810.40

33 537 660


Single-lever basin mixer with raised base without pop-up waste

- 135mm projection
- fixed spout
- circular, air-enriched flow
- height of mixer 300 mm
- height up to aerator 219 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2 x pressure hose with 3/8" cap nut
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

for use on countertop bowls
Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	33 537 660 FF	FF	Euro
Chrome	-00		569.50
Brushed Chrome	-93		740.30
Brushed Platinum	-06		911.30
Light Gold	-26		854.30
Brushed Light Gold	-27		854.30
Brushed Dark Brass	-39		911.20
Brushed Bronze	-42		911.20
Dark Chrome	-19		854.10
Brushed Dark Platinum	-99		1,025.00
Matte Black	-33		768.60

33 534 661



Single-lever basin mixer with raised base without pop-up waste

- **201mm projection**
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 397 mm
- height up to aerator 299 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2 x pressure hose with 3/8" cap nut
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

for use on countertop bowls

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	33 534 661 FF	FF	Euro
Chrome		-00	872.30
Brushed Chrome		-93	1,134.00
Brushed Platinum		-06	1,395.70
Light Gold		-26	1,308.50
Brushed Light Gold		-27	1,308.50
Brushed Dark Brass		-39	1,395.70
Brushed Bronze		-42	1,395.70
Dark Chrome		-19	1,308.50
Brushed Dark Platinum		-99	1,570.20
Matte Black		-33	1,177.80

20 713 661



Three-hole basin mixer with pop-up waste

- **168mm projection**
- 1 1/4" pop-up waste
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 280 mm
- height up to aerator 191 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 60 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options

- Blue marking
- Finish variants
- Flow rate modification
- Glass Design handle variant
- Nature Squared handle variant
- Red marking
- Red/blue marking
- without logo
- without pop-up waste

Standard article	20 713 661 FF	FF	Euro
Chrome		-00	993.40
Brushed Chrome		-93	1,291.40
Brushed Platinum		-06	1,589.60
Light Gold		-26	1,490.10
Brushed Light Gold		-27	1,490.10
Brushed Dark Brass		-39	1,589.40
Brushed Bronze		-42	1,589.40
Dark Chrome		-19	1,490.10
Brushed Dark Platinum		-99	1,788.10
Matte Black		-33	1,341.10



Recommended miscellaneous

High pressure hoses

12 506 970 FF

	Accessories	FF	Euro
• 2x 3/8" x 1/2" x 500mm high pressure hose		90	90.70

17 500 660



Pillar tap cold water

- **105mm projection**
- fixed spout
- circular, air-enriched flow
- height of mixer 136 mm
- height up to aerator 57 mm
- hole diameter 35 mm
- 1/2" connection
- rosette Ø 50 mm
- 2 x pressure hose with 3/8" cap nut
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	17 500 660 FF	FF	Euro
Chrome		-00	344.00
Brushed Chrome		-93	447.30
Brushed Platinum		-06	550.60
Light Gold		-26	516.10
Brushed Light Gold		-27	516.10
Brushed Dark Brass		-39	550.40
Brushed Bronze		-42	550.50
Dark Chrome		-19	516.10
Brushed Dark Platinum		-99	619.20
Matte Black		-33	464.40

17 500 661


Pillar tap cold water

- 123mm projection
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 238 mm
- height up to aerator 168 mm
- hole diameter 35 mm
- 2 x pressure hose with 3/8" cap nut
- rosette Ø 50 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	17 500 661 FF	FF	Euro
Chrome	-00		365.30
Brushed Chrome	-93		474.80
Brushed Platinum	-06		584.50
Light Gold	-26		547.90
Brushed Light Gold	-27		547.90
Brushed Dark Brass	-39		584.50
Brushed Bronze	-42		584.50
Dark Chrome	-19		547.90
Brushed Dark Platinum	-99		657.50
Matte Black	-33		493.00

17 500 662


Pillar tap cold water

- 123mm projection
- fixed spout
- circular, air-enriched flow
- height of mixer 232 mm
- height up to aerator 159 mm
- hole diameter 35 mm
- 1/2" connection
- rosette Ø 60 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	17 500 662 FF	FF	Euro
Chrome	-00		474.00
Brushed Chrome	-93		616.20
Brushed Platinum	-06		758.50
Light Gold	-26		711.00
Brushed Light Gold	-27		711.00
Brushed Dark Brass	-39		758.40
Brushed Bronze	-42		758.40
Dark Chrome	-19		711.00
Brushed Dark Platinum	-99		853.20
Matte Black	-33		639.90

30 010 662


Wall-mounted valve cold water without pop-up waste

- 126mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter 35 mm
- rosette Ø 60 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	30 010 662 FF	FF	Euro
Chrome	-00		439.70
Brushed Chrome	-93		571.60
Brushed Platinum	-06		703.60
Light Gold	-26		659.60
Brushed Light Gold	-27		659.60
Brushed Dark Brass	-39		703.50
Brushed Bronze	-42		703.60
Dark Chrome	-19		659.60
Brushed Dark Platinum	-99		791.50
Matte Black	-33		593.60



Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm			
• max. recess depth 163 mm			
Concealed rough parts	90		122.80

For details and miscellaneous, see page 645

36 805 660


Wall-mounted single-lever basin mixer without pop-up waste

- 185mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter 35 mm
- rosette Ø 60 mm
- max. flow 5.7 l/min
- lead-free
- with single-point mounting
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	36 805 660 FF	FF	Euro
Chrome	-00		714.10
Brushed Chrome	-93		928.30
Brushed Platinum	-06		1,142.50
Light Gold	-26		1,071.20
Brushed Light Gold	-27		1,071.20
Brushed Dark Brass	-39		1,142.60
Brushed Bronze	-42		1,142.60
Dark Chrome	-19		1,071.10
Brushed Dark Platinum	-99		1,285.40
Matte Black	-33		964.00



Required miscellaneous

Concealed wall mounting

	35 050 970 FF	FF	Euro
• min. recess depth 80 mm			
• max. recess depth 105 mm			
Concealed rough parts	90		320.80

For details and miscellaneous, see page 640

36 860 660



Wall-mounted single-lever basin mixer without pop-up waste

- **190mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout Ø 55mm
- rosette for mixer Ø 78mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- Projection modification
- Red/blue marking
- without logo

Standard article	36 860 660 FF	FF	Euro
Chrome		-00	569.40
Brushed Chrome		-93	740.20
Brushed Platinum		-06	911.30
Light Gold		-26	854.00
Brushed Light Gold		-27	854.00
Brushed Dark Brass		-39	911.00
Brushed Bronze		-42	911.00
Dark Chrome		-19	854.00
Brushed Dark Platinum		-99	1,024.90
Matte Black		-33	768.80

Product alternative

- 90° spout

Standard article	36 862 660 FF	FF	Euro
Chrome		-00	569.40
Brushed Chrome		-93	740.20
Brushed Platinum		-06	911.30
Light Gold		-26	854.00
Brushed Light Gold		-27	854.00
Brushed Dark Brass		-39	911.00
Brushed Bronze		-42	911.00
Dark Chrome		-19	854.00
Brushed Dark Platinum		-99	1,024.90
Matte Black		-33	768.80



Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
Concealed rough parts		90	224.60

- min. recess depth 80 mm
- max. recess depth 95 mm
- mixer can be placed above, to the left or to the right of the spout.

For details and miscellaneous, see page 640

36 867 660



Wall-mounted single-lever basin mixer without pop-up waste

- **125mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter spout 35 mm
- hole diameter single-lever mixer 57 mm
- rosette for single-lever mixer Ø 78mm
- rosette for spout Ø 60mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- Projection modification
- Red/blue marking
- without logo

Standard article	36 867 660 FF	FF	Euro
Chrome		-00	540.60
Brushed Chrome		-93	702.80
Brushed Platinum		-06	865.00
Light Gold		-26	810.90
Brushed Light Gold		-27	810.90
Brushed Dark Brass		-39	865.00
Brushed Bronze		-42	865.00
Dark Chrome		-19	842.10
Brushed Dark Platinum		-99	973.10
Matte Black		-33	729.80



Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
Concealed rough parts		90	224.60

- min. recess depth 80 mm
- max. recess depth 95 mm
- mixer can be placed above, to the left or to the right of the spout.

For details and miscellaneous, see page 640

36 867 662


META SLIM Wall-mounted single-lever basin mixer without pop-up waste

- **125mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter single-lever mixer 57 mm
- hole diameter spout 35 mm
- rosette for single-lever mixer Ø 78mm
- rosette for spout Ø 60mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- Projection modification
- Red/blue marking
- without logo

Standard article	36 867 662 FF	FF	Euro
Chrome		-00	645.50
Brushed Chrome		-93	839.10
Brushed Platinum		-06	1,032.60
Light Gold		-26	968.20
Brushed Light Gold		-27	968.20
Brushed Dark Brass		-39	1,032.80
Brushed Bronze		-42	1,032.80
Dark Chrome		-19	968.20
Brushed Dark Platinum		-99	1,161.80
Matte Black		-33	871.40



Required miscellaneous

Concealed wall-mounted single-lever mixer

Standard article	35 860 970 FF	FF	Euro
Concealed rough parts		90	224.60

- min. recess depth 80 mm
- max. recess depth 95 mm
- mixer can be placed above, to the left or to the right of the spout.

For details and miscellaneous, see page 640

36 861 660


Wall-mounted single-lever basin mixer without pop-up waste

- **250mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout Ø 60mm
- rosette for mixer Ø 78mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- Projection modification
- Red/blue marking
- without logo

Standard article	36 861 660 FF	FF	Euro
Chrome		-00	605.30
Brushed Chrome		-93	786.80
Brushed Platinum		-06	968.00
Light Gold		-26	907.90
Brushed Light Gold		-27	907.90
Brushed Dark Brass		-39	968.50
Brushed Bronze		-42	968.40
Dark Chrome		-19	907.90
Brushed Dark Platinum		-99	1,089.50
Matte Black		-33	816.90

Product alternative

- 90° spout

Standard article	36 863 660 FF	FF	Euro
Chrome		-00	605.30
Brushed Chrome		-93	786.80
Brushed Platinum		-06	968.00
Light Gold		-26	907.90
Brushed Light Gold		-27	907.90
Brushed Dark Brass		-39	968.50
Brushed Bronze		-42	968.40
Dark Chrome		-19	907.90
Brushed Dark Platinum		-99	1,089.50
Matte Black		-33	816.90



Required miscellaneous

Concealed wall-mounted single-lever mixer

Standard article	35 860 970 FF	FF	Euro
Concealed rough parts		90	224.60

- min. recess depth 80 mm
- max. recess depth 95 mm
- mixer can be placed above, to the left or to the right of the spout.

For details and miscellaneous, see page 640

36 860 662



META SLIM Wall-mounted single-lever basin mixer without pop-up waste

- **190mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout Ø 55mm
- rosette for mixer Ø 78mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- Projection modification
- Red/blue marking
- without logo

Standard article	36 860 662 FF	FF	Euro
Chrome		-00	679.30
Brushed Chrome		-93	883.10
Brushed Platinum		-06	1,087.00
Light Gold		-26	1,019.00
Brushed Light Gold		-27	1,019.00
Brushed Dark Brass		-39	1,086.90
Brushed Bronze		-42	1,086.90
Dark Chrome		-19	1,019.10
Brushed Dark Platinum		-99	1,222.80
Matte Black		-33	917.10



Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
Concealed rough parts		90	224.60

- min. recess depth 80 mm
- max. recess depth 95 mm
- mixer can be placed above, to the left or to the right of the spout.

For details and miscellaneous, see page 640

36 861 662



META SLIM Wall-mounted single-lever basin mixer without pop-up waste

- **250mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout Ø 55mm
- rosette for mixer Ø 78mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- Projection modification
- Red/blue marking
- without logo

Standard article	36 861 662 FF	FF	Euro
Chrome		-00	723.00
Brushed Chrome		-93	939.80
Brushed Platinum		-06	1,156.30
Light Gold		-26	1,084.50
Brushed Light Gold		-27	1,084.50
Brushed Dark Brass		-39	1,156.80
Brushed Bronze		-42	1,156.80
Dark Chrome		-19	1,084.60
Brushed Dark Platinum		-99	1,301.30
Matte Black		-33	975.90



Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
Concealed rough parts		90	224.60

- min. recess depth 80 mm
- max. recess depth 95 mm
- mixer can be placed above, to the left or to the right of the spout.

For details and miscellaneous, see page 640

36 860 664



META PURE Wall-mounted single-lever basin mixer without pop-up waste

- **190mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout Ø 55mm
- rosette for mixer Ø 78mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- Projection modification
- Red/blue marking
- without logo

Standard article	36 860 664 FF	FF	Euro
Chrome		-00	679.30
Brushed Chrome		-93	883.10
Brushed Platinum		-06	1,087.00
Light Gold		-26	1,019.00
Brushed Light Gold		-27	1,019.00
Brushed Dark Brass		-39	1,086.90
Brushed Bronze		-42	1,086.90
Dark Chrome		-19	1,019.10
Brushed Dark Platinum		-99	1,222.80
Matte Black		-33	917.10



Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
Concealed rough parts		90	224.60

- min. recess depth 80 mm
- max. recess depth 95 mm
- mixer can be placed above, to the left or to the right of the spout.

For details and miscellaneous, see page 640

36 861 664


META PURE Wall-mounted single-lever basin mixer without pop-up waste

- **250mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for spout Ø 55mm
- rosette for mixer Ø 78mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- Projection modification
- Red/blue marking
- without logo

Standard article	36 861 664 FF	FF	Euro
Chrome	-00		723.00
Brushed Chrome	-93		939.80
Brushed Platinum	-06		1,156.30
Light Gold	-26		1,084.50
Brushed Light Gold	-27		1,084.50
Brushed Dark Brass	-39		1,156.80
Brushed Bronze	-42		1,156.80
Dark Chrome	-19		1,084.60
Brushed Dark Platinum	-99		1,301.30
Matte Black	-33		975.90



Required miscellaneous

Concealed wall-mounted single-lever mixer

Standard article	35 860 970 FF	FF	Euro
Concealed rough parts	90		224.60

- min. recess depth 80 mm
- max. recess depth 95 mm
- mixer can be placed above, to the left or to the right of the spout.

For details and miscellaneous, see page 640

44 511 660


NEW Washstand fitting with electronic opening and closing function without pop-up waste

- Infrared sensor technology
- **125mm projection**
- height of mixer 140 mm
- height up to aerator 52 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- circular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Direct temperature control at faucet
- Plug-in power supply included
- lead-free
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	44 511 660 FF	FF	Euro
Chrome	-00		933.70
Brushed Chrome	-93		1,213.80
Platinum	-08		1,494.10
Brushed Platinum	-06		1,494.10
Light Gold	-26		1,400.60
Brushed Light Gold	-27		1,400.60
Brushed Dark Brass	-39		1,493.90
Brushed Bronze	-42		1,493.90
Dark Chrome	-19		1,400.70
Brushed Dark Platinum	-99		1,680.90
Matte Black	-33		1,260.70

44 515 660


NEW Washstand fitting with electronic opening and closing function without pop-up waste

- Infrared sensor technology
- **125mm projection**
- height of mixer 140 mm
- height up to aerator 52 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- circular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Direct temperature control at faucet
- Battery-powered (batteries not included)
- 1x CR-P2 battery required
- lead-free
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Batteries not included
Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	44 515 660 FF	FF	Euro
Chrome	-00		933.70
Brushed Chrome	-93		1,213.80
Platinum	-08		1,494.10
Brushed Platinum	-06		1,494.10
Light Gold	-26		1,400.60
Brushed Light Gold	-27		1,400.60
Brushed Dark Brass	-39		1,493.90
Brushed Bronze	-42		1,493.90
Dark Chrome	-19		1,400.70
Brushed Dark Platinum	-99		1,680.90
Matte Black	-33		1,260.70

44 521 660

NEW Washstand fitting with electronic opening and closing function without pop-up waste



- **165mm projection**
- Infrared sensor technology
- height of mixer 310 mm
- height up to aerator 199 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- circular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Indirect temperature control (undercounter)
- Control box included
- Adjustable sensor detection range
- Battery or plug-in power supply operated (batteries not included)
- 4x AA (1.5V) batteries required
- lead-free
- 1x screw-in M 8 x 1 pressure hose, leak-tested
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Batteries not included

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	44 521 660 FF	FF	Euro
Chrome		-00	744.30
Brushed Chrome		-93	967.50
Platinum		-08	1,190.80
Brushed Platinum		-06	1,190.80
Light Gold		-26	1,116.40
Brushed Light Gold		-27	1,116.40
Brushed Dark Brass		-39	1,190.90
Brushed Bronze		-42	1,190.80
Dark Chrome		-19	1,116.40
Brushed Dark Platinum		-99	1,339.50
Matte Black		-33	1,004.70

13 716 882 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting

- **166mm projection**
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 285 mm
- height up to aerator 163 mm
- rosette Ø 60 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- Flow rate modification
- without logo

	1x 13 716 882 FF max. flow 7 l/min	1x 42 765 970 90 FF	Total price:
	FF	Euro	FF
Chrome	-00	582.10	90
			687.50
			1,269.60

Required miscellaneous



eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

	35 740 970 FF	FF	Euro
For details and miscellaneous, see page 646		Concealed rough parts	90
			313.70

13 800 882 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting

- 190mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter 40 mm
- rosette Ø 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- Flow rate modification
- Projection modification
- without logo

Set	1x 13 800 882 FF max. flow 7 l/min	Euro	1x 42 765 970 90 FF	Euro	Total price: Euro
Chrome	-00	491.60	90	687.50	1,179.10

Required miscellaneous



eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

	35 741 970 FF	FF	Euro
• min. recess depth 90 mm	Concealed rough parts	90	313.70
• max. recess depth 125 mm			

For details and miscellaneous, see page 646



Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm	Concealed rough parts	90	122.80
• max. recess depth 163 mm			

For details and miscellaneous, see page 645

Miscellaneous

22 901 979



Angle valve

- rosette Ø 55 mm
- hose covering 200mm, for shortening

Custom-made options

- Finish variants
- without logo

Standard article	22 901 979 FF	FF	Euro
Chrome	-00		188.60
Brushed Chrome	-93		245.20
Platinum	-08		301.70
Brushed Platinum	-06		301.70
Light Gold	-26		282.90
Brushed Light Gold	-27		282.90
Brushed Bronze	-42		301.70
Dark Chrome	-19		282.80
Brushed Dark Platinum	-99		339.30
Matte Black	-33		254.60

10 060 970



Siphon for basin

- rosette Ø 70 mm

Custom-made options

- Finish variants

Standard article	10 060 970 FF	FF	Euro
Chrome	-00		338.60
Brushed Chrome	-93		440.20
Platinum	-08		541.90
Brushed Platinum	-06		541.90
Light Gold	-26		508.00
Brushed Light Gold	-27		508.00
Brushed Dark Brass	-39		541.70
Brushed Bronze	-42		541.80
Dark Chrome	-19		507.90
Brushed Dark Platinum	-99		609.50
Matte Black	-33		457.20

33 600 660



- Single-lever bidet mixer with pop-up waste**
- 125mm projection
 - **European pop-up waste**
 - ball-joint pivotable through 15° (in any direction)
 - circular, air-enriched flow
 - height of mixer 133 mm
 - height up to aerator 55 mm
 - hole diameter 35 mm
 - 2x screw-in M 8 x 1 pressure hose, leak-tested
 - 2x European pressure hose for bidet fitting
 - max. flow 5.7 l/min

- Custom-made options**
- Finish variants
 - Flow rate modification
 - Red/blue marking
 - without logo
 - without pop-up waste

Standard article	33 600 660 FF	FF	Euro
Chrome		-00	662.80
Brushed Chrome		-93	861.70
Brushed Platinum		-06	1,060.30
Light Gold		-26	994.30
Brushed Light Gold		-27	994.30
Brushed Dark Brass		-39	1,060.50
Brushed Bronze		-42	1,060.50
Dark Chrome		-19	994.20
Brushed Dark Platinum		-99	1,192.80
Matte Black		-33	894.70

27 701 970



- Bidet spray**
- wall bracket with integrated safety shut off valve
 - max. standing pressure: 5bar
 - hand shower with back flow preventer
 - 1/2" shower outlet
 - rosette Ø 60 mm
 - metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

- Custom-made options**
- Finish variants
 - without logo

Standard article	27 701 970 FF	FF	Euro
Chrome		-00	323.10
Brushed Chrome		-93	420.00
Platinum		-08	516.80
Brushed Platinum		-06	516.80
Light Gold		-26	484.60
Brushed Light Gold		-27	484.60
Brushed Dark Brass		-39	517.00
Brushed Bronze		-42	516.90
Dark Chrome		-19	484.60
Brushed Dark Platinum		-99	581.60



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
	Concealed rough parts	90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

26 413 979 +
28 018 979

Shower set

- slide bar
- Pipe diameter 18 mm
- gauge 853 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 7 l/min
- spray head Ø 100mm

Fits MEM, CL.1, IMO, META, TARA, VAIA, LULU, LISSÉ, CYO
NOTE: Hand shower sold separately. Please see hand shower options under the miscellaneous articles section of each series.
Custom-made options

- Finish variants
- Flow rate modification
- without logo

Set	1x 26 413 979 FF		1x 28 018 979 FF		Total price:
	FF	Euro	FF	Euro	
Chrome	-00	420.30	-00	135.80	556.10
Brushed Chrome	-93	546.40	-93	176.50	722.90
Platinum	-08	672.50	-08	217.10	889.60
Brushed Platinum	-06	685.60	-06	217.10	902.70
Light Gold	-26	630.60	-26	203.60	834.20
Brushed Light Gold	-27	630.60	-27	203.60	834.20
Brushed Dark Brass	-39	672.60	-39	217.20	889.80
Brushed Bronze	-42	672.60	-42	217.10	889.70
Dark Chrome	-19	630.70	-19	203.60	834.30
Brushed Dark Platinum	-99	756.40	-99	244.30	1,000.70
Matte Black	-33	578.30	-33	183.20	761.50



Recommended miscellaneous

Wall elbow
28 450 980 FF

For details and miscellaneous, see main items

	FF	Euro
Chrome	-00	165.10
Brushed Chrome	-93	214.80
Platinum	-08	264.40
Brushed Platinum	-06	264.40
Brushed Light Gold	-27	247.70
Brushed Dark Brass	-39	264.20
Brushed Bronze	-42	264.20
Dark Chrome	-19	247.90
Brushed Dark Platinum	-99	297.40
Matte Black	-33	223.00



Recommended miscellaneous

Concealed wall elbow
35 085 970 FF

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

 Concealed rough parts **90** 122.80

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.


Alternative hand shower	1 jet Ø 100 mm		1 jet Ø 130 mm		4 jets Ø 120 mm		5 jets Ø 130 mm		1 jet	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	236.10	-00	195.80	-00	237.40
Brushed Chrome	-93	164.20	-93	236.40	-93	306.80	-93	254.50	-93	308.70
Platinum	-08	202.30	-08	291.10	-08	377.70	-08	313.60	-08	379.90
Brushed Platinum	-06	202.30	-06	291.10	-06	377.70	-06	313.60	-06	379.90
Light Gold	-26	189.40	-26	272.80	-26	354.10	-26	293.80	-26	356.20
Brushed Light Gold	-27	189.40	-27	272.80	-27	354.10	-27	293.80	-27	356.20
Brushed Dark Brass	-39	202.10	-39	291.10	-39	377.70	-39	313.30	-39	379.90
Brushed Bronze	-42	202.00	-42	291.00	-42	377.70	-42	313.30	-42	379.90
Dark Chrome	-19	189.40	-19	272.80	-19	354.10	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	425.00	-99	352.60	-99	427.30
Matte Black	-33	170.30	-33	245.70	-33	318.70	-33	264.40	-33	320.50

26 413 625 +
28 018 979



Shower set

- slide bar
- Pipe diameter 18 mm
- rosette Ø 55 mm
- gauge 800 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 7 l/min
- spray head Ø 100mm

Fits META, TARA

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Set	1x 26 413 625 FF		1x 28 018 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	700.90	-00	135.80	836.70
Brushed Chrome	-93	911.20	-93	176.50	1,087.70
Platinum	-08	1,121.90	-08	217.10	1,339.00
Brushed Platinum	-06	1,121.90	-06	217.10	1,339.00
Light Gold	-26	1,051.40	-26	203.60	1,255.00
Brushed Light Gold	-27	1,051.40	-27	203.60	1,255.00
Brushed Dark Brass	-39	1,121.50	-39	217.20	1,338.70
Brushed Bronze	-42	1,121.60	-42	217.10	1,338.70
Dark Chrome	-19	1,051.40	-19	203.60	1,255.00
Brushed Dark Platinum	-99	1,262.10	-99	244.30	1,506.40
Matte Black	-33	946.00	-33	183.20	1,129.20



Recommended miscellaneous

Wall elbow

28 450 625 FF

For details and miscellaneous, see main items

	FF	Euro
Chrome	-00	115.70
Brushed Chrome	-93	150.40
Platinum	-08	185.20
Brushed Platinum	-06	185.20
Light Gold	-26	173.60
Brushed Light Gold	-27	173.60
Brushed Dark Brass	-39	185.10
Brushed Bronze	-42	185.10
Dark Chrome	-19	173.60
Brushed Dark Platinum	-99	208.30
Matte Black	-33	155.90



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

Concealed rough parts

90 Euro 122.80

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 607.

4 jets Ø 120 mm	1 jet Ø 100 mm	5 jets Ø 130 mm	1 jet Ø 130 mm	1 jet

Alternative hand shower	28 012 979 FF max. flow 15 l/min		28 015 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min		28 017 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	236.10	-00	126.30	-00	195.80	-00	181.90	-00	237.40
Brushed Chrome	-93	306.80	-93	164.20	-93	254.50	-93	236.40	-93	308.70
Platinum	-08	377.70	-08	202.30	-08	313.60	-08	291.10	-08	379.90
Brushed Platinum	-06	377.70	-06	202.30	-06	313.60	-06	291.10	-06	379.90
Light Gold	-26	354.10	-26	189.40	-26	293.80	-26	272.80	-26	356.20
Brushed Light Gold	-27	354.10	-27	189.40	-27	293.80	-27	272.80	-27	356.20
Brushed Dark Brass	-39	377.70	-39	202.10	-39	313.30	-39	291.10	-39	379.90
Brushed Bronze	-42	377.70	-42	202.00	-42	313.30	-42	291.00	-42	379.90
Dark Chrome	-19	354.10	-19	189.40	-19	293.80	-19	272.80	-19	356.20
Brushed Dark Platinum	-99	425.00	-99	227.20	-99	352.60	-99	327.30	-99	427.30
Matte Black	-33	318.70	-33	170.30	-33	264.40	-33	245.70	-33	320.50

34 460 979 +
28 018 979

Showerpipe with shower thermostat

- shower with fixed riser projection 453mm
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower Ø 300 mm
- rain shower with anti-scale system
- Hand shower: Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- spray head Ø 100mm
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 1009mm
- height of fittings up to top edge of elbow 1150mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.

Fits IMO, META, TARA, VAIA, LISSÉ, LULU

Custom-made options

- Finish variants
- Flow rate modification
- Height modification
- Red/blue marking
- without logo

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.

Set	1x 34 460 979 FF max. flow 14 l/min		1x 28 018 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	2,734.90	-00	135.80	2,870.70
Brushed Chrome	-93	3,555.30	-93	176.50	3,731.80
Platinum	-08	4,375.50	-08	217.10	4,592.60
Brushed Platinum	-06	4,375.70	-06	217.10	4,592.80
Light Gold	-26	4,102.30	-26	203.60	4,305.90
Brushed Light Gold	-27	4,102.30	-27	203.60	4,305.90
Brushed Dark Brass	-39	4,375.70	-39	217.20	4,592.90
Brushed Bronze	-42	4,375.70	-42	217.10	4,592.80
Dark Chrome	-19	4,102.30	-19	203.60	4,305.90
Brushed Dark Platinum	-99	4,922.60	-99	244.30	5,166.90
Matte Black	-33	3,692.00	-33	183.20	3,875.20

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- rain shower Ø 220 mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Standard article	34 459 979 FF	FF	Euro
Chrome		-00	2,596.40
Brushed Chrome		-93	3,375.40
Platinum		-08	4,061.00
Brushed Platinum		-06	4,061.00
Light Gold		-26	3,894.60
Brushed Light Gold		-27	3,894.60
Brushed Dark Brass		-39	4,154.30
Brushed Bronze		-42	4,061.00
Dark Chrome		-19	3,894.60
Brushed Dark Platinum		-99	4,568.80
Matte Black		-33	3,426.70



Alternative hand shower	28 015 979 FF max. flow 15 l/min		28 017 979 FF max. flow 15 l/min		28 012 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	236.10	-00	195.80	-00	237.40
Brushed Chrome	-93	164.20	-93	236.40	-93	306.80	-93	254.50	-93	308.70
Platinum	-08	202.30	-08	291.10	-08	377.70	-08	313.60	-08	379.90
Brushed Platinum	-06	202.30	-06	291.10	-06	377.70	-06	313.60	-06	379.90
Light Gold	-26	189.40	-26	272.80	-26	354.10	-26	293.80	-26	356.20
Brushed Light Gold	-27	189.40	-27	272.80	-27	354.10	-27	293.80	-27	356.20
Brushed Dark Brass	-39	202.10	-39	291.10	-39	377.70	-39	313.30	-39	379.90
Brushed Bronze	-42	202.00	-42	291.00	-42	377.70	-42	313.30	-42	379.90
Dark Chrome	-19	189.40	-19	272.80	-19	354.10	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	425.00	-99	352.60	-99	427.30
Matte Black	-33	170.30	-33	245.70	-33	318.70	-33	264.40	-33	320.50

26 024 661 +
28 029 979



Shower system with single-lever shower mixer

- shower with fixed riser projection 450mm
- pivotable 180°
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower Ø 300 mm
- rain shower with anti-scale system
- Hand shower: COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- shower holder with rosette Ø 78mm
- slide-on rosettes Ø 55 mm
- 1500 mm metal shower hose
- height of fittings up to top edge of elbow 2280mm
- height of fittings up to rain shower (bottom edge) 1940mm
- automatic diverter for fixed-riser shower/hand shower
- Pipe diameter 20 mm

Fits META, TARA, VAIA

Water carrying concealed rough parts on lower wall fixing.

Recommended spacing from bottom edge of shower stem to floor 92 mm.

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Set	1x 26 024 661 FF max. flow 14 l/min		1x 28 029 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	5,014.70	-00	237.40	5,252.10
Brushed Chrome	-93	6,519.00	-93	308.70	6,827.70
Platinum	-08	8,023.40	-08	379.90	8,403.30
Brushed Platinum	-06	8,023.30	-06	379.90	8,403.20
Light Gold	-26	7,522.00	-26	356.20	7,878.20
Brushed Light Gold	-27	7,522.00	-27	356.20	7,878.20
Brushed Dark Brass	-39	8,023.50	-39	379.90	8,403.40
Brushed Bronze	-42	8,023.40	-42	379.90	8,403.30
Dark Chrome	-19	7,521.90	-19	356.20	7,878.10
Brushed Dark Platinum	-99	9,026.30	-99	427.30	9,453.60
Matte Black	-33	6,769.70	-33	320.50	7,090.20

Product alternative

- FlowReduce
- Max. flow rate 9 l/min (at 3 bar)
- rain shower Ø 300 mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Standard article	26 025 661 FF	FF	Euro
Chrome		-00	5,014.70
Brushed Chrome		-93	6,519.00
Platinum		-08	8,023.40
Brushed Platinum		-06	8,023.40
Light Gold		-26	7,522.00
Brushed Light Gold		-27	7,522.00
Brushed Dark Brass		-39	8,023.50
Brushed Bronze		-42	8,023.40
Dark Chrome		-19	7,522.00
Brushed Dark Platinum		-99	9,026.30
Matte Black		-33	6,769.80








Required miscellaneous

Concealed wall mounting	35 003 970 FF	FF	Euro
-------------------------	---------------	----	------

- min. recess depth 78 mm
 - max. recess depth 103 mm
- Concealed rough parts **90** 320.80
- For details and miscellaneous, see page 640

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.

										
	1 jet Ø 100 mm	1 jet Ø 130 mm	5 jets Ø 100 mm	4 jets Ø 120 mm	5 jets Ø 130 mm					
	28 015 979 FF max. flow 15 l/min	28 017 979 FF max. flow 15 l/min	28 018 979 FF max. flow 15 l/min	28 012 979 FF max. flow 15 l/min	28 016 979 FF max. flow 15 l/min					
Alternative hand shower	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	135.80	-00	236.10	-00	195.80
Brushed Chrome	-93	164.20	-93	236.40	-93	176.50	-93	306.80	-93	254.50
Platinum	-08	202.30	-08	291.10	-08	217.10	-08	377.70	-08	313.60
Brushed Platinum	-06	202.30	-06	291.10	-06	217.10	-06	377.70	-06	313.60
Light Gold	-26	189.40	-26	272.80	-26	203.60	-26	354.10	-26	293.80
Brushed Light Gold	-27	189.40	-27	272.80	-27	203.60	-27	354.10	-27	293.80
Brushed Dark Brass	-39	202.10	-39	291.10	-39	217.20	-39	377.70	-39	313.30
Brushed Bronze	-42	202.00	-42	291.00	-42	217.10	-42	377.70	-42	313.30
Dark Chrome	-19	189.40	-19	272.80	-19	203.60	-19	354.10	-19	293.80
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	244.30	-99	425.00	-99	352.60
Matte Black	-33	170.30	-33	245.70	-33	183.20	-33	318.70	-33	264.40

28 504 979


Shower head

- 180-210mm projection
- ball-joint pivotable through 30°
- PURIFY RAIN, max. flow rate 7 l/min (at 3 bar)
- Function from: 6 l/min
- with anti-scale system
- spray head Ø 100mm
- rosette Ø 55 mm
- 1/2" connection

Fits META, TARA, VAIA, LISSÉ
Custom-made options

- Finish variants
- without logo

Standard article	28 504 979 FF	FF	Euro
Chrome		-00	591.60
Brushed Chrome		-93	769.00
Platinum		-08	946.80
Brushed Platinum		-06	946.90
Light Gold		-26	887.40
Brushed Light Gold		-27	887.40
Brushed Dark Brass		-39	946.60
Brushed Bronze		-42	946.60
Dark Chrome		-19	887.60
Brushed Dark Platinum		-99	1,065.10
Matte Black		-33	798.80



Recommended miscellaneous

Concealed wall elbow
35 085 970 FF FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 508 979


Shower head

- 200mm projection
- ball-joint pivotable through 30°
- Three settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system
- spray head Ø 92mm
- rosette Ø 55 mm
- 1/2" connection

Fits META, TARA, VAIA, LISSÉ
Custom-made options

- Finish variants

Standard article	28 508 979 FF	FF	Euro
Chrome		-00	661.80
Brushed Chrome		-93	860.40
Platinum		-08	1,058.50
Brushed Platinum		-06	1,058.50
Light Gold		-26	992.70
Brushed Light Gold		-27	992.70
Brushed Dark Brass		-39	1,058.80
Brushed Bronze		-42	1,058.80
Dark Chrome		-19	992.60
Brushed Dark Platinum		-99	1,191.00
Matte Black		-33	893.30

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 508 979 FF	FF	Euro
Chrome		-000010	661.80
Brushed Chrome		-930010	860.40
Platinum		-080010	1,058.50
Brushed Platinum		-060010	1,058.50
Light Gold		-260010	992.70
Brushed Light Gold		-270010	992.70
Brushed Dark Brass		-390010	1,058.80
Brushed Bronze		-420010	1,058.80
Dark Chrome		-190010	992.60
Brushed Dark Platinum		-990010	1,191.00
Matte Black		-330010	893.30



Recommended miscellaneous

Concealed wall elbow
35 085 970 FF FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 505 979



Shower head

- **155mm projection**
- ball-joint pivotable through 18° (in any direction)
- Three or five settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 7.6 l/min (at 3 bar)
- with anti-scale system
- spray head Ø 100mm
- rosette Ø 60 mm
- 1/2" connection
- Function from: 5.5 l/min

Fits META, TARA, VAIA, LISSÉ

Custom-made options

- Finish variants
- without logo

Standard article	28 505 979 FF	FF	Euro
Chrome		-00	368.70
Brushed Chrome		-93	479.40
Platinum		-08	590.00
Brushed Platinum		-06	590.00
Light Gold		-26	553.10
Brushed Light Gold		-27	553.10
Brushed Dark Brass		-39	590.00
Brushed Bronze		-42	590.00
Dark Chrome		-19	553.10
Brushed Dark Platinum		-99	663.80
Matte Black		-33	497.90



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 649 970



Rain shower with wall fixing 220 mm

- **450mm projection**
- rain shower Ø 220 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 7 l/min
- rosette Ø 60 mm
- 1/2" connection
- with anti-scale system
- quick clearing

Fits META, TARA, VAIA, LISSÉ

Custom-made options

- Finish variants
- Projection modification
- without logo

Standard article	28 649 970 FF	FF	Euro
Chrome		-00	964.10
Brushed Chrome		-93	1,253.30
Platinum		-08	1,542.50
Brushed Platinum		-06	1,542.50
Light Gold		-26	1,446.00
Brushed Light Gold		-27	1,446.00
Brushed Dark Brass		-39	1,542.50
Brushed Bronze		-42	1,542.50
Dark Chrome		-19	1,446.10
Brushed Dark Platinum		-99	1,735.30
Matte Black		-33	1,301.60

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 648 970 FF	FF	Euro
Chrome		-00	964.10
Brushed Chrome		-93	1,253.30
Platinum		-08	1,542.50
Brushed Platinum		-06	1,542.50
Light Gold		-26	1,446.00
Brushed Light Gold		-27	1,446.00
Brushed Dark Brass		-39	1,542.50
Brushed Bronze		-42	1,542.50
Dark Chrome		-19	1,446.00
Brushed Dark Platinum		-99	1,735.20
Matte Black		-33	1,301.50



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 679 970

Rain shower with wall fixing 300 mm

- **450mm projection**
- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rosette Ø 60 mm
- 1/2" connection
- with anti-scale system
- quick clearing

Custom-made options

- Finish variants
- Projection modification
- without logo

Standard article	28 679 970 FF	FF	Euro
Chrome		-00	1,135.70
Brushed Chrome		-93	1,476.40
Platinum		-08	1,817.60
Brushed Platinum		-06	1,817.60
Light Gold		-26	1,703.50
Brushed Light Gold		-27	1,703.50
Brushed Dark Brass		-39	1,817.10
Brushed Bronze		-42	1,817.10
Dark Chrome		-19	1,703.60
Brushed Dark Platinum		-99	2,044.30
Matte Black		-33	1,533.70

Product alternative

- FlowReduce
- Max. flow rate 9 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 678 970 FF	FF	Euro
Chrome		-00	1,135.70
Brushed Chrome		-93	1,476.40
Platinum		-08	1,817.10
Brushed Platinum		-06	1,817.10
Light Gold		-26	1,703.50
Brushed Light Gold		-27	1,703.50
Brushed Dark Brass		-39	1,817.10
Brushed Bronze		-42	1,817.10
Dark Chrome		-19	1,703.50
Brushed Dark Platinum		-99	2,044.20
Matte Black		-33	1,533.30



Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
<ul style="list-style-type: none"> • min. recess depth 90 mm • max. recess depth 163 mm For details and miscellaneous, see page 645	Concealed rough parts	90	122.80

28 659 970



Rain shower with wall fixing 400 mm

- 450mm projection
- rain shower Ø 400 mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- rosette Ø 60 mm
- 1/2" connection
- with anti-scale system

Fits META, TARA, VAIA, LISSÉ

Custom-made options

- Finish variants
- Flow rate modification
- Projection modification
- without logo

Standard article	28 659 970 FF	FF	Euro
Chrome		-00	1,988.40
Brushed Chrome		-93	2,584.90
Platinum		-08	3,181.50
Brushed Platinum		-06	3,181.50
Light Gold		-26	2,982.60
Brushed Light Gold		-27	2,982.60
Brushed Dark Brass		-39	3,181.50
Brushed Bronze		-42	3,181.50
Dark Chrome		-19	2,982.60
Brushed Dark Platinum		-99	3,578.90
Matte Black		-33	2,684.30

Product alternative

- FlowReduce
- Max. flow rate 12 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 658 970 FF	FF	Euro
Chrome		-00	1,988.40
Brushed Chrome		-93	2,584.90
Platinum		-08	3,181.50
Brushed Platinum		-06	3,181.50
Light Gold		-26	2,982.60
Brushed Light Gold		-27	2,982.60
Brushed Dark Brass		-39	3,181.50
Brushed Bronze		-42	3,181.50
Dark Chrome		-19	2,982.60
Brushed Dark Platinum		-99	3,579.00
Matte Black		-33	2,684.30



Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm			
• max. recess depth 163 mm			
Concealed rough parts		90	122.80

For details and miscellaneous, see page 645

28 669 970

Rain shower with ceiling fixing 220 mm

- rain shower Ø 220 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 7 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system
- quick clearing

Fits IMO, META, TARA, VAIA, LISSÉ, CYO
Custom-made options

- Finish variants
- Length modification
- without logo

Standard article	28 669 970 FF	FF	Euro
Chrome		-00	819.30
Brushed Chrome		-93	1,065.00
Platinum		-08	1,311.20
Brushed Platinum		-06	1,311.20
Light Gold		-26	1,228.90
Brushed Light Gold		-27	1,228.90
Brushed Dark Brass		-39	1,310.80
Brushed Bronze		-42	1,310.90
Dark Chrome		-19	1,228.90
Brushed Dark Platinum		-99	1,474.80
Matte Black		-33	1,106.40

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 668 970 FF	FF	Euro
Chrome		-00	819.30
Brushed Chrome		-93	1,065.00
Platinum		-08	1,310.90
Brushed Platinum		-06	1,310.90
Light Gold		-26	1,228.90
Brushed Light Gold		-27	1,228.90
Brushed Dark Brass		-39	1,310.80
Brushed Bronze		-42	1,310.90
Dark Chrome		-19	1,228.90
Brushed Dark Platinum		-99	1,474.70
Matte Black		-33	1,106.00



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

	35 085 970 FF	FF	Euro
Concealed rough parts		90	122.80

28 689 970



Rain shower with ceiling fixing 300 mm

- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system
- quick clearing

Fits IMO, META, TARA, VAIA, LISSÉ, CYO

Custom-made options

- Finish variants
- Length modification
- without logo

Standard article	28 689 970 FF	FF	Euro
Chrome		-00	965.90
Brushed Chrome		-93	1,255.70
Platinum		-08	1,544.90
Brushed Platinum		-06	1,544.90
Light Gold		-26	1,448.90
Brushed Light Gold		-27	1,448.90
Brushed Dark Brass		-39	1,545.50
Brushed Bronze		-42	1,545.40
Dark Chrome		-19	1,448.90
Brushed Dark Platinum		-99	1,738.50
Matte Black		-33	1,303.70

Product alternative

- FlowReduce
- Max. flow rate 9 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 688 970 FF	FF	Euro
Chrome		-00	965.90
Brushed Chrome		-93	1,255.70
Platinum		-08	1,545.40
Brushed Platinum		-06	1,545.40
Light Gold		-26	1,448.90
Brushed Light Gold		-27	1,448.90
Brushed Dark Brass		-39	1,545.50
Brushed Bronze		-42	1,545.40
Dark Chrome		-19	1,448.90
Brushed Dark Platinum		-99	1,738.60
Matte Black		-33	1,304.00



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

FF

Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts

90

122.80

For details and miscellaneous, see page 645

28 699 970


Rain shower with ceiling fixing 400 mm

- rain shower Ø 400 mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system
- quick clearing

Fits IMO, META, TARA, VAIA, LISSÉ, CYO
Custom-made options

- Finish variants
- Flow rate modification
- Length modification
- without logo

Standard article	28 699 970 FF	FF	Euro
Chrome		-00	1,778.20
Brushed Chrome		-93	2,311.60
Platinum		-08	2,845.00
Brushed Platinum		-06	2,845.00
Light Gold		-26	2,667.30
Brushed Light Gold		-27	2,667.30
Brushed Dark Brass		-39	2,845.10
Brushed Bronze		-42	2,845.10
Dark Chrome		-19	2,667.10
Brushed Dark Platinum		-99	3,200.50
Matte Black		-33	2,400.30

Product alternative

- FlowReduce
- Max. flow rate 12 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 698 970 FF	FF	Euro
Chrome		-00	1,778.20
Brushed Chrome		-93	2,311.60
Platinum		-08	2,845.10
Brushed Platinum		-06	2,845.10
Light Gold		-26	2,667.30
Brushed Light Gold		-27	2,667.30
Brushed Dark Brass		-39	2,845.10
Brushed Bronze		-42	2,845.10
Dark Chrome		-19	2,667.30
Brushed Dark Platinum		-99	3,200.60
Matte Black		-33	2,400.50



Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm		90	122.80
• max. recess depth 163 mm			

For details and miscellaneous, see page 645

28 031 970


Rain shower for surface-mounted ceiling installation 300 mm

- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Fits IMO, META, TARA, VAIA, LISSÉ, CYO
Custom-made options

- Finish variants
- without logo

Standard article	28 031 970 FF	FF	Euro
Chrome		-00	746.90
Brushed Chrome		-93	971.00
Platinum		-08	1,195.10
Brushed Platinum		-06	1,195.10
Light Gold		-26	1,120.30
Brushed Light Gold		-27	1,120.30
Brushed Dark Brass		-39	1,195.00
Brushed Bronze		-42	1,194.90
Dark Chrome		-19	1,120.30
Brushed Dark Platinum		-99	1,344.40
Matte Black		-33	1,008.30

Required miscellaneous

Concealed ceiling installation box with ceiling fixing

	35 041 970 FF	FF	Euro
• concealed rough parts		90	497.90
• min. recess depth 90 mm			
• max. recess depth 115 mm			
• 2x female thread 1/2" outlet			

For details and miscellaneous, see page 648

28 032 970



Rain shower for surface-mounted ceiling installation with light 300 mm

- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- **Ceiling module power supply**
- 350mA (CC)
- **Spot lighting**
- LED colour temperature approx. 3000 K
- Bulbs protected against splashing water
- Contains energy efficiency class bulbs
- Technology: LED, not dimmable
- Provided by customer: Light switch
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Fits IMO, META, TARA, VAIA, LISSÉ, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 032 970 FF	FF	Euro
Chrome		-00	1,122.20
Brushed Chrome		-93	1,458.80
Platinum		-08	1,795.50
Brushed Platinum		-06	1,795.50
Light Gold		-26	1,683.20
Brushed Light Gold		-27	1,683.20
Brushed Dark Brass		-39	1,795.50
Brushed Bronze		-42	1,795.50
Dark Chrome		-19	1,683.20
Brushed Dark Platinum		-99	2,020.00
Matte Black		-33	1,514.80

Required miscellaneous



Concealed ceiling installation box for surface-mounted ceiling installation with light

	35 042 970 FF	FF	Euro
concealed rough parts		90	748.00
min. recess depth 90 mm			
max. recess depth 115 mm			
2x female thread 1/2" connections			
Input 100-240V AC 50-60Hz			
Output 350 mA SELV / Class 2			
Provided by customer: Light switch			

For details and miscellaneous, see page 648

28 033 970



Rain shower for recessed ceiling installation 300 mm

- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- min. recess depth 137 mm
- with anti-scale system
- For simultaneous control of the jet types, we recommend the xTool thermostat module
- Not suitable for use in a steam room.

Fits IMO, META, TARA, VAIA, LISSÉ, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 033 970 FF	FF	Euro
Chrome		-00	1,497.40
Brushed Chrome		-93	1,946.70
Platinum		-08	2,395.80
Brushed Platinum		-06	2,395.80
Light Gold		-26	2,246.20
Brushed Light Gold		-27	2,246.20
Brushed Dark Brass		-39	2,395.90
Brushed Bronze		-42	2,395.90
Dark Chrome		-19	2,246.10
Brushed Dark Platinum		-99	2,695.30
Matte Black		-33	2,021.50

Required miscellaneous



Concealed ceiling installation box for recessed ceiling installation

	35 033 970 FF	FF	Euro
concealed rough parts		90	998.30
recess depth 137mm			
2x female thread 1/2" outlet			
flush-mounted installation box Ø 360 mm RAL 9003 signal white			

For details and miscellaneous, see page 647

28 034 970


Rain shower for recessed ceiling installation with light 300 mm

- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- min. recess depth 137 mm
- with anti-scale system
- **Ceiling module power supply**
- 12V DC (CV)
- **Spot lighting**
- LED coloured light RGBW
- Bulbs protected against splashing water
- **Ambient lighting**
- **Activation**
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

Fits IMO, META, TARA, VAIA, LISSÉ, CYO
Custom-made options

- Finish variants
- without logo

Standard article	28 034 970 FF	FF	Euro
Chrome		-00	2,248.00
Brushed Chrome		-93	2,922.30
Platinum		-08	3,596.80
Brushed Platinum		-06	3,596.80
Light Gold		-26	3,372.00
Brushed Light Gold		-27	3,372.00
Brushed Dark Brass		-39	3,596.80
Brushed Bronze		-42	3,596.80
Dark Chrome		-19	3,371.90
Brushed Dark Platinum		-99	4,046.30
Matte Black		-33	3,034.80

Required miscellaneous


Concealed ceiling installation box for recessed ceiling installation with light

Standard article	35 034 970 FF	FF	Euro
concealed rough parts			
flush-mounted reflection box Ø 360 mm RAL 9003 signal white			
recess depth 137mm			
2x female thread 1/2" outlet			
Input 100-240V AC 50-60Hz			
Output 12V DC SELV / Class 2			
ZigBee Light Link RGBW controller			
Concealed rough parts		90	1,498.70

For details and miscellaneous, see page 647

27 802 660


Hand shower set with integrated shower holder

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection
- rosette Ø 60 mm
- 1/2" connection

Intrinsic protection against back flow.
Fits META, TARA
Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 802 660 FF	FF	Euro
Chrome		-00	455.30
Brushed Chrome		-93	591.80
Platinum		-08	728.70
Brushed Platinum		-06	728.70
Light Gold		-26	682.90
Brushed Light Gold		-27	682.90
Brushed Dark Brass		-39	728.40
Brushed Bronze		-42	728.40
Dark Chrome		-19	682.80
Brushed Dark Platinum		-99	819.20
Matte Black		-33	614.90

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 802 660 FF	FF	Euro
Chrome		-000010	455.30
Brushed Chrome		-930010	591.80
Platinum		-080010	728.70
Brushed Platinum		-060010	728.70
Light Gold		-260010	682.90
Brushed Light Gold		-270010	682.90
Brushed Dark Brass		-390010	728.40
Brushed Bronze		-420010	728.40
Dark Chrome		-190010	682.80
Brushed Dark Platinum		-990010	819.20
Matte Black		-330010	614.90



Recommended miscellaneous

Concealed wall elbow

Standard article	35 085 970 FF	FF	Euro
min. recess depth 90 mm			
max. recess depth 163 mm			
Concealed rough parts		90	122.80

For details and miscellaneous, see page 645

27 803 660



Hand shower set with integrated shower holder

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- 3/8" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection
- rosette Ø 60 mm
- 1/2" connection
- Function from: 7 l/min

Intrinsic protection against back flow.

Fits META, TARA

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	27 803 660 FF	FF	Euro
Chrome		-00	441.10
Brushed Chrome		-93	573.50
Platinum		-08	705.70
Brushed Platinum		-06	705.70
Light Gold		-26	661.80
Brushed Light Gold		-27	661.80
Brushed Dark Brass		-39	705.90
Brushed Bronze		-42	705.80
Dark Chrome		-19	661.90
Brushed Dark Platinum		-99	793.10
Matte Black		-33	594.70

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 803 660 FF	FF	Euro
Chrome		-000010	441.10
Brushed Chrome		-930010	573.50
Platinum		-080010	705.70
Brushed Platinum		-060010	705.70
Light Gold		-260010	661.80
Brushed Light Gold		-270010	661.80
Brushed Dark Brass		-390010	705.90
Brushed Bronze		-420010	705.80
Dark Chrome		-190010	661.90
Brushed Dark Platinum		-990010	793.10
Matte Black		-330010	594.70



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
		90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

27 805 625

Hand shower set

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- spray head Ø 100mm
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection
- shower holder rosette Ø 55mm

Intrinsic protection against back flow.
Fits META, TARA
Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	27 805 625 FF	FF	Euro
Chrome		-00	328.50
Brushed Chrome		-93	426.90
Brushed Platinum		-06	525.40
Light Gold		-26	492.60
Brushed Light Gold		-27	492.60
Brushed Dark Brass		-39	525.50
Brushed Bronze		-42	525.50
Dark Chrome		-19	492.60
Brushed Dark Platinum		-99	591.20
Matte Black		-33	443.30

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 805 625 FF	FF	Euro
Chrome		-000010	328.50
Brushed Chrome		-930010	426.90
Brushed Platinum		-060010	525.40
Light Gold		-260010	492.60
Brushed Light Gold		-270010	492.60
Brushed Dark Brass		-390010	525.50
Brushed Bronze		-420010	525.50
Dark Chrome		-190010	492.60
Brushed Dark Platinum		-990010	591.20
Matte Black		-330010	443.30



Recommended miscellaneous

Wall elbow
28 450 625 FF | FF | Euro

For details and miscellaneous, see main items

Chrome	-00	115.70
Brushed Chrome	-93	150.40
Brushed Platinum	-06	185.20
Light Gold	-26	173.60
Brushed Light Gold	-27	173.60
Brushed Dark Brass	-39	185.10
Brushed Bronze	-42	185.10
Dark Chrome	-19	173.60
Brushed Dark Platinum	-99	208.30
Matte Black	-33	155.90



Recommended miscellaneous

Concealed wall elbow
35 085 970 FF | FF | Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

Concealed rough parts	90	122.80
-----------------------	----	--------

27 806 625



Hand shower set

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- rosette Ø 55 mm
- metal shower hose 1250mm with integrated anti-twist protection
- shower holder rosette Ø 55mm

Intrinsic protection against back flow.

Fits META, TARA

Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 806 625 FF	FF	Euro
Chrome		-00	338.60
Brushed Chrome		-93	440.20
Brushed Platinum		-06	542.00
Light Gold		-26	508.00
Brushed Light Gold		-27	508.00
Brushed Dark Brass		-39	541.70
Brushed Bronze		-42	541.80
Dark Chrome		-19	507.90
Brushed Dark Platinum		-99	609.50
Matte Black		-33	456.60

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 806 625 FF	FF	Euro
Chrome		-000010	338.60
Brushed Chrome		-930010	440.20
Brushed Platinum		-060010	542.00
Light Gold		-260010	508.00
Brushed Light Gold		-270010	508.00
Brushed Dark Brass		-390010	541.70
Brushed Bronze		-420010	541.80
Dark Chrome		-190010	507.90
Brushed Dark Platinum		-990010	609.50
Matte Black		-330010	456.60



Recommended miscellaneous

Wall elbow

28 450 625 FF

For details and miscellaneous, see main items

	FF	Euro
Chrome	-00	115.70
Brushed Chrome	-93	150.40
Brushed Platinum	-06	185.20
Light Gold	-26	173.60
Brushed Light Gold	-27	173.60
Brushed Dark Brass	-39	185.10
Brushed Bronze	-42	185.10
Dark Chrome	-19	173.60
Brushed Dark Platinum	-99	208.30
Matte Black	-33	155.90



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

Concealed rough parts	FF	Euro
	90	122.80

28 528 979

Body spray without volume control

- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- HORIZONTAL RAIN, max. flow rate 7 l/min (at 3 bar)
- with anti-scale system
- rosette Ø 55 mm
- 1/2" connection

Fits META, TARA, VAIA, LISSÉ
Custom-made options

- Finish variants
- without logo

Standard article	28 528 979 FF	FF	Euro
Chrome		-00	313.00
Brushed Chrome		-93	406.90
Platinum		-08	500.70
Brushed Platinum		-06	500.70
Light Gold		-26	469.50
Brushed Light Gold		-27	469.50
Brushed Dark Brass		-39	500.80
Brushed Bronze		-42	500.70
Dark Chrome		-19	469.50
Brushed Dark Platinum		-99	563.30
Matte Black		-33	422.50

Product alternative

- FlowReduce
- Max. flow rate 5 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 518 979 FF	FF	Euro
Chrome		-00	313.00
Brushed Chrome		-93	406.90
Platinum		-08	500.90
Brushed Platinum		-06	500.90
Light Gold		-26	469.50
Brushed Light Gold		-27	469.50
Brushed Dark Brass		-39	500.80
Brushed Bronze		-42	500.70
Dark Chrome		-19	469.50
Brushed Dark Platinum		-99	563.30
Matte Black		-33	422.40



Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
<ul style="list-style-type: none"> • min. recess depth 90 mm • max. recess depth 163 mm For details and miscellaneous, see page 645	Concealed rough parts	90	122.80

36 525 979



WATER POINTS Concealed body spray

- HORIZONTAL RAIN, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- cover plate 120 x 120 mm

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	36 525 979 FF	FF	Euro
Chrome		-00	549.80
Brushed Chrome		-93	714.70
Platinum		-08	879.60
Brushed Platinum		-06	879.60
Light Gold		-26	824.70
Brushed Light Gold		-27	824.70
Brushed Dark Brass		-39	879.70
Brushed Bronze		-42	879.60
Dark Chrome		-19	824.70
Brushed Dark Platinum		-99	989.50
Matte Black		-33	742.20

Product alternative

- FlowReduce
- Max. flow rate 6 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 515 979 FF	FF	Euro
Chrome		-00	549.80
Brushed Chrome		-93	714.70
Platinum		-08	879.20
Brushed Platinum		-06	879.20
Light Gold		-26	824.70
Brushed Light Gold		-27	824.70
Brushed Dark Brass		-39	879.70
Brushed Bronze		-42	879.60
Dark Chrome		-19	824.80
Brushed Dark Platinum		-99	989.50
Matte Black		-33	742.00



Required miscellaneous

Concealed wall installation box

	35 205 970 FF	FF	Euro
• min. recess depth 85 mm			
• max. recess depth 110 mm			
Concealed rough parts		90	223.00

For details and miscellaneous, see page 645



Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
Concealed rough parts		90	112.20

For details and miscellaneous, see page 655

36 527 979

WATER BAR Concealed body spray

- HORIZONTAL RAIN, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- cover plate 240 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	36 527 979 FF	FF	Euro
Chrome	-00		849.00
Brushed Chrome	-93		1,103.60
Platinum	-08		1,358.50
Brushed Platinum	-06		1,358.50
Light Gold	-26		1,273.50
Brushed Light Gold	-27		1,273.50
Brushed Dark Brass	-39		1,358.50
Brushed Bronze	-42		1,358.50
Dark Chrome	-19		1,273.50
Brushed Dark Platinum	-99		1,528.20
Matte Black	-33		1,146.10

Product alternative

- FlowReduce
- Max. flow rate 6 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 517 979 FF	FF	Euro
Chrome	-00		849.00
Brushed Chrome	-93		1,103.60
Platinum	-08		1,358.70
Brushed Platinum	-06		1,358.70
Light Gold	-26		1,273.50
Brushed Light Gold	-27		1,273.50
Brushed Dark Brass	-39		1,358.50
Brushed Bronze	-42		1,358.50
Dark Chrome	-19		1,273.50
Brushed Dark Platinum	-99		1,527.90
Matte Black	-33		1,168.80

Required miscellaneous


Concealed wall installation box
35 206 970 FF FF Euro

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 645

 Concealed rough parts **90** 301.70

Required miscellaneous


xGRID Installation track 555 mm
12 360 970 FF FF Euro

For details and miscellaneous, see page 655

 Concealed rough parts **90** 112.20

36 514 979

WATER CURVE Concealed body spray

- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- cover plate 120 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	36 514 979 FF	FF	Euro
Chrome	-00		1,104.80
Brushed Chrome	-93		1,436.20
Platinum	-08		1,767.70
Brushed Platinum	-06		1,767.70
Light Gold	-26		1,657.20
Brushed Light Gold	-27		1,657.20
Brushed Dark Brass	-39		1,767.70
Brushed Bronze	-42		1,767.80
Dark Chrome	-19		1,657.10
Brushed Dark Platinum	-99		1,988.70
Matte Black	-33		1,491.20

Recommended miscellaneous


Concealed wall elbow
35 085 970 FF FF Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

 Concealed rough parts **90** 122.80

36 513 979



- WATER FAN vertical Concealed body spray**
- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
 - water jet adjustable
 - cover plate 240 x 60 mm
 - 1/2" connection

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	36 513 979 FF	FF	Euro
Chrome	-00		824.20
Brushed Chrome	-93		1,071.50
Platinum	-08		1,319.20
Brushed Platinum	-06		1,319.20
Light Gold	-26		1,236.30
Brushed Light Gold	-27		1,236.30
Brushed Dark Brass	-39		1,318.70
Brushed Bronze	-42		1,318.70
Dark Chrome	-19		1,236.30
Brushed Dark Platinum	-99		1,483.40
Matte Black	-33		1,134.80

Product alternative

- horizontal water jet
- Max. flow rate 10 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 512 979 FF	FF	Euro
Chrome	-00		824.20
Brushed Chrome	-93		1,071.50
Platinum	-08		1,319.20
Brushed Platinum	-06		1,319.20
Light Gold	-26		1,236.30
Brushed Light Gold	-27		1,236.30
Brushed Dark Brass	-39		1,318.70
Brushed Bronze	-42		1,318.70
Dark Chrome	-19		1,236.30
Brushed Dark Platinum	-99		1,483.40
Matte Black	-33		1,134.80

Required miscellaneous



Concealed wall installation box

35 206 970 FF	FF	Euro
Concealed rough parts	90	301.70

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 645

Required miscellaneous



xGRID Installation track 555 mm

12 360 970 FF	FF	Euro
Concealed rough parts	90	112.20

For details and miscellaneous, see page 655

13 415 979



- WATER SHEET Cascade spout for wall mounting**
- 150mm projection
 - CASCADE, max. flow rate 26.5 l/min (at 3 bar)
 - cover plate 240 x 60 mm
 - 1/2" connection
 - plug-link mounting

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	13 415 979 FF	FF	Euro
Chrome	-00		1,137.90
Brushed Chrome	-93		1,479.30
Platinum	-08		1,820.60
Brushed Platinum	-06		1,820.60
Light Gold	-26		1,706.90
Brushed Light Gold	-27		1,706.90
Brushed Dark Brass	-39		1,820.70
Brushed Bronze	-42		1,820.70
Dark Chrome	-19		1,707.00
Brushed Dark Platinum	-99		2,048.20
Matte Black	-33		1,535.90

Recommended miscellaneous




Concealed wall elbow

35 085 970 FF	FF	Euro
Concealed rough parts	90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

13 420 979


WATER FALL Cascade spout for wall mounting

- 120mm projection
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	13 420 979 FF	FF	Euro
Chrome		-00	1,625.60
Brushed Chrome		-93	2,113.40
Platinum		-08	2,601.50
Brushed Platinum		-06	2,601.50
Light Gold		-26	2,438.50
Brushed Light Gold		-27	2,438.50
Brushed Dark Brass		-39	2,601.10
Brushed Bronze		-42	2,601.10
Dark Chrome		-19	2,438.60
Matte Black		-33	2,194.90



Recommended miscellaneous

Concealed wall elbow 35 085 970 FF FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts 90 122.80
- For details and miscellaneous, see page 645

13 425 979


WATER FALL Cascade spout with individual jets for wall mounting

- 22mm projection
- PEARLSTREAM
- plate 240 mm x 60 mm
- connection 1/2", for shortening
- plug-link mounting
- Max. flow rate 9.5 l/min (at 3 bar)

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	13 425 979 FF	FF	Euro
Chrome		-00	1,208.00
Brushed Chrome		-93	1,570.30
Platinum		-08	1,932.80
Brushed Platinum		-06	1,932.80
Light Gold		-26	1,812.00
Brushed Light Gold		-27	1,812.00
Brushed Dark Brass		-39	1,932.80
Brushed Bronze		-42	1,932.80
Dark Chrome		-19	1,811.80
Brushed Dark Platinum		-99	2,174.10
Matte Black		-33	1,630.70



Recommended miscellaneous

Concealed wall elbow 35 085 970 FF FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts 90 122.80
- For details and miscellaneous, see page 645

27 823 979 +
28 285 979



WATER TUBE Kneipp wall elbow with hose holder with individual rosettes

- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- with volume control
- rosettes Ø 60 mm
- holder for Kneipp hose
- 1/2" wall elbow

Intrinsic protection against back flow.

Fits META, TARA, VAIA, LISSÉ

Custom-made options

- Finish variants
- without logo

Set	1x 27 823 979 FF max. flow 15 l/min		1x 28 285 979 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	589.50	-00	104.90	694.40
Brushed Chrome	-93	766.30	-93	136.30	902.60
Platinum	-08	943.20	-08	167.70	1,110.90
Brushed Platinum	-06	943.20	-06	167.80	1,111.00
Light Gold	-26	884.30	-26	157.30	1,041.60
Brushed Light Gold	-27	884.30	-27	157.30	1,041.60
Brushed Dark Brass	-39	943.20	-39	167.80	1,111.00
Brushed Bronze	-42	943.30	-42	167.80	1,111.10
Dark Chrome	-19	884.00	-19	157.30	1,041.30
Brushed Dark Platinum	-99	1,061.00	-99	188.70	1,249.70
Matte Black	-33	795.70	-33	141.50	937.20

Product alternative

- FlowReduce
- Max. flow rate 9 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 843 979 FF	FF	Euro
Chrome		-00	589.50
Brushed Chrome		-93	766.30
Platinum		-08	943.30
Brushed Platinum		-06	943.30
Light Gold		-26	884.30
Brushed Light Gold		-27	884.30
Brushed Dark Brass		-39	943.20
Brushed Bronze		-42	943.30
Dark Chrome		-19	884.30
Brushed Dark Platinum		-99	1,061.10
Matte Black		-33	795.90



Recommended miscellaneous

WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

	28 286 979 FF	FF	Euro
Chrome		-00	104.90
Brushed Chrome		-93	136.30
Platinum		-08	167.70
Brushed Platinum		-06	167.80
Light Gold		-26	157.30
Brushed Light Gold		-27	157.30
Brushed Dark Brass		-39	167.80
Brushed Bronze		-42	167.80
Dark Chrome		-19	157.30
Brushed Dark Platinum		-99	188.70
Matte Black		-33	141.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

	35 085 970 FF	FF	Euro
Concealed rough parts		90	122.80

28 490 660

Wall elbow with integrated shower holder

- 3/8" shower outlet
- rosette Ø 60 mm
- 1/2" connection

Intrinsic protection against back flow.
Custom-made options

- Finish variants
- without logo

Standard article	28 490 660 FF	FF	Euro
Chrome	-00		225.00
Brushed Chrome	-93		292.40
Platinum	-08		359.60
Brushed Platinum	-06		359.60
Light Gold	-26		337.40
Brushed Light Gold	-27		337.40
Brushed Dark Brass	-39		359.90
Brushed Bronze	-42		360.00
Dark Chrome	-19		337.30
Brushed Dark Platinum	-99		404.30
Matte Black	-33		303.70



Recommended miscellaneous

Concealed wall elbow
35 085 970 FF FF Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

 Concealed rough parts **90** 122.80

For details and miscellaneous, see page 645

28 450 625

Wall elbow

- 3/8" shower outlet
- rosette Ø 55 mm
- 1/2" connection

Intrinsic protection against back flow.
Fits META, TARA
Custom-made options

- Finish variants
- without logo

Standard article	28 450 625 FF	FF	Euro
Chrome	-00		115.70
Brushed Chrome	-93		150.40
Platinum	-08		185.20
Brushed Platinum	-06		185.20
Light Gold	-26		173.60
Brushed Light Gold	-27		173.60
Brushed Dark Brass	-39		185.10
Brushed Bronze	-42		185.10
Dark Chrome	-19		173.60
Brushed Dark Platinum	-99		208.30
Matte Black	-33		155.90



Recommended miscellaneous

Concealed wall elbow
35 085 970 FF FF Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

 Concealed rough parts **90** 122.80

For details and miscellaneous, see page 645

28 050 625

Wall bracket

- rosette Ø 55 mm

Custom-made options

- Finish variants

Standard article	28 050 625 FF	FF	Euro
Chrome	-00		161.60
Brushed Chrome	-93		210.00
Brushed Platinum	-06		258.60
Light Gold	-26		242.40
Brushed Light Gold	-27		242.40
Brushed Dark Brass	-39		258.50
Brushed Bronze	-42		258.50
Dark Chrome	-19		242.30
Brushed Dark Platinum	-99		290.70
Matte Black	-33		218.30

28 060 970

Wall bracket swivel

- pivotable 75°

Custom-made options

- Finish variants

Standard article	28 060 970 FF	FF	Euro
Chrome	-00		197.80
Brushed Chrome	-93		257.10
Platinum	-08		316.60
Brushed Platinum	-06		316.60
Light Gold	-26		296.50
Brushed Light Gold	-27		296.50
Brushed Dark Brass	-39		316.40
Brushed Bronze	-42		316.30
Dark Chrome	-19		296.60
Brushed Dark Platinum	-99		356.10
Matte Black	-33		267.20

12 570 970



Slide unit

- for pipe diameter 23.5 mm

Custom-made options

- Finish variants

Standard article	12 570 970 FF	FF	Euro
Chrome		-00	137.00
Brushed Chrome		-93	178.10
Platinum		-08	219.50
Brushed Platinum		-06	219.50
Light Gold		-26	205.50
Brushed Light Gold		-27	205.50
Brushed Dark Brass		-39	219.20
Brushed Bronze		-42	219.20
Dark Chrome		-19	205.40
Brushed Dark Platinum		-99	246.80
Matte Black		-33	185.20

12 580 970



Slide unit

- for pipe diameter 18 mm

Custom-made options

- Finish variants

Standard article	12 580 970 FF	FF	Euro
Chrome		-00	137.00
Brushed Chrome		-93	178.10
Platinum		-08	219.50
Brushed Platinum		-06	219.50
Light Gold		-26	205.50
Brushed Light Gold		-27	205.50
Brushed Dark Brass		-39	219.20
Brushed Bronze		-42	219.20
Dark Chrome		-19	205.40
Brushed Dark Platinum		-99	246.80
Matte Black		-33	185.20

33 300 660

Single-lever shower mixer for wall mounting

- 3/8" shower outlet
- slide-on rosettes Ø 60 mm
- 1/2" connection
- gauge 150 mm - 15 mm

Fits META
Intrinsic protection against back flow.
Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	33 300 660 FF	FF	Euro
Chrome	-00		605.60
Brushed Chrome	-93		787.40
Brushed Platinum	-06		968.90
Light Gold	-26		908.60
Brushed Light Gold	-27		908.60
Brushed Dark Brass	-39		969.00
Brushed Bronze	-42		969.00
Dark Chrome	-19		908.60
Brushed Dark Platinum	-99		1,090.30
Matte Black	-33		819.10



Required miscellaneous

Single holder for 16 mm AluPEX pipes

	29 021 970 FF	FF	Euro
• for 16 mm AluPEX pipes		Accessories	90 99.10

34 442 979

Shower thermostat for wall mounting

- 3/8" shower outlet
- slide-on rosettes Ø 70 mm
- 1/2" connection
- gauge 150 mm - 13 mm
- with volume control

Intrinsic protection against back flow.
For combination with slide bar set
Fits MEM, IMO, META, TARA, VAIA, LULU, LISSÉ
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	34 442 979 FF	FF	Euro
Chrome	-00		701.50
Brushed Chrome	-93		912.00
Platinum	-08		1,122.20
Brushed Platinum	-06		1,122.20
Light Gold	-26		1,052.20
Brushed Light Gold	-27		1,052.20
Brushed Dark Brass	-39		1,122.50
Brushed Bronze	-42		1,122.40
Dark Chrome	-19		1,052.20
Brushed Dark Platinum	-99		1,262.30
Matte Black	-33		946.80

36 060 660

Concealed single-lever mixer with cover plate

- cover plate Ø 78 mm

Fits META, TARA
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 060 660 FF	FF	Euro
Chrome	-00		370.70
Brushed Chrome	-93		481.80
Platinum	-08		592.90
Brushed Platinum	-06		592.90
Light Gold	-26		556.00
Brushed Light Gold	-27		556.00
Brushed Dark Brass	-39		593.10
Brushed Bronze	-42		593.10
Dark Chrome	-19		556.10
Brushed Dark Platinum	-99		667.70
Matte Black	-33		500.60



Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
• min. recess depth 80 mm • max. recess depth 95 mm For details and miscellaneous, see page 640		Concealed rough parts	90 224.60

36 046 660



Concealed single-lever mixer with cover plate with integrated shower connection

- cover plate Ø 80 mm

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 046 660 FF	FF	Euro
Chrome		-00	467.30
Brushed Chrome		-93	607.50
Platinum		-08	747.70
Brushed Platinum		-06	747.70
Light Gold		-26	700.90
Brushed Light Gold		-27	700.90
Brushed Dark Brass		-39	747.70
Brushed Bronze		-42	747.70
Dark Chrome		-19	700.90
Brushed Dark Platinum		-99	841.10
Matte Black		-33	630.90



Required miscellaneous

Concealed wall mounting

35 050 970 FF FF Euro

- min. recess depth 80 mm
- max. recess depth 105 mm

Concealed rough parts **90** 320.80

For details and miscellaneous, see page 640

36 120 660



Concealed single-lever mixer with diverter

- automatic diverter
- cover plate Ø 150 mm

Fits META, TARA

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 120 660 FF	FF	Euro
Chrome		-00	559.30
Brushed Chrome		-93	727.10
Platinum		-08	894.90
Brushed Platinum		-06	894.60
Light Gold		-26	839.00
Brushed Light Gold		-27	839.00
Brushed Dark Brass		-39	894.90
Brushed Bronze		-42	894.90
Dark Chrome		-19	839.10
Brushed Dark Platinum		-99	1,006.80
Matte Black		-33	755.50



Required miscellaneous

Concealed single-lever mixer

35 020 970 FF FF Euro

- min. recess depth 80 mm
- max. recess depth 105 mm

Concealed rough parts **90** 236.90

For details and miscellaneous, see page 641



Required miscellaneous

Concealed single-lever mixer with backflow preventor

35 021 970 FF FF Euro

- min. recess depth 80 mm
- max. recess depth 105 mm

Concealed rough parts **90** 338.50

For details and miscellaneous, see page 641

36 425 970


Concealed thermostat with one function volume control

- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits META, TARA, VAIA
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 425 970 FF	FF	Euro
Chrome	-00		673.90
Brushed Chrome	-93		876.20
Platinum	-08		1,078.40
Brushed Platinum	-06		1,078.40
Light Gold	-26		1,010.90
Brushed Light Gold	-27		1,010.90
Brushed Dark Brass	-39		1,078.30
Brushed Bronze	-42		1,078.30
Dark Chrome	-19		1,011.00
Brushed Dark Platinum	-99		1,213.50
Matte Black	-33		910.10



Required miscellaneous

Concealed thermostat

35 425 970 FF	FF	Euro
Concealed rough parts	90	435.80

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 641



Required miscellaneous

Concealed thermostat with built-in isolators

35 426 970 FF	FF	Euro
Concealed rough parts	90	457.70

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 641

36 426 970


Concealed thermostat with two function volume control

- rotary diverter with volume control and shut-off function
- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits META, TARA, VAIA
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 426 970 FF	FF	Euro
Chrome	-00		800.90
Brushed Chrome	-93		1,041.20
Platinum	-08		1,281.30
Brushed Platinum	-06		1,281.30
Light Gold	-26		1,201.50
Brushed Light Gold	-27		1,201.50
Brushed Dark Brass	-39		1,281.50
Brushed Bronze	-42		1,281.50
Dark Chrome	-19		1,201.60
Brushed Dark Platinum	-99		1,442.10
Matte Black	-33		1,081.10



Required miscellaneous

Concealed thermostat

35 425 970 FF	FF	Euro
Concealed rough parts	90	435.80

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 641



Required miscellaneous

Concealed thermostat with built-in isolators

35 426 970 FF	FF	Euro
Concealed rough parts	90	457.70

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 641

36 427 970



Concealed thermostat with three function volume control

- rotary diverter with volume control and shut-off function
- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Fits META, TARA, VAIA

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 427 970	FF	FF	Euro
Chrome		-00		835.70
Brushed Chrome		-93		1,086.50
Platinum		-08		1,337.20
Brushed Platinum		-06		1,337.20
Light Gold		-26		1,253.70
Brushed Light Gold		-27		1,253.70
Brushed Dark Brass		-39		1,337.10
Brushed Bronze		-42		1,337.20
Dark Chrome		-19		1,253.80
Brushed Dark Platinum		-99		1,504.40
Matte Black		-33		1,128.90



Required miscellaneous

Concealed thermostat **35 427 970** FF | FF Euro

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts **90** 456.60
- For details and miscellaneous, see page 642



Required miscellaneous

Concealed thermostat with built-in isolators **35 428 970** FF | FF Euro

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts **90** 479.00
- For details and miscellaneous, see page 642

36 501 979 +
36 607 660



Thermostat module with 1 valve

- cover plate Ø 124 mm
- rosette Ø 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 501 979 FF		1x 36 607 660 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,136.30	-00	288.10	1,424.40
Brushed Chrome	-93	1,477.20	-93	374.50	1,851.70
Brushed Platinum	-06	1,818.10	-06	460.90	2,279.00
Light Gold	-26	1,704.40	-26	432.10	2,136.50
Brushed Light Gold	-27	1,704.40	-27	432.10	2,136.50
Brushed Dark Brass	-39	1,818.10	-39	460.90	2,279.00
Brushed Bronze	-42	1,818.20	-42	460.90	2,279.10
Dark Chrome	-19	1,704.40	-19	432.10	2,136.50
Brushed Dark Platinum	-99	2,045.30	-99	518.60	2,563.90
Matte Black	-33	1,534.30	-33	388.90	1,923.20



Required miscellaneous

xTOOL Concealed thermostat module with 1 valve **35 511 970** FF | FF Euro

- min. recess depth 95 mm
 - max. recess depth 160 mm
- Concealed rough parts **90** 708.30
- For details and miscellaneous, see page 642



Required miscellaneous

xGRID Installation track 555 mm **12 360 970** FF | FF Euro

- For details and miscellaneous, see page 655
- Concealed rough parts **90** 112.20



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction **12 340 970** FF | FF Euro

- For details and miscellaneous, see page 655
- Concealed rough parts **90** 113.00

36 501 979 +
 36 607 740

xTOOL Thermostat module with 1 valve

- cover plate Ø 124 mm
- handle Ø 60mm
- without rosette
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

Note: Important! The minimum recess depths make it necessary to have a wall of 2 x 6 cross-pieces.

Fits META
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 501 979 FF		1x 36 607 740 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,136.30	-00	288.10	1,424.40
Brushed Chrome	-93	1,477.20	-93	374.50	1,851.70
Brushed Platinum	-06	1,818.10	-06	460.90	2,279.00
Light Gold	-26	1,704.40	-26	432.10	2,136.50
Brushed Light Gold	-27	1,704.40	-27	432.10	2,136.50
Brushed Dark Brass	-39	1,818.10	-39	460.90	2,279.00
Brushed Bronze	-42	1,818.20	-42	460.90	2,279.10
Dark Chrome	-19	1,704.40	-19	432.30	2,136.70
Brushed Dark Platinum	-99	2,045.30	-99	518.70	2,564.00
Matte Black	-33	1,534.30	-33	388.80	1,923.10



Required miscellaneous

xTOOL Concealed thermostat module with 1 valve

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 642

35 511 970 FF | FF | Euro

 Concealed rough parts | **90** | 708.30


Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 655

12 360 970 FF | FF | Euro

 Concealed rough parts | **90** | 112.20


Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 655

12 340 970 FF | FF | Euro

 Concealed rough parts | **90** | 113.00

 36 501 979 +
 36 607 661

xTOOL Thermostat module with 1 valve

- cover plate Ø 123 mm
- rosette Ø 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 501 979 FF		1x 36 607 661 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,136.30	-00	227.40	1,363.70
Brushed Chrome	-93	1,477.20	-93	295.70	1,772.90
Brushed Platinum	-06	1,818.10	-06	364.00	2,182.10
Light Gold	-26	1,704.40	-26	341.20	2,045.60
Brushed Light Gold	-27	1,704.40	-27	341.20	2,045.60
Brushed Dark Brass	-39	1,818.10	-39	363.90	2,182.00
Brushed Bronze	-42	1,818.20	-42	363.90	2,182.10
Dark Chrome	-19	1,704.40	-19	341.30	2,045.70
Brushed Dark Platinum	-99	2,045.30	-99	409.40	2,454.70
Matte Black	-33	1,534.30	-33	307.10	1,841.40



Required miscellaneous

xTOOL Concealed thermostat module with 1 valve

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 642

35 511 970 FF | FF | Euro

 Concealed rough parts | **90** | 708.30


Required miscellaneous

xGRID Installation track 555 mm

For details and miscellaneous, see page 655

12 360 970 FF | FF | Euro

 Concealed rough parts | **90** | 112.20


Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

For details and miscellaneous, see page 655

12 340 970 FF | FF | Euro

 Concealed rough parts | **90** | 113.00

36 503 979 +
2x 36 607 660



Thermostat module with 2 valves

- cover plate Ø 124 mm
- **rosette Ø 60 mm**
- **temperature control handle with safety limit stop at 38°C**
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 503 979 FF		2x 36 607 660 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,136.30	-00	288.10	1,712.50
Brushed Chrome	-93	1,477.20	-93	374.50	2,226.20
Brushed Platinum	-06	1,818.10	-06	460.90	2,739.90
Light Gold	-26	1,704.40	-26	432.10	2,568.60
Brushed Light Gold	-27	1,704.40	-27	432.10	2,568.60
Brushed Dark Brass	-39	1,818.10	-39	460.90	2,739.90
Brushed Bronze	-42	1,818.20	-42	460.90	2,740.00
Dark Chrome	-19	1,704.40	-19	432.10	2,568.60
Brushed Dark Platinum	-99	2,045.30	-99	518.60	3,082.50
Matte Black	-33	1,534.30	-33	388.90	2,312.10



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 521 970 FF | FF Euro

- min. recess depth 115 mm
 - max. recess depth 155 mm
- For details and miscellaneous, see page 643

Concealed rough parts **90** 1,180.70



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 524 970 FF | FF Euro

- min. recess depth mm
 - max. recess depth mm
- For details and miscellaneous, see page 643

Concealed rough parts **90** 1,167.70



Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF | FF Euro

For details and miscellaneous, see page 655

Concealed rough parts **90** 112.20



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF | FF Euro

For details and miscellaneous, see page 655

Concealed rough parts **90** 113.00

36 503 979 +
2x 36 607 740



xTOOL Thermostat module with 2 valves

- cover plate Ø 124 mm
- handle Ø 60mm
- without rosette
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

Note: Important! The minimum recess depths make it necessary to have a wall of 2 x 6 cross-pieces.

Fits META

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 503 979 FF		2x 36 607 740 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,136.30	-00	288.10	1,712.50
Brushed Chrome	-93	1,477.20	-93	374.50	2,226.20
Brushed Platinum	-06	1,818.10	-06	460.90	2,739.90
Light Gold	-26	1,704.40	-26	432.10	2,568.60
Brushed Light Gold	-27	1,704.40	-27	432.10	2,568.60
Brushed Dark Brass	-39	1,818.10	-39	460.90	2,739.90
Brushed Bronze	-42	1,818.20	-42	460.90	2,740.00
Dark Chrome	-19	1,704.40	-19	432.30	2,569.00
Brushed Dark Platinum	-99	2,045.30	-99	518.70	3,082.70
Matte Black	-33	1,534.30	-33	388.80	2,311.90



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 521 970 FF | FF Euro

- min. recess depth 95 mm
 - max. recess depth 160 mm
- For details and miscellaneous, see page 643

Concealed rough parts **90** 1,180.70



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 524 970 FF | FF Euro

- min. recess depth 95 mm
 - max. recess depth 160 mm
- For details and miscellaneous, see page 643

Concealed rough parts **90** 1,167.70



Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF | FF Euro

For details and miscellaneous, see page 655

Concealed rough parts **90** 112.20



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF | FF Euro

For details and miscellaneous, see page 655

Concealed rough parts **90** 113.00

36 503 979 +
2x 36 607 661



xTOOL Thermostat module with 2 valves

- cover plate Ø 123 mm
- rosette Ø 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 503 979 FF		2x 36 607 661 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,136.30	-00	227.40	1,591.10
Brushed Chrome	-93	1,477.20	-93	295.70	2,068.60
Brushed Platinum	-06	1,818.10	-06	364.00	2,546.10
Light Gold	-26	1,704.40	-26	341.20	2,386.80
Brushed Light Gold	-27	1,704.40	-27	341.20	2,386.80
Brushed Dark Brass	-39	1,818.10	-39	363.90	2,545.90
Brushed Bronze	-42	1,818.20	-42	363.90	2,546.00
Dark Chrome	-19	1,704.40	-19	341.30	2,387.00
Brushed Dark Platinum	-99	2,045.30	-99	409.40	2,864.10
Matte Black	-33	1,534.30	-33	307.10	2,148.50



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

	35 521 970 FF	FF	Euro
Concealed rough parts		90	1,180.70

- min. recess depth 95 mm
 - max. recess depth 160 mm
- For details and miscellaneous, see page 643



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

	35 524 970 FF	FF	Euro
Concealed rough parts		90	1,167.70

- min. recess depth 95 mm
 - max. recess depth 160 mm
- For details and miscellaneous, see page 643



Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
Concealed rough parts		90	112.20

For details and miscellaneous, see page 655



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

	12 340 970 FF	FF	Euro
Concealed rough parts		90	113.00

For details and miscellaneous, see page 655

36 503 979 +
3x 36 607 660



Thermostat module with 3 valves

- cover plate Ø 124 mm
- **rosette Ø 60 mm**
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 503 979 FF		3x 36 607 660 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,136.30	-00	288.10	2,000.60
Brushed Chrome	-93	1,477.20	-93	374.50	2,600.70
Brushed Platinum	-06	1,818.10	-06	460.90	3,200.80
Light Gold	-26	1,704.40	-26	432.10	3,000.70
Brushed Light Gold	-27	1,704.40	-27	432.10	3,000.70
Brushed Dark Brass	-39	1,818.10	-39	460.90	3,200.80
Brushed Bronze	-42	1,818.20	-42	460.90	3,200.90
Dark Chrome	-19	1,704.40	-19	432.10	3,000.70
Brushed Dark Platinum	-99	2,045.30	-99	518.60	3,601.10
Matte Black	-33	1,534.30	-33	388.90	2,701.00



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 531 970 FF | FF Euro

- min. recess depth 115 mm
- max. recess depth 155 mm

For details and miscellaneous, see page 643

Concealed rough parts **90** 1,268.90



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 534 970 FF | FF Euro

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 643

Concealed rough parts **90** 1,374.60



Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF | FF Euro

For details and miscellaneous, see page 655

Concealed rough parts **90** 112.20



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF | FF Euro

For details and miscellaneous, see page 655

Concealed rough parts **90** 113.00

36 503 979 +
3x 36 607 740



xTOOL Thermostat module with 3 valves

- cover plate Ø 124 mm
- handle Ø 60mm
- without rosette
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

Note: Important! The minimum recess depths make it necessary to have a wall of 2 x 6 cross-pieces.

Fits META

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 503 979 FF		3x 36 607 740 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,136.30	-00	288.10	2,000.60
Brushed Chrome	-93	1,477.20	-93	374.50	2,600.70
Brushed Platinum	-06	1,818.10	-06	460.90	3,200.80
Light Gold	-26	1,704.40	-26	432.10	3,000.70
Brushed Light Gold	-27	1,704.40	-27	432.10	3,000.70
Brushed Dark Brass	-39	1,818.10	-39	460.90	3,200.80
Brushed Bronze	-42	1,818.20	-42	460.90	3,200.90
Dark Chrome	-19	1,704.40	-19	432.30	3,001.30
Brushed Dark Platinum	-99	2,045.30	-99	518.70	3,601.40
Matte Black	-33	1,534.30	-33	388.80	2,700.70



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 531 970 FF | FF Euro

- min. recess depth 95 mm
 - max. recess depth 160 mm
- For details and miscellaneous, see page 643

Concealed rough parts **90** 1,268.90



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 534 970 FF | FF Euro

- min. recess depth 95 mm
 - max. recess depth 160 mm
- For details and miscellaneous, see page 643

Concealed rough parts **90** 1,374.60



Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF | FF Euro

For details and miscellaneous, see page 655

Concealed rough parts **90** 112.20



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF | FF Euro

For details and miscellaneous, see page 655

Concealed rough parts **90** 113.00

36 503 979 +
3x 36 607 661



xTOOL Thermostat module with 3 valves

- cover plate Ø 123 mm
- **rosette Ø 60 mm**
- **temperature control handle with safety limit stop at 38°C**
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 503 979 FF		3x 36 607 661 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,136.30	-00	227.40	1,818.50
Brushed Chrome	-93	1,477.20	-93	295.70	2,364.30
Brushed Platinum	-06	1,818.10	-06	364.00	2,910.10
Light Gold	-26	1,704.40	-26	341.20	2,728.00
Brushed Light Gold	-27	1,704.40	-27	341.20	2,728.00
Brushed Dark Brass	-39	1,818.10	-39	363.90	2,909.80
Brushed Bronze	-42	1,818.20	-42	363.90	2,909.90
Dark Chrome	-19	1,704.40	-19	341.30	2,728.30
Brushed Dark Platinum	-99	2,045.30	-99	409.40	3,273.50
Matte Black	-33	1,534.30	-33	307.10	2,455.60



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 531 970 FF | FF Euro

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 643

Concealed rough parts **90** 1,268.90



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 534 970 FF | FF Euro

- min. recess depth 95 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 643

Concealed rough parts **90** 1,374.60



Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF | FF Euro

For details and miscellaneous, see page 655

Concealed rough parts **90** 112.20



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF | FF Euro

For details and miscellaneous, see page 655

Concealed rough parts **90** 113.00

36 501 979



xTOOL Concealed thermostat without volume control 1/2"

- cover plate Ø 124 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

Fits META, TARA, VAIA

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 501 979 FF	FF	Euro
Chrome		-00	1,136.30
Brushed Chrome		-93	1,477.20
Platinum		-08	1,818.10
Brushed Platinum		-06	1,818.10
Light Gold		-26	1,704.40
Brushed Light Gold		-27	1,704.40
Brushed Dark Brass		-39	1,818.10
Brushed Bronze		-42	1,818.20
Dark Chrome		-19	1,704.40
Brushed Dark Platinum		-99	2,045.30
Matte Black		-33	1,534.30

Product alternative

- 3/4" thermostat cartridge with integrated filters

Standard article	36 503 979 FF	FF	Euro
Chrome		-00	1,136.30
Brushed Chrome		-93	1,477.20
Platinum		-08	1,818.10
Brushed Platinum		-06	1,818.10
Light Gold		-26	1,704.40
Brushed Light Gold		-27	1,704.40
Brushed Dark Brass		-39	1,818.10
Brushed Bronze		-42	1,818.20
Dark Chrome		-19	1,704.40
Brushed Dark Platinum		-99	2,045.30
Matte Black		-33	1,534.30

Required miscellaneous



xTOOL Concealed thermostat module without volume control

35 503 970 FF	FF	Euro
	Concealed rough parts	90 864.70

- min. recess depth 85 mm
 - max. recess depth 110 mm
- For details and miscellaneous, see page 642

Required miscellaneous



xGRID Installation track 555 mm

12 360 970 FF	FF	Euro
	Concealed rough parts	90 112.20

For details and miscellaneous, see page 655

36 607 660



Wall valve clockwise closing 1/2"

- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

Fits META

Custom-made options

- Finish variants

Standard article	36 607 660 FF	FF	Euro
Chrome		-00	288.10
Brushed Chrome		-93	374.50
Brushed Platinum		-06	460.90
Light Gold		-26	432.10
Brushed Light Gold		-27	432.10
Brushed Dark Brass		-39	460.90
Brushed Bronze		-42	460.90
Dark Chrome		-19	432.10
Brushed Dark Platinum		-99	518.60
Matte Black		-33	388.90

Required miscellaneous



Wall valve 1/2"

35 607 970 FF	FF	Euro
	Concealed rough parts	90 90.90

- min. recess depth 75 mm
 - max. recess depth 145 mm
- For details and miscellaneous, see page 644

36 608 660

Wall valve clockwise closing 3/4"

- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

Fits META
Custom-made options

- Finish variants

Standard article	36 608 660 FF	FF	Euro
Chrome		-00	288.10
Brushed Chrome		-93	374.50
Brushed Platinum		-06	460.90
Light Gold		-26	432.10
Brushed Light Gold		-27	432.10
Brushed Dark Brass		-39	460.90
Brushed Bronze		-42	460.90
Dark Chrome		-19	432.10
Brushed Dark Platinum		-99	518.60
Matte Black		-33	388.90



Required miscellaneous

Wall valve 3/4"
35 608 970 FF FF Euro

- min. recess depth 75 mm
 - max. recess depth 145 mm
- Concealed rough parts **90** 119.20
- For details and miscellaneous, see page 644

36 607 740

Wall valve clockwise closing 1/2"

- without rosette
- handle Ø 60mm
- without marking
- head part with cut-to-length spindle and sleeve

Fits CL.1, META, CYO
Custom-made options

- Finish variants
- without logo

Standard article	36 607 740 FF	FF	Euro
Chrome		-00	288.10
Brushed Chrome		-93	374.50
Brushed Platinum		-06	460.90
Light Gold		-26	432.10
Brushed Light Gold		-27	432.10
Brushed Dark Brass		-39	460.90
Brushed Bronze		-42	460.90
Dark Chrome		-19	432.30
Brushed Dark Platinum		-99	518.70
Matte Black		-33	388.80



Required miscellaneous

Wall valve 1/2"
35 607 970 FF FF Euro

- min. recess depth 85 mm
 - max. recess depth 145 mm
- Concealed rough parts **90** 90.90
- For details and miscellaneous, see page 644

36 607 661

Wall valve clockwise closing 1/2"

- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

Custom-made options

- Finish variants
- without logo

Standard article	36 607 661 FF	FF	Euro
Chrome		-00	227.40
Brushed Chrome		-93	295.70
Brushed Platinum		-06	364.00
Light Gold		-26	341.20
Brushed Light Gold		-27	341.20
Brushed Dark Brass		-39	363.90
Brushed Bronze		-42	363.90
Dark Chrome		-19	341.30
Brushed Dark Platinum		-99	409.40
Matte Black		-33	307.10



Required miscellaneous

Wall valve 1/2"
35 607 970 FF FF Euro

- min. recess depth 85 mm
 - max. recess depth 145 mm
- Concealed rough parts **90** 90.90
- For details and miscellaneous, see page 644

36 608 740



Wall valve clockwise closing 3/4"

- without rosette
- handle Ø 60mm
- without marking
- head part with cut-to-length spindle and sleeve

Fits CL.1, META, CYO

Custom-made options

- Finish variants
- without logo

Standard article	36 608 740 FF	FF	Euro
Chrome	-00		288.10
Brushed Chrome	-93		374.50
Brushed Platinum	-06		460.90
Light Gold	-26		432.10
Brushed Light Gold	-27		432.10
Brushed Dark Brass	-39		460.90
Brushed Bronze	-42		460.90
Dark Chrome	-19		432.30
Brushed Dark Platinum	-99		518.70
Matte Black	-33		388.80



Required miscellaneous

Wall valve 3/4"

	35 608 970 FF	FF	Euro
• min. recess depth 85 mm			
• max. recess depth 145 mm			
Concealed rough parts	90		119.20

For details and miscellaneous, see page 644

36 608 661



Wall valve clockwise closing 3/4"

- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

Custom-made options

- Finish variants
- without logo

Standard article	36 608 661 FF	FF	Euro
Chrome	-00		227.40
Brushed Chrome	-93		295.70
Brushed Platinum	-06		364.00
Light Gold	-26		341.20
Brushed Light Gold	-27		341.20
Brushed Dark Brass	-39		363.90
Brushed Bronze	-42		363.90
Dark Chrome	-19		341.30
Brushed Dark Platinum	-99		409.40
Matte Black	-33		307.10



Required miscellaneous

Wall valve 3/4"

	35 608 970 FF	FF	Euro
• min. recess depth 85 mm			
• max. recess depth 145 mm			
Concealed rough parts	90		119.20

For details and miscellaneous, see page 644

36 200 661



Concealed two-way diverter

- rotary diverter
- without rosette
- handle Ø 60mm

Fits META

Custom-made options

- Finish variants
- without logo

Standard article	36 200 661 FF	FF	Euro
Chrome	-00		565.50
Brushed Chrome	-93		735.10
Brushed Platinum	-06		904.60
Light Gold	-26		848.10
Brushed Light Gold	-27		848.10
Brushed Dark Brass	-39		904.80
Brushed Bronze	-42		904.60
Dark Chrome	-19		848.20
Brushed Dark Platinum	-99		1,017.80
Matte Black	-33		763.20



Required miscellaneous

Concealed two-way diverter

	35 202 970 FF	FF	Euro
• min. recess depth 115 mm			
• max. recess depth 160 mm			
Concealed rough parts	90		295.90

For details and miscellaneous, see page 644

36 200 740

Concealed two-way diverter

- rotary diverter
- without rosette
- handle Ø 60mm

Fits CL.1, META, CYO
Custom-made options

- Finish variants
- without logo

Standard article	36 200 740 FF	FF	Euro
Chrome	-00		341.80
Brushed Platinum	-06		546.90
Light Gold	-26		512.70
Brushed Light Gold	-27		512.70
Brushed Dark Brass	-39		546.80
Brushed Bronze	-42		546.80
Dark Chrome	-19		512.80
Brushed Dark Platinum	-99		615.20
Matte Black	-33		461.40



Required miscellaneous

Concealed two-way diverter
35 202 970 FF FF Euro

• min. recess depth 85 mm	Concealed rough parts	90	295.90
• max. recess depth 160 mm			

For details and miscellaneous, see page 644

36 210 661

Concealed three-way diverter

- rotary diverter
- without rosette
- handle Ø 60mm

Fits META
Custom-made options

- Finish variants
- without logo

Standard article	36 210 661 FF	FF	Euro
Chrome	-00		565.50
Brushed Chrome	-93		735.10
Brushed Platinum	-06		904.60
Light Gold	-26		848.10
Brushed Light Gold	-27		848.10
Brushed Dark Brass	-39		904.80
Brushed Bronze	-42		904.60
Dark Chrome	-19		848.20
Brushed Dark Platinum	-99		1,017.80
Matte Black	-33		763.20



Required miscellaneous

Concealed three-way diverter
35 203 970 FF FF Euro

• min. recess depth 115 mm	Concealed rough parts	90	360.40
• max. recess depth 160 mm			

For details and miscellaneous, see page 644

36 210 740

Concealed three-way diverter

- rotary diverter
- without rosette
- handle Ø 60mm

Fits CL.1, META, CYO
Custom-made options

- Finish variants
- without logo

Standard article	36 210 740 FF	FF	Euro
Chrome	-00		341.80
Brushed Platinum	-06		546.90
Light Gold	-26		512.70
Brushed Light Gold	-27		512.70
Brushed Dark Brass	-39		546.80
Brushed Bronze	-42		546.80
Dark Chrome	-19		512.80
Brushed Dark Platinum	-99		615.20
Matte Black	-33		461.40



Required miscellaneous

Concealed three-way diverter
35 203 970 FF FF Euro

• min. recess depth 85 mm	Concealed rough parts	90	360.40
• max. recess depth 160 mm			

For details and miscellaneous, see page 644

25 863 661



Single-lever bath mixer with stand pipe for free-standing assembly with hand shower set

- spout: circular, air-enriched flow
- max. flow 19.5 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- bar-type hand shower with anti-scale system
- pivotable spout 360°
- **281mm projection**
- wall bracket
- automatic bath/shower diverter
- total height 1031 - 1101 mm
- stand pipe height 565 - 635 mm
- height up to aerator 899 – 969 mm
- slide-on rosettes Ø 135 mm
- metal shower hose 1250mm with integrated anti-twist protection

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Flow rate modification
- Height modification
- Red/blue marking
- without hand shower
- without logo

Standard article	25 863 661 FF	FF	Euro
Chrome		-00	3,316.30
Brushed Chrome		-93	4,311.30
Brushed Platinum		-06	5,306.30
Light Gold		-26	4,974.50
Brushed Light Gold		-27	4,974.50
Brushed Dark Brass		-39	5,306.00
Brushed Bronze		-42	5,306.10
Dark Chrome		-19	4,974.50
Brushed Dark Platinum		-99	5,969.50
Matte Black		-33	4,478.00



Required miscellaneous

Concealed floor mounting

	35 945 970 FF	FF	Euro
• min. recess depth 80 mm		90	840.10
• max. recess depth 150 mm			

Concealed rough parts

For details and miscellaneous, see page 644

33 200 660



Single-lever bath mixer for wall mounting without shower set

- **202mm projection**
- circular normal flow
- automatic bath/shower diverter
- 3/8" shower outlet
- slide-on rosettes Ø 60 mm
- 1/2" connection
- gauge 150 mm - 15 mm
- max. flow 14 l/min at 3 bar flow pressure

Intrinsic protection against back flow.

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	33 200 660 FF	FF	Euro
Chrome		-00	675.90
Brushed Chrome		-93	878.60
Brushed Platinum		-06	1,081.30
Light Gold		-26	1,013.80
Brushed Light Gold		-27	1,013.80
Brushed Dark Brass		-39	1,081.40
Brushed Bronze		-42	1,081.40
Dark Chrome		-19	1,013.80
Brushed Dark Platinum		-99	1,216.50
Matte Black		-33	912.40

33 233 660



Single-lever bath mixer for wall mounting with hand shower set

- spout: circular, air-enriched flow
- max. flow 14 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- **202mm projection**
- slide-on rosettes Ø 60 mm
- gauge 150 mm - 15 mm
- 1/2" connection
- metal shower hose 1250mm with integrated anti-twist protection
- shower holder rosette Ø 57mm

Intrinsic protection against back flow.

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without hand shower
- without logo

Standard article	33 233 660 FF	FF	Euro
Chrome		-00	1,000.50
Brushed Chrome		-93	1,300.80
Brushed Platinum		-06	1,601.10
Light Gold		-26	1,500.90
Brushed Light Gold		-27	1,500.90
Brushed Dark Brass		-39	1,600.80
Brushed Bronze		-42	1,600.90
Dark Chrome		-19	1,500.90
Brushed Dark Platinum		-99	1,801.10
Matte Black		-33	1,351.40

34 201 979


Bath thermostat for wall mounting without shower set

- **210mm projection**
- circular normal flow
- rotary diverter with volume control and shut-off function
- 3/8" shower outlet
- slide-on rosettes Ø 60 mm
- 1/2" connection
- gauge 150 mm - 15 mm
- max. flow 16.9 l/min at 3 bar flow pressure

Intrinsic protection against back flow.
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	34 201 979 FF	FF	Euro
Chrome		-00	963.80
Brushed Chrome		-93	1,253.00
Brushed Platinum		-06	1,542.00
Light Gold		-26	1,445.70
Brushed Light Gold		-27	1,445.70
Brushed Dark Brass		-39	1,542.00
Brushed Bronze		-42	1,542.10
Dark Chrome		-19	1,445.60
Brushed Dark Platinum		-99	1,734.80
Matte Black		-33	1,301.00

34 234 979


Bath thermostat for wall mounting with hand shower set

- spout: circular, air-enriched flow
- max. flow 16.9 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 60 mm
- **210mm projection**
- 1/2" connection
- gauge 150 mm - 15 mm
- metal shower hose 1250mm with integrated anti-twist protection
- shower holder rosette Ø 57mm

Intrinsic protection against back flow.
Custom-made options

- Finish variants
- Red/blue marking
- without hand shower
- without logo

Standard article	34 234 979 FF	FF	Euro
Chrome		-00	1,362.00
Brushed Chrome		-93	1,770.60
Brushed Platinum		-06	2,179.20
Light Gold		-26	2,043.00
Brushed Light Gold		-27	2,043.00
Brushed Dark Brass		-39	2,179.20
Brushed Bronze		-42	2,179.20
Dark Chrome		-19	2,043.20
Brushed Dark Platinum		-99	2,451.60
Matte Black		-33	1,838.80

13 672 661


Bath spout without diverter for free-standing assembly

- **282mm projection**
- circular normal flow
- total height 811 - 881 mm
- height up to aerator 671 - 741 mm
- slide-on rosettes Ø 135 mm
- max. flow 28.6 l/min at 3 bar flow pressure

Custom-made options

- Finish variants
- without logo

Standard article	13 672 661 FF	FF	Euro
Chrome		-00	1,630.90
Brushed Chrome		-93	2,120.30
Brushed Platinum		-06	2,609.50
Light Gold		-26	2,446.50
Brushed Light Gold		-27	2,446.50
Brushed Dark Brass		-39	2,609.40
Brushed Bronze		-42	2,609.50
Dark Chrome		-19	2,446.50
Brushed Dark Platinum		-99	2,935.70
Matte Black		-33	2,201.60



Required miscellaneous

Concealed floor mounting

	35 945 970 FF	FF	Euro
• min. recess depth 80 mm			
• max. recess depth 150 mm			
Concealed rough parts		90	840.10

For details and miscellaneous, see page 644

27 632 661



Bath shower set for bath rim or tile edge installation

- spout: circular, air-enriched flow
- max. flow 23.5 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- **221 mm projection**
- height of mixer 319 mm
- height up to aerator 216 mm
- hole diameter spout 35 mm
- hole diameter single-lever mixer 35 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout Ø 60mm
- rosette for single-lever mixer Ø 55mm
- rosette for complete hand shower set Ø 60mm
- metal shower hose 1750mm with integrated anti-twist protection

Intrinsic protection against back flow.

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Custom-made options

- Finish variants
- Red/blue marking
- without hand shower
- without logo

Standard article	27 632 661 FF	FF	Euro
Chrome		-00	1,693.90
Brushed Chrome		-93	2,202.10
Brushed Platinum		-06	2,710.30
Light Gold		-26	2,541.00
Brushed Light Gold		-27	2,541.00
Brushed Dark Brass		-39	2,710.30
Brushed Bronze		-42	2,710.30
Dark Chrome		-19	2,541.10
Brushed Dark Platinum		-99	3,049.10
Matte Black		-33	2,285.90



Recommended miscellaneous

Perfecto installation kit	12 614 970 FF	FF	Euro
For details and miscellaneous, see page 646	Concealed rough parts	90	1,794.10

Recommended miscellaneous

Decorative caps for Perfecto	12 801 970 FF	FF	Euro
• 1 pair	Chrome	-00	55.50
	Brushed Chrome	-93	72.10
	Brushed Platinum	-06	89.00
	Light Gold	-26	83.20
	Brushed Light Gold	-27	83.20
	Brushed Dark Brass	-39	88.80
	Brushed Bronze	-42	88.80
	Dark Chrome	-19	83.40
	Brushed Dark Platinum	-99	99.80
	Matte Black	-33	75.30

13 801 660



Bath spout for wall mounting

- **200mm projection**
- circular normal flow
- rosette Ø 60 mm
- hole diameter 37 mm
- 1/2" connection
- max. flow 24.6 l/min at 3 bar flow pressure

Custom-made options

- Finish variants
- Projection modification
- without logo

Standard article	13 801 660 FF	FF	Euro
Chrome		-00	516.80
Brushed Chrome		-93	671.90
Brushed Platinum		-06	826.70
Light Gold		-26	775.30
Brushed Light Gold		-27	775.30
Brushed Dark Brass		-39	826.80
Brushed Bronze		-42	826.80
Dark Chrome		-19	775.40
Brushed Dark Platinum		-99	930.20
Matte Black		-33	697.80



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
• min. recess depth 90 mm • max. recess depth 163 mm For details and miscellaneous, see page 645	Concealed rough parts	90	122.80

27 702 660



Hand shower set for bath rim or tile edge installation

- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- with anti-scale system
- rosette Ø 60 mm
- hole diameter 32 mm
- metal shower hose 1750mm with integrated anti-twist protection

Two-piece design allows hose to later be changed without dismantling the fitting.

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 702 660 FF	FF	Euro
Chrome		-00	429.40
Brushed Chrome		-93	558.20
Brushed Platinum		-06	686.70
Light Gold		-26	644.20
Brushed Light Gold		-27	644.20
Brushed Dark Brass		-39	687.00
Brushed Bronze		-42	687.00
Dark Chrome		-19	644.10
Brushed Dark Platinum		-99	772.90
Matte Black		-33	579.70

29 300 660


Single-lever bath mixer for bath rim or tile edge installation

- hole diameter 35 mm
- max. flow 35.7 l/min at 3 bar flow pressure

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	29 300 660 FF	FF	Euro
Chrome		-00	558.90
Brushed Chrome		-93	726.60
Brushed Platinum		-06	894.30
Light Gold		-26	838.40
Brushed Light Gold		-27	838.40
Brushed Dark Brass		-39	894.20
Brushed Bronze		-42	894.20
Dark Chrome		-19	838.40
Brushed Dark Platinum		-99	1,006.10
Matte Black		-33	754.70

29 140 660


Two-way diverter for bath rim or tile edge installation

- automatic bath/shower diverter
- hole diameter 32 mm
- rosette Ø 60 mm
- 1/2" connection
- max. flow 64.9 l/min at 3 bar flow pressure

Custom-made options

- Finish variants
- without logo

Standard article	29 140 660 FF	FF	Euro
Chrome		-00	645.30
Brushed Chrome		-93	838.90
Brushed Platinum		-06	1,032.80
Light Gold		-26	967.90
Brushed Light Gold		-27	967.90
Brushed Dark Brass		-39	1,032.50
Brushed Bronze		-42	1,032.50
Dark Chrome		-19	967.90
Brushed Dark Platinum		-99	1,161.50
Matte Black		-33	871.30

36 120 660


Concealed single-lever mixer with diverter

- automatic diverter
- cover plate Ø 150 mm

Fits META, TARA
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 120 660 FF	FF	Euro
Chrome		-00	559.30
Brushed Chrome		-93	727.10
Brushed Platinum		-06	894.60
Light Gold		-26	839.00
Brushed Light Gold		-27	839.00
Brushed Dark Brass		-39	894.90
Brushed Bronze		-42	894.90
Dark Chrome		-19	839.10
Brushed Dark Platinum		-99	1,006.80
Matte Black		-33	755.50



Required miscellaneous

Concealed single-lever mixer
35 020 970 FF FF Euro

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 641

 Concealed rough parts **90** 236.90


Required miscellaneous

Concealed single-lever mixer with backflow preventor
35 021 970 FF FF Euro

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 641

 Concealed rough parts **90** 338.50

36 243 970



Pop-up waste and overflow

- drain Ø 52mm

Also suitable for king-size baths.

Custom-made options

- Finish variants
- without logo

Standard article	36 243 970 FF	FF	Euro
Chrome		-00	221.00
Brushed Chrome		-93	287.40
Platinum		-08	353.90
Brushed Platinum		-06	353.90
Light Gold		-26	331.60
Brushed Light Gold		-27	331.60
Brushed Dark Brass		-39	353.70
Brushed Bronze		-42	353.60
Dark Chrome		-19	331.70
Brushed Dark Platinum		-99	397.80
Matte Black		-33	298.70



Required miscellaneous

Pop-up waste and overflow

- bowden cable length 725 mm

35 227 970 FF	FF	Euro
Concealed rough parts	90	179.20

36 247 970



Bath spout with pop-up waste and overflow

- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

Custom-made options

- Finish variants
- without logo

Standard article	36 247 970 FF	FF	Euro
Chrome		-00	334.40
Brushed Chrome		-93	434.80
Platinum		-08	535.10
Brushed Platinum		-06	535.10
Light Gold		-26	501.70
Brushed Light Gold		-27	501.70
Brushed Dark Brass		-39	535.10
Brushed Bronze		-42	535.10
Dark Chrome		-19	501.70
Brushed Dark Platinum		-99	601.80
Matte Black		-33	451.30



Required miscellaneous

Vacuum breaker

36 150 970 FF	FF	Euro
Chrome	-00	91.70
Brushed Chrome	-93	119.30
Platinum	-08	146.70
Brushed Platinum	-06	146.70
Light Gold	-26	137.60
Brushed Light Gold	-27	137.60
Brushed Dark Brass	-39	146.70
Brushed Bronze	-42	146.80
Dark Chrome	-19	137.50
Brushed Dark Platinum	-99	164.90
Matte Black	-33	123.90



Required miscellaneous

Bath spout with pop-up waste and overflow

- bowden cable length 725 mm

35 248 970 FF	FF	Euro
Concealed rough parts	90	493.60

83 020 979


Bath grip

- gauge 200 mm
- width 240mm
- height 40 mm
- rosette Ø 40 mm
- 75mm projection

Custom-made options

- Finish variants

Standard article	83 020 979 FF	FF	Euro
Chrome		-00	289.30
Brushed Chrome		-93	376.20
Brushed Platinum		-06	462.90
Light Gold		-26	434.00
Brushed Light Gold		-27	434.00
Brushed Dark Brass		-39	462.90
Brushed Bronze		-42	462.90
Dark Chrome		-19	434.10
Brushed Dark Platinum		-99	520.80
Matte Black		-33	390.60

83 211 979


Towel bar 1-piece non-swivel

- rosette Ø 40 mm
- 490mm projection

Custom-made options

- Finish variants

Standard article	83 211 979 FF	FF	Euro
Chrome		-00	169.60
Brushed Chrome		-93	220.60
Brushed Platinum		-06	271.70
Light Gold		-26	254.50
Brushed Light Gold		-27	254.50
Brushed Dark Brass		-39	271.40
Brushed Bronze		-42	271.50
Dark Chrome		-19	254.40
Brushed Dark Platinum		-99	305.40
Matte Black		-33	229.00

83 215 979


Towel bar 1-piece non-swivel

- rosette Ø 40 mm
- 360mm projection

Custom-made options

- Finish variants

Standard article	83 215 979 FF	FF	Euro
Chrome		-00	155.60
Brushed Chrome		-93	202.30
Brushed Platinum		-06	249.30
Light Gold		-26	233.40
Brushed Light Gold		-27	233.40
Brushed Dark Brass		-39	249.10
Brushed Bronze		-42	249.00
Dark Chrome		-19	233.20
Brushed Dark Platinum		-99	280.10
Matte Black		-33	210.00

83 200 979


Towel ring round

- width 185mm
- rosette Ø 40 mm
- 55mm projection

Custom-made options

- Finish variants

Standard article	83 200 979 FF	FF	Euro
Chrome		-00	176.50
Brushed Chrome		-93	229.50
Brushed Platinum		-06	282.80
Light Gold		-26	264.70
Brushed Light Gold		-27	264.70
Brushed Dark Brass		-39	282.40
Brushed Bronze		-42	282.40
Dark Chrome		-19	264.90
Brushed Dark Platinum		-99	317.70
Matte Black		-33	238.20

83 400 979


Tumbler holder wall model

- crystal glass, transparent
- width 60mm
- height 120 mm
- 110mm projection

Custom-made options

- Finish variants

Standard article	83 400 979 FF	FF	Euro
Chrome		-00	278.90
Brushed Chrome		-93	362.70
Platinum		-08	446.30
Brushed Platinum		-06	446.30
Light Gold		-26	418.50
Brushed Light Gold		-27	418.50
Brushed Dark Brass		-39	446.30
Brushed Bronze		-42	446.30
Dark Chrome		-19	418.50
Brushed Dark Platinum		-99	502.00
Matte Black		-33	376.50

83 401 979



Tumbler holder wall model

- crystal glass brush holder, matte
- width 60mm
- height 120 mm
- 110mm projection

Custom-made options

- Finish variants

Standard article	83 401 979 FF	FF	Euro
Chrome		-00	278.90
Brushed Chrome		-93	362.70
Platinum		-08	446.30
Brushed Platinum		-06	446.30
Light Gold		-26	418.50
Brushed Light Gold		-27	418.50
Brushed Dark Brass		-39	446.30
Brushed Bronze		-42	446.30
Dark Chrome		-19	418.50
Brushed Dark Platinum		-99	502.00
Matte Black		-33	376.50



Recommended miscellaneous

Crystal tumbler	08 90 00 008 FF	FF	Euro
Glass		82	72.10

83 410 979



Soap dish wall model


- width 120mm
- height 20 mm
- 145mm projection

Custom-made options

- Finish variants

Standard article	83 410 979 FF	FF	Euro
Chrome		-00	289.30
Brushed Chrome		-93	376.20
Platinum		-08	462.90
Brushed Platinum		-06	462.90
Light Gold		-26	434.00
Brushed Light Gold		-27	434.00
Brushed Dark Brass		-39	462.90
Brushed Bronze		-42	462.90
Dark Chrome		-19	434.10
Brushed Dark Platinum		-99	520.90
Matte Black		-33	390.60

83 482 970



Shelf wall model

- width 300mm
- height 26 mm
- 100mm projection
- without grid element

Custom-made options

- Finish variants

Standard article	83 482 970 FF	FF	Euro
Chrome		-00	157.10
Brushed Chrome		-93	204.20
Platinum		-08	251.40
Brushed Platinum		-06	251.20
Light Gold		-26	235.70
Brushed Light Gold		-27	235.70
Brushed Dark Brass		-39	251.30
Brushed Bronze		-42	251.30
Dark Chrome		-19	235.60
Brushed Dark Platinum		-99	282.80
Matte Black		-33	212.20

Required miscellaneous

Grid element	82 482 970 FF	FF	Euro
• plastic grid elements			
		Taupe	-53 66.80
		Matte Black	-33 66.80
		Light Grey	-52 66.80
		Creamy White	-51 66.80

83 435 970



Dispenser wall model


- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 96mm projection

Custom-made options

- Finish variants
- without logo

Standard article	83 435 970 FF	FF	Euro
Chrome		-00	457.60
Brushed Chrome		-93	594.90
Platinum		-08	732.10
Brushed Platinum		-06	732.10
Light Gold		-26	686.50
Brushed Light Gold		-27	686.50
Brushed Dark Brass		-39	732.20
Brushed Bronze		-42	732.20
Dark Chrome		-19	686.50
Brushed Dark Platinum		-99	823.80
Matte Black		-33	617.90

83 290 970


Shower basket for wall mounting

- width 200mm
- height 70 mm
- 115mm projection

Custom-made options

- Finish variants

Standard article	83 290 970 FF	FF	Euro
Chrome		-00	221.60
Brushed Chrome		-93	288.10
Platinum		-08	354.60
Brushed Platinum		-06	354.60
Light Gold		-26	332.40
Brushed Light Gold		-27	332.40
Brushed Dark Brass		-39	354.50
Brushed Bronze		-42	354.40
Dark Chrome		-19	332.40
Brushed Dark Platinum		-99	398.90
Matte Black		-33	299.20

83 500 979


Tissue holder without cover

- width 150mm
- height 95 mm
- rosette Ø 40 mm
- 40mm projection

Custom-made options

- Finish variants

Standard article	83 500 979 FF	FF	Euro
Chrome		-00	262.50
Brushed Chrome		-93	341.30
Brushed Platinum		-06	420.00
Light Gold		-26	393.90
Brushed Light Gold		-27	393.90
Brushed Dark Brass		-39	420.00
Brushed Bronze		-42	420.00
Dark Chrome		-19	393.90
Brushed Dark Platinum		-99	472.60
Matte Black		-33	354.40

83 510 979


Tissue holder with cover

- width 150mm
- height 95 mm
- rosette Ø 40 mm
- 40mm projection

Custom-made options

- Finish variants

Standard article	83 510 979 FF	FF	Euro
Chrome		-00	337.00
Brushed Chrome		-93	438.10
Brushed Platinum		-06	538.90
Light Gold		-26	505.50
Brushed Light Gold		-27	505.50
Brushed Dark Brass		-39	539.20
Brushed Bronze		-42	539.30
Dark Chrome		-19	505.30
Brushed Dark Platinum		-99	606.60
Matte Black		-33	455.10

83 590 979


Reserve tissue holder

- rosette Ø 40 mm
- 105mm projection

Custom-made options

- Finish variants

Standard article	83 590 979 FF	FF	Euro
Chrome		-00	172.60
Brushed Chrome		-93	224.40
Brushed Platinum		-06	276.30
Light Gold		-26	258.90
Brushed Light Gold		-27	258.90
Brushed Dark Brass		-39	276.20
Brushed Bronze		-42	276.20
Dark Chrome		-19	258.90
Brushed Dark Platinum		-99	310.60
Matte Black		-33	233.00

83 900 970


Toilet brush set wall model

- crystal glass
- brush, matte black
- width 126mm
- height 415 mm
- 120mm projection

Custom-made options

- Finish variants

Standard article	83 900 970 FF	FF	Euro
Chrome		-00	396.20
Brushed Chrome		-93	515.20
Brushed Platinum		-06	634.00
Light Gold		-26	594.40
Brushed Light Gold		-27	594.40
Brushed Dark Brass		-39	634.00
Brushed Bronze		-42	634.10
Dark Chrome		-19	594.50
Brushed Dark Platinum		-99	713.30
Matte Black		-33	535.10

83 910 979



Toilet brush set wall model

- brush, matte black
- width 100mm
- height 456 mm
- 110mm projection

Custom-made options

- Finish variants
- without logo

Standard article	83 910 979 FF	FF	Euro
Chrome		-00	519.20
Brushed Chrome		-93	675.10
Platinum		-08	830.90
Brushed Platinum		-06	830.90
Light Gold		-26	778.80
Brushed Light Gold		-27	778.80
Brushed Dark Brass		-39	830.80
Brushed Bronze		-42	830.70
Dark Chrome		-19	778.90
Brushed Dark Platinum		-99	934.60
Matte Black		-33	700.90

84 910 979



Toilet brush set free-standing model

- brush, matte black
- width 100mm
- height 456 mm

Custom-made options

- Finish variants
- without logo

Standard article	84 910 979 FF	FF	Euro
Chrome		-00	469.70
Brushed Chrome		-93	610.60
Platinum		-08	751.50
Brushed Platinum		-06	751.50
Light Gold		-26	704.60
Brushed Light Gold		-27	704.60
Brushed Dark Brass		-39	751.50
Brushed Bronze		-42	751.60
Dark Chrome		-19	704.70
Brushed Dark Platinum		-99	845.40
Matte Black		-33	634.20

12 660 979



Cover plate for the concealed WC cistern made by TeCe

- **Not available in the United States and Canada due to local code requirements. Please contact us for more information.**

- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)

This product is compatible with the following TECE products:

- TECEprofil dry wall construction, article numbers: 9300300, 9300322, 9300301, 9300344, 9300309, 9300303, 9300388, 9300366, 9300102, 9300103, 9300329, 9300377, 9300378, 9400302, 9400303, 9400304, 9041335, 9041336, 9041337
- TECEbox wet wall construction, article numbers: 9370300, 9375300, 9371300

Custom-made options

- Finish variants
- without logo

Standard article	12 660 979 FF	FF	Euro
Chrome		-00	852.30
Brushed Chrome		-93	1,108.10
Platinum		-08	1,364.00
Brushed Platinum		-06	1,364.00
Light Gold		-26	1,278.50
Brushed Light Gold		-27	1,278.50
Brushed Dark Brass		-39	1,363.70
Brushed Bronze		-42	1,363.80
Dark Chrome		-19	1,278.40
Brushed Dark Platinum		-99	1,534.30
Matte Black		-33	1,150.60

12 665 979




Flush plate for concealed WC cisterns made by Geberit round


- cover plate 169 x 246 x 12 mm
- Mechanical flush plate with manual flush buttons
- For 2-volume flushing system
- Includes mounting frame, actuator rods and fastening material
- Sound-absorbing push rods, tool-free fast adjustment
- **Compatible with all Geberit Sigma series cisterns from 2001 onwards**


Custom-made options


- Finish variants
- without logo


Standard article	12 665 979 FF	FF	Euro
Chrome		-00	485.30
Brushed Chrome		-93	631.00
Platinum		-08	776.50
Brushed Platinum		-06	776.50
Light Gold		-26	728.00
Brushed Light Gold		-27	728.00
Brushed Dark Brass		-39	776.50
Brushed Bronze		-42	776.50
Dark Chrome		-19	728.00
Brushed Dark Platinum		-99	873.60
Matte Black		-33	655.20

83 150 979 	NEW Lighted mirror round <ul style="list-style-type: none"> • Wall mounting • Diameter: 600 mm • 40mm projection • wrap-around aluminum frame • All-round LED lighting • Dimmable • adjustable colour temperature from daylight white to warm white • Lights controlled by buttons, below • Degree of protection IP44 • integrated LED • includes fixing material 	Standard article	83 150 979 FF	FF	Euro
		Matte White		-10	1,767.00
		Matte Black		-33	1,767.00

83 151 979 	NEW Lighted mirror round <ul style="list-style-type: none"> • Wall mounting • Diameter: 750 mm • 40mm projection • wrap-around aluminum frame • All-round LED lighting • Dimmable • adjustable colour temperature from daylight white to warm white • Lights controlled by buttons, below • Degree of protection IP44 • integrated LED • includes fixing material 	Standard article	83 151 979 FF	FF	Euro
		Matte White		-10	2,065.00
		Matte Black		-33	2,065.00

83 150 980 	NEW Lighted mirror angular <ul style="list-style-type: none"> • Wall mounting • height 800 mm • width 400mm • 40mm projection • wrap-around aluminum frame • All-round LED lighting • Dimmable • adjustable colour temperature from daylight white to warm white • Lights controlled by buttons, below • Degree of protection IP44 • integrated LED • includes fixing material 	Standard article	83 150 980 FF	FF	Euro
		Matte White		-10	1,652.00
		Matte Black		-33	1,652.00

83 151 980 	NEW Lighted mirror angular <ul style="list-style-type: none"> • Wall mounting • height 1000 mm • width 600mm • 40mm projection • wrap-around aluminum frame • All-round LED lighting • Dimmable • adjustable colour temperature from daylight white to warm white • Lights controlled by buttons, below • Degree of protection IP44 • integrated LED • includes fixing material 	Standard article	83 151 980 FF	FF	Euro
		Matte White		-10	1,951.00
		Matte Black		-33	1,951.00

36 390 979 	NEW Electronic control elements for heated towel rail <ul style="list-style-type: none"> • rosette Ø 80 mm • Control element for towel warmer: 833XX979-FF • Degree of protection IP 44, CE marking Note: Different conditioning.	Standard article	36 390 979 FF	FF	Euro
		Chrome		-00	500.00
		Brushed Chrome		-93	650.00
		Dark Chrome		-19	750.00
		Brushed Dark Platinum		-99	900.00
		Matte Black		-33	675.00

83 304 979

NEW

Towel warmer, 4-fold, projection left, without control element

- gauge 120 mm
- width 610mm
- height 440 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.



Standard article	83 304 979 FF	FF	Euro
Chrome		-00	1,760.00
Brushed Chrome		-93	2,288.00
Dark Chrome		-19	2,640.00
Brushed Dark Platinum		-99	3,168.00
Matte Black		-33	2,376.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, without control element

35 311 970 FF	FF	Euro
---------------	----	------

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 651



83 306 979

NEW

Towel warmer, 6-fold, projection left, without control element

- gauge 120 mm
- width 610mm
- height 680 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.



Standard article	83 306 979 FF	FF	Euro
Chrome		-00	2,640.00
Brushed Chrome		-93	3,432.00
Dark Chrome		-19	3,960.00
Brushed Dark Platinum		-99	4,752.00
Matte Black		-33	3,564.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 6-fold, without control element

35 313 970 FF	FF	Euro
---------------	----	------

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 652



83 314 979

NEW

Towel warmer, 4-fold, projection right, without control element

- gauge 120 mm
- width 610mm
- height 440 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.



Standard article	83 314 979 FF	FF	Euro
Chrome		-00	1,760.00
Brushed Chrome		-93	2,288.00
Dark Chrome		-19	2,640.00
Brushed Dark Platinum		-99	3,168.00
Matte Black		-33	2,376.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, without control element

35 311 970 FF	FF	Euro
---------------	----	------

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 651



83 316 979

NEW

Towel warmer, 6-fold, projection right, without control element

- gauge 120 mm
- width 610mm
- height 680 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.



Standard article	83 316 979 FF	FF	Euro
Chrome		-00	2,640.00
Brushed Chrome		-93	3,432.00
Dark Chrome		-19	3,960.00
Brushed Dark Platinum		-99	4,752.00
Matte Black		-33	3,564.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 6-fold, without control element

35 313 970 FF	FF	Euro
---------------	----	------

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 652



83 304 979 +
36 390 979

NEW Towel warmer, 4-fold, projection left, with control element



- gauge 120 mm
- width 610mm
- height 560 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Standard article	1x 83 304 979 FF		1x 36 390 979 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,760.00	-00	500.00	2,260.00
Brushed Chrome	-93	2,288.00	-93	650.00	2,938.00
Dark Chrome	-19	2,640.00	-19	750.00	3,390.00
Brushed Dark Platinum	-99	3,168.00	-99	900.00	4,068.00
Matte Black	-33	2,376.00	-33	675.00	3,051.00



Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, with control element

35 312 970 FF | FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- Concealed rough parts **90** 850.00
- For details and miscellaneous, see page 651

83 306 979 +
36 390 979

NEW Towel warmer, 6-fold, projection left, with control element



- gauge 120 mm
- width 610mm
- height 800 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Standard article	1x 83 306 979 FF		1x 36 390 979 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	2,640.00	-00	500.00	3,140.00
Brushed Chrome	-93	3,432.00	-93	650.00	4,082.00
Dark Chrome	-19	3,960.00	-19	750.00	4,710.00
Brushed Dark Platinum	-99	4,752.00	-99	900.00	5,652.00
Matte Black	-33	3,564.00	-33	675.00	4,239.00



Required miscellaneous

Concealed wall installation box for heated towel rail, 6-fold, with control element

35 314 970 FF | FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- Concealed rough parts **90** 1,100.00
- For details and miscellaneous, see page 652

83 314 979 +
36 390 979

NEW Towel warmer, 4-fold, projection right, with control element



- gauge 120 mm
- width 610mm
- height 560 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Standard article	1x 83 314 979 FF		1x 36 390 979 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,760.00	-00	500.00	2,260.00
Brushed Chrome	-93	2,288.00	-93	650.00	2,938.00
Dark Chrome	-19	2,640.00	-19	750.00	3,390.00
Brushed Dark Platinum	-99	3,168.00	-99	900.00	4,068.00
Matte Black	-33	2,376.00	-33	675.00	3,051.00



Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, with control element

35 312 970 FF | FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- Concealed rough parts **90** 850.00
- For details and miscellaneous, see page 651

83 316 979 +
36 390 979

NEW Towel warmer, 6-fold, projection right, with control element

- gauge 120 mm
- width 610mm
- height 800 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.



Standard article	1x 83 316 979 FF		1x 36 390 979 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	2,640.00	-00	500.00	3,140.00
Brushed Chrome	-93	3,432.00	-93	650.00	4,082.00
Dark Chrome	-19	3,960.00	-19	750.00	4,710.00
Brushed Dark Platinum	-99	4,752.00	-99	900.00	5,652.00
Matte Black	-33	3,564.00	-33	675.00	4,239.00

Required miscellaneous



Concealed wall installation box for heated towel rail, 6-fold, with control element

35 314 970 FF		FF	Euro
• min. recess depth 70 mm	Concealed rough parts	90	1,100.00
• max. recess depth 105 mm			

For details and miscellaneous, see page 652

TARA

Sieger Design



Basin
from page 409

Bidet
from page 418

Shower
from page 421

Thermostats, mixers, diverters
and valves
from page 451

Bath
from page 461

Accessories
from page 466

Basin fittings

Single-lever basin mixers

137mm projection

166mm projection



33 500 882



33 513 882

Free-standing basin mixers

201mm projection



22 585 892

Single-hole basin mixers

100mm projection

135mm projection

165mm projection



22 302 892



22 512 892



22 513 892

with a raised pillar base

200mm projection

Three-hole basin mixers

166mm projection

166mm projection

135mm projection

135mm projection

165mm projection



22 533 892



20 705 882



20 705 892



20 710 892



20 710 882



20 713 892

Three-hole basin mixers

165mm projection

Pillar taps

100mm projection

Wall-mounted basin mixers

160mm projection

190mm projection

240mm projection

160mm projection



20 713 882



17 500 892



36 707 892



36 712 892



36 717 892



36 707 882

Wall-mounted basin mixers

190mm projection

240mm projection

Single taps

140mm projection

Touchfree

165mm projection

166mm projection

190mm projection



36 712 882



36 717 882



30 010 892



44 521 660



13 716 882 +
42 765 970



13 800 882 +
42 765 970

Showers

Shower sets



26 413 892 +
28 018 979



26 413 979 +
28 018 979



26 413 625 +
28 018 979

Shower pipes with shower mixer



26 622 892 +
28 018 979
26 632 892



26 623 892 +
28 018 979
26 633 892

Shower pipes with shower thermostat



34 460 892 +
28 015 979
34 458 892

Shower pipes with shower thermostat



34 460 979 +
28 018 979
34 459 979

Shower stele with single-lever shower mixer



26 024 661 +
28 029 979
26 025 661

Head showers with one spray type



28 504 979

Head showers with multiple jet types



28 508 979



28 505 979

Rain showers with wall connection



28 649 970
28 648 970

Rain showers with wall connection



28 679 970
28 678 970



28 659 970
28 658 970

Rain showers with ceiling connection



28 669 970
28 668 970



28 689 970
28 688 970



28 699 970
28 698 970

Rain showers for ceiling connection



28 031 970

Rain showers for ceiling connection



28 032 970

Rain showers for ceiling installation



28 033 970



28 034 970

Hand shower sets with integrated shower holder



27 802 660



27 803 660

Hand shower sets with individual rosettes



27 805 625

Hand shower sets with individual rosettes



27 802 892



27 803 892



27 806 625

Side showers



28 528 979
28 518 979

Massage modules

WATER POINTS



36 525 979
36 515 979

WATER BAR



36 527 979
36 517 979

Massage modules

WATER CURVE



36 514 979

WATER FAN



36 513 979
36 512 979

Waterfalls

WATER SHEET



13 415 979

WATER FALL



13 420 979

WATER FALL



13 425 979

Kneipp modules

WATER TUBE



27 823 979 +
28 285 979
27 843 979

Bath fittings

Single-lever mixers



36 120 660



36 120 660

Free-standing bath fittings

281mm projection



25 863 661

220mm projection



25 943 892

220mm projection



25 943 882

Wall-mounted mixers for wall mounting

240mm projection



25 133 892

Wall-mounted mixers for wall mounting

240mm projection



25 133 882

Bath shower sets

220mm projection



27 512 892

Bath spouts

220mm projection



27 512 882

Bath spouts

200mm projection



13 801 892

Hand shower sets

230mm projection



27 702 979

Diverter



29 140 979

Diverter



29 140 892

Miscellaneous

26mm projection



36 243 970

integrated bath filling

26mm projection



36 247 970

33 500 882


Single-lever basin mixer with pop-up waste

- 137mm projection
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 295 mm
- height up to aerator 187 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.
Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo
- without pop-up waste

Standard article	33 500 882 FF	FF	Euro
Chrome		-00	787.40
Brushed Chrome		-93	1,023.70
Platinum		-08	1,259.90
Brushed Platinum		-06	1,259.90
Champagne (22kt Gold)		-47	1,732.30
Brushed Champagne (22kt Gold)		-46	1,732.30
Brushed Durabrass (23kt Gold)		-28	1,653.50
Brushed Dark Brass		-39	1,259.90
Brushed Bronze		-42	1,259.90
Dark Chrome		-19	1,181.20
Brushed Dark Platinum		-99	1,417.40
Matte Black		-33	1,063.10

33 513 882


Single-lever basin mixer with pop-up waste

- 166mm projection
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 310 mm
- height up to aerator 188 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.
Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo
- without pop-up waste

Standard article	33 513 882 FF	FF	Euro
Chrome		-00	826.70
Brushed Chrome		-93	1,074.80
Platinum		-08	1,322.70
Brushed Platinum		-06	1,322.70
Champagne (22kt Gold)		-47	1,818.70
Brushed Champagne (22kt Gold)		-46	1,818.70
Brushed Durabrass (23kt Gold)		-28	1,736.10
Brushed Dark Brass		-39	1,322.70
Brushed Bronze		-42	1,322.70
Dark Chrome		-19	1,240.00
Brushed Dark Platinum		-99	1,488.00
Matte Black		-33	1,116.00

22 585 892


Single-hole basin mixer with stand pipe without pop-up waste

- 201mm projection
- pivotable spout 360°
- circular, air-enriched flow
- total height 1095 - 1166 mm
- height up to aerator 1025 - 1095 mm
- rosette Ø 135 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	22 585 892 FF	FF	Euro
Chrome		-00	2,020.30
Brushed Chrome		-93	2,626.40
Platinum		-08	3,232.60
Brushed Platinum		-06	3,232.60
Champagne (22kt Gold)		-47	4,444.70
Brushed Champagne (22kt Gold)		-46	4,444.70
Brushed Durabrass (23kt Gold)		-28	4,242.60
Brushed Dark Brass		-39	3,232.60
Brushed Bronze		-42	3,232.40
Dark Chrome		-19	3,030.60
Brushed Dark Platinum		-99	3,636.60
Matte Black		-33	2,727.30



Required miscellaneous

Concealed floor mounting

	35 945 970 FF	FF	Euro
• min. recess depth 80 mm			
• max. recess depth 150 mm			
Concealed rough parts		90	840.10

For details and miscellaneous, see page 644

22 302 892

**Single-hole basin mixer with pop-up waste**

- **100mm projection**
- 1 1/4" pop-up waste
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 235 mm
- height up to aerator 134 mm
- hole diameter 35 mm
- rosette Ø 59 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 2x US pressure hose, 3/8"
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo
- without pop-up waste

Standard article	22 302 892 FF	FF	Euro
Chrome		-00	676.00
Brushed Chrome		-93	878.70
Platinum		-08	1,081.20
Brushed Platinum		-06	1,081.20
Champagne (22kt Gold)		-47	1,487.20
Brushed Champagne (22kt Gold)		-46	1,487.20
Brushed Durabrass (23kt Gold)		-28	1,419.60
Brushed Dark Brass		-39	1,081.60
Brushed Bronze		-42	1,081.50
Dark Chrome		-19	1,013.80
Brushed Dark Platinum		-99	1,216.60
Matte Black		-33	912.40

22 512 892

**Single-hole basin mixer with pop-up waste**

- **135mm projection**
- 1 1/4" pop-up waste
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 275 mm
- height up to aerator 168 mm
- hole diameter 35 mm
- rosette Ø 59 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 2x US pressure hose, 3/8"
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo
- without pop-up waste

Standard article	22 512 892 FF	FF	Euro
Chrome		-00	711.80
Brushed Chrome		-93	925.40
Platinum		-08	1,138.90
Brushed Platinum		-06	1,138.90
Champagne (22kt Gold)		-47	1,566.00
Brushed Champagne (22kt Gold)		-46	1,566.00
Brushed Durabrass (23kt Gold)		-28	1,494.80
Brushed Dark Brass		-39	1,139.00
Brushed Bronze		-42	1,138.90
Dark Chrome		-19	1,067.70
Brushed Dark Platinum		-99	1,281.30
Matte Black		-33	960.80

22 513 892

**Single-hole basin mixer with pop-up waste**

- **165mm projection**
- 1 1/4" pop-up waste
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 295 mm
- height up to aerator 172 mm
- hole diameter 35 mm
- rosette Ø 59 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 2x US pressure hose, 3/8"
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo
- without pop-up waste

Standard article	22 513 892 FF	FF	Euro
Chrome		-00	754.20
Brushed Chrome		-93	980.40
Platinum		-08	1,206.40
Brushed Platinum		-06	1,206.40
Champagne (22kt Gold)		-47	1,659.20
Brushed Champagne (22kt Gold)		-46	1,659.20
Brushed Durabrass (23kt Gold)		-28	1,583.80
Brushed Dark Brass		-39	1,206.60
Brushed Bronze		-42	1,206.60
Dark Chrome		-19	1,131.10
Brushed Dark Platinum		-99	1,357.30
Matte Black		-33	1,017.70

22 533 892


Single-hole basin mixer with raised base without pop-up waste

- **200mm projection**
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 425 mm
- height up to aerator 280 mm
- hole diameter 35 mm
- rosette Ø 59 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 2x US pressure hose, 3/8"
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

for use on countertop bowls
Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	22 533 892 FF	FF	Euro
Chrome	-00		993.00
Brushed Chrome	-93		1,291.00
Platinum	-08		1,589.20
Brushed Platinum	-06		1,589.20
Champagne (22kt Gold)	-47		2,184.60
Brushed Champagne (22kt Gold)	-46		2,184.60
Brushed Durabrass (23kt Gold)	-28		2,085.30
Brushed Dark Brass	-39		1,588.90
Brushed Bronze	-42		1,588.80
Dark Chrome	-19		1,489.70
Brushed Dark Platinum	-99		1,787.60
Matte Black	-33		1,340.80

20 705 882


Three-hole basin mixer with pop-up waste

- **166mm projection**
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 145 mm
- height up to aerator 65 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 55 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.
Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo
- without pop-up waste

Standard article	20 705 882 FF	FF	Euro
Chrome	-00		1,371.40
Brushed Chrome	-93		1,782.80
Platinum	-08		2,194.30
Brushed Platinum	-06		2,194.30
Champagne (22kt Gold)	-47		3,017.10
Brushed Champagne (22kt Gold)	-46		3,017.10
Brushed Durabrass (23kt Gold)	-28		2,879.90
Brushed Dark Brass	-39		2,194.30
Brushed Bronze	-42		2,194.30
Dark Chrome	-19		2,057.10
Brushed Dark Platinum	-99		2,468.40
Matte Black	-33		1,851.30

20 705 892


Three-hole basin mixer with pop-up waste

- **166mm projection**
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 145 mm
- height up to aerator 65 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 55 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- lead-free
- max. flow 5.7 l/min
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.
Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo
- without pop-up waste

Standard article	20 705 892 FF	FF	Euro
Chrome	-00		1,267.10
Brushed Chrome	-93		1,647.30
Platinum	-08		2,027.30
Brushed Platinum	-06		2,027.30
Champagne (22kt Gold)	-47		2,787.60
Brushed Champagne (22kt Gold)	-46		2,787.60
Brushed Durabrass (23kt Gold)	-28		2,660.90
Brushed Dark Brass	-39		2,027.30
Brushed Bronze	-42		2,027.50
Dark Chrome	-19		1,900.80
Brushed Dark Platinum	-99		2,280.80
Matte Black	-33		1,710.70



Recommended miscellaneous

High pressure hoses
12 506 970 FF FF Euro

- 2x 3/8" x 1/2" x 500mm high pressure hose

 Accessories **90** Euro 90.70

20 710 892

**Three-hole basin mixer with pop-up waste**

- **135mm projection**
- 1 1/4" pop-up waste
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 270 mm
- height up to aerator 161 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 55 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.**Custom-made options**

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo
- without pop-up waste

Standard article	20 710 892 FF	FF	Euro
Chrome		-00	1,195.70
Brushed Chrome		-93	1,554.40
Platinum		-08	1,913.10
Brushed Platinum		-06	1,913.10
Champagne (22kt Gold)		-47	2,630.50
Brushed Champagne (22kt Gold)		-46	2,630.50
Brushed Durabrass (23kt Gold)		-28	2,511.00
Brushed Dark Brass		-39	1,913.10
Brushed Bronze		-42	1,913.10
Dark Chrome		-19	1,793.50
Brushed Dark Platinum		-99	2,152.50
Matte Black		-33	1,614.20



Recommended miscellaneous

High pressure hoses

12 506 970 FF FF Euro

- 2x 3/8" x 1/2" x 500mm high pressure hose

Accessories 90 90.70

20 710 882

**Three-hole basin mixer with pop-up waste**

- **135mm projection**
- 1 1/4" pop-up waste
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 270 mm
- height up to aerator 161 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 55 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.**Custom-made options**

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo
- without pop-up waste

Standard article	20 710 882 FF	FF	Euro
Chrome		-00	1,315.30
Brushed Chrome		-93	1,710.00
Platinum		-08	2,104.60
Brushed Platinum		-06	2,104.60
Champagne (22kt Gold)		-47	2,893.70
Brushed Champagne (22kt Gold)		-46	2,893.70
Brushed Durabrass (23kt Gold)		-28	2,762.10
Brushed Dark Brass		-39	2,104.50
Brushed Bronze		-42	2,104.60
Dark Chrome		-19	1,973.20
Brushed Dark Platinum		-99	2,367.70
Matte Black		-33	1,775.60



Recommended miscellaneous

High pressure hoses

12 506 970 FF FF Euro

- 2x 3/8" x 1/2" x 500mm high pressure hose

Accessories 90 90.70

20 713 892

**Three-hole basin mixer with pop-up waste**

- **165mm projection**
- 1 1/4" pop-up waste
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 285 mm
- height up to aerator 163 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 55 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.**Custom-made options**

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo
- without pop-up waste

Standard article	20 713 892 FF	FF	Euro
Chrome		-00	1,267.10
Brushed Chrome		-93	1,647.30
Platinum		-08	2,027.20
Brushed Platinum		-06	2,027.20
Champagne (22kt Gold)		-47	2,787.60
Brushed Champagne (22kt Gold)		-46	2,787.60
Brushed Durabrass (23kt Gold)		-28	2,660.90
Brushed Dark Brass		-39	2,027.30
Brushed Bronze		-42	2,027.50
Dark Chrome		-19	1,900.80
Brushed Dark Platinum		-99	2,280.90
Matte Black		-33	1,710.60



Recommended miscellaneous

High pressure hoses

12 506 970 FF FF Euro

- 2x 3/8" x 1/2" x 500mm high pressure hose

Accessories 90 90.70

20 713 882


Three-hole basin mixer with pop-up waste

- **165mm projection**
- 1 1/4" pop-up waste
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 285 mm
- height up to aerator 163 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 55 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.
Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo
- without pop-up waste

Standard article	20 713 882 FF	FF	Euro
Chrome		-00	1,371.40
Brushed Chrome		-93	1,782.80
Platinum		-08	2,194.60
Brushed Platinum		-06	2,194.60
Champagne (22kt Gold)		-47	3,017.10
Brushed Champagne (22kt Gold)		-46	3,017.10
Brushed Durabrass (23kt Gold)		-28	2,879.90
Brushed Dark Brass		-39	2,194.30
Brushed Bronze		-42	2,194.30
Dark Chrome		-19	2,057.10
Brushed Dark Platinum		-99	2,468.70
Matte Black		-33	1,851.80



Recommended miscellaneous

High pressure hoses

	12 506 970 FF	FF	Euro
• 2x 3/8" x 1/2" x 500mm high pressure hose		Accessories	90
			90.70

17 500 892


Pillar tap cold water

- **100mm projection**
- fixed spout
- circular, air-enriched flow
- height of mixer 115 mm
- height up to aerator 40 mm
- hole diameter 35 mm
- 1/2" connection
- rosette Ø 45 mm
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	17 500 892 FF	FF	Euro
Chrome		-00	407.60
Brushed Chrome		-93	529.80
Platinum		-08	651.90
Brushed Platinum		-06	651.90
Champagne (22kt Gold)		-47	896.70
Brushed Champagne (22kt Gold)		-46	896.70
Brushed Durabrass (23kt Gold)		-28	856.00
Brushed Dark Brass		-39	652.10
Brushed Bronze		-42	652.00
Dark Chrome		-19	611.20
Brushed Dark Platinum		-99	733.50
Matte Black		-33	550.20

36 707 892


Wall-mounted basin mixer without pop-up waste

- **160mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter valve 40 mm
- hole diameter spout 40 mm
- rosettes Ø 55 mm
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- Projection modification
- Red/blue marking
- without logo

Standard article	36 707 892 FF	FF	Euro
Chrome		-00	955.70
Brushed Chrome		-93	1,242.50
Platinum		-08	1,529.10
Brushed Platinum		-06	1,529.10
Champagne (22kt Gold)		-47	2,102.50
Brushed Champagne (22kt Gold)		-46	2,102.50
Brushed Durabrass (23kt Gold)		-28	2,007.00
Brushed Dark Brass		-39	1,529.10
Brushed Bronze		-42	1,529.10
Dark Chrome		-19	1,433.60
Brushed Dark Platinum		-99	1,720.00
Matte Black		-33	1,290.10



Required miscellaneous

Concealed wall-mounted mixer centred spout

	35 700 970 FF	FF	Euro
• min. recess depth 85 mm		Concealed rough parts	90
• max. recess depth 145 mm			193.30
For details and miscellaneous, see page 640			



Required miscellaneous

Concealed wall-mounted mixer variable positioning

	35 720 970 FF	FF	Euro
• min. recess depth 85 mm		Concealed rough parts	90
• max. recess depth 145 mm			154.20
For details and miscellaneous, see page 640			

36 712 892

**Wall-mounted basin mixer without pop-up waste****• 190mm projection**

- fixed spout
- circular, air-enriched flow
- hole diameter valve 40 mm
- hole diameter spout 40 mm
- rosette Ø 55 mm
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	36 712 892 FF	FF	Euro
Chrome		-00	998.40
Brushed Chrome		-93	1,297.90
Platinum		-08	1,597.00
Brushed Platinum		-06	1,597.00
Champagne (22kt Gold)		-47	2,196.50
Brushed Champagne (22kt Gold)		-46	2,196.50
Brushed Durabronze (23kt Gold)		-28	2,096.60
Brushed Dark Brass		-39	1,597.40
Brushed Bronze		-42	1,597.40
Dark Chrome		-19	1,497.60
Brushed Dark Platinum		-99	1,797.00
Matte Black		-33	1,347.40



Required miscellaneous

Concealed wall-mounted mixer centred spout

35 700 970 FF FF Euro

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 640

Concealed rough parts 90 193.30



Required miscellaneous

Concealed wall-mounted mixer variable positioning

35 720 970 FF FF Euro

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 640

Concealed rough parts 90 154.20

36 717 892

**Wall-mounted basin mixer without pop-up waste****• 240mm projection**

- fixed spout
- circular, air-enriched flow
- hole diameter valve 40 mm
- hole diameter spout 40 mm
- rosette Ø 55 mm
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- Projection modification
- Red/blue marking
- without logo

Standard article	36 717 892 FF	FF	Euro
Chrome		-00	1,049.50
Brushed Chrome		-93	1,364.30
Platinum		-08	1,679.00
Brushed Platinum		-06	1,679.00
Champagne (22kt Gold)		-47	2,308.90
Brushed Champagne (22kt Gold)		-46	2,308.90
Brushed Durabronze (23kt Gold)		-28	2,204.00
Brushed Dark Brass		-39	1,679.10
Brushed Bronze		-42	1,679.10
Dark Chrome		-19	1,574.40
Brushed Dark Platinum		-99	1,889.00
Matte Black		-33	1,417.00



Required miscellaneous

Concealed wall-mounted mixer centred spout

35 700 970 FF FF Euro

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 640

Concealed rough parts 90 193.30



Required miscellaneous

Concealed wall-mounted mixer variable positioning

35 720 970 FF FF Euro

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 640

Concealed rough parts 90 154.20

36 707 882


Wall-mounted basin mixer without pop-up waste
• 160mm projection

- fixed spout
- circular, air-enriched flow
- hole diameter valve 40 mm
- hole diameter spout 40 mm
- rosette Ø 55 mm
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- Projection modification
- Red/blue marking
- without logo

Standard article	36 707 882 FF	FF	Euro
Chrome		-00	1,035.90
Brushed Chrome		-93	1,346.60
Platinum		-08	1,657.90
Brushed Platinum		-06	1,657.90
Champagne (22kt Gold)		-47	2,279.00
Brushed Champagne (22kt Gold)		-46	2,279.00
Brushed Durabronze (23kt Gold)		-28	2,175.40
Brushed Dark Brass		-39	1,657.40
Brushed Bronze		-42	1,657.50
Dark Chrome		-19	1,554.00
Brushed Dark Platinum		-99	1,864.70
Matte Black		-33	1,398.70



Required miscellaneous

Concealed wall-mounted mixer centred spout
35 700 970 FF | FF | Euro

 • min. recess depth 85 mm
 • max. recess depth 145 mm
 Concealed rough parts **90** | 193.30

For details and miscellaneous, see page 640



Required miscellaneous

Concealed wall-mounted mixer variable positioning
35 720 970 FF | FF | Euro

 • min. recess depth 85 mm
 • max. recess depth 145 mm
 Concealed rough parts **90** | 154.20

For details and miscellaneous, see page 640

36 712 882


Wall-mounted basin mixer without pop-up waste
• 190mm projection

- circular, air-enriched flow
- hole diameter valve 40 mm
- hole diameter spout 40 mm
- rosette Ø 55 mm
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	36 712 882 FF	FF	Euro
Chrome		-00	1,073.70
Brushed Chrome		-93	1,395.90
Platinum		-08	1,717.90
Brushed Platinum		-06	1,717.90
Champagne (22kt Gold)		-47	2,362.10
Brushed Champagne (22kt Gold)		-46	2,362.10
Brushed Durabronze (23kt Gold)		-28	2,254.80
Brushed Dark Brass		-39	1,717.80
Brushed Bronze		-42	1,717.90
Dark Chrome		-19	1,610.60
Brushed Dark Platinum		-99	1,932.90
Matte Black		-33	1,449.40



Required miscellaneous

Concealed wall-mounted mixer centred spout
35 700 970 FF | FF | Euro

 • min. recess depth 85 mm
 • max. recess depth 145 mm
 Concealed rough parts **90** | 193.30

For details and miscellaneous, see page 640



Required miscellaneous

Concealed wall-mounted mixer variable positioning
35 720 970 FF | FF | Euro

 • min. recess depth 85 mm
 • max. recess depth 145 mm
 Concealed rough parts **90** | 154.20

For details and miscellaneous, see page 640

36 717 882

**Wall-mounted basin mixer without pop-up waste**

- **240mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter valve 40 mm
- hole diameter spout 40 mm
- rosette Ø 55 mm
- max. flow 7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- Projection modification
- Red/blue marking
- without logo

Standard article	36 717 882 FF	FF	Euro
Chrome	-00		1,125.10
Brushed Chrome	-93		1,462.60
Platinum	-08		1,799.90
Brushed Platinum	-06		1,799.90
Champagne (22kt Gold)	-47		2,475.20
Brushed Champagne (22kt Gold)	-46		2,475.20
Brushed Durabronze (23kt Gold)	-28		2,362.70
Brushed Dark Brass	-39		1,800.10
Brushed Bronze	-42		1,800.10
Dark Chrome	-19		1,687.70
Brushed Dark Platinum	-99		2,025.10
Matte Black	-33		1,518.70



Required miscellaneous

Concealed wall-mounted mixer centred spout

35 700 970 FF FF Euro

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 640

Concealed rough parts 90 193.30



Required miscellaneous

Concealed wall-mounted mixer variable positioning

35 720 970 FF FF Euro

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 640

Concealed rough parts 90 154.20

30 010 892

**Wall-mounted valve cold water without pop-up waste**

- **140mm projection**
- fixed spout
- circular, air-enriched flow
- adapter with male thread 3/4"
- hole diameter 32 mm
- rosette Ø 55 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification

Standard article	30 010 892 FF	FF	Euro
Chrome	-00		430.80
Brushed Chrome	-93		560.10
Platinum	-08		689.50
Brushed Platinum	-06		689.50
Champagne (22kt Gold)	-47		947.80
Brushed Champagne (22kt Gold)	-46		947.80
Brushed Durabronze (23kt Gold)	-28		904.70
Brushed Dark Brass	-39		689.40
Brushed Bronze	-42		689.40
Dark Chrome	-19		646.30
Brushed Dark Platinum	-99		775.80
Matte Black	-33		581.70



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF FF Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

Concealed rough parts 90 122.80

44 521 660

NEW Washstand fitting with electronic opening and closing function without pop-up waste



- **165mm projection**
- Infrared sensor technology
- height of mixer 310 mm
- height up to aerator 199 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- circular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Indirect temperature control (undercounter)
- Control box included
- Adjustable sensor detection range
- Battery or plug-in power supply operated (batteries not included)
- 4x AA (1.5V) batteries required
- lead-free
- 1x screw-in M 8 x 1 pressure hose, leak-tested
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Batteries not included

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	44 521 660 FF	FF	Euro
Chrome	-00		744.30
Brushed Chrome	-93		967.50
Platinum	-08		1,190.80
Brushed Platinum	-06		1,190.80
Champagne (22kt Gold)	-47		1,637.50
Brushed Champagne (22kt Gold)	-46		1,637.50
Brushed Durabrass (23kt Gold)	-28		1,563.00
Brushed Dark Brass	-39		1,190.90
Brushed Bronze	-42		1,190.80
Dark Chrome	-19		1,116.40
Brushed Dark Platinum	-99		1,339.50
Matte Black	-33		1,004.70

13 716 882 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting

- **166mm projection**
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 285 mm
- height up to aerator 163 mm
- rosette Ø 60 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- Flow rate modification
- without logo

	Set	1x 13 716 882 FF max. flow 7 l/min	1x 42 765 970 90 FF	Total price:	
	FF	Euro	FF	Euro	
Chrome	-00	582.10	90	687.50	1,269.60



Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

	35 740 970 FF	FF	Euro
For details and miscellaneous, see page 646	Concealed rough parts	90	313.70

13 800 882 +
42 765 970**eSET Touchfree Basin mixer without pop-up waste with temperature setting**

- **190mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter 40 mm
- rosette Ø 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- Flow rate modification
- Projection modification
- without logo

Miscellaneous

22 900 892

**Angle valve**

- rosette Ø 55 mm
- hose covering 200mm, for shortening

Custom-made options

- Finish variants
- without logo

10 060 970

**Siphon for basin**

- rosette Ø 70 mm

Custom-made options

- Finish variants

Set	1x 13 800 882 FF max. flow 7 l/min	Euro	1x 42 765 970 90 FF	Euro	Total price: Euro
Chrome	-00	491.60	90	687.50	1,179.10

Required miscellaneous

**eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings**

	35 741 970 FF	FF	Euro
• min. recess depth 90 mm		Concealed rough parts	90
• max. recess depth 125 mm			313.70

For details and miscellaneous, see page 646



Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm		Concealed rough parts	90
• max. recess depth 163 mm			122.80

For details and miscellaneous, see page 645

Standard article	22 900 892 FF	FF	Euro
Chrome	-00		206.10
Platinum	-08		329.70
Brushed Platinum	-06		329.70
Champagne (22kt Gold)	-47		453.40
Brushed Champagne (22kt Gold)	-46		453.40
Brushed Durabronze (23kt Gold)	-28		432.80
Brushed Dark Brass	-39		329.80
Brushed Bronze	-42		329.80
Dark Chrome	-19		309.20
Brushed Dark Platinum	-99		371.10
Matte Black	-33		278.30

Standard article	10 060 970 FF	FF	Euro
Chrome	-00		338.60
Brushed Chrome	-93		440.20
Platinum	-08		541.90
Brushed Platinum	-06		541.90
Champagne (22kt Gold)	-47		744.90
Brushed Champagne (22kt Gold)	-46		744.90
Durabronze (23kt Gold)	-09		711.10
Brushed Durabronze (23kt Gold)	-28		711.10
Brushed Dark Brass	-39		541.70
Brushed Bronze	-42		541.80
Dark Chrome	-19		507.90
Brushed Dark Platinum	-99		609.50
Matte Black	-33		457.20

11 170 882



Lever

- for basin fittings
- two are required for three-hole fittings

Standard article	11 170 882 FF	FF	Euro
Matte Black		-33	83.70

11 171 882



Lever

- With linear texture
- for basin fittings
- two are required for three-hole fittings

Custom-made options

- Finish variants

Standard article	11 171 882 FF	FF	Euro
Chrome		-00	77.00
Brushed Chrome		-93	100.10
Platinum		-08	123.20
Brushed Platinum		-06	123.20
Champagne (22kt Gold)		-47	169.40
Brushed Champagne (22kt Gold)		-46	169.40
Brushed Durabronze (23kt Gold)		-28	161.70
Brushed Dark Brass		-39	123.30
Brushed Bronze		-42	123.20
Dark Chrome		-19	115.50
Brushed Dark Platinum		-99	138.60
Matte Black		-33	104.00

24 510 892

**Single-hole bidet mixer with pop-up waste**

- 124mm projection
- **europaean pop-up waste**
- ball-joint pivotable through 15° (in any direction)
- circular, air-enriched flow
- height of mixer 180 mm
- height up to aerator 123 mm
- hole diameter 35 mm
- rosette Ø 59 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 2x European pressure hose for bidet fitting
- max. flow 7 l/min

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo
- without pop-up waste

Standard article	24 510 892 FF	FF	Euro
Chrome		-00	889.00
Brushed Chrome		-93	1,155.80
Platinum		-08	1,422.50
Brushed Platinum		-06	1,422.50
Champagne (22kt Gold)		-47	1,955.80
Brushed Champagne (22kt Gold)		-46	1,955.80
Brushed Durabronze (23kt Gold)		-28	1,866.90
Brushed Dark Brass		-39	1,422.40
Brushed Bronze		-42	1,422.40
Dark Chrome		-19	1,333.50
Brushed Dark Platinum		-99	1,600.00
Matte Black		-33	1,200.40

27 701 970

**Bidet spray**

- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2" shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options

- Finish variants
- without logo

Standard article	27 701 970 FF	FF	Euro
Chrome		-00	323.10
Brushed Chrome		-93	420.00
Platinum		-08	516.80
Brushed Platinum		-06	516.80
Champagne (22kt Gold)		-47	710.80
Brushed Champagne (22kt Gold)		-46	710.80
Durabronze (23kt Gold)		-09	678.50
Brushed Durabronze (23kt Gold)		-28	678.50
Brushed Dark Brass		-39	517.00
Brushed Bronze		-42	516.90
Dark Chrome		-19	484.60
Brushed Dark Platinum		-99	581.60



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
		90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

27 701 670

**Bidet spray**

- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2" shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options

- Finish variants
- without logo

Standard article	27 701 670 FF	FF	Euro
Chrome		-00	323.10
Brushed Chrome		-93	420.00
Platinum		-08	516.80
Brushed Platinum		-06	516.80
Champagne (22kt Gold)		-47	710.80
Brushed Champagne (22kt Gold)		-46	710.80
Brushed Durabronze (23kt Gold)		-28	678.50
Brushed Dark Brass		-39	517.00
Brushed Bronze		-42	516.90
Dark Chrome		-19	484.60
Brushed Dark Platinum		-99	581.60



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
		90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

26 413 892 +
28 018 979

Shower set

- slide bar
- Pipe diameter 18 mm
- rosettes Ø 55 mm
- gauge 800 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 7 l/min
- spray head Ø 100mm

Fits TARA
Intrinsic protection against back flow.
Custom-made options

- Finish variants
- Flow rate modification
- without logo

Set	1x 26 413 892 FF		1x 28 018 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	701.80	-00	135.80	837.60
Brushed Chrome	-93	912.40	-93	176.50	1,088.90
Platinum	-08	1,122.40	-08	217.10	1,339.50
Brushed Platinum	-06	1,122.40	-06	217.10	1,339.50
Champagne (22kt Gold)	-47	1,544.00	-47	298.80	1,842.80
Brushed Champagne (22kt Gold)	-46	1,544.00	-46	298.80	1,842.80
Brushed Durabronze (23kt Gold)	-28	1,473.80	-28	285.20	1,759.00
Brushed Dark Brass	-39	1,122.90	-39	217.20	1,340.10
Brushed Bronze	-42	1,122.90	-42	217.10	1,340.00
Dark Chrome	-19	1,052.60	-19	203.60	1,256.20
Brushed Dark Platinum	-99	1,262.80	-99	244.30	1,507.10
Matte Black	-33	947.10	-33	183.20	1,130.30



Recommended miscellaneous

Wall elbow
28 450 625 FF

For details and miscellaneous, see main items

	FF	Euro
Chrome	-00	115.70
Brushed Chrome	-93	150.40
Platinum	-08	185.20
Brushed Platinum	-06	185.20
Champagne (22kt Gold)	-47	254.50
Brushed Champagne (22kt Gold)	-46	254.50
Brushed Durabronze (23kt Gold)	-28	243.00
Brushed Dark Brass	-39	185.10
Brushed Bronze	-42	185.10
Dark Chrome	-19	173.60
Brushed Dark Platinum	-99	208.30
Matte Black	-33	155.90



Recommended miscellaneous

Concealed wall elbow
35 085 970 FF

- min. recess depth 90 mm

- max. recess depth 163 mm

For details and miscellaneous, see page 645

 Concealed rough parts **90** 122.80

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.


 1 jet
Ø 100 mm

 1 jet
Ø 130 mm

 4 jets
Ø 120 mm

 5 jets
Ø 130 mm

1 jet

Alternative hand shower	28 015 979 FF max. flow 15 l/min		28 017 979 FF max. flow 15 l/min		28 012 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	236.10	-00	195.80	-00	237.40
Brushed Chrome	-93	164.20	-93	236.40	-93	306.80	-93	254.50	-93	308.70
Platinum	-08	202.30	-08	291.10	-08	377.70	-08	313.60	-08	379.90
Brushed Platinum	-06	202.30	-06	291.10	-06	377.70	-06	313.60	-06	379.90
Champagne (22kt Gold)	-47	277.90	-47	400.20	-47	519.40	-47	430.80	-47	522.30
Brushed Champagne (22kt Gold)	-46	277.90	-46	400.20	-46	519.40	-46	430.80	-46	522.30
Brushed Durabronze (23kt Gold)	-28	265.20	-28	382.00	-28	495.80	-28	411.20	-28	498.50
Brushed Dark Brass	-39	202.10	-39	291.10	-39	377.70	-39	313.30	-39	379.90
Brushed Bronze	-42	202.00	-42	291.00	-42	377.70	-42	313.30	-42	379.90
Dark Chrome	-19	189.40	-19	272.80	-19	354.10	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	425.00	-99	352.60	-99	427.30
Matte Black	-33	170.30	-33	245.70	-33	318.70	-33	264.40	-33	320.50

26 413 979 +
28 018 979



Shower set

- slide bar
- Pipe diameter 18 mm
- gauge 853 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 7 l/min
- spray head Ø 100mm

Fits MEM, CL.1, IMO, META, TARA, VAIA, LULU, LISSÉ, CYO

NOTE: Hand shower sold separately. Please see hand shower options under the miscellaneous articles section of each series.

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Set	1x 26 413 979 FF		1x 28 018 979 FF max. flow 15 l/min		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	420.30	-00	135.80	556.10
Brushed Chrome	-93	546.40	-93	176.50	722.90
Platinum	-08	672.50	-08	217.10	889.60
Brushed Platinum	-06	685.60	-06	217.10	902.70
Champagne (22kt Gold)	-47	924.70	-47	298.80	1,223.50
Brushed Champagne (22kt Gold)	-46	924.70	-46	298.80	1,223.50
Brushed Durabronze (23kt Gold)	-28	882.60	-28	285.20	1,167.80
Brushed Dark Brass	-39	672.60	-39	217.20	889.80
Brushed Bronze	-42	672.60	-42	217.10	889.70
Dark Chrome	-19	630.70	-19	203.60	834.30
Brushed Dark Platinum	-99	756.40	-99	244.30	1,000.70
Matte Black	-33	578.30	-33	183.20	761.50



Recommended miscellaneous

Wall elbow	28 450 980 FF		FF	Euro
	For details and miscellaneous, see main items			
Chrome	-00			165.10
Brushed Chrome	-93			214.80
Platinum	-08			264.40
Brushed Platinum	-06			264.40
Champagne (22kt Gold)	-47			363.20
Brushed Champagne (22kt Gold)	-46			363.20
Brushed Durabronze (23kt Gold)	-28			346.70
Brushed Dark Brass	-39			264.20
Brushed Bronze	-42			264.20
Dark Chrome	-19			247.90
Brushed Dark Platinum	-99			297.40
Matte Black	-33			223.00



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF		FF	Euro
	For details and miscellaneous, see page 645			
• min. recess depth 90 mm				
• max. recess depth 163 mm				
Concealed rough parts	90			122.80

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.



Alternative hand shower	28 015 979 FF max. flow 15 l/min		28 017 979 FF max. flow 15 l/min		28 012 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	236.10	-00	195.80	-00	237.40
Brushed Chrome	-93	164.20	-93	236.40	-93	306.80	-93	254.50	-93	308.70
Platinum	-08	202.30	-08	291.10	-08	377.70	-08	313.60	-08	379.90
Brushed Platinum	-06	202.30	-06	291.10	-06	377.70	-06	313.60	-06	379.90
Champagne (22kt Gold)	-47	277.90	-47	400.20	-47	519.40	-47	430.80	-47	522.30
Brushed Champagne (22kt Gold)	-46	277.90	-46	400.20	-46	519.40	-46	430.80	-46	522.30
Brushed Durabronze (23kt Gold)	-28	265.20	-28	382.00	-28	495.80	-28	411.20	-28	498.50
Brushed Dark Brass	-39	202.10	-39	291.10	-39	377.70	-39	313.30	-39	379.90
Brushed Bronze	-42	202.00	-42	291.00	-42	377.70	-42	313.30	-42	379.90
Dark Chrome	-19	189.40	-19	272.80	-19	354.10	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	425.00	-99	352.60	-99	427.30
Matte Black	-33	170.30	-33	245.70	-33	318.70	-33	264.40	-33	320.50

26 413 625 +
28 018 979

Shower set

- slide bar
- Pipe diameter 18 mm
- rosette Ø 55 mm
- gauge 800 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 7 l/min
- spray head Ø 100mm

Fits META, TARA
Intrinsic protection against back flow.
Custom-made options

- Finish variants
- Flow rate modification
- without logo

Set	1x 26 413 625 FF		1x 28 018 979 FF max. flow 15 l/min		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	700.90	-00	135.80	836.70
Brushed Chrome	-93	911.20	-93	176.50	1,087.70
Platinum	-08	1,121.90	-08	217.10	1,339.00
Brushed Platinum	-06	1,121.90	-06	217.10	1,339.00
Champagne (22kt Gold)	-47	1,542.00	-47	298.80	1,840.80
Brushed Champagne (22kt Gold)	-46	1,542.00	-46	298.80	1,840.80
Brushed Durabronze (23kt Gold)	-28	1,471.90	-28	285.20	1,757.10
Brushed Dark Brass	-39	1,121.50	-39	217.20	1,338.70
Brushed Bronze	-42	1,121.60	-42	217.10	1,338.70
Dark Chrome	-19	1,051.40	-19	203.60	1,255.00
Brushed Dark Platinum	-99	1,262.10	-99	244.30	1,506.40
Matte Black	-33	946.00	-33	183.20	1,129.20



Recommended miscellaneous

Wall elbow
28 450 625 FF

For details and miscellaneous, see main items

	FF	Euro
Chrome	-00	115.70
Brushed Chrome	-93	150.40
Platinum	-08	185.20
Brushed Platinum	-06	185.20
Champagne (22kt Gold)	-47	254.50
Brushed Champagne (22kt Gold)	-46	254.50
Brushed Durabronze (23kt Gold)	-28	243.00
Brushed Dark Brass	-39	185.10
Brushed Bronze	-42	185.10
Dark Chrome	-19	173.60
Brushed Dark Platinum	-99	208.30
Matte Black	-33	155.90



Recommended miscellaneous

Concealed wall elbow
35 085 970 FF

- min. recess depth 90 mm

- max. recess depth 163 mm

For details and miscellaneous, see page 645

 Concealed rough parts **90** 122.80

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 607.


 4 jets
Ø 120 mm

 1 jet
Ø 100 mm

 5 jets
Ø 130 mm

 1 jet
Ø 130 mm

1 jet

Alternative hand shower	28 012 979 FF max. flow 15 l/min		28 015 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min		28 017 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	236.10	-00	126.30	-00	195.80	-00	181.90	-00	237.40
Brushed Chrome	-93	306.80	-93	164.20	-93	254.50	-93	236.40	-93	308.70
Platinum	-08	377.70	-08	202.30	-08	313.60	-08	291.10	-08	379.90
Brushed Platinum	-06	377.70	-06	202.30	-06	313.60	-06	291.10	-06	379.90
Champagne (22kt Gold)	-47	519.40	-47	277.90	-47	430.80	-47	400.20	-47	522.30
Brushed Champagne (22kt Gold)	-46	519.40	-46	277.90	-46	430.80	-46	400.20	-46	522.30
Brushed Durabronze (23kt Gold)	-28	495.80	-28	265.20	-28	411.20	-28	382.00	-28	495.80
Brushed Dark Brass	-39	377.70	-39	202.10	-39	313.30	-39	291.10	-39	379.90
Brushed Bronze	-42	377.70	-42	202.00	-42	313.30	-42	291.00	-42	379.90
Dark Chrome	-19	354.10	-19	189.40	-19	293.80	-19	272.80	-19	356.20
Brushed Dark Platinum	-99	425.00	-99	227.20	-99	352.60	-99	327.30	-99	427.30
Matte Black	-33	318.70	-33	170.30	-33	264.40	-33	245.70	-33	320.50

26 622 892 +
28 018 979



Showerpipe with shower mixer 300 mm

- shower with fixed riser projection 420mm
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower Ø 300 mm
- rain shower with anti-scale system
- Hand shower: COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- spray head Ø 100mm
- rotary diverter for fixed-riser shower/hand shower
- height of fittings up to rain shower (bottom edge) 850mm
- height of fittings up to top edge of elbow 1167mm
- rosette for shower holder Ø 55mm
- rosette for wall mounting Ø 57mm
- rosette for shower mixer Ø 65mm
- gauge 150 mm - 13 mm
- 1500 mm metal shower hose
- 1/2" connection
- Pipe diameter 20 mm

Fits TARA

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Flow rate modification
- Height modification
- Red/blue marking
- without logo

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.

Set	1x 26 622 892 FF max. flow 14 l/min		1x 28 018 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	2,959.00	-00	135.80	3,094.80
Brushed Chrome	-93	3,846.70	-93	176.50	4,023.20
Platinum	-08	4,734.40	-08	217.10	4,951.50
Brushed Platinum	-06	4,734.40	-06	217.10	4,951.50
Champagne (22kt Gold)	-47	6,509.80	-47	298.80	6,808.60
Brushed Champagne (22kt Gold)	-46	6,509.80	-46	298.80	6,808.60
Brushed Durabronze (23kt Gold)	-28	6,213.90	-28	285.20	6,499.10
Brushed Dark Brass	-39	4,734.40	-39	217.20	4,951.60
Brushed Bronze	-42	4,734.40	-42	217.10	4,951.50
Dark Chrome	-19	4,438.60	-19	203.60	4,642.20
Brushed Dark Platinum	-99	5,326.20	-99	244.30	5,570.50
Matte Black	-33	3,994.60	-33	183.20	4,177.80

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- rain shower Ø 220 mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Standard article	26 632 892 FF	FF	Euro
Chrome		-00	2,959.00
Brushed Chrome		-93	3,846.70
Platinum		-08	4,734.00
Brushed Platinum		-06	4,734.00
Champagne (22kt Gold)		-47	6,509.80
Brushed Champagne (22kt Gold)		-46	6,509.80
Brushed Durabronze (23kt Gold)		-28	6,213.90
Brushed Dark Brass		-39	4,734.40
Brushed Bronze		-42	4,734.40
Dark Chrome		-19	4,438.50
Brushed Dark Platinum		-99	5,326.20
Matte Black		-33	3,994.20

Alternative hand shower	28 015 979 FF max. flow 15 l/min		28 017 979 FF max. flow 15 l/min		28 012 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	236.10	-00	195.80	-00	237.40
Brushed Chrome	-93	164.20	-93	236.40	-93	306.80	-93	254.50	-93	308.70
Platinum	-08	202.30	-08	291.10	-08	377.70	-08	313.60	-08	379.90
Brushed Platinum	-06	202.30	-06	291.10	-06	377.70	-06	313.60	-06	379.90
Champagne (22kt Gold)	-47	277.90	-47	400.20	-47	519.40	-47	430.80	-47	522.30
Brushed Champagne (22kt Gold)	-46	277.90	-46	400.20	-46	519.40	-46	430.80	-46	522.30
Brushed Durabronze (23kt Gold)	-28	265.20	-28	382.00	-28	495.80	-28	411.20	-28	498.50
Brushed Dark Brass	-39	202.10	-39	291.10	-39	377.70	-39	313.30	-39	379.90
Brushed Bronze	-42	202.00	-42	291.00	-42	377.70	-42	313.30	-42	379.90
Dark Chrome	-19	189.40	-19	272.80	-19	354.10	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	425.00	-99	352.60	-99	427.30
Matte Black	-33	170.30	-33	245.70	-33	318.70	-33	264.40	-33	320.50

26 623 892 +
28 018 979



Showerpipe 300 mm

- 420mm projection
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower Ø 300 mm
- rain shower with anti-scale system
- Hand shower: COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- spray head Ø 100mm
- rotary diverter for fixed-riser shower/hand shower
- height of fittings up to rain shower (bottom edge) 1007mm
- height of fittings up to top edge of elbow 1167mm
- rosette for shower holder Ø 55mm
- rosette for wall mounting Ø 57mm
- rosette for shower mixer Ø 65mm
- gauge 150 mm - 13 mm
- 1500 mm metal shower hose
- 1/2" connection
- Pipe diameter 20 mm

Fits TARA

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Flow rate modification
- Height modification
- Red/blue marking
- without logo

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.

Set	1x 26 623 892 FF max. flow 14 l/min		1x 28 018 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	2,891.80	-00	135.80	3,027.60
Brushed Chrome	-93	3,759.40	-93	176.50	3,935.90
Platinum	-08	4,626.90	-08	217.10	4,844.00
Brushed Platinum	-06	4,626.90	-06	217.10	4,844.00
Champagne (22kt Gold)	-47	6,362.00	-47	298.80	6,660.80
Brushed Champagne (22kt Gold)	-46	6,362.00	-46	298.80	6,660.80
Brushed Durabronze (23kt Gold)	-28	6,072.80	-28	285.20	6,358.00
Brushed Dark Brass	-39	4,627.00	-39	217.20	4,844.20
Brushed Bronze	-42	4,626.90	-42	217.10	4,844.00
Dark Chrome	-19	4,337.70	-19	203.60	4,541.30
Brushed Dark Platinum	-99	5,205.20	-99	244.30	5,449.50
Matte Black	-33	3,903.90	-33	183.20	4,087.10

Product alternative

- FlowReduce
- Max. flow rate 7 l/min
- rain shower Ø 220 mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Standard article	26 633 892 FF	FF	Euro
Chrome		-00	2,891.80
Brushed Chrome		-93	3,759.40
Platinum		-08	4,626.10
Brushed Platinum		-06	4,626.10
Champagne (22kt Gold)		-47	6,362.00
Brushed Champagne (22kt Gold)		-46	6,362.00
Brushed Durabronze (23kt Gold)		-28	6,072.80
Brushed Dark Brass		-39	4,627.00
Brushed Bronze		-42	4,626.90
Dark Chrome		-19	4,337.70
Brushed Dark Platinum		-99	5,205.10
Matte Black		-33	3,903.50

Alternative hand shower	28 015 979 FF max. flow 15 l/min		28 017 979 FF max. flow 15 l/min		28 012 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	236.10	-00	195.80	-00	237.40
Brushed Chrome	-93	164.20	-93	236.40	-93	306.80	-93	254.50	-93	308.70
Platinum	-08	202.30	-08	291.10	-08	377.70	-08	313.60	-08	379.90
Brushed Platinum	-06	202.30	-06	291.10	-06	377.70	-06	313.60	-06	379.90
Champagne (22kt Gold)	-47	277.90	-47	400.20	-47	519.40	-47	430.80	-47	522.30
Brushed Champagne (22kt Gold)	-46	277.90	-46	400.20	-46	519.40	-46	430.80	-46	522.30
Brushed Durabronze (23kt Gold)	-28	265.20	-28	382.00	-28	495.80	-28	411.20	-28	498.50
Brushed Dark Brass	-39	202.10	-39	291.10	-39	377.70	-39	313.30	-39	379.90
Brushed Bronze	-42	202.00	-42	291.00	-42	377.70	-42	313.30	-42	379.90
Dark Chrome	-19	189.40	-19	272.80	-19	354.10	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	425.00	-99	352.60	-99	427.30
Matte Black	-33	170.30	-33	245.70	-33	318.70	-33	264.40	-33	320.50

34 460 892 +
28 015 979



Shower pipe with shower thermostat 300 mm

- shower with fixed riser projection 452mm
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower Ø 300 mm
- rain shower with anti-scale system
- Hand shower: COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 964mm
- height of fittings up to top edge of elbow 1267mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Fits TARA

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Flow rate modification
- Height modification
- Red/blue marking
- without logo

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 604.



Alternative hand shower	28 017 979 FF max. flow 15 l/min		28 018 979 FF max. flow 15 l/min		28 012 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	181.90	-00	135.80	-00	236.10	-00	195.80	-00	237.40
Brushed Chrome	-93	236.40	-93	176.50	-93	306.80	-93	254.50	-93	308.70
Platinum	-08	291.10	-08	217.10	-08	377.70	-08	313.60	-08	379.90
Brushed Platinum	-06	291.10	-06	217.10	-06	377.70	-06	313.60	-06	379.90
Champagne (22kt Gold)	-47	400.20	-47	298.80	-47	519.40	-47	430.80	-47	522.30
Brushed Champagne (22kt Gold)	-46	400.20	-46	298.80	-46	519.40	-46	430.80	-46	522.30
Brushed Durabronze (23kt Gold)	-28	382.00	-28	285.20	-28	495.80	-28	411.20	-28	498.50
Brushed Dark Brass	-39	291.10	-39	217.20	-39	377.70	-39	313.30	-39	379.90
Brushed Bronze	-42	291.00	-42	217.10	-42	377.70	-42	313.30	-42	379.90
Dark Chrome	-19	272.80	-19	203.60	-19	354.10	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	327.30	-99	244.30	-99	425.00	-99	352.60	-99	427.30
Matte Black	-33	245.70	-33	183.20	-33	318.70	-33	264.40	-33	320.50

Set	1x 34 460 892 FF max. flow 14 l/min		1x 28 015 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	3,081.60	-00	126.30	3,207.90
Brushed Chrome	-93	4,006.00	-93	164.20	4,170.20
Platinum	-08	4,930.50	-08	202.30	5,132.80
Brushed Platinum	-06	4,930.50	-06	202.30	5,132.80
Champagne (22kt Gold)	-47	6,779.50	-47	277.90	7,057.40
Brushed Champagne (22kt Gold)	-46	6,779.50	-46	277.90	7,057.40
Brushed Durabronze (23kt Gold)	-28	6,471.40	-28	265.20	6,736.60
Brushed Dark Brass	-39	4,930.50	-39	202.10	5,132.60
Brushed Bronze	-42	4,930.50	-42	202.00	5,132.50
Dark Chrome	-19	4,622.30	-19	189.40	4,811.70
Brushed Dark Platinum	-99	5,546.80	-99	227.20	5,774.00
Matte Black	-33	4,160.10	-33	170.30	4,330.40

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- rain shower Ø 220 mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Standard article	34 458 892 FF	FF	Euro
Chrome		-00	3,081.60
Brushed Chrome		-93	4,006.00
Platinum		-08	4,930.40
Brushed Platinum		-06	4,930.40
Champagne (22kt Gold)		-47	6,779.50
Brushed Champagne (22kt Gold)		-46	6,779.50
Brushed Durabronze (23kt Gold)		-28	6,471.40
Brushed Dark Brass		-39	4,930.50
Brushed Bronze		-42	4,930.50
Brushed Dark Platinum		-99	5,546.80
Matte Black		-33	4,160.10

34 460 979 +
28 018 979



Showerpipe with shower thermostat

- shower with fixed riser projection 453mm
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower Ø 300 mm
- rain shower with anti-scale system
- Hand shower: Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- spray head Ø 100mm
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 1009mm
- height of fittings up to top edge of elbow 1150mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.

Fits IMO, META, TARA, VAIA, LISSÉ, LULU

Custom-made options

- Finish variants
- Flow rate modification
- Height modification
- Red/blue marking
- without logo

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.

Set	1x 34 460 979 FF max. flow 14 l/min		1x 28 018 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	2,734.90	-00	135.80	2,870.70
Brushed Chrome	-93	3,555.30	-93	176.50	3,731.80
Platinum	-08	4,375.50	-08	217.10	4,592.60
Brushed Platinum	-06	4,375.70	-06	217.10	4,592.80
Champagne (22kt Gold)	-47	6,016.80	-47	298.80	6,315.60
Brushed Champagne (22kt Gold)	-46	6,016.80	-46	298.80	6,315.60
Brushed Durabrass (23kt Gold)	-28	5,743.30	-28	285.20	6,028.50
Brushed Dark Brass	-39	4,375.70	-39	217.20	4,592.90
Brushed Bronze	-42	4,375.70	-42	217.10	4,592.80
Dark Chrome	-19	4,102.30	-19	203.60	4,305.90
Brushed Dark Platinum	-99	4,922.60	-99	244.30	5,166.90
Matte Black	-33	3,692.00	-33	183.20	3,875.20

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- rain shower Ø 220 mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Standard article	34 459 979 FF	FF	Euro
Chrome		-00	2,596.40
Brushed Chrome		-93	3,375.40
Platinum		-08	4,061.00
Brushed Platinum		-06	4,061.00
Champagne (22kt Gold)		-47	5,712.10
Brushed Champagne (22kt Gold)		-46	5,712.10
Brushed Durabrass (23kt Gold)		-28	5,452.40
Brushed Dark Brass		-39	4,154.30
Brushed Bronze		-42	4,061.00
Dark Chrome		-19	3,894.60
Brushed Dark Platinum		-99	4,568.80
Matte Black		-33	3,426.70

Alternative hand shower	28 015 979 FF max. flow 15 l/min		28 017 979 FF max. flow 15 l/min		28 012 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	236.10	-00	195.80	-00	237.40
Brushed Chrome	-93	164.20	-93	236.40	-93	306.80	-93	254.50	-93	308.70
Platinum	-08	202.30	-08	291.10	-08	377.70	-08	313.60	-08	379.90
Brushed Platinum	-06	202.30	-06	291.10	-06	377.70	-06	313.60	-06	379.90
Champagne (22kt Gold)	-47	277.90	-47	400.20	-47	519.40	-47	430.80	-47	522.30
Brushed Champagne (22kt Gold)	-46	277.90	-46	400.20	-46	519.40	-46	430.80	-46	522.30
Brushed Durabrass (23kt Gold)	-28	265.20	-28	382.00	-28	495.80	-28	411.20	-28	498.50
Brushed Dark Brass	-39	202.10	-39	291.10	-39	377.70	-39	313.30	-39	379.90
Brushed Bronze	-42	202.00	-42	291.00	-42	377.70	-42	313.30	-42	379.90
Dark Chrome	-19	189.40	-19	272.80	-19	354.10	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	425.00	-99	352.60	-99	427.30
Matte Black	-33	170.30	-33	245.70	-33	318.70	-33	264.40	-33	320.50

26 024 661 +
28 029 979



Shower system with single-lever shower mixer

- shower with fixed riser projection 450mm
- pivotable 180°
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower Ø 300 mm
- rain shower with anti-scale system
- Hand shower: COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- shower holder with rosette Ø 78mm
- slide-on rosettes Ø 55 mm
- 1500 mm metal shower hose
- height of fittings up to top edge of elbow 2280mm
- height of fittings up to rain shower (bottom edge) 1940mm
- automatic diverter for fixed-riser shower/hand shower
- Pipe diameter 20 mm

Fits META, TARA, VAIA

Water carrying concealed rough parts on lower wall fixing.

Recommended spacing from bottom edge of shower stem to floor 92 mm.

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Set	1x 26 024 661 FF max. flow 14 l/min		1x 28 029 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	5,014.70	-00	237.40	5,252.10
Brushed Chrome	-93	6,519.00	-93	308.70	6,827.70
Platinum	-08	8,023.40	-08	379.90	8,403.30
Brushed Platinum	-06	8,023.30	-06	379.90	8,403.20
Champagne (22kt Gold)	-47	11,032.30	-47	522.30	11,554.60
Brushed Champagne (22kt Gold)	-46	11,032.30	-46	522.30	11,554.60
Brushed Durabronze (23kt Gold)	-28	10,530.90	-28	498.50	11,029.40
Brushed Dark Brass	-39	8,023.50	-39	379.90	8,403.40
Brushed Bronze	-42	8,023.40	-42	379.90	8,403.30
Dark Chrome	-19	7,521.90	-19	356.20	7,878.10
Brushed Dark Platinum	-99	9,026.30	-99	427.30	9,453.60
Matte Black	-33	6,769.70	-33	320.50	7,090.20

Product alternative

- FlowReduce
- Max. flow rate 9 l/min (at 3 bar)
- rain shower Ø 300 mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Standard article	26 025 661 FF	FF	Euro
Chrome		-00	5,014.70
Brushed Chrome		-93	6,519.00
Platinum		-08	8,023.40
Brushed Platinum		-06	8,023.40
Champagne (22kt Gold)		-47	11,032.30
Brushed Champagne (22kt Gold)		-46	11,032.30
Brushed Durabronze (23kt Gold)		-28	10,530.90
Brushed Dark Brass		-39	8,023.50
Brushed Bronze		-42	8,023.40
Dark Chrome		-19	7,522.00
Brushed Dark Platinum		-99	9,026.30
Matte Black		-33	6,769.80



Required miscellaneous

Concealed wall mounting 35 003 970 FF FF Euro

- min. recess depth 78 mm
 - max. recess depth 103 mm
- Concealed rough parts **90** 320.80
- For details and miscellaneous, see page 640

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.



Alternative hand shower	28 015 979 FF max. flow 15 l/min		28 017 979 FF max. flow 15 l/min		28 018 979 FF max. flow 15 l/min		28 012 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	135.80	-00	236.10	-00	195.80
Brushed Chrome	-93	164.20	-93	236.40	-93	176.50	-93	306.80	-93	254.50
Platinum	-08	202.30	-08	291.10	-08	217.10	-08	377.70	-08	313.60
Brushed Platinum	-06	202.30	-06	291.10	-06	217.10	-06	377.70	-06	313.60
Champagne (22kt Gold)	-47	277.90	-47	400.20	-47	298.80	-47	519.40	-47	430.80
Brushed Champagne (22kt Gold)	-46	277.90	-46	400.20	-46	298.80	-46	519.40	-46	430.80
Brushed Durabronze (23kt Gold)	-28	265.20	-28	382.00	-28	285.20	-28	495.80	-28	411.20
Brushed Dark Brass	-39	202.10	-39	291.10	-39	217.20	-39	377.70	-39	313.30
Brushed Bronze	-42	202.00	-42	291.00	-42	217.10	-42	377.70	-42	313.30
Dark Chrome	-19	189.40	-19	272.80	-19	203.60	-19	354.10	-19	293.80
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	244.30	-99	425.00	-99	352.60
Matte Black	-33	170.30	-33	245.70	-33	183.20	-33	318.70	-33	264.40

28 504 979

Shower head

- **180-210mm projection**
- ball-joint pivotable through 30°
- PURIFY RAIN, max. flow rate 7 l/min (at 3 bar)
- Function from: 6 l/min
- with anti-scale system
- spray head Ø 100mm
- rosette Ø 55 mm
- 1/2" connection

Fits META, TARA, VAIA, LISSÉ
Custom-made options

- Finish variants
- without logo

Standard article	28 504 979 FF	FF	Euro
Chrome	-00		591.60
Brushed Chrome	-93		769.00
Platinum	-08		946.80
Brushed Platinum	-06		946.90
Champagne (22kt Gold)	-47		1,301.50
Brushed Champagne (22kt Gold)	-46		1,301.50
Brushed Durabrass (23kt Gold)	-28		1,242.40
Brushed Dark Brass	-39		946.60
Brushed Bronze	-42		946.60
Dark Chrome	-19		887.60
Brushed Dark Platinum	-99		1,065.10
Matte Black	-33		798.80



Recommended miscellaneous

Concealed wall elbow **35 085 970 FF** FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 508 979

Shower head

- **200mm projection**
- ball-joint pivotable through 30°
- Three settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system
- spray head Ø 92mm
- rosette Ø 55 mm
- 1/2" connection

Fits META, TARA, VAIA, LISSÉ
Custom-made options

- Finish variants

Standard article	28 508 979 FF	FF	Euro
Chrome	-00		661.80
Brushed Chrome	-93		860.40
Platinum	-08		1,058.50
Brushed Platinum	-06		1,058.50
Champagne (22kt Gold)	-47		1,456.00
Brushed Champagne (22kt Gold)	-46		1,456.00
Brushed Durabrass (23kt Gold)	-28		1,389.80
Brushed Dark Brass	-39		1,058.80
Brushed Bronze	-42		1,058.80
Dark Chrome	-19		992.60
Brushed Dark Platinum	-99		1,191.00
Matte Black	-33		893.30

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 508 979 FF	FF	Euro
Chrome	-000010		661.80
Brushed Chrome	-930010		860.40
Platinum	-080010		1,058.50
Brushed Platinum	-060010		1,058.50
Champagne (22kt Gold)	-470010		1,456.00
Brushed Champagne (22kt Gold)	-460010		1,456.00
Brushed Durabrass (23kt Gold)	-280010		1,389.80
Brushed Dark Brass	-390010		1,058.80
Brushed Bronze	-420010		1,058.80
Dark Chrome	-190010		992.60
Brushed Dark Platinum	-990010		1,191.00
Matte Black	-330010		893.30



Recommended miscellaneous

Concealed wall elbow **35 085 970 FF** FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 505 979

**Shower head**

- **155mm projection**
- ball-joint pivotable through 18° (in any direction)
- Three or five settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 7.6 l/min (at 3 bar)
- with anti-scale system
- spray head Ø 100mm
- rosette Ø 60 mm
- 1/2" connection
- Function from: 5.5 l/min

Fits META, TARA, VAIA, LISSÉ

Custom-made options

- Finish variants
- without logo

Standard article	28 505 979 FF	FF	Euro
Chrome		-00	368.70
Brushed Chrome		-93	479.40
Platinum		-08	590.00
Brushed Platinum		-06	590.00
Champagne (22kt Gold)		-47	811.10
Brushed Champagne (22kt Gold)		-46	811.10
Brushed Durabrass (23kt Gold)		-28	774.30
Brushed Dark Brass		-39	590.00
Brushed Bronze		-42	590.00
Dark Chrome		-19	553.10
Brushed Dark Platinum		-99	663.80
Matte Black		-33	497.90



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
Concealed rough parts		90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

28 649 970

**Rain shower with wall fixing 220 mm**

- **450mm projection**
- rain shower Ø 220 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 7 l/min
- rosette Ø 60 mm
- 1/2" connection
- with anti-scale system
- quick clearing

Fits META, TARA, VAIA, LISSÉ

Custom-made options

- Finish variants
- Projection modification
- without logo

Standard article	28 649 970 FF	FF	Euro
Chrome		-00	964.10
Brushed Chrome		-93	1,253.30
Platinum		-08	1,542.50
Brushed Platinum		-06	1,542.50
Champagne (22kt Gold)		-47	2,121.00
Brushed Champagne (22kt Gold)		-46	2,121.00
Brushed Durabrass (23kt Gold)		-28	2,024.60
Brushed Dark Brass		-39	1,542.50
Brushed Bronze		-42	1,542.50
Dark Chrome		-19	1,446.10
Brushed Dark Platinum		-99	1,735.30
Matte Black		-33	1,301.60

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 648 970 FF	FF	Euro
Chrome		-00	964.10
Brushed Chrome		-93	1,253.30
Platinum		-08	1,542.50
Brushed Platinum		-06	1,542.50
Champagne (22kt Gold)		-47	2,121.00
Brushed Champagne (22kt Gold)		-46	2,121.00
Brushed Durabrass (23kt Gold)		-28	2,024.60
Brushed Dark Brass		-39	1,542.50
Brushed Bronze		-42	1,542.50
Dark Chrome		-19	1,446.00
Brushed Dark Platinum		-99	1,735.20
Matte Black		-33	1,301.50



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
Concealed rough parts		90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

28 679 970

Rain shower with wall fixing 300 mm

- **450mm projection**
- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rosette Ø 60 mm
- 1/2" connection
- with anti-scale system
- quick clearing

Custom-made options

- Finish variants
- Projection modification
- without logo

Standard article	28 679 970 FF	FF	Euro
Chrome		-00	1,135.70
Brushed Chrome		-93	1,476.40
Platinum		-08	1,817.60
Brushed Platinum		-06	1,817.60
Champagne (22kt Gold)		-47	2,498.50
Brushed Champagne (22kt Gold)		-46	2,498.50
Brushed Durabronze (23kt Gold)		-28	2,385.00
Brushed Dark Brass		-39	1,817.10
Brushed Bronze		-42	1,817.10
Dark Chrome		-19	1,703.60
Brushed Dark Platinum		-99	2,044.30
Matte Black		-33	1,533.70

Product alternative

- FlowReduce
- Max. flow rate 9 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 678 970 FF	FF	Euro
Chrome		-00	1,135.70
Brushed Chrome		-93	1,476.40
Platinum		-08	1,817.10
Brushed Platinum		-06	1,817.10
Champagne (22kt Gold)		-47	2,498.50
Brushed Champagne (22kt Gold)		-46	2,498.50
Brushed Durabronze (23kt Gold)		-28	2,385.00
Brushed Dark Brass		-39	1,817.10
Brushed Bronze		-42	1,817.10
Dark Chrome		-19	1,703.50
Brushed Dark Platinum		-99	2,044.20
Matte Black		-33	1,533.30



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
	Concealed rough parts	90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

28 659 970

**Rain shower with wall fixing 400 mm**

- 450mm projection
- rain shower Ø 400 mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- rosette Ø 60 mm
- 1/2" connection
- with anti-scale system

Fits META, TARA, VAIA, LISSÉ

Custom-made options

- Finish variants
- Flow rate modification
- Projection modification
- without logo

Standard article	28 659 970 FF	FF	Euro
Chrome		-00	1,988.40
Brushed Chrome		-93	2,584.90
Platinum		-08	3,181.50
Brushed Platinum		-06	3,181.50
Champagne (22kt Gold)		-47	4,374.50
Brushed Champagne (22kt Gold)		-46	4,374.50
Brushed Durabronze (23kt Gold)		-28	4,175.60
Brushed Dark Brass		-39	3,181.50
Brushed Bronze		-42	3,181.50
Dark Chrome		-19	2,982.70
Brushed Dark Platinum		-99	3,578.90
Matte Black		-33	2,684.30

Product alternative

- FlowReduce
- Max. flow rate 12 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 658 970 FF	FF	Euro
Chrome		-00	1,988.40
Brushed Chrome		-93	2,584.90
Platinum		-08	3,181.50
Brushed Platinum		-06	3,181.50
Champagne (22kt Gold)		-47	4,374.50
Brushed Champagne (22kt Gold)		-46	4,374.50
Brushed Durabronze (23kt Gold)		-28	4,175.60
Brushed Dark Brass		-39	3,181.50
Brushed Bronze		-42	3,181.50
Dark Chrome		-19	2,982.60
Brushed Dark Platinum		-99	3,579.00
Matte Black		-33	2,684.30



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
	Concealed rough parts	90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

28 669 970

Rain shower with ceiling fixing 220 mm

- rain shower Ø 220 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 7 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system
- quick clearing

Fits IMO, META, TARA, VAIA, LISSÉ, CYO
Custom-made options

- Finish variants
- Length modification
- without logo

Standard article	28 669 970 FF	FF	Euro
Chrome		-00	819.30
Brushed Chrome		-93	1,065.00
Platinum		-08	1,311.20
Brushed Platinum		-06	1,311.20
Champagne (22kt Gold)		-47	1,802.50
Brushed Champagne (22kt Gold)		-46	1,802.50
Brushed Durabronze (23kt Gold)		-28	1,720.50
Brushed Dark Brass		-39	1,310.80
Brushed Bronze		-42	1,310.90
Dark Chrome		-19	1,228.90
Brushed Dark Platinum		-99	1,474.80
Matte Black		-33	1,106.40

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 668 970 FF	FF	Euro
Chrome		-00	819.30
Brushed Chrome		-93	1,065.00
Platinum		-08	1,310.90
Brushed Platinum		-06	1,310.90
Champagne (22kt Gold)		-47	1,802.50
Brushed Champagne (22kt Gold)		-46	1,802.50
Brushed Durabronze (23kt Gold)		-28	1,720.50
Brushed Dark Brass		-39	1,310.80
Brushed Bronze		-42	1,310.90
Dark Chrome		-19	1,228.90
Brushed Dark Platinum		-99	1,474.70
Matte Black		-33	1,106.00



Recommended miscellaneous

	35 085 970 FF	FF	Euro
Concealed wall elbow			
Concealed rough parts		90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

28 689 970

**Rain shower with ceiling fixing 300 mm**

- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system
- quick clearing

Fits IMO, META, TARA, VAIA, LISSÉ, CYO

Custom-made options

- Finish variants
- Length modification
- without logo

Standard article	28 689 970 FF	FF	Euro
Chrome		-00	965.90
Brushed Chrome		-93	1,255.70
Platinum		-08	1,544.90
Brushed Platinum		-06	1,544.90
Champagne (22kt Gold)		-47	2,125.00
Brushed Champagne (22kt Gold)		-46	2,125.00
Brushed Durabrass (23kt Gold)		-28	2,028.40
Brushed Dark Brass		-39	1,545.50
Brushed Bronze		-42	1,545.40
Dark Chrome		-19	1,448.90
Brushed Dark Platinum		-99	1,738.50
Matte Black		-33	1,303.70

Product alternative

- FlowReduce
- Max. flow rate 9 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 688 970 FF	FF	Euro
Chrome		-00	965.90
Brushed Chrome		-93	1,255.70
Platinum		-08	1,545.40
Brushed Platinum		-06	1,545.40
Champagne (22kt Gold)		-47	2,125.00
Brushed Champagne (22kt Gold)		-46	2,125.00
Brushed Durabrass (23kt Gold)		-28	2,028.40
Brushed Dark Brass		-39	1,545.50
Brushed Bronze		-42	1,545.40
Dark Chrome		-19	1,448.90
Brushed Dark Platinum		-99	1,738.60
Matte Black		-33	1,304.00



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
	Concealed rough parts	90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

28 699 970

Rain shower with ceiling fixing 400 mm

- rain shower Ø 400 mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system
- quick clearing

Fits IMO, META, TARA, VAIA, LISSÉ, CYO
Custom-made options

- Finish variants
- Flow rate modification
- Length modification
- without logo

Standard article	28 699 970 FF	FF	Euro
Chrome		-00	1,778.20
Brushed Chrome		-93	2,311.60
Platinum		-08	2,845.00
Brushed Platinum		-06	2,845.00
Champagne (22kt Gold)		-47	3,912.00
Brushed Champagne (22kt Gold)		-46	3,912.00
Brushed Durabrass (23kt Gold)		-28	3,734.20
Brushed Dark Brass		-39	2,845.10
Brushed Bronze		-42	2,845.10
Dark Chrome		-19	2,667.10
Brushed Dark Platinum		-99	3,200.50
Matte Black		-33	2,400.30

Product alternative

- FlowReduce
- Max. flow rate 12 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 698 970 FF	FF	Euro
Chrome		-00	1,778.20
Brushed Chrome		-93	2,311.60
Platinum		-08	2,845.10
Brushed Platinum		-06	2,845.10
Champagne (22kt Gold)		-47	3,912.00
Brushed Champagne (22kt Gold)		-46	3,912.00
Brushed Durabrass (23kt Gold)		-28	3,734.20
Brushed Dark Brass		-39	2,845.10
Brushed Bronze		-42	2,845.10
Dark Chrome		-19	2,667.30
Brushed Dark Platinum		-99	3,200.60
Matte Black		-33	2,400.50



Recommended miscellaneous

Concealed wall elbow 35 085 970 FF FF Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

 Concealed rough parts 90 122.80
 For details and miscellaneous, see page 645

28 031 970

Rain shower for surface-mounted ceiling installation 300 mm

- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Fits IMO, META, TARA, VAIA, LISSÉ, CYO
Custom-made options

- Finish variants
- without logo

Standard article	28 031 970 FF	FF	Euro
Chrome		-00	746.90
Brushed Chrome		-93	971.00
Platinum		-08	1,195.10
Brushed Platinum		-06	1,195.10
Champagne (22kt Gold)		-47	1,643.20
Brushed Champagne (22kt Gold)		-46	1,643.20
Brushed Durabrass (23kt Gold)		-28	1,568.50
Brushed Dark Brass		-39	1,195.00
Brushed Bronze		-42	1,194.90
Dark Chrome		-19	1,120.30
Brushed Dark Platinum		-99	1,344.40
Matte Black		-33	1,008.30

Required miscellaneous


Concealed ceiling installation box with ceiling fixing

35 041 970 FF FF Euro

- concealed rough parts
- min. recess depth 90 mm
- max. recess depth 115 mm
- 2x female thread 1/2" outlet

 Concealed rough parts 90 497.90
 For details and miscellaneous, see page 648

28 032 970

**Rain shower for surface-mounted ceiling installation with light 300 mm**

- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- **Ceiling module power supply**
- 350mA (CC)
- **Spot lighting**
- LED colour temperature approx. 3000 K
- Bulbs protected against splashing water
- Contains energy efficiency class bulbs
- Technology: LED, not dimmable
- Provided by customer: Light switch
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Fits IMO, META, TARA, VAIA, LISSÉ, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 032 970 FF	FF	Euro
Chrome		-00	1,122.20
Brushed Chrome		-93	1,458.80
Platinum		-08	1,795.50
Brushed Platinum		-06	1,795.50
Champagne (22kt Gold)		-47	2,468.80
Brushed Champagne (22kt Gold)		-46	2,468.80
Brushed Durabronze (23kt Gold)		-28	2,356.60
Brushed Dark Brass		-39	1,795.50
Brushed Bronze		-42	1,795.50
Dark Chrome		-19	1,683.20
Brushed Dark Platinum		-99	2,020.00
Matte Black		-33	1,514.80

Required miscellaneous

**Concealed ceiling installation box for surface-mounted ceiling installation with light**

	35 042 970 FF	FF	Euro
Concealed rough parts		90	748.00

- concealed rough parts
- min. recess depth 90 mm
- max. recess depth 115 mm
- 2x female thread 1/2" connections
- Input 100-240V AC 50-60Hz
- Output 350 mA SELV / Class 2
- Provided by customer: Light switch

For details and miscellaneous, see page 648

28 033 970

**Rain shower for recessed ceiling installation 300 mm**

- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- min. recess depth 137 mm
- with anti-scale system
- For simultaneous control of the jet types, we recommend the xTool thermostat module
- Not suitable for use in a steam room.

Fits IMO, META, TARA, VAIA, LISSÉ, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 033 970 FF	FF	Euro
Chrome		-00	1,497.40
Brushed Chrome		-93	1,946.70
Platinum		-08	2,395.80
Brushed Platinum		-06	2,395.80
Champagne (22kt Gold)		-47	3,294.30
Brushed Champagne (22kt Gold)		-46	3,294.30
Brushed Durabronze (23kt Gold)		-28	3,144.50
Brushed Dark Brass		-39	2,395.90
Brushed Bronze		-42	2,395.90
Dark Chrome		-19	2,246.10
Brushed Dark Platinum		-99	2,695.30
Matte Black		-33	2,021.50

Required miscellaneous

**Concealed ceiling installation box for recessed ceiling installation**

	35 033 970 FF	FF	Euro
Concealed rough parts		90	998.30

- concealed rough parts
- recess depth 137mm
- 2x female thread 1/2" outlet
- flush-mounted installation box Ø 360 mm RAL 9003 signal white

For details and miscellaneous, see page 647

28 034 970


Rain shower for recessed ceiling installation with light 300 mm

- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- min. recess depth 137 mm
- with anti-scale system
- **Ceiling module power supply**
- 12V DC (CV)
- **Spot lighting**
- LED coloured light RGBW
- Bulbs protected against splashing water
- **Ambient lighting**
- **Activation**
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

Fits IMO, META, TARA, VAIA, LISSÉ, CYO
Custom-made options

- Finish variants
- without logo

Standard article	28 034 970 FF	FF	Euro
Chrome		-00	2,248.00
Brushed Chrome		-93	2,922.30
Platinum		-08	3,596.80
Brushed Platinum		-06	3,596.80
Champagne (22kt Gold)		-47	4,945.60
Brushed Champagne (22kt Gold)		-46	4,945.60
Brushed Durabrass (23kt Gold)		-28	4,720.80
Brushed Dark Brass		-39	3,596.80
Brushed Bronze		-42	3,596.80
Dark Chrome		-19	3,371.90
Brushed Dark Platinum		-99	4,046.30
Matte Black		-33	3,034.80

Required miscellaneous


Concealed ceiling installation box for recessed ceiling installation with light

Standard article	35 034 970 FF	FF	Euro
concealed rough parts	Concealed rough parts	90	1,498.70

- flush-mounted reflection box Ø 360 mm RAL 9003 signal white
- recess depth 137mm
- 2x female thread 1/2" outlet
- Input 100-240V AC 50-60Hz
- Output 12V DC SELV / Class 2
- ZigBee Light Link RGBW controller

For details and miscellaneous, see page 647

27 802 660


Hand shower set with integrated shower holder

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection
- rosette Ø 60 mm
- 1/2" connection

Intrinsic protection against back flow.
Fits META, TARA
Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 802 660 FF	FF	Euro
Chrome		-00	455.30
Brushed Chrome		-93	591.80
Platinum		-08	728.70
Brushed Platinum		-06	728.70
Champagne (22kt Gold)		-47	1,001.70
Brushed Champagne (22kt Gold)		-46	1,001.70
Brushed Durabrass (23kt Gold)		-28	956.10
Brushed Dark Brass		-39	728.40
Brushed Bronze		-42	728.40
Dark Chrome		-19	682.80
Brushed Dark Platinum		-99	819.20
Matte Black		-33	614.90

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 802 660 FF	FF	Euro
Chrome		-000010	455.30
Brushed Chrome		-930010	591.80
Platinum		-080010	728.70
Brushed Platinum		-060010	728.70
Champagne (22kt Gold)		-470010	1,001.70
Brushed Champagne (22kt Gold)		-460010	1,001.70
Brushed Durabrass (23kt Gold)		-280010	956.10
Brushed Dark Brass		-390010	728.40
Brushed Bronze		-420010	728.40
Dark Chrome		-190010	682.80
Brushed Dark Platinum		-990010	819.20
Matte Black		-330010	614.90



Recommended miscellaneous

Concealed wall elbow

Standard article	35 085 970 FF	FF	Euro
min. recess depth 90 mm	Concealed rough parts	90	122.80
max. recess depth 163 mm			

For details and miscellaneous, see page 645

27 803 660

**Hand shower set with integrated shower holder**

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- 3/8" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection
- rosette Ø 60 mm
- 1/2" connection
- Function from: 7 l/min

Intrinsic protection against back flow.**Fits META, TARA****Custom-made options**

- Finish variants
- Flow rate modification
- without logo

Standard article	27 803 660 FF	FF	Euro
Chrome		-00	441.10
Brushed Chrome		-93	573.50
Platinum		-08	705.70
Brushed Platinum		-06	705.70
Champagne (22kt Gold)		-47	970.40
Brushed Champagne (22kt Gold)		-46	970.40
Brushed Durabronze (23kt Gold)		-28	926.30
Brushed Dark Brass		-39	705.90
Brushed Bronze		-42	705.80
Dark Chrome		-19	661.90
Brushed Dark Platinum		-99	793.10
Matte Black		-33	594.70

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 803 660 FF	FF	Euro
Chrome		-000010	441.10
Brushed Chrome		-930010	573.50
Platinum		-080010	705.70
Brushed Platinum		-060010	705.70
Champagne (22kt Gold)		-470010	970.40
Brushed Champagne (22kt Gold)		-460010	970.40
Brushed Durabronze (23kt Gold)		-280010	926.30
Brushed Dark Brass		-390010	705.90
Brushed Bronze		-420010	705.80
Dark Chrome		-190010	661.90
Brushed Dark Platinum		-990010	793.10
Matte Black		-330010	594.70



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80

For details and miscellaneous, see page 645

27 805 625

Hand shower set

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- spray head Ø 100mm
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection
- shower holder rosette Ø 55mm

Intrinsic protection against back flow.
Fits META, TARA
Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	27 805 625 FF	FF	Euro
Chrome		-00	328.50
Brushed Chrome		-93	426.90
Brushed Platinum		-06	525.40
Champagne (22kt Gold)		-47	722.70
Brushed Champagne (22kt Gold)		-46	722.70
Brushed Durabronze (23kt Gold)		-28	689.90
Brushed Dark Brass		-39	525.50
Brushed Bronze		-42	525.50
Dark Chrome		-19	492.60
Brushed Dark Platinum		-99	591.20
Matte Black		-33	443.30

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 805 625 FF	FF	Euro
Chrome		-000010	328.50
Brushed Chrome		-930010	426.90
Brushed Platinum		-060010	525.40
Champagne (22kt Gold)		-470010	722.70
Brushed Champagne (22kt Gold)		-460010	722.70
Brushed Durabronze (23kt Gold)		-280010	689.90
Brushed Dark Brass		-390010	525.50
Brushed Bronze		-420010	525.50
Dark Chrome		-190010	492.60
Brushed Dark Platinum		-990010	591.20
Matte Black		-330010	443.30



Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

	28 450 625 FF	FF	Euro
Chrome		-00	115.70
Brushed Chrome		-93	150.40
Brushed Platinum		-06	185.20
Champagne (22kt Gold)		-47	254.50
Brushed Champagne (22kt Gold)		-46	254.50
Brushed Durabronze (23kt Gold)		-28	243.00
Brushed Dark Brass		-39	185.10
Brushed Bronze		-42	185.10
Dark Chrome		-19	173.60
Brushed Dark Platinum		-99	208.30
Matte Black		-33	155.90



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

	35 085 970 FF	FF	Euro
Concealed rough parts		90	122.80

27 802 892

**Hand shower set with individual rosettes**

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 1/2" shower outlet
- rosette for wall elbow Ø 55mm
- rosette for shower holder Ø 55mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow

Intrinsic protection against back flow.**Fits TARA****Custom-made options**

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 802 892 FF	FF	Euro
Chrome		-00	611.20
Brushed Chrome		-93	794.50
Platinum		-08	978.30
Brushed Platinum		-06	978.30
Champagne (22kt Gold)		-47	1,344.60
Brushed Champagne (22kt Gold)		-46	1,344.60
Brushed Durabronze (23kt Gold)		-28	1,283.50
Brushed Dark Brass		-39	977.90
Brushed Bronze		-42	978.00
Dark Chrome		-19	916.90
Brushed Dark Platinum		-99	1,100.20
Matte Black		-33	825.40

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 802 892 FF	FF	Euro
Chrome		-000010	611.20
Brushed Chrome		-930010	794.50
Platinum		-080010	978.30
Brushed Platinum		-060010	978.30
Champagne (22kt Gold)		-470010	1,344.60
Brushed Champagne (22kt Gold)		-460010	1,344.60
Brushed Durabronze (23kt Gold)		-280010	1,283.50
Brushed Dark Brass		-390010	977.90
Brushed Bronze		-420010	978.00
Dark Chrome		-190010	916.90
Brushed Dark Platinum		-990010	1,100.20
Matte Black		-330010	825.40



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
	Concealed rough parts	90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

27 803 892

Hand shower set with individual rosettes

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- 1/2" shower outlet
- rosette for wall elbow Ø 55mm
- rosette for shower holder Ø 55mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow

Intrinsic protection against back flow.
Fits TARA
Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	27 803 892 FF	FF	Euro
Chrome		-00	599.20
Brushed Chrome		-93	778.90
Platinum		-08	958.50
Brushed Platinum		-06	958.50
Champagne (22kt Gold)		-47	1,318.20
Brushed Champagne (22kt Gold)		-46	1,318.20
Brushed Durabronze (23kt Gold)		-28	1,258.30
Brushed Dark Brass		-39	958.60
Brushed Bronze		-42	958.70
Dark Chrome		-19	898.90
Brushed Dark Platinum		-99	1,078.70
Matte Black		-33	808.80

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 803 892 FF	FF	Euro
Chrome		-000010	599.20
Brushed Chrome		-930010	778.90
Platinum		-080010	958.50
Brushed Platinum		-060010	958.50
Champagne (22kt Gold)		-470010	1,318.20
Brushed Champagne (22kt Gold)		-460010	1,318.20
Brushed Durabronze (23kt Gold)		-280010	1,258.30
Brushed Dark Brass		-390010	958.60
Brushed Bronze		-420010	958.70
Dark Chrome		-190010	898.90
Brushed Dark Platinum		-990010	1,078.70
Matte Black		-330010	808.80



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
	Concealed rough parts	90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

27 806 625

**Hand shower set**

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- rosette Ø 55 mm
- metal shower hose 1250mm with integrated anti-twist protection
- shower holder rosette Ø 55mm

Intrinsic protection against back flow.**Fits META, TARA****Custom-made options**

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 806 625 FF	FF	Euro
Chrome		-00	338.60
Brushed Chrome		-93	440.20
Brushed Platinum		-06	542.00
Champagne (22kt Gold)		-47	744.90
Brushed Champagne (22kt Gold)		-46	744.90
Brushed Durabronze (23kt Gold)		-28	711.10
Brushed Dark Brass		-39	541.70
Brushed Bronze		-42	541.80
Dark Chrome		-19	507.90
Brushed Dark Platinum		-99	609.50
Matte Black		-33	456.60

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 806 625 FF	FF	Euro
Chrome		-000010	338.60
Brushed Chrome		-930010	440.20
Brushed Platinum		-060010	542.00
Champagne (22kt Gold)		-470010	744.90
Brushed Champagne (22kt Gold)		-460010	744.90
Brushed Durabronze (23kt Gold)		-280010	711.10
Brushed Dark Brass		-390010	541.70
Brushed Bronze		-420010	541.80
Dark Chrome		-190010	507.90
Brushed Dark Platinum		-990010	609.50
Matte Black		-330010	456.60

**Recommended miscellaneous****Wall elbow**

28 450 625 FF

For details and miscellaneous, see main items

	FF	Euro
Chrome	-00	115.70
Brushed Chrome	-93	150.40
Brushed Platinum	-06	185.20
Champagne (22kt Gold)	-47	254.50
Brushed Champagne (22kt Gold)	-46	254.50
Brushed Durabronze (23kt Gold)	-28	243.00
Brushed Dark Brass	-39	185.10
Brushed Bronze	-42	185.10
Dark Chrome	-19	173.60
Brushed Dark Platinum	-99	208.30
Matte Black	-33	155.90

**Recommended miscellaneous****Concealed wall elbow**

35 085 970 FF

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

Concealed rough parts 90 122.80

28 528 979

Body spray without volume control

- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- HORIZONTAL RAIN, max. flow rate 7 l/min (at 3 bar)
- with anti-scale system
- rosette Ø 55 mm
- 1/2" connection

Fits META, TARA, VAIA, LISSÉ
Custom-made options

- Finish variants
- without logo

Standard article	28 528 979 FF	FF	Euro
Chrome		-00	313.00
Brushed Chrome		-93	406.90
Platinum		-08	500.70
Brushed Platinum		-06	500.70
Champagne (22kt Gold)		-47	688.60
Brushed Champagne (22kt Gold)		-46	688.60
Durabrand (23kt Gold)		-09	657.30
Brushed Durabrand (23kt Gold)		-28	657.30
Brushed Dark Brass		-39	500.80
Brushed Bronze		-42	500.70
Dark Chrome		-19	469.50
Brushed Dark Platinum		-99	563.30
Matte Black		-33	422.50

Product alternative

- FlowReduce
- Max. flow rate 5 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 518 979 FF	FF	Euro
Chrome		-00	313.00
Brushed Chrome		-93	406.90
Platinum		-08	500.90
Brushed Platinum		-06	500.90
Champagne (22kt Gold)		-47	688.60
Brushed Champagne (22kt Gold)		-46	688.60
Durabrand (23kt Gold)		-09	657.30
Brushed Durabrand (23kt Gold)		-28	657.30
Brushed Dark Brass		-39	500.80
Brushed Bronze		-42	500.70
Dark Chrome		-19	469.50
Brushed Dark Platinum		-99	563.30
Matte Black		-33	422.40



Recommended miscellaneous

Concealed wall elbow
35 085 970 FF

FF

Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

Concealed rough parts

90

122.80

36 525 979

**WATER POINTS Concealed body spray**

- HORIZONTAL RAIN, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- cover plate 120 x 120 mm

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	36 525 979 FF	FF	Euro
Chrome		-00	549.80
Brushed Chrome		-93	714.70
Platinum		-08	879.60
Brushed Platinum		-06	879.60
Champagne (22kt Gold)		-47	1,209.60
Brushed Champagne (22kt Gold)		-46	1,209.60
Brushed Durabronze (23kt Gold)		-28	1,154.60
Brushed Dark Brass		-39	879.70
Brushed Bronze		-42	879.60
Dark Chrome		-19	824.70
Brushed Dark Platinum		-99	989.50
Matte Black		-33	742.20

Product alternative

- FlowReduce
- Max. flow rate 6 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 515 979 FF	FF	Euro
Chrome		-00	549.80
Brushed Chrome		-93	714.70
Platinum		-08	879.20
Brushed Platinum		-06	879.20
Champagne (22kt Gold)		-47	1,209.60
Brushed Champagne (22kt Gold)		-46	1,209.60
Brushed Durabronze (23kt Gold)		-28	1,154.60
Brushed Dark Brass		-39	879.70
Brushed Bronze		-42	879.60
Dark Chrome		-19	824.80
Brushed Dark Platinum		-99	989.50
Matte Black		-33	742.00



Required miscellaneous

Concealed wall installation box

	35 205 970 FF	FF	Euro
• min. recess depth 85 mm			
• max. recess depth 110 mm			
For details and miscellaneous, see page 645			
	Concealed rough parts	90	223.00



Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
For details and miscellaneous, see page 655			
	Concealed rough parts	90	112.20

36 527 979


WATER BAR Concealed body spray

- HORIZONTAL RAIN, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- cover plate 240 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	36 527 979 FF	FF	Euro
Chrome		-00	849.00
Brushed Chrome		-93	1,103.60
Platinum		-08	1,358.50
Brushed Platinum		-06	1,358.50
Champagne (22kt Gold)		-47	1,867.80
Brushed Champagne (22kt Gold)		-46	1,867.80
Brushed Durabrass (23kt Gold)		-28	1,782.90
Brushed Dark Brass		-39	1,358.50
Brushed Bronze		-42	1,358.50
Dark Chrome		-19	1,273.50
Brushed Dark Platinum		-99	1,528.20
Matte Black		-33	1,146.10

Product alternative

- FlowReduce
- Max. flow rate 6 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 517 979 FF	FF	Euro
Chrome		-00	849.00
Brushed Chrome		-93	1,103.60
Platinum		-08	1,358.70
Brushed Platinum		-06	1,358.70
Champagne (22kt Gold)		-47	1,867.80
Brushed Champagne (22kt Gold)		-46	1,867.80
Brushed Durabrass (23kt Gold)		-28	1,782.90
Brushed Dark Brass		-39	1,358.50
Brushed Bronze		-42	1,358.50
Dark Chrome		-19	1,273.50
Brushed Dark Platinum		-99	1,527.90
Matte Black		-33	1,168.80

Required miscellaneous


Concealed wall installation box

	35 206 970 FF	FF	Euro
Concealed rough parts		90	301.70

- min. recess depth 100 mm
 - max. recess depth 173 mm
- For details and miscellaneous, see page 645

Required miscellaneous


xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
Concealed rough parts		90	112.20

For details and miscellaneous, see page 655

36 514 979


WATER CURVE Concealed body spray

- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- cover plate 120 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	36 514 979 FF	FF	Euro
Chrome		-00	1,104.80
Brushed Chrome		-93	1,436.20
Platinum		-08	1,767.70
Brushed Platinum		-06	1,767.70
Champagne (22kt Gold)		-47	2,430.60
Brushed Champagne (22kt Gold)		-46	2,430.60
Brushed Durabrass (23kt Gold)		-28	2,320.10
Brushed Dark Brass		-39	1,767.70
Brushed Bronze		-42	1,767.80
Dark Chrome		-19	1,657.10
Brushed Dark Platinum		-99	1,988.70
Matte Black		-33	1,491.20

Recommended miscellaneous


Concealed wall elbow

	35 085 970 FF	FF	Euro
Concealed rough parts		90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

36 513 979

**WATER FAN vertical Concealed body spray**

- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- cover plate 240 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	36 513 979 FF	FF	Euro
Chrome		-00	824.20
Brushed Chrome		-93	1,071.50
Platinum		-08	1,319.20
Brushed Platinum		-06	1,319.20
Champagne (22kt Gold)		-47	1,813.20
Brushed Champagne (22kt Gold)		-46	1,813.20
Brushed Durabrass (23kt Gold)		-28	1,730.80
Brushed Dark Brass		-39	1,318.70
Brushed Bronze		-42	1,318.70
Dark Chrome		-19	1,236.30
Brushed Dark Platinum		-99	1,483.40
Matte Black		-33	1,134.80

Product alternative

- horizontal water jet
- Max. flow rate 10 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 512 979 FF	FF	Euro
Chrome		-00	824.20
Brushed Chrome		-93	1,071.50
Platinum		-08	1,319.20
Brushed Platinum		-06	1,319.20
Champagne (22kt Gold)		-47	1,813.20
Brushed Champagne (22kt Gold)		-46	1,813.20
Brushed Durabrass (23kt Gold)		-28	1,730.80
Brushed Dark Brass		-39	1,318.70
Brushed Bronze		-42	1,318.70
Dark Chrome		-19	1,236.30
Brushed Dark Platinum		-99	1,483.40
Matte Black		-33	1,134.80

Required miscellaneous

**Concealed wall installation box**

35 206 970 FF FF Euro

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 645

Required miscellaneous

**xGRID Installation track 555 mm**

12 360 970 FF FF Euro

For details and miscellaneous, see page 655

Concealed rough parts 90 112.20

13 415 979

**WATER SHEET Cascade spout for wall mounting**

- 150mm projection
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	13 415 979 FF	FF	Euro
Chrome		-00	1,137.90
Brushed Chrome		-93	1,479.30
Platinum		-08	1,820.60
Brushed Platinum		-06	1,820.60
Champagne (22kt Gold)		-47	2,503.40
Brushed Champagne (22kt Gold)		-46	2,503.40
Brushed Durabrass (23kt Gold)		-28	2,389.60
Brushed Dark Brass		-39	1,820.70
Brushed Bronze		-42	1,820.70
Dark Chrome		-19	1,707.00
Brushed Dark Platinum		-99	2,048.20
Matte Black		-33	1,535.90



Recommended miscellaneous


Concealed wall elbow

35 085 970 FF FF Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

Concealed rough parts 90 122.80

13 420 979

WATER FALL Cascade spout for wall mounting

- **120mm projection**
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	13 420 979 FF	FF	Euro
Chrome		-00	1,625.60
Brushed Chrome		-93	2,113.40
Platinum		-08	2,601.50
Brushed Platinum		-06	2,601.50
Champagne (22kt Gold)		-47	3,576.30
Brushed Champagne (22kt Gold)		-46	3,576.30
Brushed Durabrass (23kt Gold)		-28	3,413.80
Brushed Dark Brass		-39	2,601.10
Brushed Bronze		-42	2,601.10
Dark Chrome		-19	2,438.60
Matte Black		-33	2,194.90



Recommended miscellaneous

Concealed wall elbow **35 085 970 FF** FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

13 425 979

WATER FALL Cascade spout with individual jets for wall mounting

- **22mm projection**
- PEARLSTREAM
- plate 240 mm x 60 mm
- connection 1/2", for shortening
- plug-link mounting
- Max. flow rate 9.5 l/min (at 3 bar)

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	13 425 979 FF	FF	Euro
Chrome		-00	1,208.00
Brushed Chrome		-93	1,570.30
Platinum		-08	1,932.80
Brushed Platinum		-06	1,932.80
Champagne (22kt Gold)		-47	2,657.60
Brushed Champagne (22kt Gold)		-46	2,657.60
Brushed Durabrass (23kt Gold)		-28	2,536.80
Brushed Dark Brass		-39	1,932.80
Brushed Bronze		-42	1,932.80
Dark Chrome		-19	1,811.80
Brushed Dark Platinum		-99	2,174.10
Matte Black		-33	1,630.70



Recommended miscellaneous

Concealed wall elbow **35 085 970 FF** FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

27 823 979 +
28 285 979**WATER TUBE Kneipp wall elbow with hose holder with individual rosettes**

- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- with volume control
- rosettes Ø 60 mm
- holder for Kneipp hose
- 1/2" wall elbow

Intrinsic protection against back flow.**Fits META, TARA, VAIA, LISSÉ****Custom-made options**

- Finish variants
- without logo

Set	1x 27 823 979 FF max. flow 15 l/min		1x 28 285 979 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	589.50	-00	104.90	694.40
Brushed Chrome	-93	766.30	-93	136.30	902.60
Platinum	-08	943.20	-08	167.70	1,110.90
Brushed Platinum	-06	943.20	-06	167.80	1,111.00
Champagne (22kt Gold)	-47	1,296.90	-47	230.80	1,527.70
Brushed Champagne (22kt Gold)	-46	1,296.90	-46	230.80	1,527.70
Brushed Durabronz (23kt Gold)	-28	1,238.00	-28	220.30	1,458.30
Brushed Dark Brass	-39	943.20	-39	167.80	1,111.00
Brushed Bronze	-42	943.30	-42	167.80	1,111.10
Dark Chrome	-19	884.00	-19	157.30	1,041.30
Brushed Dark Platinum	-99	1,061.00	-99	188.70	1,249.70
Matte Black	-33	795.70	-33	141.50	937.20

Product alternative

- Flow/Reduce
- Max. flow rate 9 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 843 979 FF	FF	Euro
Chrome		-00	589.50
Brushed Chrome		-93	766.30
Platinum		-08	943.30
Brushed Platinum		-06	943.30
Champagne (22kt Gold)		-47	1,296.90
Brushed Champagne (22kt Gold)		-46	1,296.90
Brushed Durabronz (23kt Gold)		-28	1,238.00
Brushed Dark Brass		-39	943.20
Brushed Bronze		-42	943.30
Dark Chrome		-19	884.30
Brushed Dark Platinum		-99	1,061.10
Matte Black		-33	795.90



Recommended miscellaneous

WATER TUBE Kneipp hose black 2000 mm

	28 286 979 FF	FF	Euro
• hose nozzle with sleeve M33		-00	104.90
• with holding ring		-93	136.30
		-08	167.70
		-06	167.80
		-47	230.80
		-46	230.80
		-28	220.30
		-39	167.80
		-42	167.80
		-19	157.30
		-99	188.70
		-33	141.50



Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm		90	122.80
• max. recess depth 163 mm			

For details and miscellaneous, see page 645

28 490 660

Wall elbow with integrated shower holder

- 3/8" shower outlet
- rosette Ø 60 mm
- 1/2" connection

Intrinsic protection against back flow.
Custom-made options

- Finish variants
- without logo

Standard article	28 490 660 FF	FF	Euro
Chrome	-00		225.00
Brushed Chrome	-93		292.40
Platinum	-08		359.60
Brushed Platinum	-06		359.60
Champagne (22kt Gold)	-47		495.00
Brushed Champagne (22kt Gold)	-46		495.00
Brushed Durabronze (23kt Gold)	-28		472.50
Brushed Dark Brass	-39		359.90
Brushed Bronze	-42		360.00
Dark Chrome	-19		337.30
Brushed Dark Platinum	-99		404.30
Matte Black	-33		303.70



Recommended miscellaneous

Concealed wall elbow **35 085 970 FF** FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts
- 90**
- 122.80
-
- For details and miscellaneous, see page 645

28 450 625

Wall elbow

- 3/8" shower outlet
- rosette Ø 55 mm
- 1/2" connection

Intrinsic protection against back flow.
Fits META, TARA
Custom-made options

- Finish variants
- without logo

Standard article	28 450 625 FF	FF	Euro
Chrome	-00		115.70
Brushed Chrome	-93		150.40
Platinum	-08		185.20
Brushed Platinum	-06		185.20
Champagne (22kt Gold)	-47		254.50
Brushed Champagne (22kt Gold)	-46		254.50
Brushed Durabronze (23kt Gold)	-28		243.00
Brushed Dark Brass	-39		185.10
Brushed Bronze	-42		185.10
Dark Chrome	-19		173.60
Brushed Dark Platinum	-99		208.30
Matte Black	-33		155.90



Recommended miscellaneous

Concealed wall elbow **35 085 970 FF** FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts
- 90**
- 122.80
-
- For details and miscellaneous, see page 645

28 050 892

Wall bracket

- rosette Ø 55 mm

Custom-made options

- Finish variants

Standard article	28 050 892 FF	FF	Euro
Chrome	-00		185.40
Brushed Chrome	-93		241.10
Platinum	-08		296.80
Brushed Platinum	-06		296.80
Champagne (22kt Gold)	-47		407.90
Brushed Champagne (22kt Gold)	-46		407.90
Brushed Durabronze (23kt Gold)	-28		389.30
Brushed Dark Brass	-39		296.60
Brushed Bronze	-42		296.60
Dark Chrome	-19		278.10
Brushed Dark Platinum	-99		333.70
Matte Black	-33		250.30

28 050 625

**Wall bracket**

- rosette Ø 55 mm

Custom-made options

- Finish variants

Standard article	28 050 625 FF	FF	Euro
Chrome		-00	161.60
Brushed Chrome		-93	210.00
Brushed Platinum		-06	258.60
Champagne (22kt Gold)		-47	355.50
Brushed Champagne (22kt Gold)		-46	355.50
Brushed Durabronze (23kt Gold)		-28	339.40
Brushed Dark Brass		-39	258.50
Brushed Bronze		-42	258.50
Dark Chrome		-19	242.30
Brushed Dark Platinum		-99	290.70
Matte Black		-33	218.30

28 060 970

**Wall bracket swivel**

- pivotable 75°

Custom-made options

- Finish variants

Standard article	28 060 970 FF	FF	Euro
Chrome		-00	197.80
Brushed Chrome		-93	257.10
Platinum		-08	316.60
Brushed Platinum		-06	316.60
Champagne (22kt Gold)		-47	435.20
Brushed Champagne (22kt Gold)		-46	435.20
Brushed Durabronze (23kt Gold)		-28	415.40
Brushed Dark Brass		-39	316.40
Brushed Bronze		-42	316.30
Dark Chrome		-19	296.60
Brushed Dark Platinum		-99	356.10
Matte Black		-33	267.20

12 570 970

**Slide unit**

- for pipe diameter 23.5 mm

Custom-made options

- Finish variants

Standard article	12 570 970 FF	FF	Euro
Chrome		-00	137.00
Brushed Chrome		-93	178.10
Platinum		-08	219.50
Brushed Platinum		-06	219.50
Champagne (22kt Gold)		-47	301.40
Brushed Champagne (22kt Gold)		-46	301.40
Brushed Durabronze (23kt Gold)		-28	287.70
Brushed Dark Brass		-39	219.20
Brushed Bronze		-42	219.20
Dark Chrome		-19	205.40
Brushed Dark Platinum		-99	246.80
Matte Black		-33	185.20

12 580 970

**Slide unit**

- for pipe diameter 18 mm

Custom-made options

- Finish variants

Standard article	12 580 970 FF	FF	Euro
Chrome		-00	137.00
Brushed Chrome		-93	178.10
Platinum		-08	219.50
Brushed Platinum		-06	219.50
Champagne (22kt Gold)		-47	301.40
Brushed Champagne (22kt Gold)		-46	301.40
Brushed Durabronze (23kt Gold)		-28	287.70
Brushed Dark Brass		-39	219.20
Brushed Bronze		-42	219.20
Dark Chrome		-19	205.40
Brushed Dark Platinum		-99	246.80
Matte Black		-33	185.20

34 443 979 +
11 431 892

Shower thermostat

- 3/8" shower outlet
- slide-on rosettes Ø 70 mm
- 1/2" connection
- gauge 150 mm - 13 mm
- with volume control

Intrinsic protection against back flow.
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 34 443 979 FF		1x 11 431 892 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	607.90	-00	124.70	732.60
Brushed Chrome	-93	790.20	-93	162.10	952.30
Platinum	-08	972.50	-08	199.60	1,172.10
Brushed Platinum	-06	972.50	-06	199.60	1,172.10
Champagne (22kt Gold)	-47	1,337.40	-47	274.30	1,611.70
Brushed Champagne (22kt Gold)	-46	1,337.40	-46	274.30	1,611.70
Brushed Durabronze (23kt Gold)	-28	1,276.60	-28	261.90	1,538.50
Brushed Dark Brass	-39	972.60	-39	199.60	1,172.20
Brushed Bronze	-42	972.60	-42	199.50	1,172.10
Dark Chrome	-19	911.80	-19	187.20	1,099.00
Brushed Dark Platinum	-99	1,094.10	-99	224.50	1,318.60
Matte Black	-33	820.40	-33	168.40	988.80

34 442 979


Shower thermostat for wall mounting

- 3/8" shower outlet
- slide-on rosettes Ø 70 mm
- 1/2" connection
- gauge 150 mm - 13 mm
- with volume control

Intrinsic protection against back flow.
For combination with slide bar set
Fits MEM, IMO, META, TARA, VAIA, LULU, LISSÉ
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	34 442 979 FF	FF	Euro
Chrome		-00	701.50
Brushed Chrome		-93	912.00
Platinum		-08	1,122.20
Brushed Platinum		-06	1,122.20
Champagne (22kt Gold)		-47	1,543.30
Brushed Champagne (22kt Gold)		-46	1,543.30
Brushed Durabronze (23kt Gold)		-28	1,473.20
Brushed Dark Brass		-39	1,122.50
Brushed Bronze		-42	1,122.40
Dark Chrome		-19	1,052.20
Brushed Dark Platinum		-99	1,262.30
Matte Black		-33	946.80

36 060 660


Concealed single-lever mixer with cover plate

- cover plate Ø 78 mm

Fits META, TARA
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 060 660 FF	FF	Euro
Chrome		-00	370.70
Brushed Chrome		-93	481.80
Platinum		-08	592.90
Brushed Platinum		-06	592.90
Champagne (22kt Gold)		-47	815.50
Brushed Champagne (22kt Gold)		-46	815.50
Brushed Durabronze (23kt Gold)		-28	778.50
Brushed Dark Brass		-39	593.10
Brushed Bronze		-42	593.10
Dark Chrome		-19	556.10
Brushed Dark Platinum		-99	667.70
Matte Black		-33	500.60



Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
Concealed rough parts		90	224.60

For details and miscellaneous, see page 640

36 046 660

**Concealed single-lever mixer with cover plate with integrated shower connection**

- cover plate Ø 80 mm

Intrinsic protection against back flow.**Custom-made options**

- Finish variants
- Red/blue marking
- without logo

Standard article	36 046 660 FF	FF	Euro
Chrome	-00		467.30
Brushed Chrome	-93		607.50
Platinum	-08		747.70
Brushed Platinum	-06		747.70
Champagne (22kt Gold)	-47		1,028.10
Brushed Champagne (22kt Gold)	-46		1,028.10
Brushed Durabronze (23kt Gold)	-28		981.30
Brushed Dark Brass	-39		747.70
Brushed Bronze	-42		747.70
Dark Chrome	-19		700.90
Brushed Dark Platinum	-99		841.10
Matte Black	-33		630.90



Required miscellaneous

Concealed wall mounting

35 050 970 FF FF Euro

- min. recess depth 80 mm
- max. recess depth 105 mm

Concealed rough parts 90 320.80

For details and miscellaneous, see page 640

36 120 660

**Concealed single-lever mixer with diverter**

- automatic diverter
- cover plate Ø 150 mm

Fits META, TARA**Custom-made options**

- Finish variants
- Red/blue marking
- without logo

Standard article	36 120 660 FF	FF	Euro
Chrome	-00		559.30
Brushed Chrome	-93		727.10
Platinum	-08		894.90
Brushed Platinum	-06		894.60
Champagne (22kt Gold)	-47		1,230.50
Brushed Champagne (22kt Gold)	-46		1,230.50
Brushed Durabronze (23kt Gold)	-28		1,174.50
Brushed Dark Brass	-39		894.90
Brushed Bronze	-42		894.90
Dark Chrome	-19		839.10
Brushed Dark Platinum	-99		1,006.80
Matte Black	-33		755.50



Required miscellaneous

Concealed single-lever mixer

35 020 970 FF FF Euro

- min. recess depth 80 mm
- max. recess depth 105 mm

Concealed rough parts 90 236.90

For details and miscellaneous, see page 641



Required miscellaneous

Concealed single-lever mixer with backflow preventor

35 021 970 FF FF Euro

- min. recess depth 80 mm
- max. recess depth 105 mm

Concealed rough parts 90 338.50

For details and miscellaneous, see page 641

36 425 892


Concealed thermostat with one function volume control

- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 425 892 FF	FF	Euro
Chrome	-00		673.90
Brushed Chrome	-93		876.20
Platinum	-08		1,078.40
Brushed Platinum	-06		1,078.40
Champagne (22kt Gold)	-47		1,482.60
Brushed Champagne (22kt Gold)	-46		1,482.60
Brushed Durabronze (23kt Gold)	-28		1,415.20
Brushed Dark Brass	-39		1,078.30
Brushed Bronze	-42		1,078.30
Dark Chrome	-19		1,011.00
Brushed Dark Platinum	-99		1,213.20
Matte Black	-33		910.00



Required miscellaneous

Concealed thermostat 35 425 970 FF FF Euro

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 641

Concealed rough parts 90 435.80



Required miscellaneous

Concealed thermostat with built-in isolators 35 426 970 FF FF Euro

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 641

Concealed rough parts 90 457.70

36 426 892


Concealed thermostat with two function volume control

- rotary diverter with volume control and shut-off function
- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 426 892 FF	FF	Euro
Chrome	-00		800.90
Brushed Chrome	-93		1,041.20
Platinum	-08		1,281.60
Brushed Platinum	-06		1,281.60
Champagne (22kt Gold)	-47		1,762.00
Brushed Champagne (22kt Gold)	-46		1,762.00
Brushed Durabronze (23kt Gold)	-28		1,681.90
Brushed Dark Brass	-39		1,281.50
Brushed Bronze	-42		1,281.50
Dark Chrome	-19		1,201.60
Brushed Dark Platinum	-99		1,441.80
Matte Black	-33		1,081.30



Required miscellaneous

Concealed thermostat with built-in isolators 35 426 970 FF FF Euro

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 641

Concealed rough parts 90 457.70



Required miscellaneous

Concealed thermostat 35 425 970 FF FF Euro

- min. recess depth 80 mm
- max. recess depth 136 mm

For details and miscellaneous, see page 641

Concealed rough parts 90 435.80

36 427 892



Concealed thermostat with three function volume control

- rotary diverter with volume control and shut-off function
- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 427 892 FF	FF	Euro
Chrome		-00	835.70
Brushed Chrome		-93	1,086.50
Platinum		-08	1,337.20
Brushed Platinum		-06	1,337.20
Champagne (22kt Gold)		-47	1,838.50
Brushed Champagne (22kt Gold)		-46	1,838.50
Brushed Durabronze (23kt Gold)		-28	1,755.00
Brushed Dark Brass		-39	1,337.10
Brushed Bronze		-42	1,337.20
Dark Chrome		-19	1,253.80
Brushed Dark Platinum		-99	1,504.40
Matte Black		-33	1,128.40



Required miscellaneous

Concealed thermostat **35 427 970** FF FF Euro

• min. recess depth 80 mm
• max. recess depth 136 mm
Concealed rough parts **90** 456.60

For details and miscellaneous, see page 642



Required miscellaneous

Concealed thermostat with built-in isolators **35 428 970** FF FF Euro

• min. recess depth 80 mm
• max. recess depth 136 mm
Concealed rough parts **90** 479.00

For details and miscellaneous, see page 642

36 501 892 +
36 607 892



xTOOL Thermostat module with 1 valve

- cover plate Ø 123 mm
- rosette Ø 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 501 892 FF		1x 36 607 892 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,136.30	-00	199.00	1,335.30
Brushed Chrome	-93	1,477.20	-93	258.60	1,735.80
Platinum	-08	1,818.20	-08	318.90	2,137.10
Brushed Platinum	-06	1,818.20	-06	318.90	2,137.10
Champagne (22kt Gold)	-47	2,499.90	-47	437.80	2,937.70
Brushed Champagne (22kt Gold)	-46	2,499.90	-46	437.80	2,937.70
Brushed Durabronze (23kt Gold)	-28	2,386.20	-28	417.90	2,804.10
Brushed Dark Brass	-39	1,818.10	-39	318.40	2,136.50
Brushed Bronze	-42	1,818.20	-42	318.40	2,136.60
Dark Chrome	-19	1,704.40	-19	298.50	2,002.90
Brushed Dark Platinum	-99	2,045.40	-99	358.30	2,403.70
Matte Black	-33	1,534.10	-33	268.90	1,803.00



Required miscellaneous

xTOOL Concealed thermostat module with 1 valve **35 511 970** FF FF Euro

• min. recess depth 95 mm
• max. recess depth 160 mm
Concealed rough parts **90** 708.30

For details and miscellaneous, see page 642



Required miscellaneous

xGRID Installation track 555 mm **12 360 970** FF FF Euro

For details and miscellaneous, see page 655
Concealed rough parts **90** 112.20



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction **12 340 970** FF FF Euro

For details and miscellaneous, see page 655
Concealed rough parts **90** 113.00

36 503 892 +
2x 36 607 892



xTOOL Thermostat module with 2 valves

- cover plate Ø 123 mm
- rosette Ø 55 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 503 892 FF		2x 36 607 892 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,136.30	-00	199.00	1,534.30
Brushed Chrome	-93	1,477.20	-93	258.60	1,994.40
Platinum	-08	1,818.20	-08	318.90	2,456.00
Brushed Platinum	-06	1,818.20	-06	318.90	2,456.00
Champagne (22kt Gold)	-47	2,499.90	-47	437.80	3,375.50
Brushed Champagne (22kt Gold)	-46	2,499.90	-46	437.80	3,375.50
Brushed Durabronze (23kt Gold)	-28	2,386.20	-28	417.90	3,222.00
Brushed Dark Brass	-39	1,818.10	-39	318.40	2,454.90
Brushed Bronze	-42	1,818.20	-42	318.40	2,455.00
Dark Chrome	-19	1,704.40	-19	298.50	2,301.40
Brushed Dark Platinum	-99	2,045.40	-99	358.30	2,762.00
Matte Black	-33	1,534.10	-33	268.90	2,071.90



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 521 970 FF | FF | Euro

- min. recess depth 95 mm
- max. recess depth 160 mm

Concealed rough parts | 90 | 1,180.70

For details and miscellaneous, see page 643



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 524 970 FF | FF | Euro

- min. recess depth 95 mm
- max. recess depth 160 mm

Concealed rough parts | 90 | 1,167.70

For details and miscellaneous, see page 643



Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF | FF | Euro

For details and miscellaneous, see page 655

Concealed rough parts | 90 | 112.20



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF | FF | Euro

For details and miscellaneous, see page 655

Concealed rough parts | 90 | 113.00

36 503 892 +
3x 36 607 892



xTOOL Thermostat module with 3 valves

- cover plate Ø 123 mm
- rosette Ø 55 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 503 892 FF		3x 36 607 892 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,136.30	-00	199.00	1,733.30
Brushed Chrome	-93	1,477.20	-93	258.60	2,253.00
Platinum	-08	1,818.20	-08	318.90	2,774.90
Brushed Platinum	-06	1,818.20	-06	318.90	2,774.90
Champagne (22kt Gold)	-47	2,499.90	-47	437.80	3,813.30
Brushed Champagne (22kt Gold)	-46	2,499.90	-46	437.80	3,813.30
Brushed Durabronze (23kt Gold)	-28	2,386.20	-28	417.90	3,639.90
Brushed Dark Brass	-39	1,818.10	-39	318.40	2,773.30
Brushed Bronze	-42	1,818.20	-42	318.40	2,136.60
Dark Chrome	-19	1,704.40	-19	298.50	2,599.90
Brushed Dark Platinum	-99	2,045.40	-99	358.30	3,120.30
Matte Black	-33	1,534.10	-33	268.90	2,340.80



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 531 970 FF | FF Euro

• min. recess depth 95 mm	Concealed rough parts	90	1,268.90
• max. recess depth 160 mm			

For details and miscellaneous, see page 643



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 534 970 FF | FF Euro

• min. recess depth 95 mm	Concealed rough parts	90	1,374.60
• max. recess depth 160 mm			

For details and miscellaneous, see page 643



Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF | FF Euro

For details and miscellaneous, see page 655	Concealed rough parts	90	112.20
---------------------------------------------	-----------------------	----	--------



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF | FF Euro

For details and miscellaneous, see page 655	Concealed rough parts	90	113.00
---------------------------------------------	-----------------------	----	--------

36 501 892


xTOOL Concealed thermostat without volume control 1/2"

- cover plate Ø 123 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 501 892 FF	FF	Euro
Chrome		-00	1,136.30
Brushed Chrome		-93	1,477.20
Platinum		-08	1,818.20
Brushed Platinum		-06	1,818.20
Champagne (22kt Gold)		-47	2,499.90
Brushed Champagne (22kt Gold)		-46	2,499.90
Brushed Durabronze (23kt Gold)		-28	2,386.20
Brushed Dark Brass		-39	1,818.10
Brushed Bronze		-42	1,818.20
Dark Chrome		-19	1,704.40
Brushed Dark Platinum		-99	2,045.40
Matte Black		-33	1,534.10

Product alternative

- min. recess depth 95 mm
- max. recess depth 160 mm

Standard article	36 503 892 FF	FF	Euro
Chrome		-00	1,136.30
Brushed Chrome		-93	1,477.20
Platinum		-08	1,818.20
Brushed Platinum		-06	1,818.20
Champagne (22kt Gold)		-47	2,499.90
Brushed Champagne (22kt Gold)		-46	2,499.90
Brushed Durabronze (23kt Gold)		-28	2,386.20
Brushed Dark Brass		-39	1,818.10
Brushed Bronze		-42	1,818.20
Dark Chrome		-19	1,704.40
Brushed Dark Platinum		-99	2,045.40
Matte Black		-33	1,534.10

Required miscellaneous


xTOOL Concealed thermostat module without volume control

35 503 970 FF FF Euro

- min. recess depth 95 mm
 - max. recess depth 160 mm
- For details and miscellaneous, see page 642

Concealed rough parts 90 864.70

Required miscellaneous


xGRID Installation track 555 mm

12 360 970 FF FF Euro

For details and miscellaneous, see page 655

Concealed rough parts 90 112.20

36 607 892


Wall valve clockwise closing 1/2"

- rosette Ø 55 mm
- head part with cut-to-length spindle and sleeve

Fits TARA
Custom-made options

- Finish variants
- without logo

Standard article	36 607 892 FF	FF	Euro
Chrome		-00	199.00
Brushed Chrome		-93	258.60
Platinum		-08	318.90
Brushed Platinum		-06	318.90
Champagne (22kt Gold)		-47	437.80
Brushed Champagne (22kt Gold)		-46	437.80
Brushed Durabronze (23kt Gold)		-28	417.90
Brushed Dark Brass		-39	318.40
Brushed Bronze		-42	318.40
Dark Chrome		-19	298.50
Brushed Dark Platinum		-99	358.30
Matte Black		-33	268.90



Required miscellaneous

Wall valve 1/2"

35 607 970 FF FF Euro

- min. recess depth 85 mm
 - max. recess depth 145 mm
- For details and miscellaneous, see page 644

Concealed rough parts 90 90.90

36 607 882

**Wall valve clockwise closing 1/2"**

- rosette Ø 55 mm
- head part with cut-to-length spindle and sleeve

Fits TARA**Custom-made options**

- Finish variants
- without logo

Standard article	36 607 882 FF	FF	Euro
Chrome		-00	227.40
Brushed Chrome		-93	295.70
Platinum		-08	364.10
Brushed Platinum		-06	364.10
Champagne (22kt Gold)		-47	500.30
Brushed Champagne (22kt Gold)		-46	500.30
Brushed Durabrass (23kt Gold)		-28	477.50
Brushed Dark Brass		-39	363.90
Brushed Bronze		-42	363.90
Dark Chrome		-19	341.30
Brushed Dark Platinum		-99	409.50
Matte Black		-33	307.60



Required miscellaneous

Wall valve 1/2"

35 607 970 FF

FF

Euro

- min. recess depth 85 mm

Concealed rough parts

90

90.90

- max. recess depth 145 mm

For details and miscellaneous, see page 644

36 608 892

**Wall valve clockwise closing 3/4"**

- rosette Ø 55 mm
- head part with cut-to-length spindle and sleeve

Fits TARA**Custom-made options**

- Finish variants
- without logo

Standard article	36 608 892 FF	FF	Euro
Chrome		-00	199.00
Brushed Chrome		-93	258.60
Platinum		-08	318.90
Brushed Platinum		-06	318.90
Champagne (22kt Gold)		-47	437.80
Brushed Champagne (22kt Gold)		-46	437.80
Brushed Durabrass (23kt Gold)		-28	417.90
Brushed Dark Brass		-39	318.40
Brushed Bronze		-42	318.40
Dark Chrome		-19	298.50
Brushed Dark Platinum		-99	358.30
Matte Black		-33	268.90



Required miscellaneous

Wall valve 3/4"

35 608 970 FF

FF

Euro

- min. recess depth 85 mm

Concealed rough parts

90

119.20

- max. recess depth 145 mm

For details and miscellaneous, see page 644

36 608 882

**Wall valve clockwise closing 3/4"**

- rosette Ø 55 mm
- head part with cut-to-length spindle and sleeve

Fits TARA**Custom-made options**

- Finish variants
- without logo

Standard article	36 608 882 FF	FF	Euro
Chrome		-00	227.40
Brushed Chrome		-93	295.70
Platinum		-08	364.10
Brushed Platinum		-06	364.10
Champagne (22kt Gold)		-47	500.30
Brushed Champagne (22kt Gold)		-46	500.30
Brushed Durabrass (23kt Gold)		-28	477.50
Brushed Dark Brass		-39	363.90
Brushed Bronze		-42	363.90
Dark Chrome		-19	341.30
Brushed Dark Platinum		-99	409.50
Matte Black		-33	307.60



Required miscellaneous

Wall valve 3/4"

35 608 970 FF

FF

Euro

- min. recess depth 85 mm

Concealed rough parts

90

119.20

- max. recess depth 145 mm

For details and miscellaneous, see page 644

20 000 892


Deck valve clockwise closing cold or hot

- hole diameter 32 mm
- rosette Ø 55 mm

Fits TARA
Custom-made options

- Blue marking
- Finish variants
- Red marking
- without logo

Standard article	20 000 892 FF	FF	Euro
Chrome	-00		225.00
Brushed Chrome	-93		292.40
Platinum	-08		359.70
Brushed Platinum	-06		359.70
Champagne (22kt Gold)	-47		495.00
Brushed Champagne (22kt Gold)	-46		495.00
Brushed Durabronze (23kt Gold)	-28		472.50
Brushed Dark Brass	-39		359.90
Brushed Bronze	-42		360.00
Dark Chrome	-19		337.30
Brushed Dark Platinum	-99		404.50
Matte Black	-33		303.50

36 200 882


Concealed two-way diverter

- rotary diverter
- rosette 60 mm

Custom-made options

- Finish variants
- without logo

Standard article	36 200 882 FF	FF	Euro
Chrome	-00		547.20
Brushed Chrome	-93		711.40
Platinum	-08		875.90
Brushed Platinum	-06		875.90
Champagne (22kt Gold)	-47		1,203.80
Brushed Champagne (22kt Gold)	-46		1,203.80
Brushed Durabronze (23kt Gold)	-28		1,149.10
Brushed Dark Brass	-39		875.60
Brushed Bronze	-42		875.60
Dark Chrome	-19		821.00
Brushed Dark Platinum	-99		985.30
Matte Black	-33		738.90



Required miscellaneous

Concealed two-way diverter

35 202 970 FF FF Euro

- min. recess depth 85 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 644

Concealed rough parts 90 295.90

36 200 892


Concealed two-way diverter

- rotary diverter
- rosette 60 mm

Fits TARA
Custom-made options

- Finish variants
- without logo

Standard article	36 200 892 FF	FF	Euro
Chrome	-00		473.60
Brushed Chrome	-93		615.60
Platinum	-08		757.90
Brushed Platinum	-06		757.90
Champagne (22kt Gold)	-47		1,041.90
Brushed Champagne (22kt Gold)	-46		1,041.90
Brushed Durabronze (23kt Gold)	-28		994.60
Brushed Dark Brass	-39		757.80
Brushed Bronze	-42		757.80
Dark Chrome	-19		710.40
Brushed Dark Platinum	-99		852.50
Matte Black	-33		639.50



Required miscellaneous

Concealed two-way diverter

35 202 970 FF FF Euro

- min. recess depth 85 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 644

Concealed rough parts 90 295.90

36 210 882

**Concealed three-way diverter**

- rotary diverter
- rosette 60 mm

Fits TARA**Custom-made options**

- Finish variants
- without logo

Standard article	36 210 882 FF	FF	Euro
Chrome	-00		547.20
Brushed Chrome	-93		711.40
Platinum	-08		875.90
Brushed Platinum	-06		875.90
Champagne (22kt Gold)	-47		1,203.80
Brushed Champagne (22kt Gold)	-46		1,203.80
Brushed Durabronze (23kt Gold)	-28		1,149.10
Brushed Dark Brass	-39		875.60
Brushed Bronze	-42		875.60
Dark Chrome	-19		821.00
Brushed Dark Platinum	-99		985.30
Matte Black	-33		738.90



Required miscellaneous

Concealed three-way diverter

35 203 970 FF FF Euro

• min. recess depth 85 mm	Concealed rough parts	90	360.40
• max. recess depth 160 mm			

For details and miscellaneous, see page 644

36 210 892

**Concealed three-way diverter**

- rotary diverter
- rosette 60 mm

Fits TARA**Custom-made options**

- Finish variants
- without logo

Standard article	36 210 892 FF	FF	Euro
Chrome	-00		473.60
Brushed Chrome	-93		615.60
Platinum	-08		757.90
Brushed Platinum	-06		757.90
Champagne (22kt Gold)	-47		1,041.90
Brushed Champagne (22kt Gold)	-46		1,041.90
Brushed Durabronze (23kt Gold)	-28		994.60
Brushed Dark Brass	-39		757.80
Brushed Bronze	-42		757.80
Dark Chrome	-19		710.40
Brushed Dark Platinum	-99		852.50
Matte Black	-33		639.50



Required miscellaneous

Concealed three-way diverter

35 203 970 FF FF Euro

• min. recess depth 85 mm	Concealed rough parts	90	360.40
• max. recess depth 160 mm			

For details and miscellaneous, see page 644

25 863 661


Single-lever bath mixer with stand pipe for free-standing assembly with hand shower set

- spout: circular, air-enriched flow
- max. flow 19.5 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- bar-type hand shower with anti-scale system
- pivotable spout 360°
- **281mm projection**
- wall bracket
- automatic bath/shower diverter
- total height 1031 - 1101 mm
- stand pipe height 565 - 635 mm
- height up to aerator 899 - 969 mm
- slide-on rosettes Ø 135 mm
- metal shower hose 1250mm with integrated anti-twist protection

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Flow rate modification
- Height modification
- Red/blue marking
- without hand shower
- without logo

Standard article	25 863 661 FF	FF	Euro
Chrome		-00	3,316.30
Brushed Chrome		-93	4,311.30
Brushed Platinum		-06	5,306.30
Champagne (22kt Gold)		-47	7,295.90
Brushed Champagne (22kt Gold)		-46	7,295.90
Brushed Durabronze (23kt Gold)		-28	6,964.20
Brushed Dark Brass		-39	5,306.00
Brushed Bronze		-42	5,306.10
Dark Chrome		-19	4,974.50
Brushed Dark Platinum		-99	5,969.50
Matte Black		-33	4,478.00



Required miscellaneous

Concealed floor mounting

	35 945 970 FF	FF	Euro
• min. recess depth 80 mm		90	840.10
• max. recess depth 150 mm			

For details and miscellaneous, see page 644

25 943 892


Two-hole bath mixer for free-standing assembly with hand shower set

- **220mm projection**
- pivotable spout 180°
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- spout: circular, air-enriched flow
- hand shower with anti-scale system
- rotary diverter for bath/shower
- total height 920 mm
- stand pipes height 628 mm
- height up to aerator 765 mm
- slide-on rosettes Ø 90 mm
- gauge 150 mm
- metal shower hose 1250mm with integrated anti-twist protection
- pivotable shower holder on the right foot
- max. flow 22 l/min at 3 bar flow pressure

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without hand shower
- without logo

Standard article	25 943 892 FF	FF	Euro
Chrome		-00	3,856.20
Brushed Chrome		-93	5,013.10
Platinum		-08	6,169.80
Brushed Platinum		-06	6,169.80
Champagne (22kt Gold)		-47	8,483.60
Brushed Champagne (22kt Gold)		-46	8,483.60
Brushed Durabronze (23kt Gold)		-28	8,098.00
Brushed Dark Brass		-39	6,169.90
Brushed Bronze		-42	6,170.00
Dark Chrome		-19	5,784.30
Brushed Dark Platinum		-99	6,940.90
Matte Black		-33	5,205.60



Required miscellaneous

Concealed floor mounting

	35 944 970 FF	FF	Euro
• min. recess depth 80 mm		90	537.90
• max. recess depth 160 mm			

For details and miscellaneous, see page 644

25 943 882


Two-hole bath mixer for free-standing assembly with hand shower set

- **220mm projection**
- pivotable spout 180°
- spout: circular, air-enriched flow
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- hand shower with anti-scale system
- rotary diverter for bath/shower
- total height 920 mm
- stand pipes height 628 mm
- height up to aerator 765 mm
- slide-on rosettes Ø 90 mm
- gauge 150 mm
- metal shower hose 1250mm with integrated anti-twist protection
- pivotable shower holder on the right foot
- max. flow 22 l/min at 3 bar flow pressure

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without hand shower
- without logo

Standard article	25 943 882 FF	FF	Euro
Chrome		-00	4,199.50
Brushed Chrome		-93	5,459.40
Platinum		-08	6,719.10
Brushed Platinum		-06	6,719.10
Champagne (22kt Gold)		-47	9,238.90
Brushed Champagne (22kt Gold)		-46	9,238.90
Brushed Durabrass (23kt Gold)		-28	8,819.00
Brushed Dark Brass		-39	6,719.20
Brushed Bronze		-42	6,719.30
Dark Chrome		-19	6,299.50
Brushed Dark Platinum		-99	7,559.40
Matte Black		-33	5,669.40



Required miscellaneous

Concealed floor mounting

	35 944 970 FF	FF	Euro
• min. recess depth 80 mm			
• max. recess depth 160 mm			
Concealed rough parts		90	537.90

For details and miscellaneous, see page 644

25 133 892


Bath mixer for wall mounting with hand shower set

- spout: circular, air-enriched flow
- max. flow 22 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- **240mm projection**
- rotary diverter for bath/shower
- slide-on rosettes Ø 65 mm
- rosette for shower holder Ø 50mm
- 1/2" connection
- gauge 150 mm - 15 mm
- metal shower hose 1250mm with integrated anti-twist protection

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Intrinsic protection against back flow.

Stand pipes combination possible on request (special production).

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without hand shower
- without logo

Standard article	25 133 892 FF	FF	Euro
Chrome		-00	1,505.90
Brushed Chrome		-93	1,957.60
Platinum		-08	2,410.00
Brushed Platinum		-06	2,410.00
Champagne (22kt Gold)		-47	3,313.00
Brushed Champagne (22kt Gold)		-46	3,313.00
Brushed Durabrass (23kt Gold)		-28	3,162.40
Brushed Dark Brass		-39	2,409.40
Brushed Bronze		-42	2,409.40
Dark Chrome		-19	2,258.80
Brushed Dark Platinum		-99	2,710.80
Matte Black		-33	2,033.20

25 133 882


Bath mixer for wall mounting with hand shower set

- spout: circular, air-enriched flow
- max. flow 22 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- **240mm projection**
- rotary diverter for bath/shower
- slide-on rosettes Ø 65 mm
- rosette for shower holder Ø 50mm
- 1/2" connection
- gauge 150 mm - 15 mm
- metal shower hose 1250mm with integrated anti-twist protection

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Intrinsic protection against back flow.

Stand pipes combination possible on request (special production).

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without hand shower
- without logo

Standard article	25 133 882 FF	FF	Euro
Chrome		-00	1,647.90
Brushed Chrome		-93	2,142.30
Platinum		-08	2,636.20
Brushed Platinum		-06	2,636.20
Champagne (22kt Gold)		-47	3,625.40
Brushed Champagne (22kt Gold)		-46	3,625.40
Brushed Durabrass (23kt Gold)		-28	3,460.60
Brushed Dark Brass		-39	2,636.60
Brushed Bronze		-42	2,636.60
Dark Chrome		-19	2,471.90
Brushed Dark Platinum		-99	2,966.00
Matte Black		-33	2,224.00

27 512 892


Bath shower set for bath rim or tile edge installation

- spout: circular, air-enriched flow
- max. flow 23.5 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- **220mm projection**
- automatic bath/shower diverter
- height of mixer 290 mm
- height up to aerator 135 mm
- hole diameter spout 32 mm
- hole diameter valve 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout Ø 55mm
- rosette for complete hand shower set Ø 50mm
- rosette for deck valve Ø 55mm
- metal shower hose 2250mm with integrated anti-twist protection

Also available with 260 mm or 300 mm projection on request (x-TRA SERVICE).

Intrinsic protection against back flow.

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Custom-made options

- Blue marking
- Finish variants
- Red marking
- Red/blue marking
- without hand shower
- without logo

Standard article	27 512 892 FF	FF	Euro
Chrome		-00	2,171.70
Brushed Chrome		-93	2,823.10
Platinum		-08	3,474.60
Brushed Platinum		-06	3,474.60
Champagne (22kt Gold)		-47	4,777.70
Brushed Champagne (22kt Gold)		-46	4,777.70
Brushed Durabrass (23kt Gold)		-28	4,560.60
Brushed Dark Brass		-39	3,474.60
Brushed Bronze		-42	3,474.70
Dark Chrome		-19	3,257.60
Brushed Dark Platinum		-99	3,909.00
Matte Black		-33	2,931.60



Recommended miscellaneous

Perfecto installation kit	12 614 970 FF	FF	Euro
For details and miscellaneous, see page 646	Concealed rough parts	90	1,794.10

Recommended miscellaneous

Decorative caps for Perfecto	12 801 970 FF	FF	Euro
• 1 pair	Chrome	-00	55.50
	Platinum	-08	89.00
	Brushed Platinum	-06	89.00
	Champagne (22kt Gold)	-47	122.10
	Brushed Champagne (22kt Gold)	-46	122.10
	Brushed Durabrass (23kt Gold)	-28	116.60
	Brushed Dark Brass	-39	88.80
	Brushed Bronze	-42	88.80
	Dark Chrome	-19	83.40
	Brushed Dark Platinum	-99	99.80
	Matte Black	-33	75.30

27 512 882

**Bath shower set for bath rim or tile edge installation**

- spout: circular, air-enriched flow
- max. flow 23.5 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- **220mm projection**
- with anti-scale system
- automatic bath/shower diverter
- height of mixer 290 mm
- height up to aerator 135 mm
- hole diameter valve 32 mm
- hole diameter spout 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout Ø 55mm
- rosette for complete hand shower set Ø 50mm
- rosette for deck valve Ø 55mm
- metal shower hose 1750mm with integrated anti-twist protection

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Available with 260 mm or 300 mm projection on request (x-TRA SERVICE).

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Red/blue marking
- without hand shower
- without logo

Standard article	27 512 882 FF	FF	Euro
Chrome		-00	2,327.60
Brushed Chrome		-93	3,025.90
Platinum		-08	3,724.30
Brushed Platinum		-06	3,724.30
Champagne (22kt Gold)		-47	5,120.70
Brushed Champagne (22kt Gold)		-46	5,120.70
Brushed Durabronze (23kt Gold)		-28	4,888.00
Brushed Dark Brass		-39	3,724.20
Brushed Bronze		-42	3,724.20
Dark Chrome		-19	3,491.50
Brushed Dark Platinum		-99	4,189.50
Matte Black		-33	3,142.40



Recommended miscellaneous

Perfecto installation kit 12 614 970 FF FF Euro

For details and miscellaneous, see page 646

Concealed rough parts 90 1,794.10

Recommended miscellaneous

Decorative caps for Perfecto 12 801 970 FF FF Euro

• 1 pair

Chrome		-00	55.00
Platinum		-08	89.00
Brushed Platinum		-06	89.00
Champagne (22kt Gold)		-47	122.10
Brushed Champagne (22kt Gold)		-46	122.10
Brushed Durabronze (23kt Gold)		-28	116.60
Brushed Dark Brass		-39	88.80
Brushed Bronze		-42	88.80
Dark Chrome		-19	83.40
Brushed Dark Platinum		-99	99.80
Matte Black		-33	75.30

13 801 892

**Bath spout for wall mounting**

- **200mm projection**
- circular normal flow
- rosette Ø 55 mm
- hole diameter 37 mm
- 1/2" connection
- max. flow 29 l/min at 3 bar flow pressure

Custom-made options

- Finish variants
- Projection modification
- without logo

Standard article	13 801 892 FF	FF	Euro
Chrome		-00	625.00
Brushed Chrome		-93	812.60
Platinum		-08	1,000.00
Brushed Platinum		-06	1,000.00
Champagne (22kt Gold)		-47	1,375.00
Brushed Champagne (22kt Gold)		-46	1,375.00
Brushed Durabronze (23kt Gold)		-28	1,312.50
Brushed Dark Brass		-39	1,000.00
Brushed Bronze		-42	999.90
Dark Chrome		-19	937.40
Brushed Dark Platinum		-99	1,125.10
Matte Black		-33	843.70



Recommended miscellaneous

Concealed wall elbow 35 085 970 FF FF Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

Concealed rough parts 90 122.80

27 702 979


Hand shower set for bath rim or tile edge installation

- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- with anti-scale system
- rosette Ø 50 mm
- hole diameter 32 mm
- metal shower hose 1750mm with integrated anti-twist protection

Two-piece design allows hose to later be changed without dismantling the fitting.

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- without hand shower
- without logo

Standard article	27 702 979 FF	FF	Euro
Chrome		-00	580.70
Brushed Chrome		-93	754.90
Platinum		-08	929.00
Brushed Platinum		-06	929.00
Champagne (22kt Gold)		-47	1,277.50
Brushed Champagne (22kt Gold)		-46	1,277.50
Durabrand (23kt Gold)		-09	1,219.50
Brushed Durabrand (23kt Gold)		-28	1,219.50
Brushed Dark Brass		-39	929.20
Brushed Bronze		-42	929.10
Dark Chrome		-19	871.10
Brushed Dark Platinum		-99	1,045.30
Matte Black		-33	783.90

29 140 979


Two-way diverter for bath rim or tile edge installation

- automatic bath/shower diverter
- hole diameter 32 mm
- rosette Ø 50 mm
- 1/2" connection
- max. flow 64.9 l/min at 3 bar flow pressure

Custom-made options

- Finish variants
- without logo

Standard article	29 140 979 FF	FF	Euro
Chrome		-00	797.40
Brushed Chrome		-93	1,036.60
Platinum		-08	1,275.70
Brushed Platinum		-06	1,275.70
Champagne (22kt Gold)		-47	1,754.30
Brushed Champagne (22kt Gold)		-46	1,754.30
Brushed Durabrand (23kt Gold)		-28	1,674.50
Brushed Dark Brass		-39	1,275.90
Brushed Bronze		-42	1,275.90
Dark Chrome		-19	1,196.10
Brushed Dark Platinum		-99	1,435.20
Matte Black		-33	1,076.40

29 140 892


Two-way diverter for bath rim or tile edge installation

- automatic bath/shower diverter
- hole diameter 32 mm
- rosette Ø 55 mm
- 1/2" connection
- max. flow 64.9 l/min at 3 bar flow pressure

Custom-made options

- Finish variants
- without logo

Standard article	29 140 892 FF	FF	Euro
Chrome		-00	803.00
Brushed Chrome		-93	1,043.90
Platinum		-08	1,284.70
Brushed Platinum		-06	1,284.70
Champagne (22kt Gold)		-47	1,766.60
Brushed Champagne (22kt Gold)		-46	1,766.60
Brushed Durabrand (23kt Gold)		-28	1,686.30
Brushed Dark Brass		-39	1,284.80
Brushed Bronze		-42	1,284.80
Dark Chrome		-19	1,204.50
Brushed Dark Platinum		-99	1,445.20
Matte Black		-33	1,084.00

36 120 660

**Concealed single-lever mixer with diverter**

- automatic diverter
- cover plate Ø 150 mm

Fits META, TARA**Custom-made options**

- Finish variants
- Red/blue marking
- without logo

Standard article	36 120 660 FF	FF	Euro
Chrome	-00		559.30
Brushed Chrome	-93		727.10
Platinum	-08		894.90
Brushed Platinum	-06		894.60
Champagne (22kt Gold)	-47		1,230.50
Brushed Champagne (22kt Gold)	-46		1,230.50
Brushed Durabronze (23kt Gold)	-28		1,174.50
Brushed Dark Brass	-39		894.90
Brushed Bronze	-42		894.90
Dark Chrome	-19		839.10
Brushed Dark Platinum	-99		1,006.80
Matte Black	-33		755.50



Required miscellaneous

Concealed single-lever mixer

35 020 970 FF FF Euro

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 641

Concealed rough parts 90 236.90



Required miscellaneous

Concealed single-lever mixer with backflow preventor

35 021 970 FF FF Euro

- min. recess depth 80 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 641

Concealed rough parts 90 338.50

36 243 970

**Pop-up waste and overflow**

- drain Ø 52mm

Also suitable for king-size baths.**Custom-made options**

- Finish variants
- without logo

Standard article	36 243 970 FF	FF	Euro
Chrome	-00		221.00
Brushed Chrome	-93		287.40
Platinum	-08		353.90
Brushed Platinum	-06		353.90
Champagne (22kt Gold)	-47		486.20
Brushed Champagne (22kt Gold)	-46		486.20
Durabronze (23kt Gold)	-09		464.10
Brushed Durabronze (23kt Gold)	-28		464.10
Brushed Dark Brass	-39		353.70
Brushed Bronze	-42		353.60
Dark Chrome	-19		331.70
Brushed Dark Platinum	-99		397.80
Matte Black	-33		298.70



Required miscellaneous

Pop-up waste and overflow

35 227 970 FF FF Euro

- bowden cable length 725 mm

Concealed rough parts 90 179.20

36 247 970

Bath spout with pop-up waste and overflow

- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.
In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.
Custom-made options

- Finish variants
- without logo

Standard article	36 247 970 FF	FF	Euro
Chrome		-00	334.40
Brushed Chrome		-93	434.80
Platinum		-08	535.10
Brushed Platinum		-06	535.10
Champagne (22kt Gold)		-47	735.70
Brushed Champagne (22kt Gold)		-46	735.70
Durabrass (23kt Gold)		-09	702.20
Brushed Durabrass (23kt Gold)		-28	702.20
Brushed Dark Brass		-39	535.10
Dark Chrome		-42	535.10
Dark Chrome		-19	501.70
Brushed Dark Platinum		-99	601.80
Matte Black		-33	451.30



Required miscellaneous

Vacuum breaker
36 150 970 FF FF Euro

Chrome	-00	91.70
Brushed Chrome	-93	119.30
Platinum	-08	146.70
Brushed Platinum	-06	146.70
Champagne (22kt Gold)	-47	201.70
Brushed Champagne (22kt Gold)	-46	201.70
Durabrass (23kt Gold)	-09	192.60
Brushed Durabrass (23kt Gold)	-28	192.60
Brushed Dark Brass	-39	146.70
Brushed Bronze	-42	146.80
Dark Chrome	-19	137.50
Brushed Dark Platinum	-99	164.90
Matte Black	-33	123.90



Required miscellaneous

Bath spout with pop-up waste and overflow
35 248 970 FF FF Euro

• bowden cable length 725 mm	Concealed rough parts	90	493.60
------------------------------	-----------------------	-----------	--------

83 030 892

**Bath grip**

- gauge 300 mm
- width 355mm
- height 55 mm
- rosette Ø 55 mm
- 80mm projection

Custom-made options

- Finish variants

Standard article	83 030 892 FF	FF	Euro
Chrome		-00	372.80
Brushed Chrome		-93	484.50
Platinum		-08	596.30
Brushed Platinum		-06	596.30
Champagne (22kt Gold)		-47	820.20
Brushed Champagne (22kt Gold)		-46	820.20
Brushed Durabrass (23kt Gold)		-28	782.90
Brushed Dark Brass		-39	596.40
Brushed Bronze		-42	596.50
Dark Chrome		-19	559.10
Brushed Dark Platinum		-99	670.90
Matte Black		-33	503.30

83 045 892

**Towel bar**

- gauge 450 mm
- width 505mm
- height 55 mm
- rosette Ø 55 mm
- 81mm projection

Custom-made options

- Finish variants
- Gauge modification

Standard article	83 045 892 FF	FF	Euro
Chrome		-00	389.60
Brushed Chrome		-93	506.60
Platinum		-08	623.60
Brushed Platinum		-06	623.60
Champagne (22kt Gold)		-47	857.10
Brushed Champagne (22kt Gold)		-46	857.10
Brushed Durabrass (23kt Gold)		-28	818.20
Brushed Dark Brass		-39	623.50
Brushed Bronze		-42	623.50
Dark Chrome		-19	584.40
Brushed Dark Platinum		-99	701.10
Matte Black		-33	526.00

83 060 892

**Towel bar**

- gauge 600 mm
- width 655mm
- height 55 mm
- rosette Ø 55 mm
- 81mm projection

Custom-made options

- Finish variants
- Gauge modification

Standard article	83 060 892 FF	FF	Euro
Chrome		-00	401.90
Brushed Chrome		-93	522.40
Platinum		-08	642.80
Brushed Platinum		-06	642.80
Champagne (22kt Gold)		-47	884.20
Brushed Champagne (22kt Gold)		-46	884.20
Brushed Durabrass (23kt Gold)		-28	844.00
Brushed Dark Brass		-39	643.00
Brushed Bronze		-42	642.90
Dark Chrome		-19	603.00
Brushed Dark Platinum		-99	723.50
Matte Black		-33	542.60

83 080 892

**Towel bar**

- gauge 800 mm
- width 855mm
- height 55 mm
- rosette Ø 55 mm
- 81mm projection

Custom-made options

- Finish variants

Standard article	83 080 892 FF	FF	Euro
Chrome		-00	424.50
Brushed Chrome		-93	551.80
Platinum		-08	679.00
Brushed Platinum		-06	679.00
Champagne (22kt Gold)		-47	933.90
Brushed Champagne (22kt Gold)		-46	933.90
Brushed Durabrass (23kt Gold)		-28	891.50
Brushed Dark Brass		-39	679.20
Brushed Bronze		-42	679.10
Dark Chrome		-19	636.60
Brushed Dark Platinum		-99	764.10
Matte Black		-33	572.90

83 211 892

Towel bar 1-piece non-swivel

- rosette Ø 55 mm
- 445mm projection

Custom-made options

- Finish variants

Standard article	83 211 892 FF	FF	Euro
Chrome		-00	242.50
Brushed Chrome		-93	315.20
Platinum		-08	388.20
Brushed Platinum		-06	388.20
Champagne (22kt Gold)		-47	533.50
Brushed Champagne (22kt Gold)		-46	533.50
Brushed Durabrass (23kt Gold)		-28	509.30
Brushed Dark Brass		-39	387.90
Brushed Bronze		-42	388.00
Dark Chrome		-19	363.70
Brushed Dark Platinum		-99	436.60
Matte Black		-33	327.40

83 210 892

Towel bar in two parts non-swivel

- width 90mm
- height 55 mm
- rosette Ø 55 mm
- 460mm projection

Custom-made options

- Finish variants

Standard article	83 210 892 FF	FF	Euro
Chrome		-00	377.00
Brushed Chrome		-93	490.00
Platinum		-08	603.00
Brushed Platinum		-06	603.00
Champagne (22kt Gold)		-47	829.40
Brushed Champagne (22kt Gold)		-46	829.40
Brushed Durabrass (23kt Gold)		-28	791.70
Brushed Dark Brass		-39	603.20
Brushed Bronze		-42	603.20
Dark Chrome		-19	565.50
Brushed Dark Platinum		-99	678.50
Matte Black		-33	508.80

83 200 892

Towel ring round

- width 185mm
- rosette Ø 55 mm
- 80mm projection

Custom-made options

- Finish variants

Standard article	83 200 892 FF	FF	Euro
Chrome		-00	235.60
Brushed Chrome		-93	306.20
Platinum		-08	377.00
Brushed Platinum		-06	377.00
Champagne (22kt Gold)		-47	518.30
Brushed Champagne (22kt Gold)		-46	518.30
Brushed Durabrass (23kt Gold)		-28	494.80
Brushed Dark Brass		-39	376.90
Brushed Bronze		-42	376.90
Dark Chrome		-19	353.30
Brushed Dark Platinum		-99	423.90
Matte Black		-33	318.10

83 251 892

Hooks

- width 70mm
- rosette Ø 55 mm
- 64mm projection

Custom-made options

- Finish variants

Standard article	83 251 892 FF	FF	Euro
Chrome		-00	95.70
Brushed Chrome		-93	124.40
Platinum		-08	153.20
Brushed Platinum		-06	153.20
Champagne (22kt Gold)		-47	210.50
Brushed Champagne (22kt Gold)		-46	210.50
Durabrass (23kt Gold)		-09	201.00
Brushed Durabrass (23kt Gold)		-28	201.00
Brushed Dark Brass		-39	153.10
Brushed Bronze		-42	153.20
Dark Chrome		-19	143.60
Brushed Dark Platinum		-99	172.30
Matte Black		-33	129.30

83 251 979

**Hooks**

- rosette Ø 40 mm
- 50mm projection

Custom-made options

- Finish variants

Standard article	83 251 979 FF	FF	Euro
Chrome		-00	73.40
Brushed Chrome		-93	95.50
Brushed Platinum		-06	117.60
Champagne (22kt Gold)		-47	161.50
Brushed Champagne (22kt Gold)		-46	161.50
Brushed Durabronze (23kt Gold)		-28	154.10
Brushed Dark Brass		-39	117.50
Brushed Bronze		-42	117.40
Dark Chrome		-19	110.20
Brushed Dark Platinum		-99	132.00
Matte Black		-33	99.20

83 256 979

**Hooks in two parts**

- width 80mm
- rosette Ø 40 mm
- 55mm projection

Custom-made options

- Finish variants

Standard article	83 256 979 FF	FF	Euro
Chrome		-00	136.20
Brushed Chrome		-93	177.10
Brushed Platinum		-06	218.40
Champagne (22kt Gold)		-47	299.60
Brushed Champagne (22kt Gold)		-46	299.60
Brushed Durabronze (23kt Gold)		-28	286.00
Brushed Dark Brass		-39	217.80
Brushed Bronze		-42	217.80
Dark Chrome		-19	204.20
Brushed Dark Platinum		-99	245.30
Matte Black		-33	183.90

83 400 979

**Tumbler holder wall model**

- crystal glass, transparent
- width 60mm
- height 120 mm
- 110mm projection

Custom-made options

- Finish variants

Standard article	83 400 979 FF	FF	Euro
Chrome		-00	278.90
Brushed Chrome		-93	362.70
Platinum		-08	446.30
Brushed Platinum		-06	446.30
Champagne (22kt Gold)		-47	613.60
Brushed Champagne (22kt Gold)		-46	613.60
Durabronze (23kt Gold)		-09	585.70
Brushed Durabronze (23kt Gold)		-28	585.70
Brushed Dark Brass		-39	446.30
Brushed Bronze		-42	446.30
Dark Chrome		-19	418.50
Brushed Dark Platinum		-99	502.00
Matte Black		-33	376.50

83 401 979

**Tumbler holder wall model**

- crystal glass brush holder, matte
- width 60mm
- height 120 mm
- 110mm projection

Custom-made options

- Finish variants

Standard article	83 401 979 FF	FF	Euro
Chrome		-00	278.90
Brushed Chrome		-93	362.70
Platinum		-08	446.30
Brushed Platinum		-06	446.30
Champagne (22kt Gold)		-47	613.60
Brushed Champagne (22kt Gold)		-46	613.60
Durabronze (23kt Gold)		-09	585.70
Brushed Durabronze (23kt Gold)		-28	585.70
Brushed Dark Brass		-39	446.30
Brushed Bronze		-42	446.30
Dark Chrome		-19	418.50
Brushed Dark Platinum		-99	502.00
Matte Black		-33	376.50



Recommended miscellaneous

Crystal tumbler	08 90 00 008 FF	FF	Euro
		Glass 82	72.10

83 410 979


Soap dish wall model

- width 120mm
- height 20 mm
- 145mm projection

Custom-made options

- Finish variants

Standard article	83 410 979 FF	FF	Euro
Chrome		-00	289.30
Brushed Chrome		-93	376.20
Platinum		-08	462.90
Brushed Platinum		-06	462.90
Champagne (22kt Gold)		-47	636.50
Brushed Champagne (22kt Gold)		-46	636.50
Durabrass (23kt Gold)		-09	607.50
Brushed Durabrass (23kt Gold)		-28	607.50
Brushed Dark Brass		-39	462.90
Brushed Bronze		-42	462.90
Dark Chrome		-19	434.10
Brushed Dark Platinum		-99	520.90
Matte Black		-33	390.60

83 482 970


Shelf wall model

- width 300mm
- height 26 mm
- 100mm projection
- **without grid element**

Custom-made options

- Finish variants

Standard article	83 482 970 FF	FF	Euro
Chrome		-00	157.10
Brushed Chrome		-93	204.20
Platinum		-08	251.40
Brushed Platinum		-06	251.20
Champagne (22kt Gold)		-47	345.60
Brushed Champagne (22kt Gold)		-46	345.60
Brushed Durabrass (23kt Gold)		-28	329.90
Brushed Dark Brass		-39	251.30
Brushed Bronze		-42	251.30
Dark Chrome		-19	235.60
Brushed Dark Platinum		-99	282.80
Matte Black		-33	212.20

Required miscellaneous

Grid element	82 482 970 FF	FF	Euro
• plastic grid elements			
		Taupe	-53 66.80
		Matte Black	-33 66.80
		Light Grey	-52 66.80
		Creamy White	-51 66.80

83 435 970


Dispenser wall model

- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 96mm projection

Custom-made options

- Finish variants
- without logo

Standard article	83 435 970 FF	FF	Euro
Chrome		-00	457.60
Brushed Chrome		-93	594.90
Platinum		-08	732.10
Brushed Platinum		-06	732.10
Champagne (22kt Gold)		-47	1,006.70
Brushed Champagne (22kt Gold)		-46	1,006.70
Brushed Durabrass (23kt Gold)		-28	961.00
Brushed Dark Brass		-39	732.20
Brushed Bronze		-42	732.20
Dark Chrome		-19	686.50
Brushed Dark Platinum		-99	823.80
Matte Black		-33	617.90

84 435 970


Dispenser free-standing model


- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 59mm projection

Custom-made options

- Finish variants
- without logo

Standard article	84 435 970 FF	FF	Euro
Chrome		-00	421.60
Brushed Chrome		-93	548.10
Platinum		-08	674.00
Brushed Platinum		-06	674.00
Champagne (22kt Gold)		-47	927.50
Brushed Champagne (22kt Gold)		-46	927.50
Brushed Durabrass (23kt Gold)		-28	885.40
Brushed Dark Brass		-39	674.50
Brushed Bronze		-42	674.50
Dark Chrome		-19	632.50
Brushed Dark Platinum		-99	758.90
Matte Black		-33	569.10

83 290 970

**Shower basket for wall mounting**

- width 200mm
- height 70 mm
- 115mm projection

Custom-made options

- Finish variants

Standard article	83 290 970 FF	FF	Euro
Chrome		-00	221.60
Brushed Chrome		-93	288.10
Platinum		-08	354.60
Brushed Platinum		-06	354.60
Champagne (22kt Gold)		-47	487.50
Brushed Champagne (22kt Gold)		-46	487.50
Durabrass (23kt Gold)		-09	465.40
Brushed Durabrass (23kt Gold)		-28	465.40
Brushed Dark Brass		-39	354.50
Brushed Bronze		-42	354.40
Dark Chrome		-19	332.40
Brushed Dark Platinum		-99	398.90
Matte Black		-33	299.20

83 500 892

**Tissue holder without cover**

- width 152mm
- height 100 mm
- rosette Ø 55 mm
- 72mm projection

Custom-made options

- Finish variants

Standard article	83 500 892 FF	FF	Euro
Chrome		-00	235.60
Brushed Chrome		-93	306.20
Platinum		-08	377.00
Brushed Platinum		-06	377.00
Champagne (22kt Gold)		-47	518.30
Brushed Champagne (22kt Gold)		-46	518.30
Brushed Durabrass (23kt Gold)		-28	494.80
Brushed Dark Brass		-39	376.90
Brushed Bronze		-42	376.90
Dark Chrome		-19	353.30
Brushed Dark Platinum		-99	423.90
Matte Black		-33	318.10

83 510 892

**Tissue holder with cover**

- width 152mm
- height 100 mm
- rosette Ø 55 mm
- 77mm projection

Custom-made options

- Finish variants

Standard article	83 510 892 FF	FF	Euro
Chrome		-00	289.40
Brushed Chrome		-93	376.40
Platinum		-08	463.00
Brushed Platinum		-06	463.00
Champagne (22kt Gold)		-47	636.70
Brushed Champagne (22kt Gold)		-46	636.70
Brushed Durabrass (23kt Gold)		-28	607.70
Brushed Dark Brass		-39	463.10
Brushed Bronze		-42	463.10
Dark Chrome		-19	434.20
Brushed Dark Platinum		-99	521.30
Matte Black		-33	390.80

83 590 892

**Reserve tissue holder**

- width 55mm
- height 55 mm
- rosette Ø 55 mm
- 135mm projection

Custom-made options

- Finish variants

Standard article	83 590 892 FF	FF	Euro
Chrome		-00	235.60
Brushed Chrome		-93	306.20
Platinum		-08	377.00
Brushed Platinum		-06	377.00
Champagne (22kt Gold)		-47	518.30
Brushed Champagne (22kt Gold)		-46	518.30
Brushed Durabrass (23kt Gold)		-28	494.80
Brushed Dark Brass		-39	376.90
Brushed Bronze		-42	376.90
Dark Chrome		-19	353.30
Brushed Dark Platinum		-99	423.90
Matte Black		-33	318.10

83 910 979


Toilet brush set wall model

- brush, matte black
- width 100mm
- height 456 mm
- 110mm projection

Custom-made options

- Finish variants
- without logo

Standard article	83 910 979 FF	FF	Euro
Chrome		-00	519.20
Brushed Chrome		-93	675.10
Platinum		-08	830.90
Brushed Platinum		-06	830.90
Champagne (22kt Gold)		-47	1,142.20
Brushed Champagne (22kt Gold)		-46	1,142.20
Brushed Durabronze (23kt Gold)		-28	1,090.30
Brushed Dark Brass		-39	830.80
Brushed Bronze		-42	830.70
Dark Chrome		-19	778.90
Brushed Dark Platinum		-99	934.60
Matte Black		-33	700.90

83 900 892


Toilet brush set wall model

- crystal glass brush holder, matte
- brush, matte black
- width 110mm
- height 415 mm
- 180mm projection

Custom-made options

- Finish variants

Standard article	83 900 892 FF	FF	Euro
Chrome		-00	519.40
Brushed Chrome		-93	675.30
Platinum		-08	831.30
Brushed Platinum		-06	831.30
Champagne (22kt Gold)		-47	1,142.70
Brushed Champagne (22kt Gold)		-46	1,142.70
Brushed Durabronze (23kt Gold)		-28	1,090.70
Brushed Dark Brass		-39	831.10
Brushed Bronze		-42	831.00
Dark Chrome		-19	779.20
Brushed Dark Platinum		-99	935.00
Matte Black		-33	701.60

12 660 979


Cover plate for the concealed WC cistern made by TeCe

- **Not available in the United States and Canada due to local code requirements. Please contact us for more information.**

- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)

This product is compatible with the following TECE products:

- TECeprofil dry wall construction, article numbers: 9300300, 9300322, 9300301, 9300344, 9300309, 9300303, 9300388, 9300366, 9300102, 9300103, 9300329, 9300377, 9300378, 9400302, 9400303, 9400304, 9041335, 9041336, 9041337
- TECebox wet wall construction, article numbers: 9370300, 9375300, 9371300

Custom-made options

- Finish variants
- without logo

Standard article	12 660 979 FF	FF	Euro
Chrome		-00	852.30
Brushed Chrome		-93	1,108.10
Platinum		-08	1,364.00
Brushed Platinum		-06	1,364.00
Champagne (22kt Gold)		-47	1,875.10
Brushed Champagne (22kt Gold)		-46	1,875.10
Brushed Durabronze (23kt Gold)		-28	1,789.80
Brushed Dark Brass		-39	1,363.70
Brushed Bronze		-42	1,363.80
Dark Chrome		-19	1,278.40
Brushed Dark Platinum		-99	1,534.30
Matte Black		-33	1,150.60

12 665 979


Flush plate for concealed WC cisterns made by Geberit round

- cover plate 169 x 246 x 12 mm
- Mechanical flush plate with manual flush buttons
- For 2-volume flushing system
- Includes mounting frame, actuator rods and fastening material

- Sound-absorbing push rods, tool-free fast adjustment

Compatible with all Geberit Sigma series cisterns from 2001 onwards
Custom-made options

- Finish variants
- without logo

Standard article	12 665 979 FF	FF	Euro
Chrome		-00	485.30
Brushed Chrome		-93	631.00
Platinum		-08	776.50
Brushed Platinum		-06	776.50
Champagne (22kt Gold)		-47	1,067.70
Brushed Champagne (22kt Gold)		-46	1,067.70
Durabronze (23kt Gold)		-09	1,019.10
Brushed Durabronze (23kt Gold)		-28	1,019.10
Brushed Dark Brass		-39	776.50
Brushed Bronze		-42	776.50
Dark Chrome		-19	728.00
Brushed Dark Platinum		-99	873.60
Matte Black		-33	655.20

83 150 979

NEW

Lighted mirror round

- Wall mounting
- Diameter: 600 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material



Standard article	83 150 979 FF	FF	Euro
Matte White		-10	1,767.00
Matte Black		-33	1,767.00

83 151 979

NEW

Lighted mirror round

- Wall mounting
- Diameter: 750 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material



Standard article	83 151 979 FF	FF	Euro
Matte White		-10	2,065.00
Matte Black		-33	2,065.00

83 150 980

NEW

Lighted mirror angular

- Wall mounting
- height 800 mm
- width 400mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material



Standard article	83 150 980 FF	FF	Euro
Matte White		-10	1,652.00
Matte Black		-33	1,652.00

83 151 980

NEW

Lighted mirror angular

- Wall mounting
- height 1000 mm
- width 600mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material



Standard article	83 151 980 FF	FF	Euro
Matte White		-10	1,951.00
Matte Black		-33	1,951.00

36 390 979

NEW

Electronic control elements for heated towel rail

- rosette Ø 80 mm
- Control element for towel warmer: 833XX979-FF
- Degree of protection IP 44, CE marking

Note: Different conditioning.

Standard article	36 390 979 FF	FF	Euro
Chrome		-00	500.00
Brushed Chrome		-93	650.00
Brushed Champagne (22kt Gold)		-46	1,100.00
Dark Chrome		-19	750.00
Brushed Dark Platinum		-99	900.00
Matte Black		-33	675.00

83 304 979

NEW

Towel warmer, 4-fold, projection left, without control element

- gauge 120 mm
- width 610mm
- height 440 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.



Standard article	83 304 979 FF	FF	Euro
Chrome		-00	1,760.00
Brushed Chrome		-93	2,288.00
Brushed Champagne (22kt Gold)		-46	3,872.00
Dark Chrome		-19	2,640.00
Brushed Dark Platinum		-99	3,168.00
Matte Black		-33	2,376.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, without control element

35 311 970 FF FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 651

Concealed rough parts 90 750.00



83 306 979

NEW

Towel warmer, 6-fold, projection left, without control element

- gauge 120 mm
- width 610mm
- height 680 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.



Standard article	83 306 979 FF	FF	Euro
Chrome		-00	2,640.00
Brushed Chrome		-93	3,432.00
Brushed Champagne (22kt Gold)		-46	5,808.00
Dark Chrome		-19	3,960.00
Brushed Dark Platinum		-99	4,752.00
Matte Black		-33	3,564.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 6-fold, without control element

35 313 970 FF FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 652

Concealed rough parts 90 1,000.00



83 314 979

NEW

Towel warmer, 4-fold, projection right, without control element

- gauge 120 mm
- width 610mm
- height 440 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.



Standard article	83 314 979 FF	FF	Euro
Chrome		-00	1,760.00
Brushed Chrome		-93	2,288.00
Brushed Champagne (22kt Gold)		-46	3,872.00
Dark Chrome		-19	2,640.00
Brushed Dark Platinum		-99	3,168.00
Matte Black		-33	2,376.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, without control element

35 311 970 FF FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 651

Concealed rough parts 90 750.00



83 316 979

NEW

Towel warmer, 6-fold, projection right, without control element

- gauge 120 mm
- width 610mm
- height 680 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.



Standard article	83 316 979 FF	FF	Euro
Chrome		-00	2,640.00
Brushed Chrome		-93	3,432.00
Brushed Champagne (22kt Gold)		-46	5,808.00
Dark Chrome		-19	3,960.00
Brushed Dark Platinum		-99	4,752.00
Matte Black		-33	3,564.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 6-fold, without control element

35 313 970 FF FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 652

Concealed rough parts 90 1,000.00



83 304 979 +
36 390 979

NEW Towel warmer, 4-fold, projection left, with control element



- gauge 120 mm
- width 610mm
- height 560 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Standard article	1x 83 304 979 FF		1x 36 390 979 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,760.00	-00	500.00	2,260.00
Brushed Chrome	-93	2,288.00	-93	650.00	2,938.00
Brushed Champagne (22kt Gold)	-46	3,872.00	-46	1,100.00	4,972.00
Dark Chrome	-19	2,640.00	-19	750.00	3,390.00
Brushed Dark Platinum	-99	3,168.00	-99	900.00	4,068.00
Matte Black	-33	2,376.00	-33	675.00	3,051.00

Required miscellaneous



Concealed wall installation box for heated towel rail, 4-fold, with control element

35 312 970 FF | FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- Concealed rough parts | **90** 850.00
- For details and miscellaneous, see page 651

83 306 979 +
36 390 979

NEW Towel warmer, 6-fold, projection left, with control element



- gauge 120 mm
- width 610mm
- height 800 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Standard article	1x 83 306 979 FF		1x 36 390 979 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	2,640.00	-00	500.00	3,140.00
Brushed Chrome	-93	3,432.00	-93	650.00	4,082.00
Brushed Champagne (22kt Gold)	-46	5,808.00	-46	1,100.00	6,908.00
Dark Chrome	-19	3,960.00	-19	750.00	4,710.00
Brushed Dark Platinum	-99	4,752.00	-99	900.00	5,652.00
Matte Black	-33	3,564.00	-33	675.00	4,239.00

Required miscellaneous



Concealed wall installation box for heated towel rail, 6-fold, with control element

35 314 970 FF | FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- Concealed rough parts | **90** 1,100.00
- For details and miscellaneous, see page 652

83 314 979 +
36 390 979

NEW Towel warmer, 4-fold, projection right, with control element



- gauge 120 mm
- width 610mm
- height 560 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Standard article	1x 83 314 979 FF		1x 36 390 979 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,760.00	-00	500.00	2,260.00
Brushed Chrome	-93	2,288.00	-93	650.00	2,938.00
Brushed Champagne (22kt Gold)	-46	3,872.00	-46	1,100.00	4,972.00
Dark Chrome	-19	2,640.00	-19	750.00	3,390.00
Brushed Dark Platinum	-99	3,168.00	-99	900.00	4,068.00
Matte Black	-33	2,376.00	-33	675.00	3,051.00

Required miscellaneous



Concealed wall installation box for heated towel rail, 4-fold, with control element

35 312 970 FF | FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- Concealed rough parts | **90** 850.00
- For details and miscellaneous, see page 651

83 316 979 +
36 390 979

NEW Towel warmer, 6-fold, projection right, with control element

- gauge 120 mm
- width 610mm
- height 800 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.



Standard article	1x 83 316 979 FF		1x 36 390 979 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	2,640.00	-00	500.00	3,140.00
Brushed Chrome	-93	3,432.00	-93	650.00	4,082.00
Brushed Champagne (22kt Gold)	-46	5,808.00	-46	1,100.00	6,908.00
Dark Chrome	-19	3,960.00	-19	750.00	4,710.00
Brushed Dark Platinum	-99	4,752.00	-99	900.00	5,652.00
Matte Black	-33	3,564.00	-33	675.00	4,239.00

Required miscellaneous



Concealed wall installation box for heated towel rail, 6-fold, with control element


35 314 970 FF		FF	Euro
Concealed rough parts		90	1,100.00

- min. recess depth 70 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 652

VAIA

Sieger Design



Basin
from page 483

Bidet
from page 493

Shower
from page 492

Thermostats, mixers, diverters
and valves
from page 516

Bath
from page 528

Accessories
from page 535

Basin fittings

Single-lever basin mixers

106mm projection



33 505 809
33 522 809

123mm projection



33 510 809
33 525 809

167mm projection



33 500 809
33 521 809

with a raised pillar base

201mm projection



33 534 809

Single-hole basin mixers

167mm projection



22 513 809

Free-standing basin mixers

202mm projection



22 585 809

Three-hole basin mixers

165mm projection



20 705 809

165mm projection



20 705 819

168mm projection



20 713 809

168mm projection



20 713 819

Pillar taps

89mm projection



17 500 809

Single taps

151mm projection



30 010 809

Wall-mounted single-lever basin mixers

190mm projection



36 860 809

125mm projection



36 867 809

Wall-mounted basin mixers

125mm projection



36 702 809

125mm projection



36 702 819

190mm projection



36 712 819

190mm projection



36 712 809

Wall-mounted basin spouts

190mm projection



13 800 809

Touchfree

167mm projection



44 521 809

168mm projection



13 716 809 +
42 765 970

190mm projection



13 800 809 +
42 765 970

Showers


Shower sets



26 413 809 +
28 012 979

26 413 979 +
28 018 979

Shower pipes with shower thermostat



34 460 809 +
28 015 979
34 459 809

34 460 979 +
28 018 979
34 459 979

Shower stele with single-lever shower mixer



26 024 661 +
28 029 979
26 025 661

Head showers with one spray type



28 504 979

Head showers with multiple jet types



28 508 979

28 505 979

Rain showers with wall connection



28 649 970
28 648 970

28 679 970
28 678 970



28 659 970
28 658 970

Rain showers with ceiling connection



28 669 970
28 668 970

Rain showers with ceiling connection



28 689 970
28 688 970

28 699 970
28 698 970


Rain showers for ceiling connection



28 031 970

28 032 970

Rain showers for ceiling installation



28 033 970

28 034 970

Hand shower sets with integrated shower holder



27 802 660

27 803 660

Hand shower sets with individual rosettes



27 808 809

Side showers



28 528 979
28 518 979

Massage modules

WATER POINTS



36 525 979
36 515 979

WATER BAR



36 527 979
36 517 979

Massage modules

WATER CURVE



36 514 979

WATER FAN



36 513 979
36 512 979

Waterfalls

WATER SHEET



13 415 979

WATER FALL



13 420 979

WATER FALL



13 425 979

Kneipp modules

WATER TUBE



27 823 979 +
28 285 979
27 843 979

Bath fittings

Single-lever mixers



36 120 809



36 120 809

Free-standing bath fittings

281mm projection



25 863 809

221mm projection



25 943 809

221mm projection



25 943 819

Bath shower sets

220mm projection



27 632 809

Five-hole bath mixers

220mm projection



27 522 809

220mm projection



27 522 819

Bath spouts

200mm projection



13 801 809

Hand shower sets

202mm projection



27 702 809

Diverter

29 140 809



29 140 809

Miscellaneous

26mm projection



36 243 970

integrated bath filling

26mm projection



36 247 970

33 505 809



Single-lever basin mixer with pop-up waste

- **106mm projection**
- fixed spout
- circular, air-enriched flow
- height of mixer 141 mm
- height up to aerator 56 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	33 505 809 FF	FF	Euro
Chrome		-00	492.50
Platinum		-08	788.00
Brushed Platinum		-06	788.00
Champagne (22kt Gold)		-47	1,083.50
Brushed Champagne (22kt Gold)		-46	1,083.50
Brushed Durabronze (23kt Gold)		-28	1,034.30
Brushed Dark Brass		-39	788.10
Brushed Bronze		-42	788.10
Dark Chrome		-19	738.80
Brushed Dark Platinum		-99	886.50

Product alternative

- **without pop-up waste**

Standard article	33 522 809 FF	FF	Euro
Chrome		-00	450.40
Platinum		-08	720.60
Brushed Platinum		-06	720.60
Champagne (22kt Gold)		-47	990.90
Brushed Champagne (22kt Gold)		-46	990.90
Brushed Durabronze (23kt Gold)		-28	945.80
Brushed Dark Brass		-39	720.70
Brushed Bronze		-42	720.60
Dark Chrome		-19	675.70
Brushed Dark Platinum		-99	810.70

33 510 809



Single-lever basin mixer with pop-up waste

- **123mm projection**
- 1 1/4" pop-up waste
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 274 mm
- height up to aerator 220 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2 x pressure hose with 3/8" cap nut
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	33 510 809 FF	FF	Euro
Chrome		-00	860.20
Platinum		-08	1,376.10
Brushed Platinum		-06	1,376.10
Champagne (22kt Gold)		-47	1,892.40
Brushed Champagne (22kt Gold)		-46	1,892.40
Brushed Durabronze (23kt Gold)		-28	1,806.40
Brushed Dark Brass		-39	1,376.30
Brushed Bronze		-42	1,376.20
Dark Chrome		-19	1,290.40
Brushed Dark Platinum		-99	1,548.30

Product alternative

- **without pop-up waste**

Standard article	33 525 809 FF	FF	Euro
Chrome		-00	789.80
Platinum		-08	1,263.70
Brushed Platinum		-06	1,263.70
Champagne (22kt Gold)		-47	1,737.60
Brushed Champagne (22kt Gold)		-46	1,737.60
Brushed Durabronze (23kt Gold)		-28	1,658.60
Brushed Dark Brass		-39	1,263.70
Brushed Bronze		-42	1,263.80
Dark Chrome		-19	1,184.80
Brushed Dark Platinum		-99	1,421.60

33 500 809

**Single-lever basin mixer with pop-up waste**

- **167mm projection**
- 1 1/4" pop-up waste
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 306 mm
- height up to aerator 220 mm
- hole diameter 35 mm
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- 2 x pressure hose with 3/8" cap nut
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.**Custom-made options**

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	33 500 809 FF	FF	Euro
Chrome	-00		909.50
Platinum	-08		1,455.30
Brushed Platinum	-06		1,454.90
Champagne (22kt Gold)	-47		2,000.90
Brushed Champagne (22kt Gold)	-46		2,000.90
Brushed Durabronze (23kt Gold)	-28		1,910.00
Brushed Dark Brass	-39		1,455.20
Brushed Bronze	-42		1,455.20
Dark Chrome	-19		1,364.40
Brushed Dark Platinum	-99		1,637.10

Product alternative

- without pop-up waste

Standard article	33 521 809 FF	FF	Euro
Chrome	-00		839.10
Platinum	-08		1,342.40
Brushed Platinum	-06		1,342.20
Champagne (22kt Gold)	-47		1,846.00
Brushed Champagne (22kt Gold)	-46		1,846.00
Brushed Durabronze (23kt Gold)	-28		1,762.10
Brushed Dark Brass	-39		1,342.60
Brushed Bronze	-42		1,342.60
Dark Chrome	-19		1,258.60
Brushed Dark Platinum	-99		1,510.30

33 534 809

**Single-lever basin mixer with raised base without pop-up waste**

- **201mm projection**
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 414 mm
- height up to aerator 316 mm
- hole diameter 35 mm
- 2 x pressure hose with 3/8" cap nut
- max. flow 5.7 l/min
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- lead-free

for use on countertop bowls**Custom-made options**

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	33 534 809 FF	FF	Euro
Chrome	-00		1,180.10
Platinum	-08		1,888.10
Brushed Platinum	-06		1,888.00
Champagne (22kt Gold)	-47		2,596.20
Brushed Champagne (22kt Gold)	-46		2,596.20
Brushed Durabronze (23kt Gold)	-28		2,478.20
Brushed Dark Brass	-39		1,888.10
Brushed Bronze	-42		1,888.00
Dark Chrome	-19		1,770.10
Brushed Dark Platinum	-99		2,124.10

22 513 809

**Single-hole basin mixer with pop-up waste**

- **167mm projection**
- 1 1/4" pop-up waste
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 307 mm
- height up to aerator 221 mm
- hole diameter 35 mm
- **rosette Ø 60 mm**
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 2x US pressure hose, 3/8"
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.**Custom-made options**

- Blue marking
- Finish variants
- Flow rate modification
- Red marking
- Red/blue marking
- without logo

Standard article	22 513 809 FF	FF	Euro
Chrome	-00		910.10
Platinum	-08		1,456.10
Brushed Platinum	-06		1,456.10
Champagne (22kt Gold)	-47		2,002.20
Brushed Champagne (22kt Gold)	-46		2,002.20
Brushed Durabronze (23kt Gold)	-28		1,911.20
Brushed Dark Brass	-39		1,456.20
Brushed Bronze	-42		1,456.20
Dark Chrome	-19		1,365.30
Brushed Dark Platinum	-99		1,638.20

22 585 809


Single-hole basin mixer with stand pipe without pop-up waste

- **202mm projection**
- pivotable spout 360°
- circular, air-enriched flow
- total height 1251 - 1321 mm
- height up to aerator 1152 – 1222 mm
- rosette Ø 135 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Blue marking
- Finish variants
- Flow rate modification
- Red marking
- Red/blue marking
- without logo

Standard article	22 585 809 FF	FF	Euro
Chrome		-00	2,156.50
Platinum		-08	3,450.40
Brushed Platinum		-06	3,450.40
Champagne (22kt Gold)		-47	4,744.30
Brushed Champagne (22kt Gold)		-46	4,744.30
Brushed Durabronze (23kt Gold)		-28	4,528.70
Brushed Dark Brass		-39	3,450.40
Brushed Bronze		-42	3,450.40
Dark Chrome		-19	3,234.80
Brushed Dark Platinum		-99	3,881.80



Required miscellaneous

Concealed floor mounting
35 945 970 FF FF Euro

- min. recess depth 80 mm
 - max. recess depth 150 mm
- Concealed rough parts **90** 840.10
- For details and miscellaneous, see page 644



Recommended miscellaneous

Concealed floor mounting
35 945 970 FF FF Euro

- min. recess depth 80 mm
 - max. recess depth 150 mm
- Concealed rough parts **90** 840.10
- For details and miscellaneous, see page 644

20 705 809


Three-hole basin mixer with pop-up waste

- **165mm projection**
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 144 mm
- height up to aerator 90 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 60 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.
Custom-made options

- Blue marking
- Finish variants
- Flow rate modification
- Red marking
- Red/blue marking
- without logo
- without pop-up waste

Standard article	20 705 809 FF	FF	Euro
Chrome		-00	1,393.90
Platinum		-08	2,230.20
Brushed Platinum		-06	2,230.20
Champagne (22kt Gold)		-47	3,066.60
Brushed Champagne (22kt Gold)		-46	3,066.60
Brushed Durabronze (23kt Gold)		-28	2,927.20
Brushed Dark Brass		-39	2,230.30
Brushed Bronze		-42	2,230.40
Dark Chrome		-19	2,090.90
Brushed Dark Platinum		-99	2,509.00



Recommended miscellaneous

High pressure hoses
12 506 970 FF FF Euro

- 2x 3/8" x 1/2" x 500mm high pressure hose
- Accessories **90** 90.70

20 705 819


Three-hole basin mixer with pop-up waste

- **165mm projection**
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 144 mm
- height up to aerator 90 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 60 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.
Custom-made options

- Blue marking
- Finish variants
- Flow rate modification
- Red marking
- Red/blue marking
- without logo
- without pop-up waste

Standard article	20 705 819 FF	FF	Euro
Chrome		-00	1,393.90
Platinum		-08	2,230.20
Brushed Platinum		-06	2,230.20
Champagne (22kt Gold)		-47	3,066.60
Brushed Champagne (22kt Gold)		-46	3,066.60
Brushed Durabronze (23kt Gold)		-28	2,927.20
Brushed Dark Brass		-39	2,230.30
Brushed Bronze		-42	2,230.40
Dark Chrome		-19	2,090.90
Brushed Dark Platinum		-99	2,509.00



Recommended miscellaneous

High pressure hoses
12 506 970 FF FF Euro

- 2x 3/8" x 1/2" x 500mm high pressure hose
- Accessories **90** 90.70

20 713 809

**Three-hole basin mixer with pop-up waste**

- **168mm projection**
- 1 1/4" pop-up waste
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 280 mm
- height up to aerator 191 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 60 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.**Custom-made options**

- Blue marking
- Finish variants
- Flow rate modification
- Red marking
- Red/blue marking
- without logo
- without pop-up waste
- Bi-colour handle variant

Standard article	20 713 809 FF	FF	Euro
Chrome		-00	1,393.90
Platinum		-08	2,230.20
Brushed Platinum		-06	2,230.10
Champagne (22kt Gold)		-47	3,066.60
Brushed Champagne (22kt Gold)		-46	3,066.60
Brushed Durabronze (23kt Gold)		-28	2,927.20
Brushed Dark Brass		-39	2,230.30
Brushed Bronze		-42	2,230.40
Dark Chrome		-19	2,090.90
Brushed Dark Platinum		-99	2,508.90



Recommended miscellaneous

High pressure hoses**12 506 970 FF** FF Euro

- 2x 3/8" x 1/2" x 500mm high pressure hose

Accessories **90** 90.70

20 713 819

**Three-hole basin mixer with pop-up waste**

- **168mm projection**
- 1 1/4" pop-up waste
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 280 mm
- height up to aerator 191 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 60 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.**Custom-made options**

- Blue marking
- Finish variants
- Flow rate modification
- Red marking
- Red/blue marking
- without logo
- without pop-up waste

Standard article	20 713 819 FF	FF	Euro
Chrome		-00	1,393.90
Platinum		-08	2,230.20
Brushed Platinum		-06	2,230.10
Champagne (22kt Gold)		-47	3,066.60
Brushed Champagne (22kt Gold)		-46	3,066.60
Brushed Durabronze (23kt Gold)		-28	2,927.20
Brushed Dark Brass		-39	2,230.30
Brushed Bronze		-42	2,230.40
Dark Chrome		-19	2,090.90
Brushed Dark Platinum		-99	2,508.90



Recommended miscellaneous

High pressure hoses**12 506 970 FF** FF Euro

- 2x 3/8" x 1/2" x 500mm high pressure hose

Accessories **90** 90.70

17 500 809

**Pillar tap cold water**

- **89mm projection**
- fixed spout
- circular, air-enriched flow
- height of mixer 127 mm
- height up to aerator 35 mm
- hole diameter 35 mm
- 1/2" connection
- **rosette Ø 45 mm**
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	17 500 809 FF	FF	Euro
Chrome		-00	438.10
Platinum		-08	700.90
Brushed Platinum		-06	700.90
Champagne (22kt Gold)		-47	963.80
Brushed Champagne (22kt Gold)		-46	963.80
Brushed Durabronze (23kt Gold)		-28	920.00
Brushed Dark Brass		-39	700.90
Brushed Bronze		-42	700.90
Dark Chrome		-19	657.00
Brushed Dark Platinum		-99	788.60

30 010 809


Wall-mounted valve cold water without pop-up waste

- 151mm projection
- fixed spout
- adapter with male thread 3/4"
- hole diameter 35 mm
- rosette Ø 60 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	30 010 809 FF	FF	Euro
Chrome	-00		458.90
Platinum	-08		734.20
Brushed Platinum	-06		734.20
Champagne (22kt Gold)	-47		1,009.60
Brushed Champagne (22kt Gold)	-46		1,009.60
Brushed Durabronze (23kt Gold)	-28		963.70
Brushed Dark Brass	-39		734.20
Brushed Bronze	-42		734.30
Dark Chrome	-19		688.20
Brushed Dark Platinum	-99		825.80



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

FF

Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts

90

122.80

For details and miscellaneous, see page 645

36 860 809


Wall-mounted single-lever basin mixer without pop-up waste

- 190mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter spout 37 mm
- hole diameter single-lever mixer 57 mm
- rosette for single-lever mixer Ø 78mm
- rosette for spout Ø 60mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- Projection modification
- Red/blue marking
- without logo

Standard article	36 860 809 FF	FF	Euro
Chrome	-00		939.10
Platinum	-08		1,502.50
Brushed Platinum	-06		1,502.80
Champagne (22kt Gold)	-47		2,066.00
Brushed Champagne (22kt Gold)	-46		2,066.00
Brushed Durabronze (23kt Gold)	-28		1,972.10
Brushed Dark Brass	-39		1,502.50
Brushed Bronze	-42		1,502.50
Dark Chrome	-19		1,408.50
Brushed Dark Platinum	-99		1,690.30



Required miscellaneous

Concealed wall-mounted single-lever mixer

35 860 970 FF

FF

Euro

- min. recess depth 80 mm
- max. recess depth 95 mm
- mixer can be placed above, to the left or to the right of the spout.

Concealed rough parts

90

224.60

For details and miscellaneous, see page 640

36 867 809


Wall-mounted single-lever basin mixer without pop-up waste

- 125mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter spout 35 mm
- hole diameter single-lever mixer 57 mm
- rosette for single-lever mixer Ø 78mm
- rosette for spout Ø 60mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Standard article	36 867 809 FF	FF	Euro
Chrome	-00		875.30
Platinum	-08		1,400.50
Brushed Platinum	-06		1,400.50
Champagne (22kt Gold)	-47		1,925.70
Brushed Champagne (22kt Gold)	-46		1,925.70
Brushed Durabronze (23kt Gold)	-28		1,838.10
Brushed Dark Brass	-39		1,400.50
Brushed Bronze	-42		1,400.50
Dark Chrome	-19		1,313.00
Brushed Dark Platinum	-99		1,575.60



Required miscellaneous

Concealed wall-mounted single-lever mixer

35 860 970 FF

FF

Euro

- min. recess depth 80 mm
- max. recess depth 95 mm
- mixer can be placed above, to the left or to the right of the spout.

Concealed rough parts

90

224.60

For details and miscellaneous, see page 640

36 702 809

**Wall-mounted basin mixer without pop-up waste**• **125mm projection**

- fixed spout
- circular, air-enriched flow
- hole diameter valve 35 mm
- hole diameter spout 35 mm
- rosettes Ø 60 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Blue marking
- Finish variants
- Flow rate modification
- Red marking
- Red/blue marking
- without logo

Standard article	36 702 809 FF	FF	Euro
Chrome		-00	1,023.80
Platinum		-08	1,638.00
Brushed Platinum		-06	1,638.00
Champagne (22kt Gold)		-47	2,252.40
Brushed Champagne (22kt Gold)		-46	2,252.40
Brushed Durabronze (23kt Gold)		-28	2,150.00
Brushed Dark Brass		-39	1,638.10
Brushed Bronze		-42	1,638.10
Dark Chrome		-19	1,535.60
Brushed Dark Platinum		-99	1,842.80



Required miscellaneous

Concealed wall-mounted mixer centred spout

35 700 970 FF FF Euro

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 640

Concealed rough parts 90 193.30



Required miscellaneous

Concealed wall-mounted mixer variable positioning

35 720 970 FF FF Euro

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 640

Concealed rough parts 90 154.20

36 702 819

**Wall-mounted basin mixer without pop-up waste**• **125mm projection**

- fixed spout
- circular, air-enriched flow
- hole diameter valve 35 mm
- hole diameter spout 35 mm
- rosettes Ø 60 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Blue marking
- Finish variants
- Flow rate modification
- Red marking
- Red/blue marking
- without logo

Standard article	36 702 819 FF	FF	Euro
Chrome		-00	1,023.80
Platinum		-08	1,638.00
Brushed Platinum		-06	1,638.00
Champagne (22kt Gold)		-47	2,252.40
Brushed Champagne (22kt Gold)		-46	2,252.40
Brushed Durabronze (23kt Gold)		-28	2,150.00
Brushed Dark Brass		-39	1,638.10
Brushed Bronze		-42	1,638.10
Dark Chrome		-19	1,535.60
Brushed Dark Platinum		-99	1,842.80



Required miscellaneous

Concealed wall-mounted mixer centred spout

35 700 970 FF FF Euro

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 640

Concealed rough parts 90 193.30



Required miscellaneous

Concealed wall-mounted mixer variable positioning

35 720 970 FF FF Euro

- min. recess depth 85 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 640

Concealed rough parts 90 154.20

36 712 819


Wall-mounted basin mixer without pop-up waste
• 190mm projection

- fixed spout
- circular, air-enriched flow
- hole diameter valve 37 mm
- hole diameter spout 40 mm
- rosettes Ø 60 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Blue marking
- Finish variants
- Flow rate modification
- Projection modification
- Red marking
- Red/blue marking
- without logo

Standard article	36 712 819 FF	FF	Euro
Chrome		-00	1,068.80
Platinum		-08	1,710.40
Brushed Platinum		-06	1,710.00
Champagne (22kt Gold)		-47	2,351.40
Brushed Champagne (22kt Gold)		-46	2,351.40
Brushed Durabronze (23kt Gold)		-28	2,244.50
Brushed Dark Brass		-39	1,710.10
Brushed Bronze		-42	1,710.20
Dark Chrome		-19	1,603.30
Brushed Dark Platinum		-99	1,924.20



Required miscellaneous

Concealed wall-mounted mixer centred spout
35 700 970 FF | FF | Euro

- min. recess depth 85 mm
 - max. recess depth 145 mm
- Concealed rough parts **90** | 193.30
- For details and miscellaneous, see page 640



Required miscellaneous

Concealed wall-mounted mixer variable positioning
35 720 970 FF | FF | Euro

- min. recess depth 85 mm
 - max. recess depth 145 mm
- Concealed rough parts **90** | 154.20
- For details and miscellaneous, see page 640

36 712 809


Wall-mounted basin mixer without pop-up waste
• 190mm projection

- fixed spout
- circular, air-enriched flow
- hole diameter valve 37 mm
- hole diameter spout 40 mm
- rosettes Ø 60 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Blue marking
- Finish variants
- Flow rate modification
- Projection modification
- Red marking
- Red/blue marking
- without logo

Standard article	36 712 809 FF	FF	Euro
Chrome		-00	1,068.80
Platinum		-08	1,710.40
Brushed Platinum		-06	1,710.00
Champagne (22kt Gold)		-47	2,351.40
Brushed Champagne (22kt Gold)		-46	2,351.40
Brushed Durabronze (23kt Gold)		-28	2,244.50
Brushed Dark Brass		-39	1,710.10
Brushed Bronze		-42	1,710.20
Dark Chrome		-19	1,603.30
Brushed Dark Platinum		-99	1,924.20



Required miscellaneous

Concealed wall-mounted mixer centred spout
35 700 970 FF | FF | Euro

- min. recess depth 85 mm
 - max. recess depth 145 mm
- Concealed rough parts **90** | 193.30
- For details and miscellaneous, see page 640



Required miscellaneous

Concealed wall-mounted mixer variable positioning
35 720 970 FF | FF | Euro

- min. recess depth 85 mm
 - max. recess depth 145 mm
- Concealed rough parts **90** | 154.20
- For details and miscellaneous, see page 640

13 800 809

**Wall-mounted basin spout without pop-up waste**

- **190mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter 37 mm
- rosette Ø 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

For Touchfree control please order eSet Touchfree with temperature adjustment**Custom-made options**

- Finish variants
- Flow rate modification
- Projection modification
- without logo

Standard article	13 800 809 FF	FF	Euro
Chrome		-00	783.30
Platinum		-08	1,253.40
Brushed Platinum		-06	1,253.50
Champagne (22kt Gold)		-47	1,723.30
Brushed Champagne (22kt Gold)		-46	1,723.30
Brushed Durabronze (23kt Gold)		-28	1,644.90
Brushed Dark Brass		-39	1,253.30
Brushed Bronze		-42	1,253.40
Dark Chrome		-19	1,175.20
Brushed Dark Platinum		-99	1,409.90



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

Concealed rough parts	90	122.80
-----------------------	----	--------

44 521 809

**NEW Washstand fitting with electronic opening and closing function without pop-up waste**

- Infrared sensor technology
- **167mm projection**
- height of mixer 306 mm
- height up to aerator 221 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- circular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Indirect temperature control (undercounter)
- Control box included
- Adjustable sensor detection range
- Battery or plug-in power supply operated (batteries not included)
- 4x AA (1.5V) batteries required
- lead-free
- 1x screw-in M 8 x 1 pressure hose, leak-tested
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Batteries not included**Custom-made options**

- Finish variants
- Flow rate modification
- without logo

Standard article	44 521 809 FF	FF	Euro
Chrome		-00	821.30
Platinum		-08	1,314.30
Brushed Platinum		-06	1,314.30
Champagne (22kt Gold)		-47	1,806.90
Brushed Champagne (22kt Gold)		-46	1,806.90
Brushed Durabronze (23kt Gold)		-28	1,724.70
Brushed Dark Brass		-39	1,314.10
Brushed Bronze		-42	1,314.20
Dark Chrome		-19	1,232.20
Brushed Dark Platinum		-99	1,478.50
Matte Black		-33	1,108.90

13 716 809 +
42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting

- **168mm projection**
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 280 mm
- height up to aerator 191 mm
- rosette Ø 60 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- Flow rate modification
- without logo

	1x 13 716 809 FF max. flow 5.7 l/min		1x 42 765 970 90 FF		Total price:
Set	FF	Euro	FF	Euro	Euro
Chrome	-00	907.30	90	687.50	1,594.80



Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

For details and miscellaneous, see page 646	35 740 970 FF	FF	Euro
Concealed rough parts	90		313.70

 13 800 809 +
42 765 970

eSET Touchfree Basin mixer without pop-up waste with temperature setting

- **190mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter 37 mm
- rosette Ø 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- Flow rate modification
- Projection modification
- without logo

	1x 13 800 809 FF max. flow 5.7 l/min		1x 42 765 970 90 FF		Total price:
Set	FF	Euro	FF	Euro	Euro
Chrome	-00	783.30	90	687.50	1,470.80



Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

• min. recess depth 90 mm	35 741 970 FF	FF	Euro
• max. recess depth 125 mm	Concealed rough parts	90	313.70
For details and miscellaneous, see page 646			



Recommended miscellaneous

Concealed wall elbow

• min. recess depth 90 mm	35 085 970 FF	FF	Euro
• max. recess depth 163 mm	Concealed rough parts	90	122.80
For details and miscellaneous, see page 645			

Miscellaneous

22 901 979

**Angle valve**

- rosette Ø 55 mm
- hose covering 200mm, for shortening

Custom-made options

- Finish variants
- without logo

Standard article	22 901 979 FF	FF	Euro
Chrome		-00	188.60
Platinum		-08	301.70
Brushed Platinum		-06	301.70
Champagne (22kt Gold)		-47	414.90
Brushed Champagne (22kt Gold)		-46	414.90
Durabronz (23kt Gold)		-09	396.10
Brushed Durabronz (23kt Gold)		-28	396.10
Brushed Bronze		-42	301.70
Dark Chrome		-19	282.80
Brushed Dark Platinum		-99	339.30
Matte Black		-33	254.60

10 060 970

**Siphon for basin**

- rosette Ø 70 mm

Custom-made options

- Finish variants

Standard article	10 060 970 FF	FF	Euro
Chrome		-00	338.60
Platinum		-08	541.90
Brushed Platinum		-06	541.90
Champagne (22kt Gold)		-47	744.90
Brushed Champagne (22kt Gold)		-46	744.90
Durabronz (23kt Gold)		-09	711.10
Brushed Durabronz (23kt Gold)		-28	711.10
Brushed Dark Brass		-39	541.70
Brushed Bronze		-42	541.80
Dark Chrome		-19	507.90
Brushed Dark Platinum		-99	609.50
Matte Black		-33	457.20

33 600 809


Single-lever bidet mixer with pop-up waste

- 104mm projection
- **european pop-up waste**
- ball-joint pivotable through 15° (in any direction)
- circular, air-enriched flow
- height of mixer 218 mm
- height up to aerator 166 mm
- hole diameter 35 mm
- rosette Ø 60 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 5.7 l/min
- lead-free

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo
- without pop-up waste

Standard article	33 600 809 FF	FF	Euro
Chrome		-00	1,130.70
Platinum		-08	1,809.10
Brushed Platinum		-06	1,809.10
Champagne (22kt Gold)		-47	2,487.50
Brushed Champagne (22kt Gold)		-46	2,487.50
Brushed Durabronze (23kt Gold)		-28	2,374.50
Brushed Dark Brass		-39	1,809.20
Brushed Bronze		-42	1,809.20
Dark Chrome		-19	1,696.20
Brushed Dark Platinum		-99	2,035.20

27 701 970


Bidet spray

- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2" shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options

- Finish variants
- without logo

Standard article	27 701 970 FF	FF	Euro
Chrome		-00	323.10
Platinum		-08	516.80
Brushed Platinum		-06	516.80
Champagne (22kt Gold)		-47	710.80
Brushed Champagne (22kt Gold)		-46	710.80
Durabronze (23kt Gold)		-09	678.50
Brushed Durabronze (23kt Gold)		-28	678.50
Brushed Dark Brass		-39	517.00
Brushed Bronze		-42	516.90
Dark Chrome		-19	484.60
Brushed Dark Platinum		-99	581.60



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

FF

Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts

90

122.80

For details and miscellaneous, see page 645

27 701 670


Bidet spray

- wall bracket with integrated safety shut off valve
- max. standing pressure: 5bar
- hand shower with back flow preventer
- 1/2" shower outlet
- rosette Ø 60 mm
- metal shower hose 1250mm with integrated anti-twist protection

This product does not provide intrinsic protection against backflow in accordance with DIN EN 1717. This product must not be installed and operated in countries where compliance with DIN EN 1717 is stipulated.

The bidet shower must be operated with an upstream main fitting.

Custom-made options

- Finish variants
- without logo

Standard article	27 701 670 FF	FF	Euro
Chrome		-00	323.10
Platinum		-08	516.80
Brushed Platinum		-06	516.80
Champagne (22kt Gold)		-47	710.80
Brushed Champagne (22kt Gold)		-46	710.80
Brushed Durabronze (23kt Gold)		-28	678.50
Brushed Dark Brass		-39	517.00
Brushed Bronze		-42	516.90
Dark Chrome		-19	484.60
Brushed Dark Platinum		-99	581.60



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

FF

Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts

90

122.80

For details and miscellaneous, see page 645

26 413 809 +
28 012 979



Shower set

- slide bar
- Pipe diameter 18 mm
- rosette Ø 60 mm
- gauge 800 mm
- metal shower hose 1700mm with integrated anti-twist protection
- shower hose connector 3/8"
- Four settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, COMPACT CASCADE, max. flow rate 15 l/min (at 3 bar)
- spray head Ø 120mm

Fits VAIA

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Set	1x 26 413 809 FF		1x 28 012 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	701.80	-00	236.10	937.90
Platinum	-08	1,122.50	-08	377.70	1,500.20
Brushed Platinum	-06	1,122.70	-06	377.70	1,500.40
Champagne (22kt Gold)	-47	1,544.00	-47	519.40	2,063.40
Brushed Champagne (22kt Gold)	-46	1,544.00	-46	519.40	2,063.40
Brushed Durabronze (23kt Gold)	-28	1,473.80	-28	495.80	1,969.60
Brushed Dark Brass	-39	1,122.90	-39	377.70	1,500.60
Brushed Bronze	-42	1,122.90	-42	377.70	1,500.60
Dark Chrome	-19	1,052.60	-19	354.10	1,406.70
Brushed Dark Platinum	-99	1,262.80	-99	425.00	1,687.80



Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

	28 450 809 FF	FF	Euro
Chrome	-00		134.30
Platinum	-08		214.70
Brushed Platinum	-06		214.30
Champagne (22kt Gold)	-47		295.50
Brushed Champagne (22kt Gold)	-46		295.50
Brushed Durabronze (23kt Gold)	-28		282.00
Brushed Dark Brass	-39		214.90
Brushed Bronze	-42		214.90
Dark Chrome	-19		201.30
Brushed Dark Platinum	-99		241.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

	35 085 970 FF	FF	Euro
Concealed rough parts	90		122.80

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.



Alternative hand shower	28 015 979 FF max. flow 15 l/min		28 017 979 FF max. flow 15 l/min		28 018 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	135.80	-00	195.80	-00	237.40
Platinum	-08	202.30	-08	291.10	-08	217.10	-08	313.60	-08	379.90
Brushed Platinum	-06	202.30	-06	291.10	-06	217.10	-06	313.60	-06	379.90
Champagne (22kt Gold)	-47	277.90	-47	400.20	-47	298.80	-47	430.80	-47	522.30
Brushed Champagne (22kt Gold)	-46	277.90	-46	400.20	-46	298.80	-46	430.80	-46	522.30
Brushed Durabronze (23kt Gold)	-28	265.20	-28	382.00	-28	285.20	-28	411.20	-28	498.50
Brushed Dark Brass	-39	202.10	-39	291.10	-39	217.20	-39	313.30	-39	379.90
Brushed Bronze	-42	202.00	-42	291.00	-42	217.10	-42	313.30	-42	379.90
Dark Chrome	-19	189.40	-19	272.80	-19	203.60	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	244.30	-99	352.60	-99	427.30

26 413 979 +
28 018 979



Shower set

- slide bar
- Pipe diameter 18 mm
- gauge 853 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 7 l/min
- spray head Ø 100mm

Fits MEM, CL.1, IMO, META, TARA, VAIA, LULU, LISSÉ, CYO

NOTE: Hand shower sold separately. Please see hand shower options under the miscellaneous articles section of each series.

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Set	1x 26 413 979 FF		1x 28 018 979 FF		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	420.30	-00	135.80	556.10
Platinum	-08	672.50	-08	217.10	889.60
Brushed Platinum	-06	685.60	-06	217.10	902.70
Champagne (22kt Gold)	-47	924.70	-47	298.80	1,223.50
Brushed Champagne (22kt Gold)	-46	924.70	-46	298.80	1,223.50
Brushed Durabronze (23kt Gold)	-28	882.60	-28	285.20	1,167.80
Brushed Dark Brass	-39	672.60	-39	217.20	889.80
Brushed Bronze	-42	672.60	-42	217.10	889.70
Dark Chrome	-19	630.70	-19	203.60	834.30
Brushed Dark Platinum	-99	756.40	-99	244.30	1,000.70
Matte Black	-33	578.30	-33	183.20	761.50



Recommended miscellaneous

Wall elbow

28 450 980 FF

For details and miscellaneous, see main items

	FF	Euro
Chrome	-00	165.10
Platinum	-08	264.40
Brushed Platinum	-06	264.40
Champagne (22kt Gold)	-47	363.20
Brushed Champagne (22kt Gold)	-46	363.20
Brushed Durabronze (23kt Gold)	-28	346.70
Brushed Dark Brass	-39	264.20
Brushed Bronze	-42	264.20
Dark Chrome	-19	247.90
Brushed Dark Platinum	-99	297.40
Matte Black	-33	223.00



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts 90

For details and miscellaneous, see page 645

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.

Alternative hand shower	1 jet Ø 100 mm		1 jet Ø 130 mm		4 jets Ø 120 mm		5 jets Ø 130 mm		1 jet	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	236.10	-00	195.80	-00	237.40
Platinum	-08	202.30	-08	291.10	-08	377.70	-08	313.60	-08	379.90
Brushed Platinum	-06	202.30	-06	291.10	-06	377.70	-06	313.60	-06	379.90
Champagne (22kt Gold)	-47	277.90	-47	400.20	-47	519.40	-47	430.80	-47	522.30
Brushed Champagne (22kt Gold)	-46	277.90	-46	400.20	-46	519.40	-46	430.80	-46	522.30
Brushed Durabronze (23kt Gold)	-28	265.20	-28	382.00	-28	495.80	-28	411.20	-28	498.50
Brushed Dark Brass	-39	202.10	-39	291.10	-39	377.70	-39	313.30	-39	379.90
Brushed Bronze	-42	202.00	-42	291.00	-42	377.70	-42	313.30	-42	379.90
Dark Chrome	-19	189.40	-19	272.80	-19	354.10	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	425.00	-99	352.60	-99	427.30
Matte Black	-33	170.30	-33	245.70	-33	318.70	-33	264.40	-33	320.50

34 460 809 +
28 015 979



Shower pipe

- 452mm projection
- rain shower Ø 300 mm
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- rain shower with anti-scale system
- Hand shower: COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 10 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 959mm
- height of fittings up to top edge of elbow 1267mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Custom-made options

- Finish variants
- Flow rate modification
- Height modification
- Red/blue marking
- without logo

Set	1x 34 460 809 FF max. flow 14 l/min		1x 28 015 979 FF max. flow 15 l/min		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	3,081.60	-00	126.30	3,207.90
Platinum	-08	4,930.50	-08	202.30	5,132.80
Brushed Platinum	-06	4,930.50	-06	202.30	5,132.80
Champagne (22kt Gold)	-47	6,779.50	-47	277.90	7,057.40
Brushed Champagne (22kt Gold)	-46	6,779.50	-46	277.90	7,057.40
Brushed Durabrass (23kt Gold)	-28	6,471.40	-28	265.20	6,736.60
Brushed Dark Brass	-39	4,930.50	-39	202.10	5,132.60
Brushed Bronze	-42	4,930.50	-42	202.00	5,132.50
Dark Chrome	-19	4,622.30	-19	189.40	4,811.70
Brushed Dark Platinum	-99	5,546.80	-99	227.20	5,774.00

Product alternative

- FlowReduce
- Max. flow rate 7 l/min
- rain shower Ø 220 mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Standard article	34 459 809 FF	FF	Euro
Chrome		-00	3,081.60
Platinum		-08	4,930.40
Brushed Platinum		-06	4,930.40
Champagne (22kt Gold)		-47	6,779.50
Brushed Champagne (22kt Gold)		-46	6,779.50
Brushed Durabrass (23kt Gold)		-28	6,471.40
Brushed Dark Brass		-39	4,930.50
Brushed Bronze		-42	4,930.50
Dark Chrome		-19	4,622.20
Brushed Dark Platinum		-99	5,546.80

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 604.



Alternative hand shower	28 017 979 FF max. flow 15 l/min		28 018 979 FF max. flow 15 l/min		28 012 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	181.90	-00	135.80	-00	236.10	-00	195.80	-00	237.40
Platinum	-08	291.10	-08	217.10	-08	377.70	-08	313.60	-08	379.90
Brushed Platinum	-06	291.10	-06	217.10	-06	377.70	-06	313.60	-06	379.90
Champagne (22kt Gold)	-47	400.20	-47	298.80	-47	519.40	-47	430.80	-47	522.30
Brushed Champagne (22kt Gold)	-46	400.20	-46	298.80	-46	519.40	-46	430.80	-46	522.30
Brushed Durabrass (23kt Gold)	-28	382.00	-28	285.20	-28	495.80	-28	411.20	-28	498.50
Brushed Dark Brass	-39	291.10	-39	217.20	-39	377.70	-39	313.30	-39	379.90
Brushed Bronze	-42	291.00	-42	217.10	-42	377.70	-42	313.30	-42	379.90
Dark Chrome	-19	272.80	-19	203.60	-19	354.10	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	327.30	-99	244.30	-99	425.00	-99	352.60	-99	427.30

34 460 979 +
28 018 979



Showerpipe with shower thermostat

- shower with fixed riser projection 453mm
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower Ø 300 mm
- rain shower with anti-scale system
- Hand shower: Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- spray head Ø 100mm
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 1009mm
- height of fittings up to top edge of elbow 1150mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.

Fits IMO, META, TARA, VAIA, LISSÉ, LULU

Custom-made options

- Finish variants
- Flow rate modification
- Height modification
- Red/blue marking
- without logo

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.

Set	1x 34 460 979 FF max. flow 14 l/min		1x 28 018 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	2,734.90	-00	135.80	2,870.70
Platinum	-08	4,375.50	-08	217.10	4,592.60
Brushed Platinum	-06	4,375.70	-06	217.10	4,592.80
Champagne (22kt Gold)	-47	6,016.80	-47	298.80	6,315.60
Brushed Champagne (22kt Gold)	-46	6,016.80	-46	298.80	6,315.60
Brushed Durabronze (23kt Gold)	-28	5,743.30	-28	285.20	6,028.50
Brushed Dark Brass	-39	4,375.70	-39	217.20	4,592.90
Brushed Bronze	-42	4,375.70	-42	217.10	4,592.80
Dark Chrome	-19	4,102.30	-19	203.60	4,305.90
Brushed Dark Platinum	-99	4,922.60	-99	244.30	5,166.90
Matte Black	-33	3,692.00	-33	183.20	3,875.20

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- rain shower Ø 220 mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Standard article	34 459 979 FF	FF	Euro
Chrome		-00	2,596.40
Platinum		-08	4,061.00
Brushed Platinum		-06	4,061.00
Champagne (22kt Gold)		-47	5,712.10
Brushed Champagne (22kt Gold)		-46	5,712.10
Brushed Durabronze (23kt Gold)		-28	5,452.40
Brushed Dark Brass		-39	4,154.30
Brushed Bronze		-42	4,061.00
Dark Chrome		-19	3,894.60
Brushed Dark Platinum		-99	4,568.80
Matte Black		-33	3,426.70



Alternative hand shower	28 015 979 FF max. flow 15 l/min		28 017 979 FF max. flow 15 l/min		28 012 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	236.10	-00	195.80	-00	237.40
Platinum	-08	202.30	-08	291.10	-08	377.70	-08	313.60	-08	379.90
Brushed Platinum	-06	202.30	-06	291.10	-06	377.70	-06	313.60	-06	379.90
Champagne (22kt Gold)	-47	277.90	-47	400.20	-47	519.40	-47	430.80	-47	522.30
Brushed Champagne (22kt Gold)	-46	277.90	-46	400.20	-46	519.40	-46	430.80	-46	522.30
Brushed Durabronze (23kt Gold)	-28	265.20	-28	382.00	-28	495.80	-28	411.20	-28	498.50
Brushed Dark Brass	-39	202.10	-39	291.10	-39	377.70	-39	313.30	-39	379.90
Brushed Bronze	-42	202.00	-42	291.00	-42	377.70	-42	313.30	-42	379.90
Dark Chrome	-19	189.40	-19	272.80	-19	354.10	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	425.00	-99	352.60	-99	427.30
Matte Black	-33	170.30	-33	245.70	-33	318.70	-33	264.40	-33	320.50

26 024 661 +
28 029 979



Shower system with single-lever shower mixer

- shower with fixed riser projection 450mm
- pivotable 180°
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower Ø 300 mm
- rain shower with anti-scale system
- Hand shower: COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- shower holder with rosette Ø 78mm
- slide-on rosettes Ø 55 mm
- 1500 mm metal shower hose
- height of fittings up to top edge of elbow 2280mm
- height of fittings up to rain shower (bottom edge) 1940mm
- automatic diverter for fixed-riser shower/hand shower
- Pipe diameter 20 mm

Fits META, TARA, VAIA

Water carrying concealed rough parts on lower wall fixing.

Recommended spacing from bottom edge of shower stem to floor 92 mm.

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Set	1x 26 024 661 FF max. flow 14 l/min		1x 28 029 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	5,014.70	-00	237.40	5,252.10
Platinum	-08	8,023.40	-08	379.90	8,403.30
Brushed Platinum	-06	8,023.30	-06	379.90	8,403.20
Champagne (22kt Gold)	-47	11,032.30	-47	522.30	11,554.60
Brushed Champagne (22kt Gold)	-46	11,032.30	-46	522.30	11,554.60
Brushed Durabronze (23kt Gold)	-28	10,530.90	-28	498.50	11,029.40
Brushed Dark Brass	-39	8,023.50	-39	379.90	8,403.40
Brushed Bronze	-42	8,023.40	-42	379.90	8,403.30
Dark Chrome	-19	7,521.90	-19	356.20	7,878.10
Brushed Dark Platinum	-99	9,026.30	-99	427.30	9,453.60
Matte Black	-33	6,769.70	-33	320.50	7,090.20

Product alternative

- FlowReduce
- Max. flow rate 9 l/min (at 3 bar)
- rain shower Ø 300 mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Standard article	26 025 661 FF	FF	Euro
Chrome		-00	5,014.70
Platinum		-08	8,023.40
Brushed Platinum		-06	8,023.40
Champagne (22kt Gold)		-47	11,032.30
Brushed Champagne (22kt Gold)		-46	11,032.30
Brushed Durabronze (23kt Gold)		-28	10,530.90
Brushed Dark Brass		-39	8,023.50
Brushed Bronze		-42	8,023.40
Dark Chrome		-19	7,522.00
Brushed Dark Platinum		-99	9,026.30
Matte Black		-33	6,769.80








Required miscellaneous

Concealed wall mounting

	35 003 970 FF	FF	Euro
• min. recess depth 78 mm			
• max. recess depth 103 mm			
Concealed rough parts		90	320.80

For details and miscellaneous, see page 640

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.

										
	1 jet Ø 100 mm	1 jet Ø 130 mm	5 jets Ø 100 mm	4 jets Ø 120 mm	5 jets Ø 130 mm					
Alternative hand shower	28 015 979 FF max. flow 15 l/min	28 017 979 FF max. flow 15 l/min	28 018 979 FF max. flow 15 l/min	28 012 979 FF max. flow 15 l/min	28 016 979 FF max. flow 15 l/min					
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	135.80	-00	236.10	-00	195.80
Platinum	-08	202.30	-08	291.10	-08	217.10	-08	377.70	-08	313.60
Brushed Platinum	-06	202.30	-06	291.10	-06	217.10	-06	377.70	-06	313.60
Champagne (22kt Gold)	-47	277.90	-47	400.20	-47	298.80	-47	519.40	-47	430.80
Brushed Champagne (22kt Gold)	-46	277.90	-46	400.20	-46	298.80	-46	519.40	-46	430.80
Brushed Durabronze (23kt Gold)	-28	265.20	-28	382.00	-28	285.20	-28	495.80	-28	411.20
Brushed Dark Brass	-39	202.10	-39	291.10	-39	217.20	-39	377.70	-39	313.30
Brushed Bronze	-42	202.00	-42	291.00	-42	217.10	-42	377.70	-42	313.30
Dark Chrome	-19	189.40	-19	272.80	-19	203.60	-19	354.10	-19	293.80
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	244.30	-99	425.00	-99	352.60
Matte Black	-33	170.30	-33	245.70	-33	183.20	-33	318.70	-33	264.40

28 504 979


Shower head

- 180-210mm projection
- ball-joint pivotable through 30°
- PURIFY RAIN, max. flow rate 7 l/min (at 3 bar)
- Function from: 6 l/min
- with anti-scale system
- spray head Ø 100mm
- rosette Ø 55 mm
- 1/2" connection

Fits META, TARA, VAIA, LISSÉ
Custom-made options

- Finish variants
- without logo

Standard article	28 504 979 FF	FF	Euro
Chrome	-00		591.60
Platinum	-08		946.80
Brushed Platinum	-06		946.90
Champagne (22kt Gold)	-47		1,301.50
Brushed Champagne (22kt Gold)	-46		1,301.50
Brushed Durabronze (23kt Gold)	-28		1,242.40
Brushed Dark Brass	-39		946.60
Brushed Bronze	-42		946.60
Dark Chrome	-19		887.60
Brushed Dark Platinum	-99		1,065.10
Matte Black	-33		798.80



Recommended miscellaneous

Concealed wall elbow **35 085 970 FF** FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 508 979


Shower head

- 200mm projection
- ball-joint pivotable through 30°
- Three settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system
- spray head Ø 92mm
- rosette Ø 55 mm
- 1/2" connection

Fits META, TARA, VAIA, LISSÉ
Custom-made options

- Finish variants

Standard article	28 508 979 FF	FF	Euro
Chrome	-00		661.80
Platinum	-08		1,058.50
Brushed Platinum	-06		1,058.50
Champagne (22kt Gold)	-47		1,456.00
Brushed Champagne (22kt Gold)	-46		1,456.00
Brushed Durabronze (23kt Gold)	-28		1,389.80
Brushed Dark Brass	-39		1,058.80
Brushed Bronze	-42		1,058.80
Dark Chrome	-19		992.60
Brushed Dark Platinum	-99		1,191.00
Matte Black	-33		893.30

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 508 979 FF	FF	Euro
Chrome	-000010		661.80
Platinum	-080010		1,058.50
Brushed Platinum	-060010		1,058.50
Champagne (22kt Gold)	-470010		1,456.00
Brushed Champagne (22kt Gold)	-460010		1,456.00
Brushed Durabronze (23kt Gold)	-280010		1,389.80
Brushed Dark Brass	-390010		1,058.80
Brushed Bronze	-420010		1,058.80
Dark Chrome	-190010		992.60
Brushed Dark Platinum	-990010		1,191.00
Matte Black	-330010		893.30



Recommended miscellaneous

Concealed wall elbow **35 085 970 FF** FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 505 979

**Shower head**

- **155mm projection**
- ball-joint pivotable through 18° (in any direction)
- Three or five settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 7.6 l/min (at 3 bar)
- with anti-scale system
- spray head Ø 100mm
- rosette Ø 60 mm
- 1/2" connection
- Function from: 5.5 l/min

Fits META, TARA, VAIA, LISSÉ

Custom-made options

- Finish variants
- without logo

Standard article	28 505 979 FF	FF	Euro
Chrome		-00	368.70
Platinum		-08	590.00
Brushed Platinum		-06	590.00
Champagne (22kt Gold)		-47	811.10
Brushed Champagne (22kt Gold)		-46	811.10
Brushed Durabronze (23kt Gold)		-28	774.30
Brushed Dark Brass		-39	590.00
Brushed Bronze		-42	590.00
Dark Chrome		-19	553.10
Brushed Dark Platinum		-99	663.80
Matte Black		-33	497.90



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
----------------------	---------------	----	------

- | | | | |
|----------------------------|-----------------------|----|--------|
| • min. recess depth 90 mm | Concealed rough parts | 90 | 122.80 |
| • max. recess depth 163 mm | | | |
- For details and miscellaneous, see page 645

28 649 970

**Rain shower with wall fixing 220 mm**

- **450mm projection**
- rain shower Ø 220 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 7 l/min
- rosette Ø 60 mm
- 1/2" connection
- with anti-scale system
- quick clearing

Fits META, TARA, VAIA, LISSÉ

Custom-made options

- Finish variants
- Projection modification
- without logo

Standard article	28 649 970 FF	FF	Euro
Chrome		-00	964.10
Platinum		-08	1,542.50
Brushed Platinum		-06	1,542.50
Champagne (22kt Gold)		-47	2,121.00
Brushed Champagne (22kt Gold)		-46	2,121.00
Brushed Durabronze (23kt Gold)		-28	2,024.60
Brushed Dark Brass		-39	1,542.50
Brushed Bronze		-42	1,542.50
Dark Chrome		-19	1,446.10
Brushed Dark Platinum		-99	1,735.30
Matte Black		-33	1,301.60

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 648 970 FF	FF	Euro
Chrome		-00	964.10
Platinum		-08	1,542.50
Brushed Platinum		-06	1,542.50
Champagne (22kt Gold)		-47	2,121.00
Brushed Champagne (22kt Gold)		-46	2,121.00
Brushed Durabronze (23kt Gold)		-28	2,024.60
Brushed Dark Brass		-39	1,542.50
Brushed Bronze		-42	1,542.50
Dark Chrome		-19	1,446.00
Brushed Dark Platinum		-99	1,735.20
Matte Black		-33	1,301.50



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
----------------------	---------------	----	------

- | | | | |
|----------------------------|-----------------------|----|--------|
| • min. recess depth 90 mm | Concealed rough parts | 90 | 122.80 |
| • max. recess depth 163 mm | | | |
- For details and miscellaneous, see page 645

28 679 970

Rain shower with wall fixing 300 mm

- **450mm projection**
- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rosette Ø 60 mm
- 1/2" connection
- with anti-scale system
- quick clearing

Custom-made options

- Finish variants
- Projection modification
- without logo

Standard article	28 679 970 FF	FF	Euro
Chrome		-00	1,135.70
Platinum		-08	1,817.60
Brushed Platinum		-06	1,817.60
Champagne (22kt Gold)		-47	2,498.50
Brushed Champagne (22kt Gold)		-46	2,498.50
Brushed Durabronze (23kt Gold)		-28	2,385.00
Brushed Dark Brass		-39	1,817.10
Brushed Bronze		-42	1,817.10
Dark Chrome		-19	1,703.60
Brushed Dark Platinum		-99	2,044.30
Matte Black		-33	1,533.70

Product alternative

- FlowReduce
- Max. flow rate 9 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 678 970 FF	FF	Euro
Chrome		-00	1,135.70
Platinum		-08	1,817.10
Brushed Platinum		-06	1,817.10
Champagne (22kt Gold)		-47	2,498.50
Brushed Champagne (22kt Gold)		-46	2,498.50
Brushed Durabronze (23kt Gold)		-28	2,385.00
Brushed Dark Brass		-39	1,817.10
Brushed Bronze		-42	1,817.10
Dark Chrome		-19	1,703.50
Brushed Dark Platinum		-99	2,044.20
Matte Black		-33	1,533.30



Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
<ul style="list-style-type: none"> • min. recess depth 90 mm • max. recess depth 163 mm For details and miscellaneous, see page 645	Concealed rough parts	90	122.80

28 659 970

**Rain shower with wall fixing 400 mm**

- 450mm projection
- rain shower Ø 400 mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- rosette Ø 60 mm
- 1/2" connection
- with anti-scale system

Fits META, TARA, VAIA, LISSÉ

Custom-made options

- Finish variants
- Flow rate modification
- Projection modification
- without logo

Standard article	28 659 970 FF	FF	Euro
Chrome		-00	1,988.40
Platinum		-08	3,181.50
Brushed Platinum		-06	3,181.50
Champagne (22kt Gold)		-47	4,374.50
Brushed Champagne (22kt Gold)		-46	4,374.50
Brushed Durabronze (23kt Gold)		-28	4,175.60
Brushed Dark Brass		-39	3,181.50
Brushed Bronze		-42	3,181.50
Dark Chrome		-19	2,982.70
Brushed Dark Platinum		-99	3,578.90
Matte Black		-33	2,684.30

Product alternative

- FlowReduce
- Max. flow rate 12 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 658 970 FF	FF	Euro
Chrome		-00	1,988.40
Platinum		-08	3,181.50
Brushed Platinum		-06	3,181.50
Champagne (22kt Gold)		-47	4,374.50
Brushed Champagne (22kt Gold)		-46	4,374.50
Brushed Durabronze (23kt Gold)		-28	4,175.60
Brushed Dark Brass		-39	3,181.50
Brushed Bronze		-42	3,181.50
Dark Chrome		-19	2,982.60
Brushed Dark Platinum		-99	3,579.00
Matte Black		-33	2,684.30



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

FF

Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts

90

122.80

For details and miscellaneous, see page 645

28 669 970

Rain shower with ceiling fixing 220 mm

- rain shower Ø 220 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 7 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system
- quick clearing

Fits IMO, META, TARA, VAIA, LISSÉ, CYO
Custom-made options

- Finish variants
- Length modification
- without logo

Standard article	28 669 970 FF	FF	Euro
Chrome		-00	819.30
Platinum		-08	1,311.20
Brushed Platinum		-06	1,311.20
Champagne (22kt Gold)		-47	1,802.50
Brushed Champagne (22kt Gold)		-46	1,802.50
Brushed Durabronze (23kt Gold)		-28	1,720.50
Brushed Dark Brass		-39	1,310.80
Brushed Bronze		-42	1,310.90
Dark Chrome		-19	1,228.90
Brushed Dark Platinum		-99	1,474.80
Matte Black		-33	1,106.40

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 668 970 FF	FF	Euro
Chrome		-00	819.30
Platinum		-08	1,310.90
Brushed Platinum		-06	1,310.90
Champagne (22kt Gold)		-47	1,802.50
Brushed Champagne (22kt Gold)		-46	1,802.50
Brushed Durabronze (23kt Gold)		-28	1,720.50
Brushed Dark Brass		-39	1,310.80
Brushed Bronze		-42	1,310.90
Dark Chrome		-19	1,228.90
Brushed Dark Platinum		-99	1,474.70
Matte Black		-33	1,106.00



Recommended miscellaneous

Concealed wall elbow
35 085 970 FF

FF

Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts

90

122.80

For details and miscellaneous, see page 645

28 689 970

**Rain shower with ceiling fixing 300 mm**

- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system
- quick clearing

Fits IMO, META, TARA, VAIA, LISSÉ, CYO

Custom-made options

- Finish variants
- Length modification
- without logo

Standard article	28 689 970 FF	FF	Euro
Chrome		-00	965.90
Platinum		-08	1,544.90
Brushed Platinum		-06	1,544.90
Champagne (22kt Gold)		-47	2,125.00
Brushed Champagne (22kt Gold)		-46	2,125.00
Brushed Durabronze (23kt Gold)		-28	2,028.40
Brushed Dark Brass		-39	1,545.50
Brushed Bronze		-42	1,545.40
Dark Chrome		-19	1,448.90
Brushed Dark Platinum		-99	1,738.50
Matte Black		-33	1,303.70

Product alternative

- FlowReduce
- Max. flow rate 9 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 688 970 FF	FF	Euro
Chrome		-00	965.90
Platinum		-08	1,545.40
Brushed Platinum		-06	1,545.40
Champagne (22kt Gold)		-47	2,125.00
Brushed Champagne (22kt Gold)		-46	2,125.00
Brushed Durabronze (23kt Gold)		-28	2,028.40
Brushed Dark Brass		-39	1,545.50
Brushed Bronze		-42	1,545.40
Dark Chrome		-19	1,448.90
Brushed Dark Platinum		-99	1,738.60
Matte Black		-33	1,304.00



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

FF

Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts

90

122.80

For details and miscellaneous, see page 645

28 699 970

Rain shower with ceiling fixing 400 mm

- rain shower Ø 400 mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system
- quick clearing

Fits IMO, META, TARA, VAIA, LISSÉ, CYO
Custom-made options

- Finish variants
- Flow rate modification
- Length modification
- without logo

Standard article	28 699 970 FF	FF	Euro
Chrome		-00	1,778.20
Platinum		-08	2,845.00
Brushed Platinum		-06	2,845.00
Champagne (22kt Gold)		-47	3,912.00
Brushed Champagne (22kt Gold)		-46	3,912.00
Brushed Durabronze (23kt Gold)		-28	3,734.20
Brushed Dark Brass		-39	2,845.10
Brushed Bronze		-42	2,845.10
Dark Chrome		-19	2,667.10
Brushed Dark Platinum		-99	3,200.50
Matte Black		-33	2,400.30

Product alternative

- FlowReduce
- Max. flow rate 12 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 698 970 FF	FF	Euro
Chrome		-00	1,778.20
Platinum		-08	2,845.10
Brushed Platinum		-06	2,845.10
Champagne (22kt Gold)		-47	3,912.00
Brushed Champagne (22kt Gold)		-46	3,912.00
Brushed Durabronze (23kt Gold)		-28	3,734.20
Brushed Dark Brass		-39	2,845.10
Brushed Bronze		-42	2,845.10
Dark Chrome		-19	2,667.30
Brushed Dark Platinum		-99	3,200.60
Matte Black		-33	2,400.50



Recommended miscellaneous

Concealed wall elbow
35 085 970 FF FF Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

 Concealed rough parts **90** 122.80

For details and miscellaneous, see page 645

28 031 970

Rain shower for surface-mounted ceiling installation 300 mm

- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Fits IMO, META, TARA, VAIA, LISSÉ, CYO
Custom-made options

- Finish variants
- without logo

Standard article	28 031 970 FF	FF	Euro
Chrome		-00	746.90
Platinum		-08	1,195.10
Brushed Platinum		-06	1,195.10
Champagne (22kt Gold)		-47	1,643.20
Brushed Champagne (22kt Gold)		-46	1,643.20
Brushed Durabronze (23kt Gold)		-28	1,568.50
Brushed Dark Brass		-39	1,195.00
Brushed Bronze		-42	1,194.90
Dark Chrome		-19	1,120.30
Brushed Dark Platinum		-99	1,344.40
Matte Black		-33	1,008.30

Required miscellaneous

Concealed ceiling installation box with ceiling fixing
35 041 970 FF FF Euro

- concealed rough parts
- min. recess depth 90 mm
- max. recess depth 115 mm
- 2x female thread 1/2" outlet

 Concealed rough parts **90** 497.90

For details and miscellaneous, see page 648

28 032 970

**Rain shower for surface-mounted ceiling installation with light 300 mm**

- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- **Ceiling module power supply**
- 350mA (CC)
- **Spot lighting**
- LED colour temperature approx. 3000 K
- Bulbs protected against splashing water
- Contains energy efficiency class bulbs
- Technology: LED, not dimmable
- Provided by customer: Light switch
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Fits IMO, META, TARA, VAIA, LISSÉ, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 032 970 FF	FF	Euro
Chrome		-00	1,122.20
Platinum		-08	1,795.50
Brushed Platinum		-06	1,795.50
Champagne (22kt Gold)		-47	2,468.80
Brushed Champagne (22kt Gold)		-46	2,468.80
Brushed Durabronze (23kt Gold)		-28	2,356.60
Brushed Dark Brass		-39	1,795.50
Brushed Bronze		-42	1,795.50
Dark Chrome		-19	1,683.20
Brushed Dark Platinum		-99	2,020.00
Matte Black		-33	1,514.80

Required miscellaneous

**Concealed ceiling installation box for surface-mounted ceiling installation with light**

	35 042 970 FF	FF	Euro
concealed rough parts		90	748.00
min. recess depth 90 mm			
max. recess depth 115 mm			
2x female thread 1/2" connections			
Input 100-240V AC 50-60Hz			
Output 350 mA SELV / Class 2			
Provided by customer: Light switch			

For details and miscellaneous, see page 648

28 033 970

**Rain shower for recessed ceiling installation 300 mm**

- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- min. recess depth 137 mm
- with anti-scale system
- For simultaneous control of the jet types, we recommend the xTool thermostat module
- Not suitable for use in a steam room.

Fits IMO, META, TARA, VAIA, LISSÉ, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 033 970 FF	FF	Euro
Chrome		-00	1,497.40
Platinum		-08	2,395.80
Brushed Platinum		-06	2,395.80
Champagne (22kt Gold)		-47	3,294.30
Brushed Champagne (22kt Gold)		-46	3,294.30
Brushed Durabronze (23kt Gold)		-28	3,144.50
Brushed Dark Brass		-39	2,395.90
Brushed Bronze		-42	2,395.90
Dark Chrome		-19	2,246.10
Brushed Dark Platinum		-99	2,695.30
Matte Black		-33	2,021.50

Required miscellaneous

**Concealed ceiling installation box for recessed ceiling installation**

	35 033 970 FF	FF	Euro
concealed rough parts		90	998.30
recess depth 137mm			
2x female thread 1/2" outlet			
flush-mounted installation box Ø 360 mm RAL 9003 signal white			

For details and miscellaneous, see page 647

28 034 970


Rain shower for recessed ceiling installation with light 300 mm

- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- min. recess depth 137 mm
- with anti-scale system
- **Ceiling module power supply**
- 12V DC (CV)
- **Spot lighting**
- LED coloured light RGBW
- Bulbs protected against splashing water
- **Ambient lighting**
- **Activation**
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

Fits IMO, META, TARA, VAIA, LISSÉ, CYO
Custom-made options

- Finish variants
- without logo

Standard article	28 034 970 FF	FF	Euro
Chrome		-00	2,248.00
Platinum		-08	3,596.80
Brushed Platinum		-06	3,596.80
Champagne (22kt Gold)		-47	4,945.60
Brushed Champagne (22kt Gold)		-46	4,945.60
Brushed Durabronze (23kt Gold)		-28	4,720.80
Brushed Dark Brass		-39	3,596.80
Brushed Bronze		-42	3,596.80
Dark Chrome		-19	3,371.90
Brushed Dark Platinum		-99	4,046.30
Matte Black		-33	3,034.80

Required miscellaneous


Concealed ceiling installation box for recessed ceiling installation with light

Standard article	35 034 970 FF	FF	Euro
concealed rough parts			
flush-mounted reflection box Ø 360 mm RAL 9003 signal white			
recess depth 137mm			
2x female thread 1/2" outlet			
Input 100-240V AC 50-60Hz			
Output 12V DC SELV / Class 2			
ZigBee Light Link RGBW controller			
For details and miscellaneous, see page 647			
Concealed rough parts		90	1,498.70

27 802 660


Hand shower set with integrated shower holder

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection
- rosette Ø 60 mm
- 1/2" connection

Intrinsic protection against back flow.
Fits META, TARA
Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 802 660 FF	FF	Euro
Chrome		-00	455.30
Platinum		-08	728.70
Brushed Platinum		-06	728.70
Champagne (22kt Gold)		-47	1,001.70
Brushed Champagne (22kt Gold)		-46	1,001.70
Brushed Durabronze (23kt Gold)		-28	956.10
Brushed Dark Brass		-39	728.40
Brushed Bronze		-42	728.40
Dark Chrome		-19	682.80
Brushed Dark Platinum		-99	819.20
Matte Black		-33	614.90

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 802 660 FF	FF	Euro
Chrome		-000010	455.30
Platinum		-080010	728.70
Brushed Platinum		-060010	728.70
Champagne (22kt Gold)		-470010	1,001.70
Brushed Champagne (22kt Gold)		-460010	1,001.70
Brushed Durabronze (23kt Gold)		-280010	956.10
Brushed Dark Brass		-390010	728.40
Brushed Bronze		-420010	728.40
Dark Chrome		-190010	682.80
Brushed Dark Platinum		-990010	819.20
Matte Black		-330010	614.90



Recommended miscellaneous

Concealed wall elbow

Standard article	35 085 970 FF	FF	Euro
min. recess depth 90 mm			
max. recess depth 163 mm			
Concealed rough parts		90	122.80

For details and miscellaneous, see page 645

27 803 660

**Hand shower set with integrated shower holder**

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- 3/8" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection
- rosette Ø 60 mm
- 1/2" connection
- Function from: 7 l/min

Intrinsic protection against back flow.**Fits META, TARA****Custom-made options**

- Finish variants
- Flow rate modification
- without logo

Standard article	27 803 660 FF	FF	Euro
Chrome		-00	441.10
Platinum		-08	705.70
Brushed Platinum		-06	705.70
Champagne (22kt Gold)		-47	970.40
Brushed Champagne (22kt Gold)		-46	970.40
Brushed Durabronze (23kt Gold)		-28	926.30
Brushed Dark Brass		-39	705.90
Brushed Bronze		-42	705.80
Dark Chrome		-19	661.90
Brushed Dark Platinum		-99	793.10
Matte Black		-33	594.70

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 803 660 FF	FF	Euro
Chrome		-000010	441.10
Platinum		-080010	705.70
Brushed Platinum		-060010	705.70
Champagne (22kt Gold)		-470010	970.40
Brushed Champagne (22kt Gold)		-460010	970.40
Brushed Durabronze (23kt Gold)		-280010	926.30
Brushed Dark Brass		-390010	705.90
Brushed Bronze		-420010	705.80
Dark Chrome		-190010	661.90
Brushed Dark Platinum		-990010	793.10
Matte Black		-330010	594.70



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

FF

Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts

90

122.80

For details and miscellaneous, see page 645

27 808 809

Hand shower set with individual rosettes

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow Ø 60mm
- rosette for shower holder Ø 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow

Intrinsic protection against back flow.
Fits VAIA
Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 808 809 FF	FF	Euro
Chrome		-00	672.50
Platinum		-08	1,076.10
Brushed Platinum		-06	1,076.10
Champagne (22kt Gold)		-47	1,479.50
Brushed Champagne (22kt Gold)		-46	1,479.50
Brushed Durabronze (23kt Gold)		-28	1,412.30
Brushed Dark Brass		-39	1,075.90
Brushed Bronze		-42	1,076.00
Dark Chrome		-19	1,008.80
Brushed Dark Platinum		-99	1,210.60

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 808 809 FF	FF	Euro
Chrome		-000010	672.50
Platinum		-080010	1,076.10
Brushed Platinum		-060010	1,076.10
Champagne (22kt Gold)		-470010	1,479.50
Brushed Champagne (22kt Gold)		-460010	1,479.50
Brushed Durabronze (23kt Gold)		-280010	1,412.30
Brushed Dark Brass		-390010	1,075.90
Brushed Bronze		-420010	1,076.00
Dark Chrome		-190010	1,008.80
Brushed Dark Platinum		-990010	1,210.60



Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
<ul style="list-style-type: none"> • min. recess depth 90 mm • max. recess depth 163 mm For details and miscellaneous, see page 645	Concealed rough parts	90	122.80

28 528 979

**Body spray without volume control**

- spray head Ø 55mm
- ball-joint pivotable through 25° (in any direction)
- HORIZONTAL RAIN, max. flow rate 7 l/min (at 3 bar)
- with anti-scale system
- rosette Ø 55 mm
- 1/2" connection

Fits META, TARA, VAIA, LISSÉ

Custom-made options

- Finish variants
- without logo

Standard article	28 528 979 FF	FF	Euro
Chrome		-00	313.00
Platinum		-08	500.70
Brushed Platinum		-06	500.70
Champagne (22kt Gold)		-47	688.60
Brushed Champagne (22kt Gold)		-46	688.60
Durabronz (23kt Gold)		-09	657.30
Brushed Durabronz (23kt Gold)		-28	657.30
Brushed Dark Brass		-39	500.80
Brushed Bronze		-42	500.70
Dark Chrome		-19	469.50
Brushed Dark Platinum		-99	563.30
Matte Black		-33	422.50

Product alternative

- FlowReduce
- Max. flow rate 5 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 518 979 FF	FF	Euro
Chrome		-00	313.00
Platinum		-08	500.90
Brushed Platinum		-06	500.90
Champagne (22kt Gold)		-47	688.60
Brushed Champagne (22kt Gold)		-46	688.60
Durabronz (23kt Gold)		-09	657.30
Brushed Durabronz (23kt Gold)		-28	657.30
Brushed Dark Brass		-39	500.80
Brushed Bronze		-42	500.70
Dark Chrome		-19	469.50
Brushed Dark Platinum		-99	563.30
Matte Black		-33	422.40



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
----------------------	---------------	----	------

- | | | | |
|----------------------------|-----------------------|----|--------|
| • min. recess depth 90 mm | Concealed rough parts | 90 | 122.80 |
| • max. recess depth 163 mm | | | |

For details and miscellaneous, see page 645

36 525 979

WATER POINTS Concealed body spray

- HORIZONTAL RAIN, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- cover plate 120 x 120 mm

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	36 525 979 FF	FF	Euro
Chrome		-00	549.80
Platinum		-08	879.60
Brushed Platinum		-06	879.60
Champagne (22kt Gold)		-47	1,209.60
Brushed Champagne (22kt Gold)		-46	1,209.60
Brushed Durabronze (23kt Gold)		-28	1,154.60
Brushed Dark Brass		-39	879.70
Brushed Bronze		-42	879.60
Dark Chrome		-19	824.70
Brushed Dark Platinum		-99	989.50
Matte Black		-33	742.20

Product alternative

- FlowReduce
- Max. flow rate 6 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 515 979 FF	FF	Euro
Chrome		-00	549.80
Platinum		-08	879.20
Brushed Platinum		-06	879.20
Champagne (22kt Gold)		-47	1,209.60
Brushed Champagne (22kt Gold)		-46	1,209.60
Brushed Durabronze (23kt Gold)		-28	1,154.60
Brushed Dark Brass		-39	879.70
Brushed Bronze		-42	879.60
Dark Chrome		-19	824.80
Brushed Dark Platinum		-99	989.50
Matte Black		-33	742.00



Required miscellaneous

Concealed wall installation box

	35 205 970 FF	FF	Euro
• min. recess depth 85 mm			
• max. recess depth 110 mm			
For details and miscellaneous, see page 645			
	Concealed rough parts	90	223.00



Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
For details and miscellaneous, see page 655			
	Concealed rough parts	90	112.20

36 527 979

**WATER BAR Concealed body spray**

- HORIZONTAL RAIN, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- cover plate 240 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	36 527 979 FF	FF	Euro
Chrome	-00		849.00
Platinum	-08		1,358.50
Brushed Platinum	-06		1,358.50
Champagne (22kt Gold)	-47		1,867.80
Brushed Champagne (22kt Gold)	-46		1,867.80
Brushed Durabronze (23kt Gold)	-28		1,782.90
Brushed Dark Brass	-39		1,358.50
Brushed Bronze	-42		1,358.50
Dark Chrome	-19		1,273.50
Brushed Dark Platinum	-99		1,528.20
Matte Black	-33		1,146.10

Product alternative

- FlowReduce
- Max. flow rate 6 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 517 979 FF	FF	Euro
Chrome	-00		849.00
Platinum	-08		1,358.70
Brushed Platinum	-06		1,358.70
Champagne (22kt Gold)	-47		1,867.80
Brushed Champagne (22kt Gold)	-46		1,867.80
Brushed Durabronze (23kt Gold)	-28		1,782.90
Brushed Dark Brass	-39		1,358.50
Brushed Bronze	-42		1,358.50
Dark Chrome	-19		1,273.50
Brushed Dark Platinum	-99		1,527.90
Matte Black	-33		1,168.80

Required miscellaneous

**Concealed wall installation box**

35 206 970 FF FF Euro

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 645

Concealed rough parts 90 301.70

Required miscellaneous

**xGRID Installation track 555 mm**

12 360 970 FF FF Euro

For details and miscellaneous, see page 655

Concealed rough parts 90 112.20

36 514 979

**WATER CURVE Concealed body spray**

- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- cover plate 120 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	36 514 979 FF	FF	Euro
Chrome	-00		1,104.80
Platinum	-08		1,767.70
Brushed Platinum	-06		1,767.70
Champagne (22kt Gold)	-47		2,430.60
Brushed Champagne (22kt Gold)	-46		2,430.60
Brushed Durabronze (23kt Gold)	-28		2,320.10
Brushed Dark Brass	-39		1,767.70
Brushed Bronze	-42		1,767.80
Dark Chrome	-19		1,657.10
Brushed Dark Platinum	-99		1,988.70
Matte Black	-33		1,491.20

Recommended miscellaneous

**Concealed wall elbow**

35 085 970 FF FF Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

Concealed rough parts 90 122.80

36 513 979

WATER FAN vertical Concealed body spray

- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- cover plate 240 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	36 513 979 FF	FF	Euro
Chrome	-00		824.20
Platinum	-08		1,319.20
Brushed Platinum	-06		1,319.20
Champagne (22kt Gold)	-47		1,813.20
Brushed Champagne (22kt Gold)	-46		1,813.20
Brushed Durabronze (23kt Gold)	-28		1,730.80
Brushed Dark Brass	-39		1,318.70
Brushed Bronze	-42		1,318.70
Dark Chrome	-19		1,236.30
Brushed Dark Platinum	-99		1,483.40
Matte Black	-33		1,134.80

Product alternative

- horizontal water jet
- Max. flow rate 10 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 512 979 FF	FF	Euro
Chrome	-00		824.20
Platinum	-08		1,319.20
Brushed Platinum	-06		1,319.20
Champagne (22kt Gold)	-47		1,813.20
Brushed Champagne (22kt Gold)	-46		1,813.20
Brushed Durabronze (23kt Gold)	-28		1,730.80
Brushed Dark Brass	-39		1,318.70
Brushed Bronze	-42		1,318.70
Dark Chrome	-19		1,236.30
Brushed Dark Platinum	-99		1,483.40
Matte Black	-33		1,134.80

Required miscellaneous


Concealed wall installation box
35 206 970 FF FF Euro

- min. recess depth 100 mm
- max. recess depth 173 mm

For details and miscellaneous, see page 645

Required miscellaneous


xGRID Installation track 555 mm
12 360 970 FF FF Euro

For details and miscellaneous, see page 655

 Concealed rough parts **90** 112.20

13 415 979

WATER SHEET Cascade spout for wall mounting

- 150mm projection
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting

Fits MEM, CL.1, IMO, CYO
Custom-made options

- Finish variants
- without logo

Standard article	13 415 979 FF	FF	Euro
Chrome	-00		1,137.90
Platinum	-08		1,820.60
Brushed Platinum	-06		1,820.60
Champagne (22kt Gold)	-47		2,503.40
Brushed Champagne (22kt Gold)	-46		2,503.40
Brushed Durabronze (23kt Gold)	-28		2,389.60
Brushed Dark Brass	-39		1,820.70
Brushed Bronze	-42		1,820.70
Dark Chrome	-19		1,707.00
Brushed Dark Platinum	-99		2,048.20
Matte Black	-33		1,535.90

Recommended miscellaneous



Concealed wall elbow
35 085 970 FF FF Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

 Concealed rough parts **90** 122.80

13 420 979

**WATER FALL Cascade spout for wall mounting**

- 120mm projection
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	13 420 979 FF	FF	Euro
Chrome		-00	1,625.60
Platinum		-08	2,601.50
Brushed Platinum		-06	2,601.50
Champagne (22kt Gold)		-47	3,576.30
Brushed Champagne (22kt Gold)		-46	3,576.30
Brushed Durabronz (23kt Gold)		-28	3,413.80
Brushed Dark Brass		-39	2,601.10
Brushed Bronze		-42	2,601.10
Dark Chrome		-19	2,438.60
Matte Black		-33	2,194.90



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
----------------------	---------------	----	------

- | | | | |
|----------------------------|-----------------------|----|--------|
| • min. recess depth 90 mm | Concealed rough parts | 90 | 122.80 |
| • max. recess depth 163 mm | | | |
- For details and miscellaneous, see page 645

13 425 979

**WATER FALL Cascade spout with individual jets for wall mounting**

- 22mm projection
- PEARLSTREAM
- plate 240 mm x 60 mm
- connection 1/2", for shortening
- plug-link mounting
- Max. flow rate 9.5 l/min (at 3 bar)

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	13 425 979 FF	FF	Euro
Chrome		-00	1,208.00
Platinum		-08	1,932.80
Brushed Platinum		-06	1,932.80
Champagne (22kt Gold)		-47	2,657.60
Brushed Champagne (22kt Gold)		-46	2,657.60
Brushed Durabronz (23kt Gold)		-28	2,536.80
Brushed Dark Brass		-39	1,932.80
Brushed Bronze		-42	1,932.80
Dark Chrome		-19	1,811.80
Brushed Dark Platinum		-99	2,174.10
Matte Black		-33	1,630.70



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
----------------------	---------------	----	------

- | | | | |
|----------------------------|-----------------------|----|--------|
| • min. recess depth 90 mm | Concealed rough parts | 90 | 122.80 |
| • max. recess depth 163 mm | | | |
- For details and miscellaneous, see page 645

27 823 979 +
 28 285 979

WATER TUBE Kneipp wall elbow with hose holder with individual rosettes

- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- with volume control
- rosettes Ø 60 mm
- holder for Kneipp hose
- 1/2" wall elbow

Intrinsic protection against back flow.
Fits META, TARA, VAIA, LISSÉ
Custom-made options

- Finish variants
- without logo

Set	1x 27 823 979 FF max. flow 15 l/min		1x 28 285 979 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	589.50	-00	104.90	694.40
Platinum	-08	943.20	-08	167.70	1,110.90
Brushed Platinum	-06	943.20	-06	167.80	1,111.00
Champagne (22kt Gold)	-47	1,296.90	-47	230.80	1,527.70
Brushed Champagne (22kt Gold)	-46	1,296.90	-46	230.80	1,527.70
Brushed Durabronze (23kt Gold)	-28	1,238.00	-28	220.30	1,458.30
Brushed Dark Brass	-39	943.20	-39	167.80	1,111.00
Brushed Bronze	-42	943.30	-42	167.80	1,111.10
Dark Chrome	-19	884.00	-19	157.30	1,041.30
Brushed Dark Platinum	-99	1,061.00	-99	188.70	1,249.70
Matte Black	-33	795.70	-33	141.50	937.20

Product alternative

- FlowReduce
- Max. flow rate 9 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 843 979 FF	FF	Euro
Chrome		-00	589.50
Platinum		-08	943.30
Brushed Platinum		-06	943.30
Champagne (22kt Gold)		-47	1,296.90
Brushed Champagne (22kt Gold)		-46	1,296.90
Brushed Durabronze (23kt Gold)		-28	1,238.00
Brushed Dark Brass		-39	943.20
Brushed Bronze		-42	943.30
Dark Chrome		-19	884.30
Brushed Dark Platinum		-99	1,061.10
Matte Black		-33	795.90



Recommended miscellaneous

WATER TUBE Kneipp hose black 2000 mm

	28 286 979 FF	FF	Euro
• hose nozzle with sleeve M33		-00	104.90
• with holding ring		-08	167.70
		-06	167.80
		-47	230.80
		-46	230.80
		-28	220.30
		-39	167.80
		-42	167.80
		-19	157.30
		-99	188.70
		-33	141.50



Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm		90	122.80
• max. recess depth 163 mm			

For details and miscellaneous, see page 645

28 490 660



Wall elbow with integrated shower holder

- 3/8" shower outlet
- rosette Ø 60 mm
- 1/2" connection

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- without logo

Standard article	28 490 660 FF	FF	Euro
Chrome		-00	225.00
Platinum		-08	359.60
Brushed Platinum		-06	359.60
Champagne (22kt Gold)		-47	495.00
Brushed Champagne (22kt Gold)		-46	495.00
Brushed Durabrass (23kt Gold)		-28	472.50
Brushed Dark Brass		-39	359.90
Brushed Bronze		-42	360.00
Dark Chrome		-19	337.30
Brushed Dark Platinum		-99	404.30
Matte Black		-33	303.70



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 450 809



Wall elbow

- 3/8" shower outlet
- rosette Ø 60 mm
- 1/2" connection

Fits VAIA

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- without logo

Standard article	28 450 809 FF	FF	Euro
Chrome		-00	134.30
Platinum		-08	214.70
Brushed Platinum		-06	214.30
Champagne (22kt Gold)		-47	295.50
Brushed Champagne (22kt Gold)		-46	295.50
Brushed Durabrass (23kt Gold)		-28	282.00
Brushed Dark Brass		-39	214.90
Brushed Bronze		-42	214.90
Dark Chrome		-19	201.30
Brushed Dark Platinum		-99	241.50



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 050 809



Wall bracket

- rosette Ø 60 mm

Custom-made options

- Finish variants

Standard article	28 050 809 FF	FF	Euro
Chrome		-00	203.80
Platinum		-08	326.10
Brushed Platinum		-06	326.80
Champagne (22kt Gold)		-47	448.40
Brushed Champagne (22kt Gold)		-46	448.40
Brushed Durabrass (23kt Gold)		-28	428.00
Brushed Dark Brass		-39	326.10
Brushed Bronze		-42	326.10
Dark Chrome		-19	305.70
Brushed Dark Platinum		-99	367.20

28 060 970



Wall bracket swivel

- pivotable 75°

Custom-made options

- Finish variants

Standard article	28 060 970 FF	FF	Euro
Chrome		-00	197.80
Platinum		-08	316.60
Brushed Platinum		-06	316.60
Champagne (22kt Gold)		-47	435.20
Brushed Champagne (22kt Gold)		-46	435.20
Brushed Durabrass (23kt Gold)		-28	415.40
Brushed Dark Brass		-39	316.40
Brushed Bronze		-42	316.30
Dark Chrome		-19	296.60
Brushed Dark Platinum		-99	356.10
Matte Black		-33	267.20

12 570 970



Slide unit

- for pipe diameter 23.5 mm

Custom-made options

- Finish variants

Standard article	12 570 970 FF	FF	Euro
Chrome		-00	137.00
Platinum		-08	219.50
Brushed Platinum		-06	219.50
Champagne (22kt Gold)		-47	301.40
Brushed Champagne (22kt Gold)		-46	301.40
Brushed Durabronze (23kt Gold)		-28	287.70
Brushed Dark Brass		-39	219.20
Brushed Bronze		-42	219.20
Dark Chrome		-19	205.40
Brushed Dark Platinum		-99	246.80
Matte Black		-33	185.20

12 580 970



Slide unit

- for pipe diameter 18 mm

Custom-made options

- Finish variants

Standard article	12 580 970 FF	FF	Euro
Chrome		-00	137.00
Platinum		-08	219.50
Brushed Platinum		-06	219.50
Champagne (22kt Gold)		-47	301.40
Brushed Champagne (22kt Gold)		-46	301.40
Brushed Durabronze (23kt Gold)		-28	287.70
Brushed Dark Brass		-39	219.20
Brushed Bronze		-42	219.20
Dark Chrome		-19	205.40
Brushed Dark Platinum		-99	246.80
Matte Black		-33	185.20

34 443 979 +
11 431 809**Shower thermostat**

- 3/8" shower outlet
- slide-on rosettes Ø 70 mm
- 1/2" connection
- gauge 150 mm - 13 mm
- with volume control

Intrinsic protection against back flow.**Custom-made options**

- Finish variants
- Red/blue marking
- without logo

Set	1x 34 443 979 FF		1x 11 431 809 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	607.90	-00	124.70	732.60
Platinum	-08	972.50	-08	199.60	1,172.10
Brushed Platinum	-06	972.50	-06	199.60	1,172.10
Champagne (22kt Gold)	-47	1,337.40	-47	274.30	1,611.70
Brushed Champagne (22kt Gold)	-46	1,337.40	-46	274.30	1,611.70
Brushed Durabronze (23kt Gold)	-28	1,276.60	-28	261.90	1,538.50
Brushed Dark Brass	-39	972.60	-39	199.60	1,172.20
Brushed Bronze	-42	972.60	-42	199.50	1,172.10
Dark Chrome	-19	911.80	-19	187.20	1,099.00
Brushed Dark Platinum	-99	1,094.10	-99	224.50	1,318.60

34 442 979

**Shower thermostat for wall mounting**

- 3/8" shower outlet
- slide-on rosettes Ø 70 mm
- 1/2" connection
- gauge 150 mm - 13 mm
- with volume control

Intrinsic protection against back flow.**For combination with slide bar set****Fits MEM, IMO, META, TARA, VAIA, LULU, LISSÉ****Custom-made options**

- Finish variants
- Red/blue marking
- without logo

Standard article	34 442 979 FF	FF	Euro
Chrome		-00	701.50
Platinum		-08	1,122.20
Brushed Platinum		-06	1,122.20
Champagne (22kt Gold)		-47	1,543.30
Brushed Champagne (22kt Gold)		-46	1,543.30
Brushed Durabronze (23kt Gold)		-28	1,473.20
Brushed Dark Brass		-39	1,122.50
Brushed Bronze		-42	1,122.40
Dark Chrome		-19	1,052.20
Brushed Dark Platinum		-99	1,262.30
Matte Black		-33	946.80

36 060 809

**Concealed single-lever mixer with cover plate**

- cover plate 80 x 80 mm

Fits VAIA**Custom-made options**

- Finish variants
- Red/blue marking
- without logo

Standard article	36 060 809 FF	FF	Euro
Chrome		-00	426.10
Platinum		-08	681.90
Brushed Platinum		-06	681.90
Champagne (22kt Gold)		-47	937.40
Brushed Champagne (22kt Gold)		-46	937.40
Brushed Durabronze (23kt Gold)		-28	894.80
Brushed Dark Brass		-39	681.80
Brushed Bronze		-42	681.90
Dark Chrome		-19	639.30
Brushed Dark Platinum		-99	767.10



Required miscellaneous

Concealed wall-mounted single-lever mixer

	35 860 970 FF	FF	Euro
Concealed rough parts		90	224.60

• min. recess depth 80 mm
• max. recess depth 95 mm
For details and miscellaneous, see page 640

36 120 809

Concealed single-lever mixer with diverter

- automatic diverter
- cover plate Ø 150 mm

Fits VAIA
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 120 809 FF	FF	Euro
Chrome		-00	573.20
Platinum		-08	917.40
Brushed Platinum		-06	916.80
Champagne (22kt Gold)		-47	1,261.00
Brushed Champagne (22kt Gold)		-46	1,261.00
Brushed Durabronze (23kt Gold)		-28	1,203.70
Brushed Dark Brass		-39	917.10
Brushed Bronze		-42	917.20
Dark Chrome		-19	859.80
Brushed Dark Platinum		-99	1,032.10



Required miscellaneous

Concealed single-lever mixer
35 020 970 FF | FF | Euro

- min. recess depth 80 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 641

 Concealed rough parts **90** | 236.90


Required miscellaneous

Concealed single-lever mixer with backflow preventor
35 021 970 FF | FF | Euro

- min. recess depth 80 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 641

 Concealed rough parts **90** | 338.50

36 425 809

Concealed thermostat with one function volume control

- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 425 809 FF	FF	Euro
Chrome		-00	673.90
Platinum		-08	1,078.40
Brushed Platinum		-06	1,078.40
Champagne (22kt Gold)		-47	1,482.60
Brushed Champagne (22kt Gold)		-46	1,482.60
Brushed Durabronze (23kt Gold)		-28	1,415.20
Brushed Dark Brass		-39	1,078.30
Brushed Bronze		-42	1,078.30
Dark Chrome		-19	1,011.00
Brushed Dark Platinum		-99	1,213.20



Required miscellaneous

Concealed thermostat
35 425 970 FF | FF | Euro

- min. recess depth 80 mm
 - max. recess depth 136 mm
- For details and miscellaneous, see page 641

 Concealed rough parts **90** | 435.80


Required miscellaneous

Concealed thermostat with built-in isolators
35 426 970 FF | FF | Euro

- min. recess depth 80 mm
 - max. recess depth 136 mm
- For details and miscellaneous, see page 641

 Concealed rough parts **90** | 457.70

36 426 809

**Concealed thermostat with two function volume control**

- rotary diverter with volume control and shut-off function
- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 426 809 FF	FF	Euro
Chrome		-00	800.90
Platinum		-08	1,281.60
Brushed Platinum		-06	1,281.60
Champagne (22kt Gold)		-47	1,762.00
Brushed Champagne (22kt Gold)		-46	1,762.00
Brushed Durabronze (23kt Gold)		-28	1,681.90
Brushed Dark Brass		-39	1,281.50
Brushed Bronze		-42	1,281.50
Dark Chrome		-19	1,201.60
Brushed Dark Platinum		-99	1,441.80



Required miscellaneous

Concealed thermostat 35 425 970 FF FF Euro

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts 90 435.80
- For details and miscellaneous, see page 641



Required miscellaneous

Concealed thermostat with built-in isolators 35 426 970 FF FF Euro

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts 90 457.70
- For details and miscellaneous, see page 641

36 427 809

**Concealed thermostat with three function volume control**

- rotary diverter with volume control and shut-off function
- cover plate Ø 150 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 427 809 FF	FF	Euro
Chrome		-00	835.70
Platinum		-08	1,337.20
Brushed Platinum		-06	1,337.20
Champagne (22kt Gold)		-47	1,838.50
Brushed Champagne (22kt Gold)		-46	1,838.50
Brushed Durabronze (23kt Gold)		-28	1,755.00
Brushed Dark Brass		-39	1,337.10
Brushed Bronze		-42	1,337.20
Dark Chrome		-19	1,253.80
Brushed Dark Platinum		-99	1,504.40



Required miscellaneous

Concealed thermostat 35 427 970 FF FF Euro

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts 90 456.60
- For details and miscellaneous, see page 642



Required miscellaneous

Concealed thermostat with built-in isolators 35 428 970 FF FF Euro

- min. recess depth 80 mm
 - max. recess depth 136 mm
- Concealed rough parts 90 479.00
- For details and miscellaneous, see page 642

36 501 979 +
 36 607 819

xTOOL Thermostat module with 1 valve

- cover plate Ø 124 mm
- rosette Ø 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

Fits VAIA
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 501 979 FF		1x 36 607 819 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,136.30	-00	233.80	1,370.10
Platinum	-08	1,818.10	-08	374.00	2,192.10
Brushed Platinum	-06	1,818.10	-06	374.10	2,192.30
Champagne (22kt Gold)	-47	2,499.90	-47	514.40	3,014.30
Brushed Champagne (22kt Gold)	-46	2,499.90	-46	514.40	3,014.30
Brushed Durabronz (23kt Gold)	-28	2,386.20	-28	491.00	2,877.20
Brushed Dark Brass	-39	1,818.10	-39	374.10	2,192.20
Brushed Bronze	-42	1,818.20	-42	374.00	2,192.20
Dark Chrome	-19	1,704.40	-19	350.60	2,055.00
Brushed Dark Platinum	-99	2,045.30	-99	420.70	2,466.00



Required miscellaneous

xTOOL Concealed thermostat module with 1 valve

35 511 970 FF		FF	Euro
Concealed rough parts		90	708.30

- min. recess depth 85 mm
 - max. recess depth 110 mm
- For details and miscellaneous, see page 642



Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF		FF	Euro
Concealed rough parts		90	112.20

For details and miscellaneous, see page 655



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF		FF	Euro
Concealed rough parts		90	113.00

For details and miscellaneous, see page 655

 36 501 809 +
 36 607 809

xTOOL Thermostat module with 1 valve

- cover plate Ø 123 mm
- rosette Ø 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 501 809 FF		1x 36 607 809 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,136.30	-00	233.80	1,370.10
Platinum	-08	1,818.20	-08	374.00	2,192.20
Brushed Platinum	-06	1,818.20	-06	374.10	2,192.30
Champagne (22kt Gold)	-47	2,499.90	-47	514.40	3,014.30
Brushed Champagne (22kt Gold)	-46	2,499.90	-46	514.40	3,014.30
Brushed Durabronz (23kt Gold)	-28	2,386.20	-28	491.00	2,877.20
Brushed Dark Brass	-39	1,818.10	-39	374.10	2,192.20
Brushed Bronze	-42	1,818.20	-42	374.00	2,192.20
Dark Chrome	-19	1,704.40	-19	350.60	2,055.00
Brushed Dark Platinum	-99	2,045.40	-99	420.70	2,466.10



Required miscellaneous

xTOOL Concealed thermostat module with 1 valve

35 511 970 FF		FF	Euro
Concealed rough parts		90	708.30

- min. recess depth 85 mm
 - max. recess depth 110 mm
- For details and miscellaneous, see page 642



Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF		FF	Euro
Concealed rough parts		90	112.20

For details and miscellaneous, see page 655



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF		FF	Euro
Concealed rough parts		90	113.00

For details and miscellaneous, see page 655

36 503 979 +
2x 36 607 819



xTOOL Thermostat module with 2 valves

- cover plate Ø 124 mm
- rosette Ø 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

Fits VAIA

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 503 979 FF		2x 36 607 819 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,136.30	-00	233.80	1,603.90
Platinum	-08	1,818.10	-08	374.00	2,566.10
Brushed Platinum	-06	1,818.10	-06	374.10	2,566.30
Champagne (22kt Gold)	-47	2,499.90	-47	514.40	3,528.70
Brushed Champagne (22kt Gold)	-46	2,499.90	-46	514.40	3,528.70
Brushed Durabronze (23kt Gold)	-28	2,386.20	-28	491.00	3,368.20
Brushed Dark Brass	-39	1,818.10	-39	374.10	2,566.30
Brushed Bronze	-42	1,818.20	-42	374.00	2,566.20
Dark Chrome	-19	1,704.40	-19	350.60	2,405.60
Brushed Dark Platinum	-99	2,045.30	-99	420.70	2,886.70



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 521 970 FF | FF Euro

- min. recess depth 85 mm
 - max. recess depth 110 mm
- For details and miscellaneous, see page 643

Concealed rough parts **90** 1,180.70



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

35 524 970 FF | FF Euro

- min. recess depth 85 mm
 - max. recess depth 110 mm
- For details and miscellaneous, see page 643

Concealed rough parts **90** 1,167.70



Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF | FF Euro

For details and miscellaneous, see page 655

Concealed rough parts **90** 112.20



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF | FF Euro

For details and miscellaneous, see page 655

Concealed rough parts **90** 113.00

36 503 809 +
2x 36 607 809



xTOOL Thermostat module with 2 valves

- cover plate Ø 123 mm
- rosette Ø 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 2x head part with cut-to-length spindle and sleeve

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 503 809 FF		2x 36 607 809 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,136.30	-00	233.80	1,603.90
Platinum	-08	1,818.20	-08	374.00	2,566.20
Brushed Platinum	-06	1,818.20	-06	374.10	2,566.40
Champagne (22kt Gold)	-47	2,499.90	-47	514.40	3,528.70
Brushed Champagne (22kt Gold)	-46	2,499.90	-46	514.40	3,528.70
Brushed Durabronze (23kt Gold)	-28	2,386.20	-28	491.00	3,368.20
Brushed Dark Brass	-39	1,818.10	-39	374.10	2,566.30
Brushed Bronze	-42	1,818.20	-42	374.00	2,566.20
Dark Chrome	-19	1,704.40	-19	350.60	2,405.60
Brushed Dark Platinum	-99	2,045.40	-99	420.70	2,886.80



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

	35 521 970 FF	FF	Euro
Concealed rough parts		90	1,180.70

- min. recess depth 85 mm
 - max. recess depth 110 mm
- For details and miscellaneous, see page 643



Required miscellaneous

xTOOL Concealed thermostat module with 2 valves

	35 524 970 FF	FF	Euro
Concealed rough parts		90	1,167.70

- min. recess depth 85 mm
 - max. recess depth 110 mm
- For details and miscellaneous, see page 643



Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
Concealed rough parts		90	112.20

For details and miscellaneous, see page 655



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

	12 340 970 FF	FF	Euro
Concealed rough parts		90	113.00

For details and miscellaneous, see page 655

36 503 979 +
3x 36 607 819



xTOOL Thermostat module with 3 valves

- cover plate Ø 124 mm
- rosette Ø 60 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 503 979 FF		3x 36 607 819 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,136.30	-00	233.80	1,837.70
Platinum	-08	1,818.10	-08	374.00	2,940.10
Brushed Platinum	-06	1,818.10	-06	374.10	2,940.40
Champagne (22kt Gold)	-47	2,499.90	-47	514.40	4,043.10
Brushed Champagne (22kt Gold)	-46	2,499.90	-46	514.40	4,043.10
Brushed Durabronze (23kt Gold)	-28	2,386.20	-28	491.00	3,859.20
Brushed Dark Brass	-39	1,818.10	-39	374.10	2,940.40
Brushed Bronze	-42	1,818.20	-42	374.00	2,940.20
Dark Chrome	-19	1,704.40	-19	350.60	2,756.20
Brushed Dark Platinum	-99	2,045.30	-99	420.70	3,307.40



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 531 970 FF | FF Euro

- min. recess depth 85 mm
 - max. recess depth 110 mm
- For details and miscellaneous, see page 643

Concealed rough parts **90** 1,268.90



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 534 970 FF | FF Euro

- min. recess depth 85 mm
 - max. recess depth 110 mm
- For details and miscellaneous, see page 643

Concealed rough parts **90** 1,374.60



Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF | FF Euro

For details and miscellaneous, see page 655

Concealed rough parts **90** 112.20



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF | FF Euro

For details and miscellaneous, see page 655

Concealed rough parts **90** 113.00

36 503 809 +
3x 36 607 809



xTOOL Thermostat module with 3 valves

- cover plate Ø 123 mm
- **rosette Ø 60 mm**
- **temperature control handle with safety limit stop at 38°C**
- thermostat cartridge
- 3x head part with cut-to-length spindle and sleeve

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Set	1x 36 503 809 FF		3x 36 607 809 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,136.30	-00	233.80	1,837.70
Platinum	-08	1,818.20	-08	374.00	2,940.20
Brushed Platinum	-06	1,818.20	-06	374.10	2,940.50
Champagne (22kt Gold)	-47	2,499.90	-47	514.40	4,043.10
Brushed Champagne (22kt Gold)	-46	2,499.90	-46	514.40	4,043.10
Brushed Durabronze (23kt Gold)	-28	2,386.20	-28	491.00	3,859.20
Brushed Dark Brass	-39	1,818.10	-39	374.10	2,940.40
Brushed Bronze	-42	1,818.20	-42	374.00	2,940.20
Dark Chrome	-19	1,704.40	-19	350.60	2,756.20
Brushed Dark Platinum	-99	2,045.40	-99	420.70	3,307.50



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 531 970 FF | FF Euro

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 643

Concealed rough parts **90** 1,268.90



Required miscellaneous

xTOOL Concealed thermostat module with 3 valves

35 534 970 FF | FF Euro

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 643

Concealed rough parts **90** 1,374.60



Required miscellaneous

xGRID Installation track 555 mm

12 360 970 FF | FF Euro

For details and miscellaneous, see page 655

Concealed rough parts **90** 112.20



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970 FF | FF Euro

For details and miscellaneous, see page 655

Concealed rough parts **90** 113.00

36 501 809

**xTOOL Concealed thermostat without volume control 1/2"**

- cover plate Ø 123 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 501 809 FF	FF	Euro
Chrome	-00		1,136.30
Platinum	-08		1,818.20
Brushed Platinum	-06		1,818.20
Champagne (22kt Gold)	-47		2,499.90
Brushed Champagne (22kt Gold)	-46		2,499.90
Brushed Durabronze (23kt Gold)	-28		2,386.20
Brushed Dark Brass	-39		1,818.10
Brushed Bronze	-42		1,818.20
Dark Chrome	-19		1,704.40
Brushed Dark Platinum	-99		2,045.40

Product alternative

- 3/4" thermostat cartridge with integrated filters

Standard article	36 503 809 FF	FF	Euro
Chrome	-00		1,136.30
Platinum	-08		1,818.20
Brushed Platinum	-06		1,818.20
Champagne (22kt Gold)	-47		2,499.90
Brushed Champagne (22kt Gold)	-46		2,499.90
Brushed Durabronze (23kt Gold)	-28		2,386.20
Brushed Dark Brass	-39		1,818.10
Brushed Bronze	-42		1,818.20
Dark Chrome	-19		1,704.40
Brushed Dark Platinum	-99		2,045.40

Required miscellaneous

**xTOOL Concealed thermostat module without volume control**

35 503 970 FF FF Euro

- min. recess depth 85 mm
- max. recess depth 110 mm

For details and miscellaneous, see page 642

Concealed rough parts 90 864.70

Required miscellaneous

**xGRID Installation track 555 mm**

12 360 970 FF FF Euro

For details and miscellaneous, see page 655

Concealed rough parts 90 112.20

36 607 809

**Wall valve clockwise closing 1/2"**

- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

Fits VAIA**Custom-made options**

- Finish variants
- without logo

Standard article	36 607 809 FF	FF	Euro
Chrome	-00		233.80
Platinum	-08		374.00
Brushed Platinum	-06		374.10
Champagne (22kt Gold)	-47		514.40
Brushed Champagne (22kt Gold)	-46		514.40
Brushed Durabronze (23kt Gold)	-28		491.00
Brushed Dark Brass	-39		374.10
Brushed Bronze	-42		374.00
Dark Chrome	-19		350.60
Brushed Dark Platinum	-99		420.70

Required miscellaneous

**Wall valve 1/2"**

35 607 970 FF FF Euro

- min. recess depth 75 mm
- max. recess depth 145 mm

For details and miscellaneous, see page 644

Concealed rough parts 90 90.90

36 607 819

Wall valve clockwise closing 1/2"

- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

Fits VAIA
Custom-made options

- Finish variants
- without logo

Standard article	36 607 819 FF	FF	Euro
Chrome		-00	233.80
Platinum		-08	374.00
Brushed Platinum		-06	374.10
Champagne (22kt Gold)		-47	514.40
Brushed Champagne (22kt Gold)		-46	514.40
Brushed Durabronze (23kt Gold)		-28	491.00
Brushed Dark Brass		-39	374.10
Brushed Bronze		-42	374.00
Dark Chrome		-19	350.60
Brushed Dark Platinum		-99	420.70



Required miscellaneous

Wall valve 1/2"
35 607 970 FF FF Euro

- min. recess depth 75 mm
 - max. recess depth 145 mm
- Concealed rough parts **90** 90.90
- For details and miscellaneous, see page 644

36 608 809

Wall valve clockwise closing 3/4"

- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

Fits VAIA
Custom-made options

- Finish variants
- without logo

Standard article	36 608 809 FF	FF	Euro
Chrome		-00	233.80
Platinum		-08	374.00
Brushed Platinum		-06	374.10
Champagne (22kt Gold)		-47	514.40
Brushed Champagne (22kt Gold)		-46	514.40
Brushed Durabronze (23kt Gold)		-28	491.00
Brushed Dark Brass		-39	374.10
Brushed Bronze		-42	374.00
Dark Chrome		-19	350.60
Brushed Dark Platinum		-99	420.70



Required miscellaneous

Wall valve 3/4"
35 608 970 FF FF Euro

- min. recess depth 75 mm
 - max. recess depth 145 mm
- Concealed rough parts **90** 119.20
- For details and miscellaneous, see page 644

36 608 819

Wall valve clockwise closing 3/4"

- rosette Ø 60 mm
- head part with cut-to-length spindle and sleeve

Fits VAIA
Custom-made options

- Finish variants
- without logo

Standard article	36 608 819 FF	FF	Euro
Chrome		-00	233.80
Platinum		-08	374.00
Brushed Platinum		-06	374.10
Champagne (22kt Gold)		-47	514.40
Brushed Champagne (22kt Gold)		-46	514.40
Brushed Durabronze (23kt Gold)		-28	491.00
Brushed Dark Brass		-39	374.10
Brushed Bronze		-42	374.00
Dark Chrome		-19	350.60
Brushed Dark Platinum		-99	420.70



Required miscellaneous

Wall valve 3/4"
35 608 970 FF FF Euro

- min. recess depth 75 mm
 - max. recess depth 145 mm
- Concealed rough parts **90** 119.20
- For details and miscellaneous, see page 644

36 200 809

**Concealed two-way diverter**

- rotary diverter
- rosette Ø 60 mm

Fits VAIA**Custom-made options**

- Finish variants
- without logo

Standard article	36 200 809 FF	FF	Euro
Chrome		-00	496.50
Brushed Platinum		-06	794.00
Champagne (22kt Gold)		-47	1,092.30
Brushed Champagne (22kt Gold)		-46	1,092.30
Brushed Durabronze (23kt Gold)		-28	1,042.70
Brushed Dark Brass		-39	794.30
Brushed Bronze		-42	794.20
Dark Chrome		-19	744.60
Brushed Dark Platinum		-99	893.40



Required miscellaneous

Concealed two-way diverter

	35 202 970 FF	FF	Euro
• min. recess depth 85 mm			
• max. recess depth 160 mm			
Concealed rough parts	90		295.90

For details and miscellaneous, see page 644

36 200 819

**Concealed two-way diverter**

- rotary diverter
- rosette Ø 60 mm

Fits VAIA**Custom-made options**

- Finish variants
- without logo

Standard article	36 200 819 FF	FF	Euro
Chrome		-00	496.50
Brushed Platinum		-06	794.00
Champagne (22kt Gold)		-47	1,092.30
Brushed Champagne (22kt Gold)		-46	1,092.30
Brushed Durabronze (23kt Gold)		-28	1,042.70
Brushed Dark Brass		-39	794.30
Brushed Bronze		-42	794.20
Dark Chrome		-19	744.60
Brushed Dark Platinum		-99	893.40



Required miscellaneous

Concealed two-way diverter

	35 202 970 FF	FF	Euro
• min. recess depth 85 mm			
• max. recess depth 160 mm			
Concealed rough parts	90		295.90

For details and miscellaneous, see page 644

36 210 809

**Concealed three-way diverter**

- rotary diverter
- rosette Ø 60 mm

Fits VAIA**Custom-made options**

- Finish variants
- without logo

Standard article	36 210 809 FF	FF	Euro
Chrome		-00	496.50
Brushed Platinum		-06	794.00
Champagne (22kt Gold)		-47	1,092.30
Brushed Champagne (22kt Gold)		-46	1,092.30
Brushed Durabronze (23kt Gold)		-28	1,042.70
Brushed Dark Brass		-39	794.30
Brushed Bronze		-42	794.20
Dark Chrome		-19	744.60
Brushed Dark Platinum		-99	893.40



Required miscellaneous

Concealed three-way diverter

	35 203 970 FF	FF	Euro
• min. recess depth 85 mm			
• max. recess depth 160 mm			
Concealed rough parts	90		360.40

For details and miscellaneous, see page 644

36 210 819



Concealed three-way diverter

- rotary diverter
- rosette Ø 60 mm

Fits VAIA

Custom-made options

- Finish variants
- without logo

Standard article	36 210 819 FF	FF	Euro
Chrome		-00	496.50
Brushed Platinum		-06	794.00
Champagne (22kt Gold)		-47	1,092.30
Brushed Champagne (22kt Gold)		-46	1,092.30
Brushed Durabronze (23kt Gold)		-28	1,042.70
Brushed Dark Brass		-39	794.30
Brushed Bronze		-42	794.20
Dark Chrome		-19	744.60
Brushed Dark Platinum		-99	893.40



Required miscellaneous

Concealed three-way diverter

- min. recess depth 85 mm
- max. recess depth 160 mm

For details and miscellaneous, see page 644

	35 203 970 FF	FF	Euro
Concealed rough parts		90	360.40

25 863 809



Single-lever bath mixer with stand pipe for free-standing assembly with hand shower set

- spout: circular, air-enriched flow
- max. flow 24.6 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- bar-type hand shower with anti-scale system
- **281mm projection**
- pivotable spout 360°
- automatic bath/shower diverter
- total height 1057 - 1127 mm
- wall bracket
- stand pipe height 565 - 635 mm
- height up to aerator 925 - 995 mm
- slide-on rosettes Ø 135 mm
- metal shower hose 1250mm with integrated anti-twist protection

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Flow rate modification
- Height modification
- Red/blue marking
- without hand shower
- without logo

Standard article	25 863 809 FF	FF	Euro
Chrome		-00	4,865.20
Platinum		-08	7,784.30
Brushed Platinum		-06	7,784.60
Champagne (22kt Gold)		-47	10,703.40
Brushed Champagne (22kt Gold)		-46	10,703.40
Brushed Durabronze (23kt Gold)		-28	10,216.90
Brushed Dark Brass		-39	7,784.30
Brushed Bronze		-42	7,784.30
Dark Chrome		-19	7,298.00
Brushed Dark Platinum		-99	8,757.50



Required miscellaneous

Concealed floor mounting

35 945 970 FF FF Euro

- min. recess depth 80 mm
 - max. recess depth 150 mm
- Concealed rough parts **90** 840.10
- For details and miscellaneous, see page 644

25 943 809



Two-hole bath mixer for free-standing assembly with hand shower set

- spout: circular, air-enriched flow
- max. flow 24.6 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- hand shower with anti-scale system
- **221mm projection**
- pivotable spout 360°
- rotary diverter for bath/shower
- total height 920 mm
- stand pipes height 628 mm
- height up to aerator 816 mm
- slide-on rosettes Ø 100 mm
- gauge 150 mm
- metal shower hose 1250mm with integrated anti-twist protection
- pivotable shower holder on the right foot

Intrinsic protection against back flow.

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Custom-made options

- Blue marking
- Finish variants
- Flow rate modification
- Red marking
- Red/blue marking
- without hand shower
- without logo

Standard article	25 943 809 FF	FF	Euro
Chrome		-00	4,241.80
Platinum		-08	6,786.80
Brushed Platinum		-06	6,786.70
Champagne (22kt Gold)		-47	9,332.00
Brushed Champagne (22kt Gold)		-46	9,332.00
Brushed Durabronze (23kt Gold)		-28	8,907.80
Brushed Dark Brass		-39	6,787.00
Brushed Bronze		-42	6,786.90
Dark Chrome		-19	6,362.70
Brushed Dark Platinum		-99	7,635.40



Required miscellaneous

Concealed floor mounting

35 944 970 FF FF Euro

- min. recess depth 80 mm
 - max. recess depth 160 mm
- Concealed rough parts **90** 537.90
- For details and miscellaneous, see page 644

25 943 819


Two-hole bath mixer for free-standing assembly with hand shower set

- spout: circular, air-enriched flow
- max. flow 24.6 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- hand shower with anti-scale system
- **221mm projection**
- pivotable spout 360°
- rotary diverter for bath/shower
- total height 920 mm
- stand pipes height 628 mm
- height up to aerator 816 mm
- slide-on rosettes Ø 100 mm
- gauge 150 mm
- metal shower hose 1250mm with integrated anti-twist protection
- pivotable shower holder on the right foot

Intrinsic protection against back flow.

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Custom-made options

- Blue marking
- Finish variants
- Flow rate modification
- Red marking
- Red/blue marking
- without hand shower
- without logo

Standard article	25 943 819 FF	FF	Euro
Chrome		-00	4,241.80
Platinum		-08	6,786.80
Brushed Platinum		-06	6,786.70
Champagne (22kt Gold)		-47	9,332.00
Brushed Champagne (22kt Gold)		-46	9,332.00
Brushed Durabronze (23kt Gold)		-28	8,907.80
Brushed Dark Brass		-39	6,787.00
Brushed Bronze		-42	6,786.90
Dark Chrome		-19	6,362.70
Brushed Dark Platinum		-99	7,635.40



Required miscellaneous

Concealed floor mounting

	35 944 970 FF	FF	Euro
• min. recess depth 80 mm			
• max. recess depth 160 mm			
Concealed rough parts		90	537.90

For details and miscellaneous, see page 644

27 632 809


Bath shower set for bath rim or tile edge installation

- spout: circular, air-enriched flow
- max. flow 24.6 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- **220mm projection**
- height of mixer 347 mm
- height up to aerator 244 mm
- hole diameter spout 32 mm
- hole diameter single-lever mixer 35 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout Ø 60mm
- rosette for single-lever mixer Ø 55mm
- rosette for complete hand shower set Ø 60mm
- metal shower hose 1750mm with integrated anti-twist protection

Intrinsic protection against back flow.

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Custom-made options

- Finish variants
- Red/blue marking
- without hand shower
- without logo

Standard article	27 632 809 FF	FF	Euro
Chrome		-00	2,291.30
Platinum		-08	3,666.20
Brushed Platinum		-06	3,666.20
Champagne (22kt Gold)		-47	5,040.90
Brushed Champagne (22kt Gold)		-46	5,040.90
Brushed Durabronze (23kt Gold)		-28	4,811.70
Brushed Dark Brass		-39	3,666.20
Brushed Bronze		-42	3,666.20
Dark Chrome		-19	3,436.90
Brushed Dark Platinum		-99	4,124.70



Recommended miscellaneous

Perfecto installation kit

	12 614 970 FF	FF	Euro
For details and miscellaneous, see page 646			
Concealed rough parts		90	1,794.10

Recommended miscellaneous

Decorative caps for Perfecto

	12 801 970 FF	FF	Euro
• 1 pair			
Chrome		-00	55.50
Platinum		-08	89.00
Brushed Platinum		-06	89.00
Champagne (22kt Gold)		-47	122.10
Brushed Champagne (22kt Gold)		-46	122.10
Brushed Durabronze (23kt Gold)		-28	116.60
Brushed Bronze		-42	88.80
Brushed Dark Platinum		-99	99.80

27 522 809



Five-hole bath mixer for deck mounting with diverter

- spout: circular, air-enriched flow
- max. flow 21.5 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- **220mm projection**
- automatic bath/shower diverter
- height of mixer 347 mm
- height up to aerator 244 mm
- hole diameter valve 32 mm
- hole diameter spout 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for complete hand shower set Ø 60mm
- rosette for spout Ø 60mm
- rosette for deck valve Ø 60mm
- metal shower hose 1750mm with integrated anti-twist protection

Intrinsic protection against back flow.

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Custom-made options

- Finish variants
- Red/blue marking
- without hand shower
- without logo

Standard article	27 522 809 FF	FF	Euro
Chrome		-00	3,257.40
Platinum		-08	5,211.80
Brushed Platinum		-06	5,211.90
Champagne (22kt Gold)		-47	7,166.30
Brushed Champagne (22kt Gold)		-46	7,166.30
Brushed Durabrass (23kt Gold)		-28	6,840.50
Brushed Dark Brass		-39	5,211.80
Brushed Bronze		-42	5,211.80
Dark Chrome		-19	4,886.00
Brushed Dark Platinum		-99	5,863.10

27 522 819



Five-hole bath mixer for deck mounting with diverter

- spout: circular, air-enriched flow
- max. flow 21.5 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- automatic bath/shower diverter
- **220mm projection**
- height of mixer 347 mm
- height up to aerator 244 mm
- hole diameter spout 32 mm
- hole diameter valve 32 mm
- hole diameter for complete hand shower set 32 mm
- rosette for spout Ø 60mm
- rosette for complete hand shower set Ø 60mm
- rosette for deck valve Ø 60mm
- metal shower hose 1750mm with integrated anti-twist protection

Intrinsic protection against back flow.

Note: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 910 970 90)

Custom-made options

- Finish variants
- Red/blue marking
- without hand shower
- without logo

Standard article	27 522 819 FF	FF	Euro
Chrome		-00	3,257.40
Platinum		-08	5,211.80
Brushed Platinum		-06	5,211.90
Champagne (22kt Gold)		-47	7,166.30
Brushed Champagne (22kt Gold)		-46	7,166.30
Brushed Durabrass (23kt Gold)		-28	6,840.50
Brushed Dark Brass		-39	5,211.80
Brushed Bronze		-42	5,211.80
Dark Chrome		-19	4,886.00
Brushed Dark Platinum		-99	5,863.10

13 801 809



Bath spout for wall mounting

- **200mm projection**
- circular normal flow
- hole diameter 37 mm
- rosette Ø 60 mm
- 1/2" connection
- max. flow 21.5 l/min at 3 bar flow pressure

Custom-made options

- Finish variants
- Projection modification
- without logo

Standard article	13 801 809 FF	FF	Euro
Chrome		-00	669.40
Platinum		-08	1,071.10
Brushed Platinum		-06	1,071.00
Champagne (22kt Gold)		-47	1,472.70
Brushed Champagne (22kt Gold)		-46	1,472.70
Brushed Durabrass (23kt Gold)		-28	1,405.70
Brushed Dark Brass		-39	1,071.00
Brushed Bronze		-42	1,071.10
Dark Chrome		-19	1,004.10
Brushed Dark Platinum		-99	1,204.90



Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm			
• max. recess depth 163 mm			
Concealed rough parts		90	122.80

For details and miscellaneous, see page 645

27 702 809


Hand shower set for bath rim or tile edge installation

- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- with anti-scale system
- rosette Ø 60 mm
- hole diameter 32 mm
- metal shower hose 1750mm with integrated anti-twist protection

Intrinsic protection against back flow.
Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 702 809 FF	FF	Euro
Chrome		-00	638.70
Platinum		-08	1,022.10
Brushed Platinum		-06	1,021.80
Champagne (22kt Gold)		-47	1,405.10
Brushed Champagne (22kt Gold)		-46	1,405.10
Brushed Durabronze (23kt Gold)		-28	1,341.30
Brushed Dark Brass		-39	1,022.00
Brushed Bronze		-42	1,021.90
Dark Chrome		-19	958.20
Brushed Dark Platinum		-99	1,149.80

29 140 809


Two-way diverter for bath rim or tile edge installation

- automatic bath/shower diverter
- hole diameter 30 mm
- rosette Ø 60 mm
- 1/2" connection
- max. flow 64.9 l/min at 3 bar flow pressure

Custom-made options

- Finish variants
- without logo

Standard article	29 140 809 FF	FF	Euro
Chrome		-00	883.20
Platinum		-08	1,413.30
Brushed Platinum		-06	1,413.20
Champagne (22kt Gold)		-47	1,943.00
Brushed Champagne (22kt Gold)		-46	1,943.00
Brushed Durabronze (23kt Gold)		-28	1,854.70
Brushed Dark Brass		-39	1,413.20
Brushed Bronze		-42	1,413.20
Dark Chrome		-19	1,324.90
Brushed Dark Platinum		-99	1,589.90

36 120 809


Concealed single-lever mixer with diverter

- automatic diverter
- cover plate Ø 150 mm

Fits VAIA
Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	36 120 809 FF	FF	Euro
Chrome		-00	573.20
Platinum		-08	917.40
Brushed Platinum		-06	916.80
Champagne (22kt Gold)		-47	1,261.00
Brushed Champagne (22kt Gold)		-46	1,261.00
Brushed Durabronze (23kt Gold)		-28	1,203.70
Brushed Dark Brass		-39	917.10
Brushed Bronze		-42	917.20
Dark Chrome		-19	859.80
Brushed Dark Platinum		-99	1,032.10



Required miscellaneous

Concealed single-lever mixer

35 020 970 FF FF Euro

- min. recess depth 80 mm

- max. recess depth 105 mm

For details and miscellaneous, see page 641

Concealed rough parts 90 236.90



Required miscellaneous

Concealed single-lever mixer with backflow preventor

35 021 970 FF FF Euro

- min. recess depth 80 mm

- max. recess depth 105 mm

For details and miscellaneous, see page 641

Concealed rough parts 90 338.50

36 243 970

**Pop-up waste and overflow**

- drain Ø 52mm

Also suitable for king-size baths.

Custom-made options

- Finish variants
- without logo

Standard article	36 243 970 FF	FF	Euro
Chrome		-00	221.00
Platinum		-08	353.90
Brushed Platinum		-06	353.90
Champagne (22kt Gold)		-47	486.20
Brushed Champagne (22kt Gold)		-46	486.20
Durabrand (23kt Gold)		-09	464.10
Brushed Durabrand (23kt Gold)		-28	464.10
Brushed Dark Brass		-39	353.70
Brushed Bronze		-42	353.60
Dark Chrome		-19	331.70
Brushed Dark Platinum		-99	397.80
Matte Black		-33	298.70



Required miscellaneous

Pop-up waste and overflow

- bowden cable length 725 mm

35 227 970 FF	FF	Euro
Concealed rough parts	90	179.20

36 247 970

**Bath spout with pop-up waste and overflow**

- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

Custom-made options

- Finish variants
- without logo

Standard article	36 247 970 FF	FF	Euro
Chrome		-00	334.40
Platinum		-08	535.10
Brushed Platinum		-06	535.10
Champagne (22kt Gold)		-47	735.70
Brushed Champagne (22kt Gold)		-46	735.70
Durabrand (23kt Gold)		-09	702.20
Brushed Durabrand (23kt Gold)		-28	702.20
Brushed Dark Brass		-39	535.10
Brushed Bronze		-42	535.10
Dark Chrome		-19	501.70
Brushed Dark Platinum		-99	601.80
Matte Black		-33	451.30



Required miscellaneous

Vacuum breaker

36 150 970 FF	FF	Euro
Chrome	-00	91.70
Platinum	-08	146.70
Brushed Platinum	-06	146.70
Champagne (22kt Gold)	-47	201.70
Brushed Champagne (22kt Gold)	-46	201.70
Durabrand (23kt Gold)	-09	192.60
Brushed Durabrand (23kt Gold)	-28	192.60
Brushed Dark Brass	-39	146.70
Brushed Bronze	-42	146.80
Dark Chrome	-19	137.50
Brushed Dark Platinum	-99	164.90
Matte Black	-33	123.90



Required miscellaneous

Bath spout with pop-up waste and overflow

- bowden cable length 725 mm

35 248 970 FF	FF	Euro
Concealed rough parts	90	493.60

83 030 809

Bath grip

- gauge 300 mm
- width 360mm
- height 60 mm
- rosette Ø 60 mm
- 98mm projection

Custom-made options

- Finish variants

Standard article	83 030 809 FF	FF	Euro
Chrome		-00	372.80
Platinum		-08	596.30
Brushed Platinum		-06	596.30
Champagne (22kt Gold)		-47	820.20
Brushed Champagne (22kt Gold)		-46	820.20
Brushed Durabrass (23kt Gold)		-28	782.90
Brushed Dark Brass		-39	596.40
Brushed Bronze		-42	596.50
Dark Chrome		-19	559.10
Brushed Dark Platinum		-99	670.90

83 060 809

Towel bar

- gauge 600 mm
- width 660mm
- height 60 mm
- rosette Ø 60 mm
- 88mm projection

Fits VAIA
Custom-made options

- Finish variants
- Gauge modification

Standard article	83 060 809 FF	FF	Euro
Chrome		-00	401.90
Platinum		-08	643.00
Brushed Platinum		-06	642.80
Champagne (22kt Gold)		-47	884.20
Brushed Champagne (22kt Gold)		-46	884.20
Brushed Durabrass (23kt Gold)		-28	844.00
Brushed Dark Brass		-39	643.00
Brushed Bronze		-42	642.90
Dark Chrome		-19	603.00
Brushed Dark Platinum		-99	723.50

83 070 809

Towel bar

- gauge 450 mm
- width 510mm
- height 60 mm
- 88mm projection

Fits VAIA
Custom-made options

- Finish variants
- Gauge modification

Standard article	83 070 809 FF	FF	Euro
Chrome		-00	381.80
Platinum		-08	610.90
Brushed Platinum		-06	610.90
Champagne (22kt Gold)		-47	840.00
Brushed Champagne (22kt Gold)		-46	840.00
Brushed Durabrass (23kt Gold)		-28	801.80
Brushed Dark Brass		-39	610.90
Brushed Bronze		-42	610.80
Dark Chrome		-19	572.80
Brushed Dark Platinum		-99	687.10

83 211 809

Towel bar 1-piece non-swivel

- rosette Ø 60 mm
- 452mm projection

Custom-made options

- Finish variants

Standard article	83 211 809 FF	FF	Euro
Chrome		-00	254.80
Platinum		-08	407.70
Brushed Platinum		-06	407.70
Champagne (22kt Gold)		-47	560.60
Brushed Champagne (22kt Gold)		-46	560.60
Brushed Durabrass (23kt Gold)		-28	535.10
Brushed Dark Brass		-39	407.70
Brushed Bronze		-42	407.70
Dark Chrome		-19	382.00
Brushed Dark Platinum		-99	458.60

83 251 809

Hooks

- 46mm projection
- rosette Ø 50 mm

Fits VAIA
Custom-made options

- Finish variants

Standard article	83 251 809 FF	FF	Euro
Chrome		-00	115.70
Platinum		-08	185.20
Brushed Platinum		-06	185.20
Champagne (22kt Gold)		-47	254.50
Brushed Champagne (22kt Gold)		-46	254.50
Brushed Durabrass (23kt Gold)		-28	243.00
Brushed Dark Brass		-39	185.10
Brushed Bronze		-42	185.10
Dark Chrome		-19	173.60
Brushed Dark Platinum		-99	208.30

83 400 979

**Tumbler holder wall model**

- crystal glass, transparent
- width 60mm
- height 120 mm
- 110mm projection

Custom-made options

- Finish variants

Standard article	83 400 979 FF	FF	Euro
Chrome		-00	278.90
Platinum		-08	446.30
Brushed Platinum		-06	446.30
Champagne (22kt Gold)		-47	613.60
Brushed Champagne (22kt Gold)		-46	613.60
Durabrand (23kt Gold)		-09	585.70
Brushed Durabrand (23kt Gold)		-28	585.70
Brushed Dark Brass		-39	446.30
Brushed Bronze		-42	446.30
Dark Chrome		-19	418.50
Brushed Dark Platinum		-99	502.00
Matte Black		-33	376.50

83 401 979

**Tumbler holder wall model**

- crystal glass brush holder, matte
- width 60mm
- height 120 mm
- 110mm projection

Custom-made options

- Finish variants

Standard article	83 401 979 FF	FF	Euro
Chrome		-00	278.90
Platinum		-08	446.30
Brushed Platinum		-06	446.30
Champagne (22kt Gold)		-47	613.60
Brushed Champagne (22kt Gold)		-46	613.60
Durabrand (23kt Gold)		-09	585.70
Brushed Durabrand (23kt Gold)		-28	585.70
Brushed Dark Brass		-39	446.30
Brushed Bronze		-42	446.30
Dark Chrome		-19	418.50
Brushed Dark Platinum		-99	502.00
Matte Black		-33	376.50



Recommended miscellaneous

Crystal tumbler	08 90 00 008 FF	FF	Euro
Glass		82	72.10

83 410 979

**Soap dish wall model**

- width 120mm
- height 20 mm
- 145mm projection

Custom-made options

- Finish variants

Standard article	83 410 979 FF	FF	Euro
Chrome		-00	289.30
Platinum		-08	462.90
Brushed Platinum		-06	462.90
Champagne (22kt Gold)		-47	636.50
Brushed Champagne (22kt Gold)		-46	636.50
Durabrand (23kt Gold)		-09	607.50
Brushed Durabrand (23kt Gold)		-28	607.50
Brushed Dark Brass		-39	462.90
Brushed Bronze		-42	462.90
Dark Chrome		-19	434.10
Brushed Dark Platinum		-99	520.90
Matte Black		-33	390.60

83 435 970

**Dispenser wall model**


- bottle made of crystal glass, matt
- width 60mm
- height 200 mm
- 250 ml bottle
- 96mm projection

Custom-made options

- Finish variants
- without logo

Standard article	83 435 970 FF	FF	Euro
Chrome		-00	457.60
Platinum		-08	732.10
Brushed Platinum		-06	732.10
Champagne (22kt Gold)		-47	1,006.70
Brushed Champagne (22kt Gold)		-46	1,006.70
Brushed Durabrand (23kt Gold)		-28	961.00
Brushed Dark Brass		-39	732.20
Brushed Bronze		-42	732.20
Dark Chrome		-19	686.50
Brushed Dark Platinum		-99	823.80
Matte Black		-33	617.90

83 290 970


Shower basket for wall mounting

- width 200mm
- height 70 mm
- 115mm projection

Custom-made options

- Finish variants

Standard article	83 290 970 FF	FF	Euro
Chrome		-00	221.60
Platinum		-08	354.60
Brushed Platinum		-06	354.60
Champagne (22kt Gold)		-47	487.50
Brushed Champagne (22kt Gold)		-46	487.50
Durabrass (23kt Gold)		-09	465.40
Brushed Durabrass (23kt Gold)		-28	465.40
Brushed Dark Brass		-39	354.50
Brushed Bronze		-42	354.40
Dark Chrome		-19	332.40
Brushed Dark Platinum		-99	398.90
Matte Black		-33	299.20

83 500 809


Tissue holder without cover

- width 130mm
- height 108 mm
- rosette Ø 60 mm
- 63mm projection

Custom-made options

- Finish variants

Standard article	83 500 809 FF	FF	Euro
Chrome		-00	307.70
Platinum		-08	492.10
Brushed Platinum		-06	492.10
Champagne (22kt Gold)		-47	676.90
Brushed Champagne (22kt Gold)		-46	676.90
Brushed Durabrass (23kt Gold)		-28	646.20
Brushed Dark Brass		-39	492.20
Brushed Bronze		-42	492.20
Dark Chrome		-19	461.40
Brushed Dark Platinum		-99	553.60

83 590 809


Reserve tissue holder

- width 60mm
- height 60 mm
- rosette Ø 60 mm
- 139mm projection

Custom-made options

- Finish variants

Standard article	83 590 809 FF	FF	Euro
Chrome		-00	235.60
Platinum		-08	376.90
Brushed Platinum		-06	377.00
Champagne (22kt Gold)		-47	518.30
Brushed Champagne (22kt Gold)		-46	518.30
Brushed Durabrass (23kt Gold)		-28	494.80
Brushed Dark Brass		-39	376.90
Brushed Bronze		-42	376.90
Dark Chrome		-19	353.30
Brushed Dark Platinum		-99	423.80

83 900 809


Toilet brush set wall model

- crystal glass brush holder, matte
- brush, matte black
- width 110mm
- height 421 mm
- 158mm projection

Custom-made options

- Finish variants

Standard article	83 900 809 FF	FF	Euro
Chrome		-00	519.40
Platinum		-08	831.30
Brushed Platinum		-06	831.30
Champagne (22kt Gold)		-47	1,142.70
Brushed Champagne (22kt Gold)		-46	1,142.70
Brushed Durabrass (23kt Gold)		-28	1,090.70
Brushed Dark Brass		-39	831.10
Brushed Bronze		-42	831.00
Dark Chrome		-19	779.20
Brushed Dark Platinum		-99	935.10

83 910 979


Toilet brush set wall model

- brush, matte black
- width 100mm
- height 456 mm
- 110mm projection

Custom-made options

- Finish variants
- without logo

Standard article	83 910 979 FF	FF	Euro
Chrome		-00	519.20
Platinum		-08	830.90
Brushed Platinum		-06	830.90
Champagne (22kt Gold)		-47	1,142.20
Brushed Champagne (22kt Gold)		-46	1,142.20
Brushed Durabrass (23kt Gold)		-28	1,090.30
Brushed Dark Brass		-39	830.80
Brushed Bronze		-42	830.70
Dark Chrome		-19	778.90
Brushed Dark Platinum		-99	934.60
Matte Black		-33	700.90

12 660 979

**Cover plate for the concealed WC cistern made by TeCe**

• **Not available in the United States and Canada due to local code requirements. Please contact us for more information.**

- cover plate 150 x 240 x 15 mm
- flush handle with rotary operation and two-volume technology (full flush/partial flush)
- **This product is compatible with the following TECE products:**
 - TECEprofil dry wall construction, article numbers: 9300300, 9300322, 9300301, 9300344, 9300309, 9300303, 9300388, 9300366, 9300102, 9300103, 9300329, 9300377, 9300378, 9400302, 9400303, 9400304, 9041335, 9041336, 9041337
 - TECEbox wet wall construction, article numbers: 9370300, 9375300, 9371300

Custom-made options

- Finish variants
- without logo

Standard article	12 660 979 FF	FF	Euro
Chrome		-00	852.30
Platinum		-08	1,364.00
Brushed Platinum		-06	1,364.00
Champagne (22kt Gold)		-47	1,875.10
Brushed Champagne (22kt Gold)		-46	1,875.10
Brushed Durabronze (23kt Gold)		-28	1,789.80
Brushed Dark Brass		-39	1,363.70
Brushed Bronze		-42	1,363.80
Dark Chrome		-19	1,278.40
Brushed Dark Platinum		-99	1,534.30
Matte Black		-33	1,150.60

12 665 979

**Flush plate for concealed WC cisterns made by Geberit round**

- cover plate 169 x 246 x 12 mm
- Mechanical flush plate with manual flush buttons
- For 2-volume flushing system
- Includes mounting frame, actuator rods and fastening material
- Sound-absorbing push rods, tool-free fast adjustment
- **Compatible with all Geberit Sigma series cisterns from 2001 onwards**

Custom-made options

- Finish variants
- without logo

Standard article	12 665 979 FF	FF	Euro
Chrome		-00	485.30
Platinum		-08	776.50
Brushed Platinum		-06	776.50
Champagne (22kt Gold)		-47	1,067.70
Brushed Champagne (22kt Gold)		-46	1,067.70
Durabronze (23kt Gold)		-09	1,019.10
Brushed Durabronze (23kt Gold)		-28	1,019.10
Brushed Dark Brass		-39	776.50
Brushed Bronze		-42	776.50
Dark Chrome		-19	728.00
Brushed Dark Platinum		-99	873.60
Matte Black		-33	655.20

83 150 979

NEW

Lighted mirror round

- Wall mounting
- Diameter: 600 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material

Standard article	83 150 979 FF	FF	Euro
Matte White		-10	1,767.00
Matte Black		-33	1,767.00

83 151 979

NEW

Lighted mirror round

- Wall mounting
- Diameter: 750 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material

Standard article	83 151 979 FF	FF	Euro
Matte White		-10	2,065.00
Matte Black		-33	2,065.00

83 150 980

NEW

Lighted mirror angular

- Wall mounting
- height 800 mm
- width 400mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material

Standard article	83 150 980 FF	FF	Euro
Matte White		-10	1,652.00
Matte Black		-33	1,652.00

83 151 980

NEW Lighted mirror angular


- Wall mounting
- height 1000 mm
- width 600mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material

Standard article	83 151 980 FF	FF	Euro
Matte White		-10	1,951.00
Matte Black		-33	1,951.00

36 390 979

NEW Electronic control elements for heated towel rail


- rosette Ø 80 mm
- Control element for towel warmer: 833XX979-FF
- Degree of protection IP 44, CE marking

Note: Different conditioning.

Standard article	36 390 979 FF	FF	Euro
Chrome		-00	500.00
Brushed Champagne (22kt Gold)		-46	1,100.00
Dark Chrome		-19	750.00
Brushed Dark Platinum		-99	900.00
Matte Black		-33	675.00

83 304 979

NEW Towel warmer, 4-fold, projection left, without control element


- gauge 120 mm
- width 610mm
- height 440 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element
Activation must be handled by the customer
Note: Different conditioning.

Standard article	83 304 979 FF	FF	Euro
Chrome		-00	1,760.00
Brushed Champagne (22kt Gold)		-46	3,872.00
Dark Chrome		-19	2,640.00
Brushed Dark Platinum		-99	3,168.00
Matte Black		-33	2,376.00

Required miscellaneous


Concealed wall installation box for heated towel rail, 4-fold, without control element
35 311 970 FF FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 651

 Concealed rough parts **90** 750.00

83 306 979

NEW Towel warmer, 6-fold, projection left, without control element


- gauge 120 mm
- width 610mm
- height 680 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element
Activation must be handled by the customer
Note: Different conditioning.

Standard article	83 306 979 FF	FF	Euro
Chrome		-00	2,640.00
Brushed Champagne (22kt Gold)		-46	5,808.00
Dark Chrome		-19	3,960.00
Brushed Dark Platinum		-99	4,752.00
Matte Black		-33	3,564.00

Required miscellaneous


Concealed wall installation box for heated towel rail, 6-fold, without control element
35 313 970 FF FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 652

 Concealed rough parts **90** 1,000.00

83 314 979

NEW Towel warmer, 4-fold, projection right, without control element


- gauge 120 mm
- width 610mm
- height 440 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element
Activation must be handled by the customer
Note: Different conditioning.

Standard article	83 314 979 FF	FF	Euro
Chrome		-00	1,760.00
Brushed Champagne (22kt Gold)		-46	3,872.00
Dark Chrome		-19	2,640.00
Brushed Dark Platinum		-99	3,168.00
Matte Black		-33	2,376.00

Required miscellaneous


Concealed wall installation box for heated towel rail, 4-fold, without control element
35 311 970 FF FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 651

 Concealed rough parts **90** 750.00

83 316 979

NEW Towel warmer, 6-fold, projection right, without control element



- gauge 120 mm
- width 610mm
- height 680 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	83 316 979 FF	FF	Euro
Chrome		-00	2,640.00
Brushed Champagne (22kt Gold)		-46	5,808.00
Dark Chrome		-19	3,960.00
Brushed Dark Platinum		-99	4,752.00
Matte Black		-33	3,564.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 6-fold, without control element



	35 313 970 FF	FF	Euro
• min. recess depth 70 mm			
• max. recess depth 105 mm			
Concealed rough parts		90	1,000.00

For details and miscellaneous, see page 652

83 304 979 +
36 390 979

NEW Towel warmer, 4-fold, projection left, with control element



- gauge 120 mm
- width 610mm
- height 560 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Standard article	1x 83 304 979 FF		1x 36 390 979 FF		Total price:
	FF	Euro	FF	Euro	
Chrome	-00	1,760.00	-00	500.00	2,260.00
Brushed Champagne (22kt Gold)	-46	3,872.00	-46	1,100.00	4,972.00
Dark Chrome	-19	2,640.00	-19	750.00	3,390.00
Brushed Dark Platinum	-99	3,168.00	-99	900.00	4,068.00
Matte Black	-33	2,376.00	-33	675.00	3,051.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, with control element



	35 312 970 FF	FF	Euro
• min. recess depth 70 mm			
• max. recess depth 105 mm			
Concealed rough parts		90	850.00

For details and miscellaneous, see page 651

83 306 979 +
36 390 979

NEW Towel warmer, 6-fold, projection left, with control element



- gauge 120 mm
- width 610mm
- height 800 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Standard article	1x 83 306 979 FF		1x 36 390 979 FF		Total price:
	FF	Euro	FF	Euro	
Chrome	-00	2,640.00	-00	500.00	3,140.00
Brushed Champagne (22kt Gold)	-46	5,808.00	-46	1,100.00	6,908.00
Dark Chrome	-19	3,960.00	-19	750.00	4,710.00
Brushed Dark Platinum	-99	4,752.00	-99	900.00	5,652.00
Matte Black	-33	3,564.00	-33	675.00	4,239.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 6-fold, with control element



	35 314 970 FF	FF	Euro
• min. recess depth 70 mm			
• max. recess depth 105 mm			
Concealed rough parts		90	1,100.00

For details and miscellaneous, see page 652

83 314 979 +
36 390 979

NEW Towel warmer, 4-fold, projection right, with control element



- gauge 120 mm
- width 610mm
- height 560 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Standard article	1x 83 314 979 FF		1x 36 390 979 FF		Total price:
	FF	Euro	FF	Euro	
Chrome	-00	1,760.00	-00	500.00	2,260.00
Brushed Champagne (22kt Gold)	-46	3,872.00	-46	1,100.00	4,972.00
Dark Chrome	-19	2,640.00	-19	750.00	3,390.00
Brushed Dark Platinum	-99	3,168.00	-99	900.00	4,068.00
Matte Black	-33	2,376.00	-33	675.00	3,051.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, with control element



	35 312 970 FF	FF	Euro
• min. recess depth 70 mm			
• max. recess depth 105 mm			
Concealed rough parts		90	850.00

For details and miscellaneous, see page 651

83 316 979 +
 36 390 979

NEW Towel warmer, 6-fold, projection right, with control element

- gauge 120 mm
- width 610mm
- height 800 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.


Standard article	1x 83 316 979 FF		1x 36 390 979 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	2,640.00	-00	500.00	3,140.00
Brushed Champagne (22kt Gold)	-46	5,808.00	-46	1,100.00	6,908.00
Dark Chrome	-19	3,960.00	-19	750.00	4,710.00
Brushed Dark Platinum	-99	4,752.00	-99	900.00	5,652.00
Matte Black	-33	3,564.00	-33	675.00	4,239.00

Required miscellaneous


Concealed wall installation box for heated towel rail, 6-fold, with control element

35 314 970 FF		FF	Euro
• min. recess depth 70 mm	Concealed rough parts	90	1,100.00
• max. recess depth 105 mm			

For details and miscellaneous, see page 652

Touchfree Faucets

Sieger Design



Infrared Technology
from page 545







Radar Technology
from page 546

Basin fittings

Touchfree

125mm projection	130mm projection	125mm projection	130mm projection	165mm projection	165mm projection
					
44 511 660	44 511 670	44 515 660	44 515 670	44 521 660	44 521 670






Touchfree

165mm projection	167mm projection	165mm projection	170mm projection	130mm projection	160mm projection
					
44 521 782	44 521 809	13 716 671 + 42 765 970	13 800 671 + 42 765 970	13 700 845 + 42 765 970	13 715 705 + 42 765 970

Touchfree

133mm projection	200mm projection	168mm projection	166mm projection	167mm projection	200mm projection
					
13 715 811 + 42 765 970	13 716 782 + 42 765 970	13 716 809 + 42 765 970	13 716 882 + 42 765 970	13 717 811 + 42 765 970	13 800 705 + 42 765 970

Touchfree

200mm projection	190mm projection	160mm projection	190mm projection	190mm projection
				
13 800 782 + 42 765 970	13 800 809 + 42 765 970	13 800 811 + 42 765 970	13 800 882 + 42 765 970	13 805 811 + 42 765 970

44 511 660

NEW Washstand fitting with electronic opening and closing function without pop-up waste



- Infrared sensor technology
- **125mm projection**
- height of mixer 140 mm
- height up to aerator 52 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- circular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Direct temperature control at faucet
- Plug-in power supply included
- lead-free
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	44 511 660 FF	FF	Euro
Chrome		-00	933.70
Brushed Chrome		-93	1,213.80
Platinum		-08	1,494.10
Brushed Platinum		-06	1,494.10
Light Gold		-26	1,400.60
Brushed Light Gold		-27	1,400.60
Brushed Dark Brass		-39	1,493.90
Brushed Bronze		-42	1,493.90
Dark Chrome		-19	1,400.70
Brushed Dark Platinum		-99	1,680.90
Matte Black		-33	1,260.70

44 511 670

Washstand fitting with electronic opening and closing function without pop-up waste



- Infrared sensor technology
- **130mm projection**
- height of mixer 135 mm
- height up to aerator 74 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- rectangular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Direct temperature control at faucet
- Plug-in power supply included
- lead-free
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- without logo

Standard article	44 511 670 FF	FF	Euro
Chrome		-00	1,076.80
Brushed Chrome		-93	1,399.80
Platinum		-08	1,723.00
Brushed Platinum		-06	1,723.00
Brushed Durabronz (23kt Gold)		-28	2,261.30
Brushed Dark Platinum		-99	1,938.40
Matte Black		-33	1,453.80

44 515 660

NEW Washstand fitting with electronic opening and closing function without pop-up waste



- Infrared sensor technology
- **125mm projection**
- height of mixer 140 mm
- height up to aerator 52 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- circular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Direct temperature control at faucet
- Battery-powered (batteries not included)
- 1x CR-P2 battery required
- lead-free
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Batteries not included

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	44 515 660 FF	FF	Euro
Chrome		-00	933.70
Brushed Chrome		-93	1,213.80
Platinum		-08	1,494.10
Brushed Platinum		-06	1,494.10
Light Gold		-26	1,400.60
Brushed Light Gold		-27	1,400.60
Brushed Dark Brass		-39	1,493.90
Brushed Bronze		-42	1,493.90
Dark Chrome		-19	1,400.70
Brushed Dark Platinum		-99	1,680.90
Matte Black		-33	1,260.70

44 515 670



Washstand fitting with electronic opening and closing function without pop-up waste

- Infrared sensor technology
- **130mm projection**
- height of mixer 135 mm
- height up to aerator 74 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- rectangular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Direct temperature control at faucet
- Battery-powered (batteries not included)
- 1x CR-P2 battery required
- 2x screw-in M 8 x 1 pressure hose, leak-tested
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Batteries not included

Custom-made options

- Finish variants
- without logo

Standard article	44 515 670 FF	FF	Euro
Chrome		-00	1,076.80
Brushed Chrome		-93	1,399.80
Platinum		-08	1,723.00
Brushed Platinum		-06	1,723.00
Brushed Durabronz (23kt Gold)		-28	2,261.30
Brushed Dark Platinum		-99	1,938.40
Matte Black		-33	1,453.80

44 521 660

NEW



Washstand fitting with electronic opening and closing function without pop-up waste

- Infrared sensor technology
- **165mm projection**
- height of mixer 310 mm
- height up to aerator 199 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- circular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Indirect temperature control (undercounter)
- Control box included
- Adjustable sensor detection range
- Battery or plug-in power supply operated (batteries not included)
- 4x AA (1.5V) batteries required
- lead-free
- 1x screw-in M 8 x 1 pressure hose, leak-tested
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Batteries not included

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	44 521 660 FF	FF	Euro
Chrome		-00	744.30
Brushed Chrome		-93	967.50
Platinum		-08	1,190.80
Brushed Platinum		-06	1,190.80
Light Gold		-26	1,116.40
Brushed Light Gold		-27	1,116.40
Champagne (22kt Gold)		-47	1,637.50
Brushed Champagne (22kt Gold)		-46	1,637.50
Brushed Durabronz (23kt Gold)		-28	1,563.00
Brushed Dark Brass		-39	1,190.90
Brushed Bronze		-42	1,190.80
Dark Chrome		-19	1,116.40
Brushed Dark Platinum		-99	1,339.50
Matte Black		-33	1,004.70

44 521 670



Washstand fitting with electronic opening and closing function without pop-up waste

- Infrared sensor technology
- **165mm projection**
- height of mixer 319 mm
- height up to aerator 268 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- rectangular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Indirect temperature control (undercounter)
- Control box included
- Adjustable sensor detection range
- Battery or plug-in power supply operated (batteries not included)
- 4x AA (1.5V) batteries required
- lead-free
- 1x screw-in M 8 x 1 pressure hose, leak-tested
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Batteries not included

Custom-made options

- Finish variants
- without logo

Standard article	44 521 670 FF	FF	Euro
Chrome		-00	933.70
Brushed Chrome		-93	1,213.80
Platinum		-08	1,494.10
Brushed Platinum		-06	1,494.10
Brushed Durabronz (23kt Gold)		-28	1,960.80
Matte Black		-33	1,260.70

44 521 782



Washstand fitting with electronic opening and closing function without pop-up waste

- **165mm projection**
- Infrared sensor technology
- height of mixer 313 mm
- height up to aerator 206 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- rectangular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Indirect temperature control (undercounter)
- Control box included
- Adjustable sensor detection range
- Battery or plug-in power supply operated (batteries not included)
- 4x AA (1.5V) batteries required
- lead-free
- 1x screw-in M 8 x 1 pressure hose, leak-tested
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Batteries not included

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	44 521 782 FF	FF	Euro
Chrome		-00	918.20
Brushed Chrome		-93	1,193.70
Platinum		-08	1,469.20
Brushed Platinum		-06	1,469.20
Champagne (22kt Gold)		-47	2,020.00
Brushed Champagne (22kt Gold)		-46	2,020.00
Brushed Durabronze (23kt Gold)		-28	1,928.20
Brushed Dark Brass		-39	1,469.20
Brushed Bronze		-42	1,469.20
Dark Chrome		-19	1,377.40
Brushed Dark Platinum		-99	1,652.80
Matte Black		-33	1,239.70

44 521 809

NEW



Washstand fitting with electronic opening and closing function without pop-up waste

- Infrared sensor technology
- **167mm projection**
- height of mixer 306 mm
- height up to aerator 221 mm
- hole diameter 35 mm
- fixed spout
- max. flow 5.7 l/min
- circular, air-enriched flow
- suitable for thermal disinfection
- Automatic shut-off after pre-set time is reached
- Indirect temperature control (undercounter)
- Control box included
- Adjustable sensor detection range
- Battery or plug-in power supply operated (batteries not included)
- 4x AA (1.5V) batteries required
- lead-free
- 1x screw-in M 8 x 1 pressure hose, leak-tested
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Batteries not included

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	44 521 809 FF	FF	Euro
Chrome		-00	821.30
Brushed Chrome		-93	1,067.70
Platinum		-08	1,314.30
Brushed Platinum		-06	1,314.30
Champagne (22kt Gold)		-47	1,806.90
Brushed Champagne (22kt Gold)		-46	1,806.90
Brushed Durabronze (23kt Gold)		-28	1,724.70
Brushed Dark Brass		-39	1,314.10
Brushed Bronze		-42	1,314.20
Dark Chrome		-19	1,232.20
Brushed Dark Platinum		-99	1,478.50
Matte Black		-33	1,108.90

13 716 671 +
42 765 970



Basin mixer without pop-up waste with temperature setting

- 165mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 220 mm
- height up to aerator 176 mm
- hole diameter 35 mm
- rosette 60 x 60 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 4.6 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- without logo

	1x 13 716 671 FF max. flow 4.6 l/min		1x 42 765 970 90 FF	Total price:
Set	FF	Euro	FF	Euro
Chrome	-00	553.40	90	687.50
				1,240.90



Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

			35 740 970 FF	FF	Euro
For details and miscellaneous, see page 646			Concealed rough parts	90	313.70

13 800 671 +
42 765 970



Basin mixer without pop-up waste with temperature setting

- 170mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter 40 mm
- rosettes 80 x 60 mm
- 1/2" connection
- max. flow 4.6 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- Projection modification
- without logo

	1x 13 800 671 FF max. flow 4.6 l/min		1x 42 765 970 90 FF	Total price:
Set	FF	Euro	FF	Euro
Chrome	-00	544.90	90	687.50
				1,232.40



Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

			35 741 970 FF	FF	Euro
For details and miscellaneous, see page 646			Concealed rough parts	90	313.70



Recommended miscellaneous

Concealed wall elbow

			35 085 970 FF	FF	Euro
			Concealed rough parts	90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

13 700 845 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting

- 130mm projection
- fixed spout
- circular, air-enriched flow
- height of mixer 95 mm
- height up to aerator 75 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- Flow rate modification
- without logo

	Set	1x 13 700 845 FF max. flow 5.7 l/min	Euro	1x 42 765 970 90 FF	Euro	Total price: Euro
Chrome		-00	406.70	90	687.50	1,094.20



Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

For details and miscellaneous, see page 646				35 740 970 FF	FF	Euro
			Concealed rough parts	90		313.70

13 715 705 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting

- 160mm projection
- fixed spout
- rectangular spray pattern with 40 individual jets
- height of mixer 204 mm
- height up to aerator 190 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 4 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- Flow rate modification
- without logo

	Set	1x 13 715 705 FF max. flow 4 l/min	Euro	1x 42 765 970 90 FF	Euro	Total price: Euro
Chrome		-00	907.30	90	687.50	1,594.80



Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

For details and miscellaneous, see page 646				35 740 970 FF	FF	Euro
			Concealed rough parts	90		313.70

13 715 811 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting

- **133mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 180 mm
- height up to aerator 128 mm
- hole diameter 35 mm
- 2x 1/2" x 1/2" high pressure hose
- 1/2" connection
- max. flow 4.5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- without logo

	Set	1x 13 715 811 FF max. flow 4.5 l/min	Euro	1x 42 765 970 90 FF	Euro	Total price:
Chrome		-00	907.30	90	687.50	1,594.80



Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

For details and miscellaneous, see page 646				35 740 970 FF	FF	Euro
			Concealed rough parts	90		313.70

13 716 782 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting

- **200mm projection**
- fixed spout
- rectangular, air-enriched flow
- height of mixer 321 mm
- height up to aerator 190 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- Flow rate modification
- without logo

	Set	1x 13 716 782 FF max. flow 5.7 l/min	Euro	1x 42 765 970 90 FF	Euro	Total price:
Chrome		-00	1,031.60	90	687.50	1,719.10



Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

For details and miscellaneous, see page 646				35 740 970 FF	FF	Euro
			Concealed rough parts	90		313.70

13 716 809 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting

- **168mm projection**
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 280 mm
- height up to aerator 191 mm
- rosette Ø 60 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- Flow rate modification
- without logo

	1x 13 716 809 FF max. flow 5.7 l/min		1x 42 765 970 90 FF		Total price:
Set	FF	Euro	FF	Euro	Euro
Chrome	-00	907.30	90	687.50	1,594.80



Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

			35 740 970 FF	FF	Euro
For details and miscellaneous, see page 646		Concealed rough parts	90		313.70

13 716 882 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting

- **166mm projection**
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 285 mm
- height up to aerator 163 mm
- rosette Ø 60 mm
- hole diameter 35 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- 1/2" connection
- max. flow 7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- Flow rate modification
- without logo

	1x 13 716 882 FF max. flow 7 l/min		1x 42 765 970 90 FF		Total price:
Set	FF	Euro	FF	Euro	Euro
Chrome	-00	582.10	90	687.50	1,269.60



Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

			35 740 970 FF	FF	Euro
For details and miscellaneous, see page 646		Concealed rough parts	90		313.70

13 717 811 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting

- 167mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 198 mm
- height up to aerator 133 mm
- hole diameter 35 mm
- 2x 1/2" x 1/2" high pressure hose
- 1/2" connection
- max. flow 4.5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- without logo

	1x 13 717 811 FF max. flow 4.5 l/min		1x 42 765 970 90 FF	Total price:
Set	FF	Euro	FF	Euro
Chrome	-00	952.50	90	687.50
				1,640.00



Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

			35 740 970 FF	FF	Euro
For details and miscellaneous, see page 646			Concealed rough parts	90	313.70

13 800 705 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting

- 200mm projection
- fixed spout
- rectangular spray pattern with 40 individual jets
- hole diameter 37 mm
- 1/2" connection
- plug-link mounting
- max. flow 4.5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- without logo

	1x 13 800 705 FF max. flow 4.5 l/min		1x 42 765 970 90 FF	Total price:
Set	FF	Euro	FF	Euro
Chrome	-00	783.30	90	687.50
				1,470.80



Required miscellaneous

eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

			35 741 970 FF	FF	Euro
• min. recess depth 90 mm			Concealed rough parts	90	313.70
• max. recess depth 125 mm					
For details and miscellaneous, see page 646					



Recommended miscellaneous

Concealed wall elbow

			35 085 970 FF	FF	Euro
• min. recess depth 90 mm			Concealed rough parts	90	122.80
• max. recess depth 163 mm					
For details and miscellaneous, see page 645					

13 800 782 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting

- **200mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter 37 mm
- rosette for spout 60 x 60mm
- 1/2" connection
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- Projection modification
- without logo

Set	1x 13 800 782 FF max. flow 5.7 l/min	Euro	1x 42 765 970 90 FF	Euro	Total price: Euro
Chrome	-00	765.30	90	687.50	1,452.80

Required miscellaneous



eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

	35 741 970 FF	FF	Euro
• min. recess depth 90 mm	Concealed rough parts	90	313.70
• max. recess depth 125 mm			

For details and miscellaneous, see page 646



Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm	Concealed rough parts	90	122.80
• max. recess depth 163 mm			

For details and miscellaneous, see page 645

13 800 809 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting

- **190mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter 37 mm
- rosette Ø 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 5.7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- Flow rate modification
- Projection modification
- without logo

Set	1x 13 800 809 FF max. flow 5.7 l/min	Euro	1x 42 765 970 90 FF	Euro	Total price: Euro
Chrome	-00	783.30	90	687.50	1,470.80

Required miscellaneous



eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

	35 741 970 FF	FF	Euro
• min. recess depth 90 mm	Concealed rough parts	90	313.70
• max. recess depth 125 mm			

For details and miscellaneous, see page 646



Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm	Concealed rough parts	90	122.80
• max. recess depth 163 mm			

For details and miscellaneous, see page 645

13 800 811 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting

- **160mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter 35 mm
- 1/2" connection
- max. flow 4,5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- without logo

Set	1x 13 800 811 FF max. flow 4.5 l/min		1x 42 765 970 90 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	685.40	90	687.50	1,372.90

Required miscellaneous



eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

	35 741 970	FF	FF	Euro	
			Concealed rough parts	90	313.70

- min. recess depth 90 mm
 - max. recess depth 125 mm
- For details and miscellaneous, see page 646



Recommended miscellaneous

Concealed wall elbow

	35 085 970	FF	FF	Euro	
			Concealed rough parts	90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

13 800 882 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting

- **190mm projection**
- fixed spout
- circular, air-enriched flow
- hole diameter 40 mm
- rosette Ø 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 7 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- Flow rate modification
- Projection modification
- without logo

Set	1x 13 800 882 FF max. flow 7 l/min		1x 42 765 970 90 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	491.60	90	687.50	1,179.10

Required miscellaneous



eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

	35 741 970	FF	FF	Euro	
			Concealed rough parts	90	313.70

- min. recess depth 90 mm
 - max. recess depth 125 mm
- For details and miscellaneous, see page 646



Recommended miscellaneous

Concealed wall elbow

	35 085 970	FF	FF	Euro	
			Concealed rough parts	90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

13 805 811 +
42 765 970



eSET Touchfree Basin mixer without pop-up waste with temperature setting

- **190mm projection**
- fixed spout
- rectangular, air-enriched flow
- hole diameter 35 mm
- 1/2" connection
- max. flow 4,5 l/min
- lead-free
- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Custom-made options

- Finish variants
- without logo

Set	1x 13 805 811 FF max. flow 4.5 l/min		1x 42 765 970 90 FF	Total price:
	FF	Euro	FF	Euro
Chrome	-00	724.60	90	687.50
				1,412.10

Required miscellaneous



eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

	35 741 970 FF	FF	Euro
• min. recess depth 90 mm		Concealed rough parts	90
• max. recess depth 125 mm			313.70

For details and miscellaneous, see page 646



Recommended miscellaneous

Concealed wall elbow

	35 085 970 FF	FF	Euro
• min. recess depth 90 mm		Concealed rough parts	90
• max. recess depth 163 mm			122.80

For details and miscellaneous, see page 645

Shower



Shower set
from page 561

Showerheads
from page 566

Shower systems
from page 570

Rain shower
from page 581

Rain panels
from page 594

Hand showers
from page 600

Hand shower set
from page 606

Water Modules
from page 618

Shower

Showers

Shower sets



26 413 710 +
28 012 979



26 413 370 +
28 002 970



26 413 980 +
28 012 979



26 413 892 +
28 018 979



26 413 809 +
28 012 979



26 413 979 +
28 018 979

Shower sets

Head showers with one spray type

Head showers with multiple jet types



26 413 625 +
28 018 979



28 504 670



28 504 979



28 508 710



28 508 360



28 508 979

Head showers with multiple jet types

Shower pipes with shower mixer

Shower pipes with shower thermostat



28 508 980



28 505 979



26 632 360 +
28 002 970
26 633 360



26 622 892 +
28 018 979
26 632 892



26 623 892 +
28 018 979
26 633 892



34 459 360 +
11 420 360 +
28 002 978
34 458 360

Shower pipes with shower thermostat

Shower stele with single-lever shower mixer

Rain showers with wall connection



34 460 892 +
28 015 979
34 458 892



34 460 809 +
28 015 979
34 459 809



34 460 979 +
28 018 979
34 459 979



34 459 980 +
28 018 979
34 458 980



26 024 661 +
28 029 979
26 025 661



28 545 977
28 544 977

Shower

Rain showers with wall connection

					
28 649 670 28 648 670	28 649 970 28 648 970	28 679 670 28 678 670	28 679 970 28 678 970	28 659 970 28 658 970	28 786 710 28 784 710

Rain showers with wall connection

JUST RAIN

	
28 765 980 28 764 980	41 550 979

Rain showers with ceiling connection





			
28 669 970 28 668 970	28 689 970 28 688 970	28 699 970 28 698 970	28 796 710 28 766 710

Rain showers with ceiling connection

JUST RAIN

	
28 775 980 28 774 980	41 507 979



Rain showers for ceiling connection

			
28 031 970	28 041 980	28 032 970	28 042 980







Rain showers for ceiling installation

			
28 033 970	28 043 980	28 034 970	28 044 980

Rain panels

RAINMOON	RAINMOON
	
41 610 979	41 615 979

Rain panels

AQUAMOON	AQUAMOON	AQUAMOON	AQUAHALO	BIG RAIN	SERENITY SKY
					
41 620 979	41 625 979	41 630 979	41 750 979	41 400 979	41 770 979 41 772 979

Rain panels

SERENITY SKY	SERENITY SKY+	SERENITY SKY+
		
41 771 979 41 773 979	41 780 979	41 781 979

Hand showers with one flow mode

		
28 029 979	28 002 970	28 015 979 28 025 979

Shower

Hand showers with one flow mode



28 017 979
28 027 979

Hand showers with multiple flow modes



28 018 979



28 016 979



28 012 979



28 002 978

Hand shower sets with integrated shower holder



27 802 660

Hand shower sets with integrated shower holder



27 802 970



27 803 660



27 805 625



27 802 845



27 808 710



27 803 361

Hand shower sets with individual rosettes

Hand shower sets with individual rosettes



27 802 892



27 808 809



27 808 980



27 803 845



27 803 892



27 809 985

Hand shower sets with individual rosettes



27 806 625



27 818 980

Hand shower sets with cover plate

Massage modules

WATER POINTS



36 525 979
36 515 979

WATER BAR



36 527 979
36 517 979

WATER CURVE



36 514 979

WATER FAN



36 513 979
36 512 979

Waterfalls

WATER SHEET



13 415 979

WATER FALL



13 420 979

WATER FALL



13 425 979

Kneipp modules



27 838 979
27 858 979

WATER TUBE



27 821 979 +
28 285 979
27 841 979

WATER TUBE



27 823 979 +
28 285 979
27 843 979

26 413 710 +
28 012 979



Shower set

- slide bar
- Pipe diameter 18 mm
- Four settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, COMPACT CASCADE, max. flow rate 15 l/min (at 3 bar)
- rosette 78 x 55 mm
- gauge 800 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- spray head Ø 120mm

Fits LULU

NOTE: Hand shower sold separately. Please see hand shower options under the miscellaneous articles section of each series.

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Set	1x 26 413 710 FF		1x 28 012 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	702.00	-00	236.10	938.10
Brushed Platinum	-06	1,122.70	-06	377.70	1,500.40



Recommended miscellaneous

Wall elbow

28 450 710 FF | FF | Euro

For details and miscellaneous, see main items

Chrome **-00** | 172.60

Brushed Platinum **-06** | 275.80



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF | FF | Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts **90** | 122.80

For details and miscellaneous, see page 645

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.



Alternative hand shower	1 jet Ø 100 mm		1 jet Ø 130 mm		5 jets Ø 100 mm		5 jets Ø 130 mm		1 jet	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
	28 015 979 FF max. flow 15 l/min		28 017 979 FF max. flow 15 l/min		28 018 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min	
Chrome	-00	126.30	-00	181.90	-00	135.80	-00	195.80	-00	237.40
Brushed Platinum	-06	202.30	-06	291.10	-06	217.10	-06	313.60	-06	379.90

Shower

26 413 370 +
28 002 970



Shower set

- slide bar
- Pipe diameter 18 mm
- rosettes Ø 60 mm
- gauge 850 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 1/2"
- COMPACT RAIN, max. flow rate 9 l/min (at 3 bar)
- spray head Ø 64mm

Fits MADISON

Custom-made options

- Finish variants
- without logo

Set	1x 26 413 370 FF		1x 28 002 970 FF max. flow 9 l/min		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	772.10	-00	306.00	1,078.10
Platinum	-08	1,235.60	-08	489.40	1,725.00
Brushed Platinum	-06	1,235.60	-06	489.40	1,725.00
Durabron (23kt Gold)	-09	1,621.40	-09	642.60	2,264.00
Brushed Durabron (23kt Gold)	-28	1,621.40	-28	642.60	2,264.00
Brushed Dark Brass	-39	1,235.40	-39	489.70	1,725.10
Brushed Bronze	-42	1,235.40	-42	489.70	1,725.10
Brushed Dark Platinum	-99	1,389.90	-99	550.60	1,940.50



Recommended miscellaneous

Wall elbow	28 450 370 FF	FF	Euro
For details and miscellaneous, see main items			
Chrome	-00		118.00
Platinum	-08		188.90
Brushed Platinum	-06		188.90
Durabron (23kt Gold)	-09		247.80
Brushed Durabron (23kt Gold)	-28		247.80
Brushed Dark Brass	-39		188.90
Brushed Bronze	-42		188.90
Brushed Dark Platinum	-99		212.60



Recommended miscellaneous

Wall elbow	28 450 410 FF	FF	Euro
For details and miscellaneous, see main items			
Chrome	-00		106.80
Platinum	-08		170.90
Brushed Platinum	-06		170.90
Durabron (23kt Gold)	-09		224.30
Brushed Durabron (23kt Gold)	-28		224.30
Brushed Dark Brass	-39		170.90
Brushed Bronze	-42		170.90
Brushed Dark Platinum	-99		192.30



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
For details and miscellaneous, see page 645			
min. recess depth 90 mm			
max. recess depth 163 mm			
Concealed rough parts	90		122.80

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 607.



3 jets
Ø 95 mm

Alternative hand shower	28 002 978 FF max. flow 9 l/min	FF	Euro
Chrome	-00		236.10
Platinum	-08		377.70
Brushed Platinum	-06		377.70
Durabron (23kt Gold)	-09		495.80
Brushed Durabron (23kt Gold)	-28		495.80
Brushed Dark Brass	-39		377.70
Brushed Bronze	-42		377.70
Brushed Dark Platinum	-99		425.00

26 413 980 +
28 012 979



Shower set

- slide bar
- Pipe diameter 18 mm
- rosette 60 x 60 mm
- gauge 800 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- Four settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, COMPACT CASCADE, max. flow rate 15 l/min (at 3 bar)
- spray head Ø 120mm

Fits MEM, CL.1, IMO, CYO

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Set	1x 26 413 980 FF		1x 28 012 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	701.90	-00	236.10	938.00
Brushed Chrome	-93	912.50	-93	306.80	1,219.30
Platinum	-08	1,122.50	-08	377.70	1,500.20
Brushed Platinum	-06	1,122.50	-06	377.70	1,500.20
Brushed Light Gold	-27	1,052.90	-27	354.10	1,407.00
Champagne (22kt Gold)	-47	1,544.20	-47	519.40	2,063.60
Brushed Champagne (22kt Gold)	-46	1,544.20	-46	519.40	2,063.60
Brushed Durabronze (23kt Gold)	-28	1,474.00	-28	495.80	1,969.80
Brushed Dark Brass	-39	1,123.10	-39	377.70	1,500.80
Brushed Bronze	-42	1,123.10	-42	377.70	1,500.80
Dark Chrome	-19	1,052.80	-19	354.10	1,406.90
Brushed Dark Platinum	-99	1,262.90	-99	425.00	1,687.90
Matte Black	-33	947.20	-33	318.70	1,265.90



Recommended miscellaneous

Wall elbow	28 450 980 FF		Euro
	FF	Euro	
For details and miscellaneous, see main items			
Chrome	-00	165.10	
Brushed Chrome	-93	214.80	
Platinum	-08	264.40	
Brushed Platinum	-06	264.40	
Brushed Light Gold	-27	247.70	
Champagne (22kt Gold)	-47	363.20	
Brushed Champagne (22kt Gold)	-46	363.20	
Brushed Durabronze (23kt Gold)	-28	346.70	
Brushed Dark Brass	-39	264.20	
Brushed Bronze	-42	264.20	
Dark Chrome	-19	247.90	
Brushed Dark Platinum	-99	297.40	
Matte Black	-33	223.00	



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF		Euro
	FF	Euro	
For details and miscellaneous, see page 645			
Concealed rough parts	90	122.80	

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 605.

Alternative hand shower	28 018 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min		28 015 979 FF max. flow 15 l/min		28 017 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
5 jets Ø 100 mm										
1 jet										
1 jet Ø 100 mm										
1 jet Ø 130 mm										
5 jets Ø 130 mm										
Chrome	-00	135.80	-00	237.40	-00	126.30	-00	181.90	-00	195.80
Brushed Chrome	-93	176.50	-93	308.70	-93	164.20	-93	236.40	-93	254.50
Platinum	-08	217.10	-08	379.90	-08	202.30	-08	291.10	-08	313.60
Brushed Platinum	-06	217.10	-06	379.90	-06	202.30	-06	291.10	-06	313.60
Brushed Light Gold	-27	203.60	-27	356.20	-27	189.40	-27	272.80	-27	293.80
Champagne (22kt Gold)	-47	298.80	-47	522.30	-47	277.90	-47	400.20	-47	430.80
Brushed Champagne (22kt Gold)	-46	298.80	-46	522.30	-46	277.90	-46	400.20	-46	430.80
Brushed Durabronze (23kt Gold)	-28	285.20	-28	498.50	-28	265.20	-28	382.00	-28	411.20
Brushed Dark Brass	-39	217.20	-39	379.90	-39	202.10	-39	291.10	-39	313.30
Brushed Bronze	-42	217.10	-42	379.90	-42	202.00	-42	291.00	-42	313.30
Dark Chrome	-19	203.60	-19	356.20	-19	189.40	-19	272.80	-19	293.80
Brushed Dark Platinum	-99	244.30	-99	427.30	-99	227.20	-99	327.30	-99	352.60
Matte Black	-33	183.20	-33	320.50	-33	170.30	-33	245.70	-33	264.40

Shower

26 413 892 +
28 018 979



Shower set

- slide bar
- Pipe diameter 18 mm
- rosettes Ø 55 mm
- gauge 800 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 7 l/min
- spray head Ø 100mm

Fits TARA

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Set	1x 26 413 892 FF		1x 28 018 979 FF max. flow 15 l/min		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	701.80	-00	135.80	837.60
Brushed Chrome	-93	912.40	-93	176.50	1,088.90
Platinum	-08	1,122.40	-08	217.10	1,339.50
Brushed Platinum	-06	1,122.40	-06	217.10	1,339.50
Champagne (22kt Gold)	-47	1,544.00	-47	298.80	1,842.80
Brushed Champagne (22kt Gold)	-46	1,544.00	-46	298.80	1,842.80
Brushed Durabronze (23kt Gold)	-28	1,473.80	-28	285.20	1,759.00
Brushed Dark Brass	-39	1,122.90	-39	217.20	1,340.10
Brushed Bronze	-42	1,122.90	-42	217.10	1,340.00
Dark Chrome	-19	1,052.60	-19	203.60	1,256.20
Brushed Dark Platinum	-99	1,262.80	-99	244.30	1,507.10
Matte Black	-33	947.10	-33	183.20	1,130.30



Recommended miscellaneous

Wall elbow

28 450 625 FF

For details and miscellaneous, see main items

	FF	Euro
Chrome	-00	115.70
Brushed Chrome	-93	150.40
Platinum	-08	185.20
Brushed Platinum	-06	185.20
Champagne (22kt Gold)	-47	254.50
Brushed Champagne (22kt Gold)	-46	254.50
Brushed Durabronze (23kt Gold)	-28	243.00
Brushed Dark Brass	-39	185.10
Brushed Bronze	-42	185.10
Dark Chrome	-19	173.60
Brushed Dark Platinum	-99	208.30
Matte Black	-33	155.90



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

- min. recess depth 90 mm

- max. recess depth 163 mm

For details and miscellaneous, see page 645

Concealed rough parts

90 122.80

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.



Alternative hand shower	28 015 979 FF max. flow 15 l/min		28 017 979 FF max. flow 15 l/min		28 012 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	236.10	-00	195.80	-00	237.40
Brushed Chrome	-93	164.20	-93	236.40	-93	306.80	-93	254.50	-93	308.70
Platinum	-08	202.30	-08	291.10	-08	377.70	-08	313.60	-08	379.90
Brushed Platinum	-06	202.30	-06	291.10	-06	377.70	-06	313.60	-06	379.90
Champagne (22kt Gold)	-47	277.90	-47	400.20	-47	519.40	-47	430.80	-47	522.30
Brushed Champagne (22kt Gold)	-46	277.90	-46	400.20	-46	519.40	-46	430.80	-46	522.30
Brushed Durabronze (23kt Gold)	-28	265.20	-28	382.00	-28	495.80	-28	411.20	-28	498.50
Brushed Dark Brass	-39	202.10	-39	291.10	-39	377.70	-39	313.30	-39	379.90
Brushed Bronze	-42	202.00	-42	291.00	-42	377.70	-42	313.30	-42	379.90
Dark Chrome	-19	189.40	-19	272.80	-19	354.10	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	425.00	-99	352.60	-99	427.30
Matte Black	-33	170.30	-33	245.70	-33	318.70	-33	264.40	-33	320.50

26 413 809 +
28 012 979



Shower set

- slide bar
- Pipe diameter 18 mm
- rosette Ø 60 mm
- gauge 800 mm
- metal shower hose 1700mm with integrated anti-twist protection
- shower hose connector 3/8"
- Four settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, COMPACT CASCADE, max. flow rate 15 l/min (at 3 bar)
- spray head Ø 120mm

Fits VAIA

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Set	1x 26 413 809 FF		1x 28 012 979 FF max. flow 15 l/min		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	701.80	-00	236.10	937.90
Platinum	-08	1,122.50	-08	377.70	1,500.20
Brushed Platinum	-06	1,122.70	-06	377.70	1,500.40
Champagne (22kt Gold)	-47	1,544.00	-47	519.40	2,063.40
Brushed Champagne (22kt Gold)	-46	1,544.00	-46	519.40	2,063.40
Brushed Durabronz (23kt Gold)	-28	1,473.80	-28	495.80	1,969.60
Brushed Dark Brass	-39	1,122.90	-39	377.70	1,500.60
Brushed Bronze	-42	1,122.90	-42	377.70	1,500.60
Dark Chrome	-19	1,052.60	-19	354.10	1,406.70
Brushed Dark Platinum	-99	1,262.80	-99	425.00	1,687.80



Recommended miscellaneous

Wall elbow

For details and miscellaneous, see main items

	28 450 809 FF	FF	Euro
Chrome	-00		134.30
Platinum	-08		214.70
Brushed Platinum	-06		214.30
Champagne (22kt Gold)	-47		295.50
Brushed Champagne (22kt Gold)	-46		295.50
Brushed Durabronz (23kt Gold)	-28		282.00
Brushed Dark Brass	-39		214.90
Brushed Bronze	-42		214.90
Dark Chrome	-19		201.30
Brushed Dark Platinum	-99		241.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

	35 085 970 FF	FF	Euro
Concealed rough parts	90		122.80

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.



Alternative hand shower	28 015 979 FF max. flow 15 l/min		28 017 979 FF max. flow 15 l/min		28 018 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	135.80	-00	195.80	-00	237.40
Platinum	-08	202.30	-08	291.10	-08	217.10	-08	313.60	-08	379.90
Brushed Platinum	-06	202.30	-06	291.10	-06	217.10	-06	313.60	-06	379.90
Champagne (22kt Gold)	-47	277.90	-47	400.20	-47	298.80	-47	430.80	-47	522.30
Brushed Champagne (22kt Gold)	-46	277.90	-46	400.20	-46	298.80	-46	430.80	-46	522.30
Brushed Durabronz (23kt Gold)	-28	265.20	-28	382.00	-28	285.20	-28	411.20	-28	498.50
Brushed Dark Brass	-39	202.10	-39	291.10	-39	217.20	-39	313.30	-39	379.90
Brushed Bronze	-42	202.00	-42	291.00	-42	217.10	-42	313.30	-42	379.90
Dark Chrome	-19	189.40	-19	272.80	-19	203.60	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	244.30	-99	352.60	-99	427.30

Shower

26 413 979 +
28 018 979



Shower set

- slide bar
- Pipe diameter 18 mm
- gauge 853 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 7 l/min
- spray head Ø 100mm

Fits MEM, CL.1, IMO, META, TARA, VAIA, LULU, LISSÉ, CYO

NOTE: Hand shower sold separately. Please see hand shower options under the miscellaneous articles section of each series.

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Set	1x 26 413 979 FF		1x 28 018 979 FF		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	420.30	-00	135.80	556.10
Brushed Chrome	-93	546.40	-93	176.50	722.90
Platinum	-08	672.50	-08	217.10	889.60
Brushed Platinum	-06	685.60	-06	217.10	902.70
Light Gold	-26	630.60	-26	203.60	834.20
Brushed Light Gold	-27	630.60	-27	203.60	834.20
Champagne (22kt Gold)	-47	924.70	-47	298.80	1,223.50
Brushed Champagne (22kt Gold)	-46	924.70	-46	298.80	1,223.50
Brushed Durabronze (23kt Gold)	-28	882.60	-28	285.20	1,167.80
Brushed Dark Brass	-39	672.60	-39	217.20	889.80
Brushed Bronze	-42	672.60	-42	217.10	889.70
Dark Chrome	-19	630.70	-19	203.60	834.30
Brushed Dark Platinum	-99	756.40	-99	244.30	1,000.70
Matte Black	-33	578.30	-33	183.20	761.50



Recommended miscellaneous

Wall elbow

28 450 980 FF

For details and miscellaneous, see main items

	FF	Euro
Chrome	-00	165.10
Brushed Chrome	-93	214.80
Platinum	-08	264.40
Brushed Platinum	-06	264.40
Brushed Light Gold	-27	247.70
Champagne (22kt Gold)	-47	363.20
Brushed Champagne (22kt Gold)	-46	363.20
Brushed Durabronze (23kt Gold)	-28	346.70
Brushed Dark Brass	-39	264.20
Brushed Bronze	-42	264.20
Dark Chrome	-19	247.90
Brushed Dark Platinum	-99	297.40
Matte Black	-33	223.00



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts 90 122.80

For details and miscellaneous, see page 645

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.



Alternative hand shower	28 015 979 FF		28 017 979 FF		28 012 979 FF		28 016 979 FF		28 029 979 FF	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	236.10	-00	195.80	-00	237.40
Brushed Chrome	-93	164.20	-93	236.40	-93	306.80	-93	254.50	-93	308.70
Platinum	-08	202.30	-08	291.10	-08	377.70	-08	313.60	-08	379.90
Brushed Platinum	-06	202.30	-06	291.10	-06	377.70	-06	313.60	-06	379.90
Light Gold	-26	189.40	-26	272.80	-26	354.10	-26	293.80	-26	356.20
Brushed Light Gold	-27	189.40	-27	272.80	-27	354.10	-27	293.80	-27	356.20
Champagne (22kt Gold)	-47	277.90	-47	400.20	-47	519.40	-47	430.80	-47	522.30
Brushed Champagne (22kt Gold)	-46	277.90	-46	400.20	-46	519.40	-46	430.80	-46	522.30
Brushed Durabronze (23kt Gold)	-28	265.20	-28	382.00	-28	495.80	-28	411.20	-28	498.50
Brushed Dark Brass	-39	202.10	-39	291.10	-39	377.70	-39	313.30	-39	379.90
Brushed Bronze	-42	202.00	-42	291.00	-42	377.70	-42	313.30	-42	379.90
Dark Chrome	-19	189.40	-19	272.80	-19	354.10	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	425.00	-99	352.60	-99	427.30
Matte Black	-33	170.30	-33	245.70	-33	318.70	-33	264.40	-33	320.50

26 413 625 +
28 018 979



Shower set

- slide bar
- Pipe diameter 18 mm
- rosette Ø 55 mm
- gauge 800 mm
- metal shower hose 1750mm with integrated anti-twist protection
- shower hose connector 3/8"
- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- Function from: 7 l/min
- spray head Ø 100mm

Fits META, TARA

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Set	1x 26 413 625 FF		1x 28 018 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	700.90	-00	135.80	836.70
Brushed Chrome	-93	911.20	-93	176.50	1,087.70
Platinum	-08	1,121.90	-08	217.10	1,339.00
Brushed Platinum	-06	1,121.90	-06	217.10	1,339.00
Light Gold	-26	1,051.40	-26	203.60	1,255.00
Brushed Light Gold	-27	1,051.40	-27	203.60	1,255.00
Champagne (22kt Gold)	-47	1,542.00	-47	298.80	1,840.80
Brushed Champagne (22kt Gold)	-46	1,542.00	-46	298.80	1,840.80
Brushed Durabronz (23kt Gold)	-28	1,471.90	-28	285.20	1,757.10
Brushed Dark Brass	-39	1,121.50	-39	217.20	1,338.70
Brushed Bronze	-42	1,121.60	-42	217.10	1,338.70
Dark Chrome	-19	1,051.40	-19	203.60	1,255.00
Brushed Dark Platinum	-99	1,262.10	-99	244.30	1,506.40
Matte Black	-33	946.00	-33	183.20	1,129.20



Recommended miscellaneous

Wall elbow

28 450 625 FF

	FF	Euro
For details and miscellaneous, see main items		
Chrome	-00	115.70
Brushed Chrome	-93	150.40
Platinum	-08	185.20
Brushed Platinum	-06	185.20
Light Gold	-26	173.60
Brushed Light Gold	-27	173.60
Champagne (22kt Gold)	-47	254.50
Brushed Champagne (22kt Gold)	-46	254.50
Brushed Durabronz (23kt Gold)	-28	243.00
Brushed Dark Brass	-39	185.10
Brushed Bronze	-42	185.10
Dark Chrome	-19	173.60
Brushed Dark Platinum	-99	208.30
Matte Black	-33	155.90



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

	FF	Euro
• min. recess depth 90 mm		
• max. recess depth 163 mm		
For details and miscellaneous, see page 645		
Concealed rough parts	90	122.80

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 607.



Alternative hand shower	28 012 979 FF max. flow 15 l/min		28 015 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min		28 017 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
4 jets Ø 120 mm	-00	236.10	-00	126.30	-00	195.80	-00	181.90	-00	237.40
1 jet Ø 100 mm	-93	306.80	-93	164.20	-93	254.50	-93	236.40	-93	308.70
5 jets Ø 130 mm	-08	377.70	-08	202.30	-08	313.60	-08	291.10	-08	379.90
1 jet Ø 130 mm	-06	377.70	-06	202.30	-06	313.60	-06	291.10	-06	379.90
1 jet	-26	354.10	-26	189.40	-26	293.80	-26	272.80	-26	356.20
	-27	354.10	-27	189.40	-27	293.80	-27	272.80	-27	356.20
	-47	519.40	-47	277.90	-47	430.80	-47	400.20	-47	522.30
	-46	519.40	-46	277.90	-46	430.80	-46	400.20	-46	522.30
	-28	495.80	-28	265.20	-28	411.20	-28	382.00	-28	498.50
	-39	377.70	-39	202.10	-39	313.30	-39	291.10	-39	379.90
	-42	377.70	-42	202.00	-42	313.30	-42	291.00	-42	379.90
	-19	354.10	-19	189.40	-19	293.80	-19	272.80	-19	356.20
	-99	425.00	-99	227.20	-99	352.60	-99	327.30	-99	427.30
	-33	318.70	-33	170.30	-33	264.40	-33	245.70	-33	320.50

Shower

28 504 670



Shower head

- 180-210mm projection
- ball-joint pivotable through 30°
- PURIFY RAIN, max. flow rate 7 l/min (at 3 bar)
- with anti-scale system
- spray head Ø 100mm
- rosette 60 x 60 mm
- 1/2" connection
- Function from: 6 l/min

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 504 670 FF	FF	Euro
Chrome	-00		613.10
Brushed Chrome	-93		797.00
Platinum	-08		980.90
Brushed Platinum	-06		972.80
Brushed Light Gold	-27		919.60
Champagne (22kt Gold)	-47		1,348.80
Brushed Champagne (22kt Gold)	-46		1,348.80
Brushed Durabronze (23kt Gold)	-28		1,287.50
Brushed Dark Brass	-39		980.90
Brushed Bronze	-42		980.90
Dark Chrome	-19		919.50
Brushed Dark Platinum	-99		1,103.40
Matte Black	-33		827.60



Recommended miscellaneous

Concealed wall elbow 35 085 970 FF FF Euro

• min. recess depth 90 mm Concealed rough parts **90** 122.80

• max. recess depth 163 mm

For details and miscellaneous, see page 645

28 504 979



Shower head

- 180-210mm projection
- ball-joint pivotable through 30°
- PURIFY RAIN, max. flow rate 7 l/min (at 3 bar)
- Function from: 6 l/min
- with anti-scale system
- spray head Ø 100mm
- rosette Ø 55 mm
- 1/2" connection

Fits META, TARA, VAIA, LISSÉ

Custom-made options

- Finish variants
- without logo

Standard article	28 504 979 FF	FF	Euro
Chrome	-00		591.60
Brushed Chrome	-93		769.00
Platinum	-08		946.80
Brushed Platinum	-06		946.90
Light Gold	-26		887.40
Brushed Light Gold	-27		887.40
Champagne (22kt Gold)	-47		1,301.50
Brushed Champagne (22kt Gold)	-46		1,301.50
Brushed Durabronze (23kt Gold)	-28		1,242.40
Brushed Dark Brass	-39		946.60
Brushed Bronze	-42		946.60
Dark Chrome	-19		887.60
Brushed Dark Platinum	-99		1,065.10
Matte Black	-33		798.80



Recommended miscellaneous

Concealed wall elbow 35 085 970 FF FF Euro

• min. recess depth 90 mm Concealed rough parts **90** 122.80

• max. recess depth 163 mm

For details and miscellaneous, see page 645

28 508 710



Shower head

- 200mm projection
- ball-joint pivotable through 30°
- Three settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- spray head Ø 92mm
- rosette 78 x 55 mm
- 1/2" connection
- Function from: 7 l/min

Fits LULU

Custom-made options

- Finish variants

Standard article	28 508 710 FF	FF	Euro
Chrome	-00		657.80
Brushed Platinum	-06		1,052.70

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 508 710 FF	FF	Euro
Chrome	-000010		657.80
Brushed Platinum	-060010		1,052.70



Recommended miscellaneous

Concealed wall elbow 35 085 970 FF FF Euro

• min. recess depth 90 mm Concealed rough parts **90** 122.80

• max. recess depth 163 mm

For details and miscellaneous, see page 645

28 508 360



Shower head

- **200mm projection**
- ball-joint pivotable through 30°
- Three settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system
- spray head Ø 94mm
- rosette Ø 55 mm
- 1/2" connection

Fits MADISON

Custom-made options

- Finish variants
- without logo

Standard article	28 508 360 FF	FF	Euro
Chrome		-00	661.80
Platinum		-08	1,058.60
Brushed Platinum		-06	1,058.60
Durabrand (23kt Gold)		-09	1,389.80
Brushed Durabrand (23kt Gold)		-28	1,389.80
Brushed Dark Brass		-39	1,058.80
Brushed Bronze		-42	1,058.80
Brushed Dark Platinum		-99	1,191.00

Product alternative

- Flow/Reduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 508 360 FF	FF	Euro
Chrome		-000010	661.80
Platinum		-080010	1,058.60
Brushed Platinum		-060010	1,058.60
Durabrand (23kt Gold)		-090010	1,389.80
Brushed Durabrand (23kt Gold)		-280010	1,389.80
Brushed Dark Brass		-390010	1,058.80
Brushed Bronze		-420010	1,058.80
Brushed Dark Platinum		-990010	1,191.00



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF	FF	Euro
Concealed rough parts	90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

Shower

28 508 979



Shower head

- 200mm projection
- ball-joint pivotable through 30°
- Three settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system
- spray head Ø 92mm
- rosette Ø 55 mm
- 1/2" connection

Fits META, TARA, VAIA, LISSÉ

Custom-made options

- Finish variants

Standard article	28 508 979 FF	FF	Euro
Chrome		-00	661.80
Brushed Chrome		-93	860.40
Platinum		-08	1,058.50
Brushed Platinum		-06	1,058.50
Light Gold		-26	992.70
Brushed Light Gold		-27	992.70
Champagne (22kt Gold)		-47	1,456.00
Brushed Champagne (22kt Gold)		-46	1,456.00
Brushed Durabronze (23kt Gold)		-28	1,389.80
Brushed Dark Brass		-39	1,058.80
Brushed Bronze		-42	1,058.80
Dark Chrome		-19	992.60
Brushed Dark Platinum		-99	1,191.00
Matte Black		-33	893.30

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 508 979 FF	FF	Euro
Chrome		-000010	661.80
Brushed Chrome		-930010	860.40
Platinum		-080010	1,058.50
Brushed Platinum		-060010	1,058.50
Light Gold		-260010	992.70
Brushed Light Gold		-270010	992.70
Champagne (22kt Gold)		-470010	1,456.00
Brushed Champagne (22kt Gold)		-460010	1,456.00
Brushed Durabronze (23kt Gold)		-280010	1,389.80
Brushed Dark Brass		-390010	1,058.80
Brushed Bronze		-420010	1,058.80
Dark Chrome		-190010	992.60
Brushed Dark Platinum		-990010	1,191.00
Matte Black		-330010	893.30



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF	FF	Euro
Concealed rough parts	90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

28 508 980



Shower head

- 200mm projection
- ball-joint pivotable through 30°
- Three settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system
- spray head Ø 92mm
- rosette 60 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 508 980 FF	FF	Euro
Chrome		-00	680.40
Brushed Chrome		-93	884.50
Platinum		-08	1,088.60
Brushed Platinum		-06	1,088.30
Brushed Light Gold		-27	1,020.50
Champagne (22kt Gold)		-47	1,496.90
Brushed Champagne (22kt Gold)		-46	1,496.90
Brushed Durabrass (23kt Gold)		-28	1,428.80
Brushed Dark Brass		-39	1,088.70
Brushed Bronze		-42	1,088.70
Dark Chrome		-19	1,020.50
Brushed Dark Platinum		-99	1,224.90
Matte Black		-33	918.60

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 508 980 FF	FF	Euro
Chrome		-000010	680.40
Brushed Chrome		-930010	884.50
Platinum		-080010	1,088.60
Brushed Platinum		-060010	1,088.30
Brushed Light Gold		-270010	1,020.50
Champagne (22kt Gold)		-470010	1,496.90
Brushed Champagne (22kt Gold)		-460010	1,496.90
Brushed Durabrass (23kt Gold)		-280010	1,428.80
Brushed Dark Brass		-390010	1,088.70
Brushed Bronze		-420010	1,088.70
Dark Chrome		-190010	1,020.50
Brushed Dark Platinum		-990010	1,224.90
Matte Black		-330010	918.60



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 505 979



Shower head

- 155mm projection
- ball-joint pivotable through 18° (in any direction)
- Three or five settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 7.6 l/min (at 3 bar)
- with anti-scale system
- spray head Ø 100mm
- rosette Ø 60 mm
- 1/2" connection
- Function from: 5.5 l/min

Fits META, TARA, VAIA, LISSÉ

Custom-made options

- Finish variants
- without logo

Standard article	28 505 979 FF	FF	Euro
Chrome		-00	368.70
Brushed Chrome		-93	479.40
Platinum		-08	590.00
Brushed Platinum		-06	590.00
Light Gold		-26	553.10
Brushed Light Gold		-27	553.10
Champagne (22kt Gold)		-47	811.10
Brushed Champagne (22kt Gold)		-46	811.10
Brushed Durabrass (23kt Gold)		-28	774.30
Brushed Dark Brass		-39	590.00
Brushed Bronze		-42	590.00
Dark Chrome		-19	553.10
Brushed Dark Platinum		-99	663.80
Matte Black		-33	497.90



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

Shower

26 632 360 +
28 002 970



Showerpipe with shower mixer

- shower with fixed riser projection 420mm
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 8 l/min
- rain shower Ø 200 mm
- Hand shower: COMPACT RAIN, max. flow rate 9 l/min (at 3 bar)
- spray head Ø 64mm
- rotary diverter for fixed-riser shower/hand shower
- height of fittings up to top edge of elbow 1180mm
- height of fittings up to rain shower (bottom edge) 1009mm
- rosette for shower holder Ø 66mm
- rosette for wall mounting Ø 70mm
- rosette for shower mixer Ø 60mm
- gauge 150 mm - 13 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" connection
- Pipe diameter 20 mm

Custom-made options

- Finish variants
- Height modification
- Red/blue marking
- without logo

Set	1x 26 632 360 FF max. flow 14 l/min		1x 28 002 970 FF max. flow 9 l/min		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	3,186.10	-00	306.00	3,492.10
Platinum	-08	5,097.70	-08	489.40	5,587.10
Brushed Platinum	-06	5,097.70	-06	489.40	5,587.10
Durabron (23kt Gold)	-09	6,690.80	-09	642.60	7,333.40
Brushed Durabron (23kt Gold)	-28	6,690.80	-28	642.60	7,333.40
Brushed Dark Brass	-39	5,097.80	-39	489.70	5,587.50
Brushed Bronze	-42	5,097.80	-42	489.70	5,587.50
Brushed Dark Platinum	-99	5,735.00	-99	550.60	6,285.60

Product alternative

- FlowReduce
- Max. flow rate 7 l/min
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Standard article	26 633 360 FF	FF	Euro
Chrome		-00	3,186.10
Platinum		-08	5,097.70
Brushed Platinum		-06	5,097.70
Durabron (23kt Gold)		-09	6,690.80
Brushed Durabron (23kt Gold)		-28	6,690.80
Brushed Dark Brass		-39	5,097.80
Brushed Bronze		-42	5,097.80
Brushed Dark Platinum		-99	5,734.90

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 607.



3 jets
Ø 95 mm

Alternative hand shower	28 002 978 FF max. flow 9 l/min	FF	Euro
Chrome		-00	236.10
Platinum		-08	377.70
Brushed Platinum		-06	377.70
Durabron (23kt Gold)		-09	495.80
Brushed Durabron (23kt Gold)		-28	495.80
Brushed Dark Brass		-39	377.70
Brushed Bronze		-42	377.70
Brushed Dark Platinum		-99	425.00

26 622 892 +
28 018 979



- Showerpipe with shower mixer 300 mm**
- shower with fixed riser projection 420mm
 - Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
 - Function from: 10 l/min
 - rain shower Ø 300 mm
 - rain shower with anti-scale system
 - Hand shower: COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
 - spray head Ø 100mm
 - rotary diverter for fixed-riser shower/hand shower
 - height of fittings up to rain shower (bottom edge) 850mm
 - height of fittings up to top edge of elbow 1167mm
 - rosette for shower holder Ø 55mm
 - rosette for wall mounting Ø 57mm
 - rosette for shower mixer Ø 65mm
 - gauge 150 mm - 13 mm
 - 1500 mm metal shower hose
 - 1/2" connection
 - Pipe diameter 20 mm

Fits TARA

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Flow rate modification
- Height modification
- Red/blue marking
- without logo

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.

Set	1x 26 622 892 FF max. flow 14 l/min		1x 28 018 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	2,959.00	-00	135.80	3,094.80
Brushed Chrome	-93	3,846.70	-93	176.50	4,023.20
Platinum	-08	4,734.40	-08	217.10	4,951.50
Brushed Platinum	-06	4,734.40	-06	217.10	4,951.50
Champagne (22kt Gold)	-47	6,509.80	-47	298.80	6,808.60
Brushed Champagne (22kt Gold)	-46	6,509.80	-46	298.80	6,808.60
Brushed Durabronze (23kt Gold)	-28	6,213.90	-28	285.20	6,499.10
Brushed Dark Brass	-39	4,734.40	-39	217.20	4,951.60
Brushed Bronze	-42	4,734.40	-42	217.10	4,951.50
Dark Chrome	-19	4,438.60	-19	203.60	4,642.20
Brushed Dark Platinum	-99	5,326.20	-99	244.30	5,570.50
Matte Black	-33	3,994.60	-33	183.20	4,177.80

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- rain shower Ø 220 mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Standard article	26 632 892 FF	FF	Euro
Chrome		-00	2,959.00
Brushed Chrome		-93	3,846.70
Platinum		-08	4,734.00
Brushed Platinum		-06	4,734.00
Champagne (22kt Gold)		-47	6,509.80
Brushed Champagne (22kt Gold)		-46	6,509.80
Brushed Durabronze (23kt Gold)		-28	6,213.90
Brushed Dark Brass		-39	4,734.40
Brushed Bronze		-42	4,734.40
Dark Chrome		-19	4,438.50
Brushed Dark Platinum		-99	5,326.20
Matte Black		-33	3,994.20

Alternative hand shower	28 015 979 FF max. flow 15 l/min		28 017 979 FF max. flow 15 l/min		28 012 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	236.10	-00	195.80	-00	237.40
Brushed Chrome	-93	164.20	-93	236.40	-93	306.80	-93	254.50	-93	308.70
Platinum	-08	202.30	-08	291.10	-08	377.70	-08	313.60	-08	379.90
Brushed Platinum	-06	202.30	-06	291.10	-06	377.70	-06	313.60	-06	379.90
Champagne (22kt Gold)	-47	277.90	-47	400.20	-47	519.40	-47	430.80	-47	522.30
Brushed Champagne (22kt Gold)	-46	277.90	-46	400.20	-46	519.40	-46	430.80	-46	522.30
Brushed Durabronze (23kt Gold)	-28	265.20	-28	382.00	-28	495.80	-28	411.20	-28	498.50
Brushed Dark Brass	-39	202.10	-39	291.10	-39	377.70	-39	313.30	-39	379.90
Brushed Bronze	-42	202.00	-42	291.00	-42	377.70	-42	313.30	-42	379.90
Dark Chrome	-19	189.40	-19	272.80	-19	354.10	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	425.00	-99	352.60	-99	427.30
Matte Black	-33	170.30	-33	245.70	-33	318.70	-33	264.40	-33	320.50

Shower

26 623 892 +
28 018 979



Showerpipe 300 mm

- 420mm projection
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower Ø 300 mm
- rain shower with anti-scale system
- Hand shower: COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- spray head Ø 100mm
- rotary diverter for fixed-riser shower/hand shower
- height of fittings up to rain shower (bottom edge) 1007mm
- height of fittings up to top edge of elbow 1167mm
- rosette for shower holder Ø 55mm
- rosette for wall mounting Ø 57mm
- rosette for shower mixer Ø 65mm
- gauge 150 mm - 13 mm
- 1500 mm metal shower hose
- 1/2" connection
- Pipe diameter 20 mm

Fits TARA

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Flow rate modification
- Height modification
- Red/blue marking
- without logo

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.

Set	1x 26 623 892 FF max. flow 14 l/min		1x 28 018 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	2,891.80	-00	135.80	3,027.60
Brushed Chrome	-93	3,759.40	-93	176.50	3,935.90
Platinum	-08	4,626.90	-08	217.10	4,844.00
Brushed Platinum	-06	4,626.90	-06	217.10	4,844.00
Brushed Light Gold	-27	4,337.70	-27	203.60	4,541.30
Champagne (22kt Gold)	-47	6,362.00	-47	298.80	6,660.80
Brushed Champagne (22kt Gold)	-46	6,362.00	-46	298.80	6,660.80
Brushed Durabronze (23kt Gold)	-28	6,072.80	-28	285.20	6,358.00
Brushed Dark Brass	-39	4,627.00	-39	217.20	4,844.20
Brushed Bronze	-42	4,626.90	-42	217.10	4,844.00
Dark Chrome	-19	4,337.70	-19	203.60	4,541.30
Brushed Dark Platinum	-99	5,205.20	-99	244.30	5,449.50
Matte Black	-33	3,903.90	-33	183.20	4,087.10

Product alternative

- FlowReduce
- Max. flow rate 7 l/min
- rain shower Ø 220 mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Standard article	26 633 892 FF	FF	Euro
Chrome		-00	2,891.80
Brushed Chrome		-93	3,759.40
Platinum		-08	4,626.10
Brushed Platinum		-06	4,626.10
Champagne (22kt Gold)		-47	6,362.00
Brushed Champagne (22kt Gold)		-46	6,362.00
Brushed Durabronze (23kt Gold)		-28	6,072.80
Brushed Dark Brass		-39	4,627.00
Brushed Bronze		-42	4,626.90
Dark Chrome		-19	4,337.70
Brushed Dark Platinum		-99	5,205.10
Matte Black		-33	3,903.50



Alternative hand shower	28 015 979 FF max. flow 15 l/min		28 017 979 FF max. flow 15 l/min		28 012 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	236.10	-00	195.80	-00	237.40
Brushed Chrome	-93	164.20	-93	236.40	-93	306.80	-93	254.50	-93	308.70
Platinum	-08	202.30	-08	291.10	-08	377.70	-08	313.60	-08	379.90
Brushed Platinum	-06	202.30	-06	291.10	-06	377.70	-06	313.60	-06	379.90
Brushed Light Gold	-27	189.40	-27	272.80	-27	354.10	-27	293.80	-27	356.20
Champagne (22kt Gold)	-47	277.90	-47	400.20	-47	519.40	-47	430.80	-47	522.30
Brushed Champagne (22kt Gold)	-46	277.90	-46	400.20	-46	519.40	-46	430.80	-46	522.30
Brushed Durabronze (23kt Gold)	-28	265.20	-28	382.00	-28	495.80	-28	411.20	-28	498.50
Brushed Dark Brass	-39	202.10	-39	291.10	-39	377.70	-39	313.30	-39	379.90
Brushed Bronze	-42	202.00	-42	291.00	-42	377.70	-42	313.30	-42	379.90
Dark Chrome	-19	189.40	-19	272.80	-19	354.10	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	425.00	-99	352.60	-99	427.30
Matte Black	-33	170.30	-33	245.70	-33	318.70	-33	264.40	-33	320.50

34 459 360 +
11 420 360 +
28 002 978



Showerpipe with shower thermostat

- shower with fixed riser projection 420mm
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 8 l/min
- rain shower Ø 200 mm
- rain shower with anti-scale system
- Hand shower: Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUA-PRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- spray head Ø 95mm
- rotary diverter for fixed-riser shower/hand shower
- height of fittings up to rain shower (bottom edge) 985mm
- height of fittings up to top edge of elbow 1160mm
- two-part push-on rosette Ø 65 mm
- rosette for shower holder Ø 65mm
- rosette for wall mounting Ø 60mm
- gauge 150 mm - 13 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" connection
- Pipe diameter 20 mm

Fits MADISON

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Height modification
- Red/blue marking
- without logo

Set	1x 34 459 360 FF		1x 11 420 360 FF 1x 28 002 978 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	3,181.80	-00	287.60	3,705.50
Platinum	-08	5,091.10	-08	460.00	5,928.80
Brushed Platinum	-06	5,091.10	-06	460.00	5,928.80
Durabronz (23kt Gold)	-09	6,681.80	-09	604.00	7,781.60
Brushed Durabronz (23kt Gold)	-28	6,681.80	-28	604.00	7,781.60
Brushed Dark Brass	-39	5,090.90	-39	460.10	5,928.70
Brushed Bronze	-42	5,090.90	-42	460.10	5,928.70
Brushed Dark Platinum	-99	5,727.20	-99	517.60	6,669.80

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Standard article	34 458 360 FF	FF	Euro
Chrome		-00	3,181.80
Platinum		-08	5,090.80
Brushed Platinum		-06	5,090.80
Durabronz (23kt Gold)		-09	6,681.80
Brushed Durabronz (23kt Gold)		-28	6,681.80
Brushed Dark Brass		-39	5,090.90
Brushed Bronze		-42	5,090.90
Brushed Dark Platinum		-99	5,727.10

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 602.



1 jet
Ø 64 mm

Alternative hand shower	28 002 970 FF max. flow 9 l/min	
	FF	Euro
Chrome	-00	306.00
Platinum	-08	489.40
Brushed Platinum	-06	489.40
Durabronz (23kt Gold)	-09	642.60
Brushed Durabronz (23kt Gold)	-28	642.60
Brushed Dark Brass	-39	489.70
Brushed Bronze	-42	489.70
Brushed Dark Platinum	-99	550.60

Shower

34 460 892 +
28 015 979



Shower pipe with shower thermostat 300 mm

- shower with fixed riser projection 452mm
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower Ø 300 mm
- rain shower with anti-scale system
- Hand shower: COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 964mm
- height of fittings up to top edge of elbow 1267mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Fits TARA

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Flow rate modification
- Height modification
- Red/blue marking
- without logo

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 604.



Alternative hand shower	28 017 979 FF max. flow 15 l/min		28 018 979 FF max. flow 15 l/min		28 012 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	181.90	-00	135.80	-00	236.10	-00	195.80	-00	237.40
Brushed Chrome	-93	236.40	-93	176.50	-93	306.80	-93	254.50	-93	308.70
Platinum	-08	291.10	-08	217.10	-08	377.70	-08	313.60	-08	379.90
Brushed Platinum	-06	291.10	-06	217.10	-06	377.70	-06	313.60	-06	379.90
Champagne (22kt Gold)	-47	400.20	-47	298.80	-47	519.40	-47	430.80	-47	522.30
Brushed Champagne (22kt Gold)	-46	400.20	-46	298.80	-46	519.40	-46	430.80	-46	522.30
Brushed Durabronze (23kt Gold)	-28	382.00	-28	285.20	-28	495.80	-28	411.20	-28	498.50
Brushed Dark Brass	-39	291.10	-39	217.20	-39	377.70	-39	313.30	-39	379.90
Brushed Bronze	-42	291.00	-42	217.10	-42	377.70	-42	313.30	-42	379.90
Dark Chrome	-19	272.80	-19	203.60	-19	354.10	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	327.30	-99	244.30	-99	425.00	-99	352.60	-99	427.30
Matte Black	-33	245.70	-33	183.20	-33	318.70	-33	264.40	-33	320.50

Set	1x 34 460 892 FF max. flow 14 l/min		1x 28 015 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	3,081.60	-00	126.30	3,207.90
Brushed Chrome	-93	4,006.00	-93	164.20	4,170.20
Platinum	-08	4,930.50	-08	202.30	5,132.80
Brushed Platinum	-06	4,930.50	-06	202.30	5,132.80
Champagne (22kt Gold)	-47	6,779.50	-47	277.90	7,057.40
Brushed Champagne (22kt Gold)	-46	6,779.50	-46	277.90	7,057.40
Brushed Durabronze (23kt Gold)	-28	6,471.40	-28	265.20	6,736.60
Brushed Dark Brass	-39	4,930.50	-39	202.10	5,132.60
Brushed Bronze	-42	4,930.50	-42	202.00	5,132.50
Dark Chrome	-19	4,622.30	-19	189.40	4,811.70
Brushed Dark Platinum	-99	5,546.80	-99	227.20	5,774.00
Matte Black	-33	4,160.10	-33	170.30	4,330.40

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- rain shower Ø 220 mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Standard article	34 458 892 FF	FF	Euro
Chrome		-00	3,081.60
Brushed Chrome		-93	4,006.00
Platinum		-08	4,930.40
Brushed Platinum		-06	4,930.40
Champagne (22kt Gold)		-47	6,779.50
Brushed Champagne (22kt Gold)		-46	6,779.50
Brushed Durabronze (23kt Gold)		-28	6,471.40
Brushed Dark Brass		-39	4,930.50
Brushed Bronze		-42	4,930.50
Brushed Dark Platinum		-99	5,546.80
Matte Black		-33	4,160.10

34 460 809 +
28 015 979



Shower pipe

- 452mm projection
- rain shower Ø 300 mm
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- rain shower with anti-scale system
- Hand shower: COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- Function from: 10 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 959mm
- height of fittings up to top edge of elbow 1267mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Custom-made options

- Finish variants
- Flow rate modification
- Height modification
- Red/blue marking
- without logo

Set	1x 34 460 809 FF max. flow 14 l/min		1x 28 015 979 FF max. flow 15 l/min		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	3,081.60	-00	126.30	3,207.90
Platinum	-08	4,930.50	-08	202.30	5,132.80
Brushed Platinum	-06	4,930.50	-06	202.30	5,132.80
Champagne (22kt Gold)	-47	6,779.50	-47	277.90	7,057.40
Brushed Champagne (22kt Gold)	-46	6,779.50	-46	277.90	7,057.40
Brushed Durabronze (23kt Gold)	-28	6,471.40	-28	265.20	6,736.60
Brushed Dark Brass	-39	4,930.50	-39	202.10	5,132.60
Brushed Bronze	-42	4,930.50	-42	202.00	5,132.50
Dark Chrome	-19	4,622.30	-19	189.40	4,811.70
Brushed Dark Platinum	-99	5,546.80	-99	227.20	5,774.00

Product alternative

- FlowReduce
- Max. flow rate 7 l/min
- rain shower Ø 220 mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Standard article	34 459 809 FF	FF	Euro
Chrome		-00	3,081.60
Platinum		-08	4,930.40
Brushed Platinum		-06	4,930.40
Champagne (22kt Gold)		-47	6,779.50
Brushed Champagne (22kt Gold)		-46	6,779.50
Brushed Durabronze (23kt Gold)		-28	6,471.40
Brushed Dark Brass		-39	4,930.50
Brushed Bronze		-42	4,930.50
Dark Chrome		-19	4,622.20
Brushed Dark Platinum		-99	5,546.80

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 604.



Alternative hand shower	28 017 979 FF max. flow 15 l/min		28 018 979 FF max. flow 15 l/min		28 012 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	181.90	-00	135.80	-00	236.10	-00	195.80	-00	237.40
Platinum	-08	291.10	-08	217.10	-08	377.70	-08	313.60	-08	379.90
Brushed Platinum	-06	291.10	-06	217.10	-06	377.70	-06	313.60	-06	379.90
Champagne (22kt Gold)	-47	400.20	-47	298.80	-47	519.40	-47	430.80	-47	522.30
Brushed Champagne (22kt Gold)	-46	400.20	-46	298.80	-46	519.40	-46	430.80	-46	522.30
Brushed Durabronze (23kt Gold)	-28	382.00	-28	285.20	-28	495.80	-28	411.20	-28	498.50
Brushed Dark Brass	-39	291.10	-39	217.20	-39	377.70	-39	313.30	-39	379.90
Brushed Bronze	-42	291.00	-42	217.10	-42	377.70	-42	313.30	-42	379.90
Dark Chrome	-19	272.80	-19	203.60	-19	354.10	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	327.30	-99	244.30	-99	425.00	-99	352.60	-99	427.30

Shower

34 460 979 +
28 018 979



Showerpipe with shower thermostat

- shower with fixed riser projection 453mm
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower Ø 300 mm
- rain shower with anti-scale system
- Hand shower: Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- spray head Ø 100mm
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 1009mm
- height of fittings up to top edge of elbow 1150mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Intrinsic protection against back flow.

Fits IMO, META, TARA, VAIA, LISSÉ, LULU

Custom-made options

- Finish variants
- Flow rate modification
- Height modification
- Red/blue marking
- without logo

Set	1x 34 460 979 FF max. flow 14 l/min		1x 28 018 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	2,734.90	-00	135.80	2,870.70
Brushed Chrome	-93	3,555.30	-93	176.50	3,731.80
Platinum	-08	4,375.50	-08	217.10	4,592.60
Brushed Platinum	-06	4,375.70	-06	217.10	4,592.80
Light Gold	-26	4,102.30	-26	203.60	4,305.90
Brushed Light Gold	-27	4,102.30	-27	203.60	4,305.90
Champagne (22kt Gold)	-47	6,016.80	-47	298.80	6,315.60
Brushed Champagne (22kt Gold)	-46	6,016.80	-46	298.80	6,315.60
Brushed Durabronze (23kt Gold)	-28	5,743.30	-28	285.20	6,028.50
Brushed Dark Brass	-39	4,375.70	-39	217.20	4,592.90
Brushed Bronze	-42	4,375.70	-42	217.10	4,592.80
Dark Chrome	-19	4,102.30	-19	203.60	4,305.90
Brushed Dark Platinum	-99	4,922.60	-99	244.30	5,166.90
Matte Black	-33	3,692.00	-33	183.20	3,875.20

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- rain shower Ø 220 mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Standard article	34 459 979 FF	FF	Euro
Chrome		-00	2,596.40
Brushed Chrome		-93	3,375.40
Platinum		-08	4,061.00
Brushed Platinum		-06	4,061.00
Light Gold		-26	3,894.60
Brushed Light Gold		-27	3,894.60
Champagne (22kt Gold)		-47	5,712.10
Brushed Champagne (22kt Gold)		-46	5,712.10
Brushed Durabronze (23kt Gold)		-28	5,452.40
Brushed Dark Brass		-39	4,154.30
Brushed Bronze		-42	4,061.00
Dark Chrome		-19	3,894.60
Brushed Dark Platinum		-99	4,568.80
Matte Black		-33	3,426.70

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.



Alternative hand shower	28 015 979 FF max. flow 15 l/min		28 017 979 FF max. flow 15 l/min		28 012 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	236.10	-00	195.80	-00	237.40
Brushed Chrome	-93	164.20	-93	236.40	-93	306.80	-93	254.50	-93	308.70
Platinum	-08	202.30	-08	291.10	-08	377.70	-08	313.60	-08	379.90
Brushed Platinum	-06	202.30	-06	291.10	-06	377.70	-06	313.60	-06	379.90
Light Gold	-26	189.40	-26	272.80	-26	354.10	-26	293.80	-26	356.20
Brushed Light Gold	-27	189.40	-27	272.80	-27	354.10	-27	293.80	-27	356.20
Champagne (22kt Gold)	-47	277.90	-47	400.20	-47	519.40	-47	430.80	-47	522.30
Brushed Champagne (22kt Gold)	-46	277.90	-46	400.20	-46	519.40	-46	430.80	-46	522.30
Brushed Durabronze (23kt Gold)	-28	265.20	-28	382.00	-28	495.80	-28	411.20	-28	498.50
Brushed Dark Brass	-39	202.10	-39	291.10	-39	377.70	-39	313.30	-39	379.90
Brushed Bronze	-42	202.00	-42	291.00	-42	377.70	-42	313.30	-42	379.90
Dark Chrome	-19	189.40	-19	272.80	-19	354.10	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	425.00	-99	352.60	-99	427.30
Matte Black	-33	170.30	-33	245.70	-33	318.70	-33	264.40	-33	320.50

34 459 980 +
28 018 979



Showerpipe with shower thermostat

- **shower with fixed riser projection 453mm**
- Rain shower: PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- rain shower 300 x 240mm
- rain shower with anti-scale system
- Hand shower: COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- spray head Ø 100mm
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 1009mm
- height of fittings up to top edge of elbow 1150mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- Flow rate modification
- Height modification
- Red/blue marking
- without logo

Set	1x 34 459 980 FF max. flow 20 l/min		1x 28 018 979 FF max. flow 15 l/min		Total price: Euro
	FF	Euro	FF	Euro	
Chrome	-00	3,079.20	-00	135.80	3,215.00
Brushed Chrome	-93	4,003.00	-93	176.50	4,179.50
Platinum	-08	4,926.70	-08	217.10	5,143.80
Brushed Platinum	-06	4,926.80	-06	217.10	5,143.90
Brushed Light Gold	-27	4,618.80	-27	203.60	4,822.40
Champagne (22kt Gold)	-47	6,774.20	-47	298.80	7,073.00
Brushed Champagne (22kt Gold)	-46	6,774.20	-46	298.80	7,073.00
Brushed Durabronze (23kt Gold)	-28	6,466.30	-28	285.20	6,751.50
Brushed Dark Brass	-39	4,926.70	-39	217.20	5,143.90
Brushed Bronze	-42	4,926.70	-42	217.10	5,143.80
Dark Chrome	-19	4,618.90	-19	203.60	4,822.50
Brushed Dark Platinum	-99	5,542.50	-99	244.30	5,786.80
Matte Black	-33	4,157.10	-33	183.20	4,340.30

Product alternative

- FlowReduce
- Max. flow rate 12 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Standard article	34 458 980 FF	FF	Euro
Chrome		-00	3,079.20
Brushed Chrome		-93	4,003.00
Platinum		-08	4,926.70
Brushed Platinum		-06	4,926.70
Brushed Light Gold		-27	4,618.80
Champagne (22kt Gold)		-47	6,774.20
Brushed Champagne (22kt Gold)		-46	6,774.20
Brushed Durabronze (23kt Gold)		-28	6,466.30
Brushed Dark Brass		-39	4,926.70
Brushed Bronze		-42	4,926.70
Dark Chrome		-19	4,618.80
Brushed Dark Platinum		-99	5,542.50
Matte Black		-33	4,156.90

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.



Alternative hand shower	28 015 979 FF max. flow 15 l/min		28 017 979 FF max. flow 15 l/min		28 012 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min		28 029 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	236.10	-00	195.80	-00	237.40
Brushed Chrome	-93	164.20	-93	236.40	-93	306.80	-93	254.50	-93	308.70
Platinum	-08	202.30	-08	291.10	-08	377.70	-08	313.60	-08	379.90
Brushed Platinum	-06	202.30	-06	291.10	-06	377.70	-06	313.60	-06	379.90
Brushed Light Gold	-27	189.40	-27	272.80	-27	354.10	-27	293.80	-27	356.20
Champagne (22kt Gold)	-47	277.90	-47	400.20	-47	519.40	-47	430.80	-47	522.30
Brushed Champagne (22kt Gold)	-46	277.90	-46	400.20	-46	519.40	-46	430.80	-46	522.30
Brushed Durabronze (23kt Gold)	-28	265.20	-28	382.00	-28	495.80	-28	411.20	-28	498.50
Brushed Dark Brass	-39	202.10	-39	291.10	-39	377.70	-39	313.30	-39	379.90
Brushed Bronze	-42	202.00	-42	291.00	-42	377.70	-42	313.30	-42	379.90
Dark Chrome	-19	189.40	-19	272.80	-19	354.10	-19	293.80	-19	356.20
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	425.00	-99	352.60	-99	427.30
Matte Black	-33	170.30	-33	245.70	-33	318.70	-33	264.40	-33	320.50

Shower

26 024 661 +
28 029 979



Shower system with single-lever shower mixer

- shower with fixed riser projection 450mm
- pivotable 180°
- Rain shower: PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rain shower Ø 300 mm
- rain shower with anti-scale system
- Hand shower: COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- shower holder with rosette Ø 78mm
- slide-on rosettes Ø 55 mm
- 1500 mm metal shower hose
- height of fittings up to top edge of elbow 2280mm
- height of fittings up to rain shower (bottom edge) 1940mm
- automatic diverter for fixed-riser shower/hand shower
- Pipe diameter 20 mm

Fits META, TARA, VAIA

Water carrying concealed rough parts on lower wall fixing.

Recommended spacing from bottom edge of shower stem to floor 92 mm.

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo

Set	1x 26 024 661 FF max. flow 14 l/min		1x 28 029 979 FF max. flow 15 l/min		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	5,014.70	-00	237.40	5,252.10
Brushed Chrome	-93	6,519.00	-93	308.70	6,827.70
Platinum	-08	8,023.40	-08	379.90	8,403.30
Brushed Platinum	-06	8,023.30	-06	379.90	8,403.20
Light Gold	-26	7,522.00	-26	356.20	7,878.20
Brushed Light Gold	-27	7,522.00	-27	356.20	7,878.20
Champagne (22kt Gold)	-47	11,032.30	-47	522.30	11,554.60
Brushed Champagne (22kt Gold)	-46	11,032.30	-46	522.30	11,554.60
Brushed Durabronze (23kt Gold)	-28	10,530.90	-28	498.50	11,029.40
Brushed Dark Brass	-39	8,023.50	-39	379.90	8,403.40
Brushed Bronze	-42	8,023.40	-42	379.90	8,403.30
Dark Chrome	-19	7,521.90	-19	356.20	7,878.10
Brushed Dark Platinum	-99	9,026.30	-99	427.30	9,453.60
Matte Black	-33	6,769.70	-33	320.50	7,090.20

Product alternative

- FlowReduce
- Max. flow rate 9 l/min (at 3 bar)
- rain shower Ø 300 mm
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

This article does not include a hand shower!

Standard article	26 025 661 FF	FF	Euro
Chrome		-00	5,014.70
Brushed Chrome		-93	6,519.00
Platinum		-08	8,023.40
Brushed Platinum		-06	8,023.40
Light Gold		-26	7,522.00
Brushed Light Gold		-27	7,522.00
Champagne (22kt Gold)		-47	11,032.30
Brushed Champagne (22kt Gold)		-46	11,032.30
Brushed Durabronze (23kt Gold)		-28	10,530.90
Brushed Dark Brass		-39	8,023.50
Brushed Bronze		-42	8,023.40
Dark Chrome		-19	7,522.00
Brushed Dark Platinum		-99	9,026.30
Matte Black		-33	6,769.80



Required miscellaneous

Concealed wall mounting

35 003 970 FF

Concealed rough parts	FF	Euro
	90	320.80

- min. recess depth 78 mm
 - max. recess depth 103 mm
- For details and miscellaneous, see page 640

FlowReduce: We also offer these hand showers as a reduced-flow version at the same prices. For details see page 603.

Alternative hand shower	28 015 979 FF max. flow 15 l/min		28 017 979 FF max. flow 15 l/min		28 018 979 FF max. flow 15 l/min		28 012 979 FF max. flow 15 l/min		28 016 979 FF max. flow 15 l/min	
	FF	Euro	FF	Euro	FF	Euro	FF	Euro	FF	Euro
Chrome	-00	126.30	-00	181.90	-00	135.80	-00	236.10	-00	195.80
Brushed Chrome	-93	164.20	-93	236.40	-93	176.50	-93	306.80	-93	254.50
Platinum	-08	202.30	-08	291.10	-08	217.10	-08	377.70	-08	313.60
Brushed Platinum	-06	202.30	-06	291.10	-06	217.10	-06	377.70	-06	313.60
Light Gold	-26	189.40	-26	272.80	-26	203.60	-26	354.10	-26	293.80
Brushed Light Gold	-27	189.40	-27	272.80	-27	203.60	-27	354.10	-27	293.80
Champagne (22kt Gold)	-47	277.90	-47	400.20	-47	298.80	-47	519.40	-47	430.80
Brushed Champagne (22kt Gold)	-46	277.90	-46	400.20	-46	298.80	-46	519.40	-46	430.80
Brushed Durabronze (23kt Gold)	-28	265.20	-28	382.00	-28	285.20	-28	495.80	-28	411.20
Brushed Dark Brass	-39	202.10	-39	291.10	-39	217.20	-39	377.70	-39	313.30
Brushed Bronze	-42	202.00	-42	291.00	-42	217.10	-42	377.70	-42	313.30
Dark Chrome	-19	189.40	-19	272.80	-19	203.60	-19	354.10	-19	293.80
Brushed Dark Platinum	-99	227.20	-99	327.30	-99	244.30	-99	425.00	-99	352.60
Matte Black	-33	170.30	-33	245.70	-33	183.20	-33	318.70	-33	264.40

28 545 977



Rain shower with wall fixing 200 mm

- 435mm projection
- rain shower Ø 200 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 8 l/min
- rosette Ø 55 mm
- 1/2" connection
- with anti-scale system

Fits MADISON

Custom-made options

- Finish variants
- Projection modification
- without logo

Standard article	28 545 977 FF	FF	Euro
Chrome		-00	1,230.60
Platinum		-08	1,968.80
Brushed Platinum		-06	1,968.80
Durabrass (23kt Gold)		-09	2,584.30
Brushed Durabrass (23kt Gold)		-28	2,584.30
Brushed Dark Brass		-39	1,969.10
Brushed Bronze		-42	1,969.10
Brushed Dark Platinum		-99	2,215.10

Product alternative

- Flow/Reduce
- Max. flow rate 7 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 544 977 FF	FF	Euro
Chrome		-00	1,230.60
Platinum		-08	1,969.10
Brushed Platinum		-06	1,969.10
Durabrass (23kt Gold)		-09	2,584.30
Brushed Durabrass (23kt Gold)		-28	2,584.30
Brushed Dark Brass		-39	1,969.10
Brushed Bronze		-42	1,969.10
Brushed Dark Platinum		-99	2,215.20



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
	Concealed rough parts	90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

28 649 670



Rain shower with wall fixing 220 mm

- 450mm projection
- rain shower Ø 220 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 7 l/min
- rosette 65 x 65 mm
- 1/2" connection
- with anti-scale system
- quick clearing

Fits IMO, CYO

Custom-made options

- Finish variants
- Projection modification
- without logo

Standard article	28 649 670 FF	FF	Euro
Chrome		-00	1,020.00
Brushed Chrome		-93	1,326.00
Platinum		-08	1,632.20
Brushed Platinum		-06	1,632.20
Brushed Light Gold		-27	1,530.10
Champagne (22kt Gold)		-47	2,244.00
Brushed Champagne (22kt Gold)		-46	2,244.00
Brushed Durabrass (23kt Gold)		-28	2,142.00
Brushed Bronze		-42	1,632.00
Dark Chrome		-19	1,530.10
Brushed Dark Platinum		-99	1,836.30
Matte Black		-33	1,377.00

Product alternative

- Flow/Reduce
- Max. flow rate 7 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 648 670 FF	FF	Euro
Chrome		-00	1,020.00
Brushed Chrome		-93	1,326.00
Platinum		-08	1,632.00
Brushed Platinum		-06	1,632.00
Brushed Light Gold		-27	1,530.10
Champagne (22kt Gold)		-47	2,244.00
Brushed Champagne (22kt Gold)		-46	2,244.00
Brushed Durabrass (23kt Gold)		-28	2,142.00
Brushed Bronze		-42	1,632.00
Dark Chrome		-19	1,530.10
Brushed Dark Platinum		-99	1,836.10
Matte Black		-33	1,645.60



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
	Concealed rough parts	90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

Shower

28 649 970



Rain shower with wall fixing 220 mm

- 450mm projection
- rain shower Ø 220 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 7 l/min
- rosette Ø 60 mm
- 1/2" connection
- with anti-scale system
- quick clearing

Fits META, TARA, VAIA, LISSÉ

Custom-made options

- Finish variants
- Projection modification
- without logo

Standard article	28 649 970 FF	FF	Euro
Chrome		-00	964.10
Brushed Chrome		-93	1,253.30
Platinum		-08	1,542.50
Brushed Platinum		-06	1,542.50
Light Gold		-26	1,446.00
Brushed Light Gold		-27	1,446.00
Champagne (22kt Gold)		-47	2,121.00
Brushed Champagne (22kt Gold)		-46	2,121.00
Brushed Durabronze (23kt Gold)		-28	2,024.60
Brushed Dark Brass		-39	1,542.50
Brushed Bronze		-42	1,542.50
Dark Chrome		-19	1,446.10
Brushed Dark Platinum		-99	1,735.30
Matte Black		-33	1,301.60

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 648 970 FF	FF	Euro
Chrome		-00	964.10
Brushed Chrome		-93	1,253.30
Platinum		-08	1,542.50
Brushed Platinum		-06	1,542.50
Light Gold		-26	1,446.00
Brushed Light Gold		-27	1,446.00
Champagne (22kt Gold)		-47	2,121.00
Brushed Champagne (22kt Gold)		-46	2,121.00
Brushed Durabronze (23kt Gold)		-28	2,024.60
Brushed Dark Brass		-39	1,542.50
Brushed Bronze		-42	1,542.50
Dark Chrome		-19	1,446.00
Brushed Dark Platinum		-99	1,735.20
Matte Black		-33	1,301.50



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF	FF	Euro
Concealed rough parts	90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

28 679 670



Rain shower with wall fixing 300 mm

- 450mm projection
- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rosette 65 x 65 mm
- 1/2" connection
- with anti-scale system
- quick clearing

Fits IMO, CYO

Custom-made options

- Finish variants
- Projection modification
- without logo

Standard article	28 679 670 FF	FF	Euro
Chrome		-00	1,197.10
Brushed Chrome		-93	1,556.10
Platinum		-08	1,915.30
Brushed Platinum		-06	1,915.30
Brushed Light Gold		-27	1,795.60
Champagne (22kt Gold)		-47	2,633.60
Brushed Champagne (22kt Gold)		-46	2,633.60
Brushed Durabronze (23kt Gold)		-28	2,513.90
Brushed Bronze		-42	1,915.30
Dark Chrome		-19	1,795.60
Brushed Dark Platinum		-99	2,154.80
Matte Black		-33	1,616.10

Product alternative

- FlowReduce
- Max. flow rate 9 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 678 670 FF	FF	Euro
Chrome		-00	1,197.10
Brushed Chrome		-93	1,556.10
Platinum		-08	1,915.30
Brushed Platinum		-06	1,915.30
Brushed Light Gold		-27	1,795.60
Champagne (22kt Gold)		-47	2,633.60
Brushed Champagne (22kt Gold)		-46	2,633.60
Brushed Durabronze (23kt Gold)		-28	2,513.90
Brushed Bronze		-42	1,915.30
Dark Chrome		-19	1,795.60
Brushed Dark Platinum		-99	2,154.70
Matte Black		-33	1,616.10



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
	Concealed rough parts	90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

Shower

28 679 970



Rain shower with wall fixing 300 mm

- 450mm projection
- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rosette Ø 60 mm
- 1/2" connection
- with anti-scale system
- quick clearing

Custom-made options

- Finish variants
- Projection modification
- without logo

Standard article	28 679 970 FF	FF	Euro
Chrome		-00	1,135.70
Brushed Chrome		-93	1,476.40
Platinum		-08	1,817.60
Brushed Platinum		-06	1,817.60
Light Gold		-26	1,703.50
Brushed Light Gold		-27	1,703.50
Champagne (22kt Gold)		-47	2,498.50
Brushed Champagne (22kt Gold)		-46	2,498.50
Brushed Durabronze (23kt Gold)		-28	2,385.00
Brushed Dark Brass		-39	1,817.10
Brushed Bronze		-42	1,817.10
Dark Chrome		-19	1,703.60
Brushed Dark Platinum		-99	2,044.30
Matte Black		-33	1,533.70

Product alternative

- FlowReduce
- Max. flow rate 9 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 678 970 FF	FF	Euro
Chrome		-00	1,135.70
Brushed Chrome		-93	1,476.40
Platinum		-08	1,817.10
Brushed Platinum		-06	1,817.10
Light Gold		-26	1,703.50
Brushed Light Gold		-27	1,703.50
Champagne (22kt Gold)		-47	2,498.50
Brushed Champagne (22kt Gold)		-46	2,498.50
Brushed Durabronze (23kt Gold)		-28	2,385.00
Brushed Dark Brass		-39	1,817.10
Brushed Bronze		-42	1,817.10
Dark Chrome		-19	1,703.50
Brushed Dark Platinum		-99	2,044.20
Matte Black		-33	1,533.30



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF	FF	Euro
Concealed rough parts	90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

28 659 970



Rain shower with wall fixing 400 mm

- 450mm projection
- rain shower Ø 400 mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- rosette Ø 60 mm
- 1/2" connection
- with anti-scale system

Fits META, TARA, VAIA, LISSÉ

Custom-made options

- Finish variants
- Flow rate modification
- Projection modification
- without logo

Standard article	28 659 970 FF	FF	Euro
Chrome		-00	1,988.40
Brushed Chrome		-93	2,584.90
Platinum		-08	3,181.50
Brushed Platinum		-06	3,181.50
Light Gold		-26	2,982.60
Brushed Light Gold		-27	2,982.60
Champagne (22kt Gold)		-47	4,374.50
Brushed Champagne (22kt Gold)		-46	4,374.50
Brushed Durabronze (23kt Gold)		-28	4,175.60
Brushed Dark Brass		-39	3,181.50
Brushed Bronze		-42	3,181.50
Dark Chrome		-19	2,982.70
Brushed Dark Platinum		-99	3,578.90
Matte Black		-33	2,684.30

Product alternative

- FlowReduce
- Max. flow rate 12 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 658 970 FF	FF	Euro
Chrome		-00	1,988.40
Brushed Chrome		-93	2,584.90
Platinum		-08	3,181.50
Brushed Platinum		-06	3,181.50
Light Gold		-26	2,982.60
Brushed Light Gold		-27	2,982.60
Champagne (22kt Gold)		-47	4,374.50
Brushed Champagne (22kt Gold)		-46	4,374.50
Brushed Durabronze (23kt Gold)		-28	4,175.60
Brushed Dark Brass		-39	3,181.50
Brushed Bronze		-42	3,181.50
Dark Chrome		-19	2,982.60
Brushed Dark Platinum		-99	3,579.00
Matte Black		-33	2,684.30



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 786 710



Rain shower with wall fixing 300 x 240 mm

- 450mm projection
- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- rosette 78 x 60 mm
- 1/2" connection
- with anti-scale system
- quick clearing

Fits LULU

Custom-made options

- Finish variants
- Projection modification
- without logo

Standard article	28 786 710 FF	FF	Euro
Chrome		-00	1,477.50
Brushed Platinum		-06	2,364.30

Product alternative

- FlowReduce
- Max. flow rate 12 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 784 710 FF	FF	Euro
Chrome		-00	1,477.50
Brushed Platinum		-06	2,364.10



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

Shower

28 765 980



Rain shower with wall fixing 300 x 240 mm

- 450mm projection
- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- rosette 60 x 60 mm
- 1/2" connection
- with anti-scale system
- quick clearing

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- Projection modification
- without logo

Standard article	28 765 980 FF	FF	Euro
Chrome		-00	1,528.60
Brushed Chrome		-93	1,987.20
Platinum		-08	2,445.70
Brushed Platinum		-06	2,445.70
Brushed Light Gold		-27	2,293.00
Champagne (22kt Gold)		-47	3,362.90
Brushed Champagne (22kt Gold)		-46	3,362.90
Brushed Durabronze (23kt Gold)		-28	3,210.10
Brushed Dark Brass		-39	2,445.80
Brushed Bronze		-42	2,445.80
Dark Chrome		-19	2,293.00
Brushed Dark Platinum		-99	2,751.50
Matte Black		-33	2,063.70

Product alternative

- FlowReduce
- Max. flow rate 12 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 764 980 FF	FF	Euro
Chrome		-00	1,528.60
Brushed Chrome		-93	1,987.20
Platinum		-08	2,445.80
Brushed Platinum		-06	2,445.80
Brushed Light Gold		-27	2,293.00
Champagne (22kt Gold)		-47	3,362.90
Brushed Champagne (22kt Gold)		-46	3,362.90
Brushed Durabronze (23kt Gold)		-28	3,210.10
Brushed Dark Brass		-39	2,445.80
Brushed Bronze		-42	2,445.80
Dark Chrome		-19	2,293.00
Brushed Dark Platinum		-99	2,751.50
Matte Black		-33	2,063.70



Recommended miscellaneous

Concealed wall elbow 35 085 970 FF FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

41 550 979



JUST RAIN Rain shower with wall fixing

- rain shower 590 x 360mm
- PURE RAIN, max. flow rate 33.8 l/min (at 3 bar)
- 1/2" connection
- pre-fitted stainless steel enclosure
- with anti-scale system

technical data:

- minimum flow: 17 l/min
- flow at 3bar flow pressure in conjunction with xTOOL: 24,5l/min
- minimum flow pressure 2 bar
- max. flow pressure 4 bar
- weight 11kg

plumbing:

- for choosing the drainage, taking into consideration the discharge of all the products in the shower, the specific demand needs to be assessed. Recommendation: Floor drain (connected rating) = 1l/sec, drainage rate DN 50

Fits MEM, CL.1, IMO, META, TARA, VAIA, LULU, LISSÉ, CYO

Standard article	41 550 979 FF	FF	Euro
Stainless Steel		-85	4,126.50
Brushed Stainless Steel		-86	4,126.50



Recommended miscellaneous

Concealed wall elbow 35 085 970 FF FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 565 977



Rain shower with ceiling fixing 200 mm

- rain shower Ø 200 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 8 l/min
- distance between ceiling and lower edge of the shower 185mm
- rosette Ø 55 mm
- 1/2" connection
- with anti-scale system

Fits MADISON

Custom-made options

- Finish variants
- Length modification
- without logo

Standard article	28 565 977 FF	FF	Euro
Chrome		-00	930.10
Platinum		-08	1,488.20
Brushed Platinum		-06	1,488.20
Durabronz (23kt Gold)		-09	1,953.20
Brushed Durabronz (23kt Gold)		-28	1,953.20
Brushed Dark Brass		-39	1,488.10
Brushed Bronze		-42	1,488.10
Brushed Dark Platinum		-99	1,674.10

Product alternative

- Flow/Reduce
- Max. flow rate 7 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 564 977 FF	FF	Euro
Chrome		-00	930.10
Platinum		-08	1,488.10
Brushed Platinum		-06	1,488.10
Durabronz (23kt Gold)		-09	1,953.20
Brushed Durabronz (23kt Gold)		-28	1,953.20
Brushed Dark Brass		-39	1,488.10
Brushed Bronze		-42	1,488.10
Brushed Dark Platinum		-99	1,674.20



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
	Concealed rough parts	90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

Shower

28 669 970



Rain shower with ceiling fixing 220 mm

- rain shower Ø 220 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 7 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system
- quick clearing

Fits IMO, META, TARA, VAIA, LISSÉ, CYO

Custom-made options

- Finish variants
- Length modification
- without logo

Standard article	28 669 970 FF	FF	Euro
Chrome		-00	819.30
Brushed Chrome		-93	1,065.00
Platinum		-08	1,311.20
Brushed Platinum		-06	1,311.20
Light Gold		-26	1,228.90
Brushed Light Gold		-27	1,228.90
Champagne (22kt Gold)		-47	1,802.50
Brushed Champagne (22kt Gold)		-46	1,802.50
Brushed Durabronze (23kt Gold)		-28	1,720.50
Brushed Dark Brass		-39	1,310.80
Brushed Bronze		-42	1,310.90
Dark Chrome		-19	1,228.90
Brushed Dark Platinum		-99	1,474.80
Matte Black		-33	1,106.40

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 668 970 FF	FF	Euro
Chrome		-00	819.30
Brushed Chrome		-93	1,065.00
Platinum		-08	1,310.90
Brushed Platinum		-06	1,310.90
Light Gold		-26	1,228.90
Brushed Light Gold		-27	1,228.90
Champagne (22kt Gold)		-47	1,802.50
Brushed Champagne (22kt Gold)		-46	1,802.50
Brushed Durabronze (23kt Gold)		-28	1,720.50
Brushed Dark Brass		-39	1,310.80
Brushed Bronze		-42	1,310.90
Dark Chrome		-19	1,228.90
Brushed Dark Platinum		-99	1,474.70
Matte Black		-33	1,106.00



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF	FF	Euro
Concealed rough parts	90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

28 689 970



Rain shower with ceiling fixing 300 mm

- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 14 l/min (at 3 bar)
- Function from: 10 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system
- quick clearing

Fits IMO, META, TARA, VAIA, LISSÉ, CYO

Custom-made options

- Finish variants
- Length modification
- without logo

Standard article	28 689 970 FF	FF	Euro
Chrome		-00	965.90
Brushed Chrome		-93	1,255.70
Platinum		-08	1,544.90
Brushed Platinum		-06	1,544.90
Light Gold		-26	1,448.90
Brushed Light Gold		-27	1,448.90
Champagne (22kt Gold)		-47	2,125.00
Brushed Champagne (22kt Gold)		-46	2,125.00
Brushed Durabronze (23kt Gold)		-28	2,028.40
Brushed Dark Brass		-39	1,545.50
Brushed Bronze		-42	1,545.40
Dark Chrome		-19	1,448.90
Brushed Dark Platinum		-99	1,738.50
Matte Black		-33	1,303.70

Product alternative

- FlowReduce
- Max. flow rate 9 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 688 970 FF	FF	Euro
Chrome		-00	965.90
Brushed Chrome		-93	1,255.70
Platinum		-08	1,545.40
Brushed Platinum		-06	1,545.40
Light Gold		-26	1,448.90
Brushed Light Gold		-27	1,448.90
Champagne (22kt Gold)		-47	2,125.00
Brushed Champagne (22kt Gold)		-46	2,125.00
Brushed Durabronze (23kt Gold)		-28	2,028.40
Brushed Dark Brass		-39	1,545.50
Brushed Bronze		-42	1,545.40
Dark Chrome		-19	1,448.90
Brushed Dark Platinum		-99	1,738.60
Matte Black		-33	1,304.00



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF	FF	Euro
Concealed rough parts	90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

Shower

28 699 970



Rain shower with ceiling fixing 400 mm

- rain shower Ø 400 mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- rosette Ø 60 mm optional
- 1/2" connection
- with anti-scale system
- quick clearing

Fits IMO, META, TARA, VAIA, LISSÉ, CYO

Custom-made options

- Finish variants
- Flow rate modification
- Length modification
- without logo

Standard article	28 699 970 FF	FF	Euro
Chrome		-00	1,778.20
Brushed Chrome		-93	2,311.60
Platinum		-08	2,845.00
Brushed Platinum		-06	2,845.00
Light Gold		-26	2,667.30
Brushed Light Gold		-27	2,667.30
Champagne (22kt Gold)		-47	3,912.00
Brushed Champagne (22kt Gold)		-46	3,912.00
Brushed Durabronze (23kt Gold)		-28	3,734.20
Brushed Dark Brass		-39	2,845.10
Brushed Bronze		-42	2,845.10
Dark Chrome		-19	2,667.10
Brushed Dark Platinum		-99	3,200.50
Matte Black		-33	2,400.30

Product alternative

- FlowReduce
- Max. flow rate 12 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 698 970 FF	FF	Euro
Chrome		-00	1,778.20
Brushed Chrome		-93	2,311.60
Platinum		-08	2,845.10
Brushed Platinum		-06	2,845.10
Light Gold		-26	2,667.30
Brushed Light Gold		-27	2,667.30
Champagne (22kt Gold)		-47	3,912.00
Brushed Champagne (22kt Gold)		-46	3,912.00
Brushed Durabronze (23kt Gold)		-28	3,734.20
Brushed Dark Brass		-39	2,845.10
Brushed Bronze		-42	2,845.10
Dark Chrome		-19	2,667.30
Brushed Dark Platinum		-99	3,200.60
Matte Black		-33	2,400.50



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 796 710



Rain shower with ceiling fixing 300 x 240 mm

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 20 l/min (at 3 bar)
- Function from: 12 l/min
- distance between ceiling and lower edge of the shower 165mm
- rosette 78 x 55, as required
- 1/2" connection
- with anti-scale system
- quick clearing

Fits LULU

Custom-made options

- Finish variants
- Length modification
- without logo

Standard article	28 796 710 FF	FF	Euro
Chrome		-00	1,256.10
Brushed Platinum		-06	2,009.80

Product alternative

- FlowReduce
- max. flow 12 l/min
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 766 710 FF	FF	Euro
Chrome		-00	1,256.10
Brushed Platinum		-06	2,009.80



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

28 775 980



- Rain shower with ceiling fixing 300 x 240 mm**
- rain shower 300 x 240mm
 - PURE RAIN, max. flow rate 20 l/min (at 3 bar)
 - Function from: 12 l/min
 - distance between ceiling and lower edge of the shower 165mm
 - rosette 60 x 60, as required
 - 1/2" connection
 - with anti-scale system
 - quick clearing

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- Length modification
- without logo

Standard article	28 775 980 FF	FF	Euro
Chrome		-00	1,299.30
Brushed Chrome		-93	1,689.20
Platinum		-08	2,079.10
Brushed Platinum		-06	2,079.10
Brushed Light Gold		-27	1,949.10
Champagne (22kt Gold)		-47	2,858.50
Brushed Champagne (22kt Gold)		-46	2,858.50
Brushed Durabronze (23kt Gold)		-28	2,728.50
Brushed Dark Brass		-39	2,079.00
Brushed Bronze		-42	2,079.00
Dark Chrome		-19	1,949.00
Brushed Dark Platinum		-99	2,338.70
Matte Black		-33	1,754.20

Product alternative

- FlowReduce
- Max. flow rate 12 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 774 980 FF	FF	Euro
Chrome		-00	1,299.30
Brushed Chrome		-93	1,689.20
Platinum		-08	2,079.10
Brushed Platinum		-06	2,079.10
Brushed Light Gold		-27	1,949.10
Champagne (22kt Gold)		-47	2,858.50
Brushed Champagne (22kt Gold)		-46	2,858.50
Brushed Durabronze (23kt Gold)		-28	2,728.50
Brushed Dark Brass		-39	2,079.00
Brushed Bronze		-42	2,079.00
Dark Chrome		-19	1,949.10
Brushed Dark Platinum		-99	2,338.80
Matte Black		-33	1,754.20



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
----------------------	---------------	----	------

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

41 507 979



- JUST RAIN Rain shower with ceiling fixing**
- rain shower 400 x 320mm
 - PURE RAIN, max. flow rate 44 l/min (at 3 bar)
 - 1/2" connection
 - pre-fitted stainless steel enclosure
 - with anti-scale system

technical data:

- minimum flow: 17 l/min
- flow at 3bar flow pressure in conjunction with xTOOL: 24,5l/min
- minimum flow pressure 2 bar
- max. flow pressure 4 bar
- weight 7kg

plumbing:

- for choosing the drainage, taking into consideration the discharge of all the products in the shower, the specific demand needs to be assessed. Recommendation: Floor drain (connected rating) = 1l/sec, drainage rate DN 50

Fits MEM, CL.1, IMO, META, TARA, VAIA, LULU, LISSÉ, CYO

Standard article	41 507 979 FF	FF	Euro
Stainless Steel		-85	3,680.80
Brushed Stainless Steel		-86	3,680.80



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
----------------------	---------------	----	------

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

Shower

28 031 970



Rain shower for surface-mounted ceiling installation 300 mm

- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- For simultaneous control of the jet types, we recommend the xTool thermostat module

Fits IMO, META, TARA, VAIA, LISSÉ, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 031 970 FF	FF	Euro
Chrome		-00	746.90
Brushed Chrome		-93	971.00
Platinum		-08	1,195.10
Brushed Platinum		-06	1,195.10
Light Gold		-26	1,120.30
Brushed Light Gold		-27	1,120.30
Champagne (22kt Gold)		-47	1,643.20
Brushed Champagne (22kt Gold)		-46	1,643.20
Brushed Durabronze (23kt Gold)		-28	1,568.50
Brushed Dark Brass		-39	1,195.00
Brushed Bronze		-42	1,194.90
Dark Chrome		-19	1,120.30
Brushed Dark Platinum		-99	1,344.40
Matte Black		-33	1,008.30

Required miscellaneous



Concealed ceiling installation box with ceiling fixing

	35 041 970 FF	FF	Euro
• concealed rough parts		90	497.90
• min. recess depth 90 mm			
• max. recess depth 115 mm			
• 2x female thread 1/2" outlet			

For details and miscellaneous, see page 648

28 041 980



Rain shower for surface-mounted ceiling installation 300 x 240 mm

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- For simultaneous control of the jet types, we recommend the xTool thermostat module
- Not suitable for use in a steam room.

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 041 980 FF	FF	Euro
Chrome		-00	746.90
Brushed Chrome		-93	971.00
Platinum		-08	1,195.10
Brushed Platinum		-06	1,195.10
Brushed Light Gold		-27	1,120.30
Champagne (22kt Gold)		-47	1,643.20
Brushed Champagne (22kt Gold)		-46	1,643.20
Brushed Durabronze (23kt Gold)		-28	1,568.50
Brushed Dark Brass		-39	1,195.00
Brushed Bronze		-42	1,195.00
Dark Chrome		-19	1,120.30
Brushed Dark Platinum		-99	1,344.40
Matte Black		-33	1,008.30

Required miscellaneous



Concealed ceiling installation box with ceiling fixing

	35 041 970 FF	FF	Euro
• concealed rough parts		90	497.90
• min. recess depth 90 mm			
• max. recess depth 115 mm			
• 2x female thread 1/2" outlet			

For details and miscellaneous, see page 648

28 032 970



Rain shower for surface-mounted ceiling installation with light 300 mm

- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- **Ceiling module power supply**
- 350mA (CC)
- **Spot lighting**
- LED colour temperature approx. 3000 K
- Bulbs protected against splashing water
- Contains energy efficiency class bulbs
- Technology: LED, not dimmable
- Provided by customer: Light switch
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Fits IMO, META, TARA, VAIA, LISSÉ, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 032 970 FF	FF	Euro
Chrome		-00	1,122.20
Brushed Chrome		-93	1,458.80
Platinum		-08	1,795.50
Brushed Platinum		-06	1,795.50
Light Gold		-26	1,683.20
Brushed Light Gold		-27	1,683.20
Champagne (22kt Gold)		-47	2,468.80
Brushed Champagne (22kt Gold)		-46	2,468.80
Brushed Durabronze (23kt Gold)		-28	2,356.60
Brushed Dark Brass		-39	1,795.50
Brushed Bronze		-42	1,795.50
Dark Chrome		-19	1,683.20
Brushed Dark Platinum		-99	2,020.00
Matte Black		-33	1,514.80

Required miscellaneous



Concealed ceiling installation box for surface-mounted ceiling installation with light

	35 042 970 FF	FF	Euro
Concealed rough parts		90	748.00

- concealed rough parts
- min. recess depth 90 mm
- max. recess depth 115 mm
- 2x female thread 1/2" connections
- Input 100-240V AC 50-60Hz
- Output 350 mA SELV / Class 2
- Provided by customer: Light switch

For details and miscellaneous, see page 648

28 042 980



Rain shower for surface-mounted ceiling installation with light 300 x 240 mm

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- Distance to ceiling from bottom edge of shower 40 mm
- with anti-scale system
- **Ceiling module power supply**
- 350mA (CC)
- **Spot lighting**
- LED colour temperature approx. 3000 K
- Bulbs protected against splashing water
- Contains energy efficiency class bulbs
- Technology: LED, not dimmable
- Provided by customer: Light switch
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 042 980 FF	FF	Euro
Chrome		-00	1,122.20
Brushed Chrome		-93	1,458.80
Platinum		-08	1,795.50
Brushed Platinum		-06	1,795.50
Brushed Light Gold		-27	1,683.20
Champagne (22kt Gold)		-47	2,468.80
Brushed Champagne (22kt Gold)		-46	2,468.80
Brushed Durabronze (23kt Gold)		-28	2,356.60
Brushed Dark Brass		-39	1,795.50
Brushed Bronze		-42	1,795.50
Dark Chrome		-19	1,683.20
Brushed Dark Platinum		-99	2,020.00
Matte Black		-33	1,514.80

Required miscellaneous



Concealed ceiling installation box for surface-mounted ceiling installation with light

	35 042 970 FF	FF	Euro
Concealed rough parts		90	748.00

- concealed rough parts
- min. recess depth 90 mm
- max. recess depth 115 mm
- 2x female thread 1/2" connections
- Input 100-240V AC 50-60Hz
- Output 350 mA SELV / Class 2
- Provided by customer: Light switch

For details and miscellaneous, see page 648

Shower

28 033 970



Rain shower for recessed ceiling installation 300 mm

- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- min. recess depth 137 mm
- with anti-scale system
- For simultaneous control of the jet types, we recommend the xTool thermostat module
- Not suitable for use in a steam room.

Fits IMO, META, TARA, VAIA, LISSÉ, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 033 970 FF	FF	Euro
Chrome		-00	1,497.40
Brushed Chrome		-93	1,946.70
Platinum		-08	2,395.80
Brushed Platinum		-06	2,395.80
Light Gold		-26	2,246.20
Brushed Light Gold		-27	2,246.20
Champagne (22kt Gold)		-47	3,294.30
Brushed Champagne (22kt Gold)		-46	3,294.30
Brushed Durabronz (23kt Gold)		-28	3,144.50
Brushed Dark Brass		-39	2,395.90
Brushed Bronze		-42	2,395.90
Dark Chrome		-19	2,246.10
Brushed Dark Platinum		-99	2,695.30
Matte Black		-33	2,021.50

Required miscellaneous



Concealed ceiling installation box for recessed ceiling installation

	35 033 970 FF	FF	Euro
concealed rough parts			
recess depth 137mm			
2x female thread 1/2" outlet			
flush-mounted installation box Ø 360 mm RAL 9003 signal white			
Concealed rough parts		90	998.30

For details and miscellaneous, see page 647

28 043 980



Rain shower for recessed ceiling installation 300 x 240 mm

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- min. recess depth 137 mm
- with anti-scale system
- For simultaneous control of the jet types, we recommend the xTool thermostat module
- Not suitable for use in a steam room.

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 043 980 FF	FF	Euro
Chrome		-00	1,497.40
Brushed Chrome		-93	1,946.70
Platinum		-08	2,395.80
Brushed Platinum		-06	2,395.80
Brushed Light Gold		-27	2,246.20
Champagne (22kt Gold)		-47	3,294.30
Brushed Champagne (22kt Gold)		-46	3,294.30
Brushed Durabronz (23kt Gold)		-28	3,144.50
Brushed Dark Brass		-39	2,395.90
Brushed Bronze		-42	2,395.90
Dark Chrome		-19	2,246.10
Brushed Dark Platinum		-99	2,695.30
Matte Black		-33	2,021.50

Required miscellaneous



Concealed ceiling installation box for recessed ceiling installation

	35 043 970 FF	FF	Euro
concealed rough parts			
recess depth 137mm			
2x female thread 1/2" outlet			
flush-mounted RAL 9003 signal white light reflection box 310 x 250 mm			
Concealed rough parts		90	998.30

For details and miscellaneous, see page 647

28 034 970



Rain shower for recessed ceiling installation with light 300 mm

- rain shower Ø 300 mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- min. recess depth 137 mm
- with anti-scale system
- **Ceiling module power supply**
- 12V DC (CV)
- **Spot lighting**
- LED coloured light RGBW
- Bulbs protected against splashing water
- **Ambient lighting**
- **Activation**
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

Fits IMO, META, TARA, VAIA, LISSÉ, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 034 970 FF	FF	Euro
Chrome		-00	2,248.00
Brushed Chrome		-93	2,922.30
Platinum		-08	3,596.80
Brushed Platinum		-06	3,596.80
Light Gold		-26	3,372.00
Brushed Light Gold		-27	3,372.00
Champagne (22kt Gold)		-47	4,945.60
Brushed Champagne (22kt Gold)		-46	4,945.60
Brushed Durabronze (23kt Gold)		-28	4,720.80
Brushed Dark Brass		-39	3,596.80
Brushed Bronze		-42	3,596.80
Dark Chrome		-19	3,371.90
Brushed Dark Platinum		-99	4,046.30
Matte Black		-33	3,034.80

Required miscellaneous



Concealed ceiling installation box for recessed ceiling installation with light

	35 034 970 FF	FF	Euro
concealed rough parts			
flush-mounted reflection box Ø 360 mm RAL 9003 signal white			
recess depth 137mm			
2x female thread 1/2" outlet			
Input 100-240V AC 50-60Hz			
Output 12V DC SELV / Class 2			
ZigBee Light Link RGBW controller			
Concealed rough parts		90	1,498.70

For details and miscellaneous, see page 647

28 044 980



Rain shower for recessed ceiling installation with light 300 x 240 mm

- rain shower 300 x 240mm
- PURE RAIN, max. flow rate 12 l/min (at 3 bar)
- PURIFY RAIN, max. flow rate 6 l/min (at 3 bar)
- min. recess depth 137 mm
- with anti-scale system
- **Ceiling module power supply**
- 12V DC (CV)
- **Spot lighting**
- LED coloured light RGBW
- Bulbs protected against splashing water
- **Ambient lighting**
- **Activation**
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

includes light bulbs with a Class G energy efficiency

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 044 980 FF	FF	Euro
Chrome		-00	2,248.00
Brushed Chrome		-93	2,922.30
Platinum		-08	3,596.80
Brushed Platinum		-06	3,596.80
Brushed Light Gold		-27	3,372.00
Champagne (22kt Gold)		-47	4,945.60
Brushed Champagne (22kt Gold)		-46	4,945.60
Brushed Durabronze (23kt Gold)		-28	4,720.80
Brushed Dark Brass		-39	3,596.80
Brushed Bronze		-42	3,596.80
Dark Chrome		-19	3,371.90
Brushed Dark Platinum		-99	4,046.30
Matte Black		-33	3,034.80

Required miscellaneous



Concealed ceiling installation box for recessed ceiling installation with light

	35 044 970 FF	FF	Euro
concealed rough parts			
flush-mounted installation box 360x 300 mm RAL 9003 signal white			
recess depth 137mm			
Input 100-240V AC 50-60Hz			
Output 12V DC SELV / Class 2			
ZigBee Light Link RGBW controller			
Concealed rough parts		90	1,498.70

For details and miscellaneous, see page 648

Shower

41 610 979



RAINMOON Rain panel

- exposed trim parts
- Rain panel with 2 different spray modes
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 6.8 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 5 l/min (at 3 bar)
- Matt white cover, RAL 9003
- Outer diameter 1240 mm, opening diameter 450 mm
- with anti-scale system
- Weight 22.5 kg
- Control elements not included among the items supplied
- **Ambient lighting**
- LED colour temperature approx. 2700 K
- Bulbs protected against splashing water
- Technology: LED, not dimmable
- Provided by customer: Light switch
- **Environment**
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Rain panel cover for adaptation to ceiling colour available in all RAL colours, price and delivery time on request

Standard article	41 610 979 FF	FF	Euro
Matte White		-10	6,064.20



Required miscellaneous

RAINMOON Concealed ceiling installation box

	35 610 970 FF	FF	Euro
Concealed rough parts		90	7,157.90

- concealed rough parts
- Ceiling installation enclosure 1356 x 1356 x 290 mm
- Opening diameter 1252 mm
- min. recess depth 290 mm

For details and miscellaneous, see page 649

41 615 979



RAINMOON Rain panel with color light

- exposed trim parts
- Rain panel with 2 different spray modes
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 6.8 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 5 l/min (at 3 bar)
- **Ceiling module power supply**
- 12V DC (CV)
- **Ambient lighting**
- LED coloured light RGBW
- Bulbs protected against splashing water
- **Activation**
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

Rain panel cover for adaptation to ceiling colour available in all RAL colours, price and delivery time on request

includes light bulbs with a Class G energy efficiency

Standard article	41 615 979 FF	FF	Euro
Matte White		-10	6,064.20



Required miscellaneous

RAINMOON Concealed ceiling installation box with color light

	35 615 970 FF	FF	Euro
Concealed rough parts		90	7,157.90

- concealed rough parts
- Ceiling installation enclosure 1356 x 1356 x 290 mm
- Opening diameter 1252 mm
- min. recess depth 290 mm

For details and miscellaneous, see page 649

41 620 979



AQUAMOON Rain panel

- exposed trim parts
- Rain panel with 3 different flow modes
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 12 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 10 l/min (at 3 bar)
- Queen's Collar: rounded cascade, max. 24 l/min
- Matt white cover, RAL 9003
- Outer diameter 1240 mm, opening diameter 450 mm
- with anti-scale system
- Weight 22.5 kg
- Control elements not included among the items supplied
- **Ambient lighting**
- LED colour temperature approx. 2700 K
- Bulbs protected against splashing water
- Technology: LED, not dimmable
- Provided by customer: Light switch
- **Environment**
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Rain panel cover for adaptation to ceiling colour available in all RAL colours, price and delivery time on request

Standard article	41 620 979 FF	FF	Euro
Matte White		-10	7,021.70



Required miscellaneous

AQUAMOON Concealed ceiling installation box

- concealed rough parts
 - Ceiling installation enclosure 1356 x 1356 x 290 mm
 - Opening diameter 1252 mm
 - min. recess depth 290 mm
- For details and miscellaneous, see page 650

	35 620 970 FF	FF	Euro
Concealed rough parts		90	7,622.40

41 625 979



AQUAMOON Rain panel with color light

- exposed trim parts
- Rain panel with 3 different flow modes
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 12 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 10 l/min (at 3 bar)
- QUEEN'S COLLAR CASCADE: Rounded cascade, max. flow rate 24 l/min (at 3 bar)
- Matt white cover, RAL 9003
- with anti-scale system
- Outer diameter 1240 mm, opening diameter 450 mm
- Flow rate at 3 bar flow pressure in conjunction with xTOOL: 46 l/min
- Weight 22.5 kg
- Protection rating IP67
- Control elements not included among the items supplied
- **Ceiling module power supply**
- 12V DC (CV)
- **Ambient lighting**
- LED coloured light RGBW
- Bulbs protected against splashing water
- **Activation**
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

Rain panel cover for adaptation to ceiling colour available in all RAL colours, price and delivery time on request

includes light bulbs with a Class G energy efficiency

Standard article	41 625 979 FF	FF	Euro
Matte White		-10	7,021.70



Required miscellaneous

AQUAMOON Concealed ceiling installation box with color light

- concealed rough parts
 - Ceiling installation enclosure 1356 x 1356 x 290 mm
 - Opening diameter 1252 mm
 - min. recess depth 290 mm
- For details and miscellaneous, see page 650

	35 625 970 FF	FF	Euro
Concealed rough parts		90	7,622.40

Shower

41 630 979



AQUAMOON EMBRACE Rain panel with color light

- exposed trim parts
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 12 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 10 l/min (at 3 bar)
- QUEEN'S COLLAR CASCADE: Rounded cascade, max. flow rate 24 l/min (at 3 bar)
- EMBRACE CASCADE: Circular cascade, max. flow rate 60 l/min (at 3 bar)
- RGBW LED ambient lighting
- Matt white cover, RAL 9003
- with anti-scale system
- Outer diameter 1240 mm, opening diameter 450 mm
- Weight 22.5 kg
- Protection rating IP67
- Control elements not included among the items supplied
- **Ceiling module power supply**
- 12V DC (CV)
- **Ambient lighting**
- LED coloured light RGBW
- Bulbs protected against splashing water
- **Activation**
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

Rain panel cover for adaptation to ceiling colour available in all RAL colours, price and delivery time on request

includes light bulbs with a Class G energy efficiency

Standard article	41 630 979 FF	FF	Euro
Matte White		-10	7,162.00



Required miscellaneous

AQUAMOON EMBRACE Concealed ceiling installation box with color light

- concealed rough parts
 - Ceiling installation enclosure 1356 x 1356 x 290 mm
 - Opening diameter 1252 mm
 - min. recess depth 290 mm
- For details and miscellaneous, see page 651

	35 630 970 FF	FF	Euro
Concealed rough parts		90	7,622.40

41 750 979



AQUAHALO Rain panel

- exposed trim parts
- Rain panel with 3 different flow modes
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 14 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 9 l/min (at 3 bar)
- DIAMOND RAIN: Ring of rain, max. flow rate 6.8 l/min (at 3 bar)
- Outer diameter: 605 mm, opening diameter: 465 mm

- Weight: 6 kg
- Recommended control element: xTool
- **Separate LED power supply**
- **Input LED power supply**
- Input 100-240V AC 50-60Hz
- **Output LED power supply**
- 350mA (CC)
- **Output specification LED power supply**
- SELV (Safety Extra Low Voltage)
- Class 2
- **Ceiling module power supply**
- 350mA (CC)
- Supply pipe 7 m
- **Spot lighting**
- LED colour temperature approx. 3000 K
- Bulbs protected against splashing water
- Contains energy efficiency class bulbs
- Technology: LED, not dimmable
- Provided by customer: Light switch
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Custom-made options

- Finish variants
- Flow rate modification
- Height modification

Standard article	41 750 979 FF	FF	Euro
Chrome		-00	5,921.00
Brushed Platinum		-06	9,473.50
Champagne (22kt Gold)		-47	13,026.20
Brushed Champagne (22kt Gold)		-46	13,026.20
Matte Black		-33	7,993.30



Required miscellaneous

AQUAHALO Concealed ceiling installation box

	35 750 970 FF	FF	Euro
• concealed rough parts	Chrome	-00	5,166.10
• Ceiling installation enclosure 605 x 605 x 95 mm	Brushed Platinum	-06	5,166.10
• Weight: 10 kg	Champagne (22kt Gold)	-47	5,166.10
• min. recess depth 110 mm	Brushed Champagne (22kt Gold)	-46	5,166.10
For details and miscellaneous, see page 652	Matte Black	-33	5,166.10

41 400 979



BIG RAIN Rain panel for ceiling installation or ceiling substructure installation

- Rain panel with 2 different spray modes
- PURIFY RAIN, 200 x 160 mm, max. flow rate 23.5 l/min (at 3 bar)
- FULL RAIN, 360 x 280 mm, max. flow rate 13.6 l/min (at 3 bar)
- cover plate, stainless steel 600 x 480 mm
- 2x flexible connection hose 1/2" - female thread
- 4x mounting pin
- pre-fitted stainless steel enclosure
- with anti-scale system
- **technical data:**
- minimum flow rate 25 l/min (both rain modes together)
- flow at 3bar flow pressure in conjunction with xTOOL: 39l/min
- minimum flow pressure 2 bar
- max. flow pressure 4 bar
- weight: 12kg
- **plumbing:**
- recommended water hardness: 6-7 °dH - if the water is harder, integrate a water softener that uses the ion exchange principle into the feed pipe.
- for choosing the drainage, taking into consideration the discharge of all the products in the shower, the specific demand needs to be assessed. Recommendation: Floor drain (connected rating) = 1l/sec, drainage rate DN 50
- feed pipe (hot/cold): 2x DN 20
- for the optimum choice of hot water storage device - taking into consideration additional drawing-off points and the frequency with which BigRain is used - the specific demand needs to be assessed.

Fits MEM, CL.1, IMO, META, TARA, VAIA, LULU, LISSÉ, CYO

Standard article	41 400 979 FF	FF	Euro
Stainless Steel		-85	6,167.10
Brushed Stainless Steel		-86	6,167.10



Recommended miscellaneous

BIG RAIN Cover for supply pipes

	12 940 979 FF	FF	Euro
• stainless steel cover 125 x 50 mm	Stainless Steel	-85	483.60
• length 450-480 mm	Brushed Stainless Steel	-86	483.60
• for ceiling substructure installation			

Shower

41 770 979



SERENITY SKY Rain panel for recessed ceiling installation

- exposed trim parts
- Rain panel with 2 different spray modes
- PURIFY RAIN, 175 x 175 mm, max. flow rate 10 l/min (at 3 bar)
- FULL RAIN, 455 x 315 mm, max. flow rate 14 l/min (at 3 bar)
- Rain panel, 600 x 420 mm
- min. recess depth 150 mm
- weight 15kg
- feed pipe (hot/cold): 2x DN 20
- with anti-scale system
- Recommended control element: xTool
- Not suitable for use in a steam room.

Fits MEM, CL.1, CYO, IMO, META, TARA, VAIA, LULU, LISSE, MADISON

Custom-made options

- Finish variants
- without logo

Standard article	41 770 979 FF	FF	Euro
Chrome		-00	2,942.20
Champagne (22kt Gold)		-47	6,472.80
Brushed Champagne (22kt Gold)		-46	6,472.80
Brushed Bronze		-42	4,707.50
Dark Chrome		-19	4,413.30
Brushed Dark Platinum		-99	5,296.00
Brushed Stainless Steel		-86	3,824.90

Product alternative

- FlowReduce
- PURIFY RAIN, max. flow rate 6.8 l/min (at 3 bar)
- FULL RAIN, max. flow rate 6.8 l/min (at 3 bar)

Standard article	41 772 979 FF	FF	Euro
Chrome		-00	2,942.20
Champagne (22kt Gold)		-47	6,472.80
Brushed Champagne (22kt Gold)		-46	6,472.80
Brushed Bronze		-42	4,707.50
Dark Chrome		-19	4,413.30
Brushed Dark Platinum		-99	5,296.00
Brushed Stainless Steel		-86	3,824.90

Required miscellaneous



SERENITY SKY Concealed ceiling installation box

Standard article	35 770 970 FF	FF	Euro
concealed rough parts	Concealed rough parts	90	2,042.90

- 2x female thread 1/2" connections
- flush-mounted reflection box, 662 x 482 mm, RAL 9003, Signal White
- min. recess depth 150 mm
- weight 15kg
- Recommended control element: xTool

For details and miscellaneous, see page 653

41 771 979



SERENITY SKY Rain panel for recessed ceiling installation with light

- exposed trim parts
- Rain panel with 2 different spray modes
- PURIFY RAIN, 175 x 175 mm, max. flow rate 10 l/min (at 3 bar)
- FULL RAIN, 455 x 315 mm, max. flow rate 14 l/min (at 3 bar)
- Rain panel, 600 x 420 mm
- min. recess depth 150 mm
- weight 15kg
- feed pipe (hot/cold): 2x DN 20
- with anti-scale system
- Recommended control element: xTool
- **Ceiling module power supply**
- 24V DC (CV)
- **Ambient lighting**
- LED coloured light RGBW
- Bulbs protected against splashing water
- **Activation**
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

Fits MEM, CL.1, CYO, IMO, META, TARA, VAIA, LULU, LISSE, MADISON

Custom-made options

- Finish variants
- without logo

Standard article	41 771 979 FF	FF	Euro
Chrome		-00	3,920.70
Champagne (22kt Gold)		-47	8,625.50
Brushed Champagne (22kt Gold)		-46	8,625.50
Brushed Bronze		-42	6,273.10
Dark Chrome		-19	5,881.10
Brushed Dark Platinum		-99	7,057.30
Brushed Stainless Steel		-86	5,097.00

Product alternative

- FlowReduce
- PURE RAIN, max. flow rate l/min (at 3 bar)
- FULL RAIN, max. flow rate 6.8 l/min (at 3 bar)

Standard article	41 773 979 FF	FF	Euro
Chrome		-00	3,920.70
Champagne (22kt Gold)		-47	8,625.50
Brushed Champagne (22kt Gold)		-46	8,625.50
Brushed Bronze		-42	6,273.10
Dark Chrome		-19	5,881.10
Brushed Dark Platinum		-99	7,057.30
Brushed Stainless Steel		-86	5,097.00

Required miscellaneous



SERENITY SKY Concealed ceiling installation box with light

Standard article	35 771 970 FF	FF	Euro
concealed rough parts	Concealed rough parts	90	2,723.80

- flush-mounted reflection box, 662 x 482 mm, RAL 9003, Signal White
- 2x female thread 1/2" connections
- min. recess depth 150 mm
- weight 15kg
- Supply pipe 7 mm
- Input 100-240V AC 50-60Hz
- Output 24V DC SELV / Class 2
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway

For details and miscellaneous, see page 653

41 780 979



SERENITY SKY+ Rain panel for recessed ceiling installation

- exposed trim parts
- Rain panel with 5 different flow modes
- Rain panel, 600 x 420 mm
- PURIFY RAIN, 175 x 175 mm, max. flow rate 10 l/min (at 3 bar)
- FULL RAIN, 455 x 315 mm, max. flow rate 14 l/min (at 3 bar)
- LAMINAR FLOW, max. flow rate 10 l/min (at 3 bar)
- AQUAPRESSURE FLOW, max. flow rate 9.4 l/min (at 3 bar)
- COOL MIST, max. flow rate 1 l/min (at 3 bar)
- min. recess depth 150 mm
- weight 15kg
- feed pipe (hot/cold): 2x DN 20
- with anti-scale system
- Recommended control element: xTool
- Not suitable for use in a steam room.

Fits MEM, CL.1, CYO, IMO, META, TARA, VAIA, LULU, LISSÉ, MADISON

Custom-made options

- Finish variants
- without logo

Standard article	41 780 979 FF	FF	Euro
Chrome		-00	3,920.70
Champagne (22kt Gold)		-47	8,625.50
Brushed Champagne (22kt Gold)		-46	8,625.50
Brushed Bronze		-42	6,273.10
Dark Chrome		-19	5,881.10
Brushed Dark Platinum		-99	7,057.30
Brushed Stainless Steel		-86	5,097.00

Required miscellaneous



SERENITY SKY+ Concealed ceiling installation box

- concealed rough parts
- 5x 1/2" female connector
- flush-mounted reflection box, 662 x 482 mm, RAL 9003, Signal White
- min. recess depth 150 mm
- weight 15kg

For details and miscellaneous, see page 653

	35 780 970 FF	FF	Euro
Concealed rough parts		90	2,723.80

41 781 979



SERENITY SKY+ Rain panel for recessed ceiling installation with light

- exposed trim parts
- Rain panel with 5 different flow modes
- Rain panel, 600 x 420 mm
- PURIFY RAIN, 175 x 175 mm, max. flow rate 10 l/min (at 3 bar)
- FULL RAIN, 455 x 315 mm, max. flow rate 14 l/min (at 3 bar)
- LAMINAR FLOW, max. flow rate 10 l/min (at 3 bar)
- AQUAPRESSURE FLOW, max. flow rate 9.4 l/min (at 3 bar)
- COOL MIST, max. flow rate 1 l/min (at 3 bar)
- min. recess depth 150 mm
- weight 15kg
- feed pipe (hot/cold): 2x DN 20
- with anti-scale system
- Recommended control element: xTool
- **Ceiling module power supply**
- 24V DC (CV)
- **Ambient lighting**
- LED coloured light RGBW
- Bulbs protected against splashing water
- **Activation**
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

includes light bulbs with a Class G energy efficiency

Fits MEM, CL.1, CYO, IMO, META, TARA, VAIA, LULU, LISSÉ, MADISON

Custom-made options

- Finish variants
- without logo

Standard article	41 781 979 FF	FF	Euro
Chrome		-00	4,900.50
Champagne (22kt Gold)		-47	10,781.10
Brushed Champagne (22kt Gold)		-46	10,781.10
Brushed Bronze		-42	7,840.90
Dark Chrome		-19	7,350.80
Brushed Dark Platinum		-99	8,820.90
Brushed Stainless Steel		-86	6,370.70

Required miscellaneous



SERENITY SKY+ Concealed ceiling installation box with light

- concealed rough parts
- 2x female thread 1/2" connections
- flush-mounted reflection box, 662 x 482 mm, RAL 9003, Signal White
- min. recess depth 150 mm
- weight 15kg
- Supply pipe 7 m
- Input 100-240V AC 50-60Hz
- Output 24V DC SELV / Class 2
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway

For details and miscellaneous, see page 654

	35 781 970 FF	FF	Euro
Concealed rough parts		90	3,401.20

Shower

28 029 979



Hand shower

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 1/2" connection

Intrinsic protection against back flow.

Fits MEM, CL.1, IMO, META, TARA, VAIA, LULU, LISSÉ, CYO

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	28 029 979 FF	FF	Euro
Chrome		-00	237.40
Brushed Chrome		-93	308.70
Platinum		-08	379.90
Brushed Platinum		-06	379.90
Light Gold		-26	356.20
Brushed Light Gold		-27	356.20
Champagne (22kt Gold)		-47	522.30
Brushed Champagne (22kt Gold)		-46	522.30
Brushed Durabronze (23kt Gold)		-28	498.50
Brushed Dark Brass		-39	379.90
Brushed Bronze		-42	379.90
Dark Chrome		-19	356.20
Brushed Dark Platinum		-99	427.30
Matte Black		-33	320.50

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 029 979 FF	FF	Euro
Chrome		-000010	237.40
Brushed Chrome		-930010	308.70
Platinum		-080010	379.90
Brushed Platinum		-060010	379.90
Light Gold		-260010	356.20
Brushed Light Gold		-270010	356.20
Champagne (22kt Gold)		-470010	522.30
Brushed Champagne (22kt Gold)		-460010	522.30
Brushed Durabronze (23kt Gold)		-280010	498.50
Brushed Dark Brass		-390010	379.90
Brushed Bronze		-420010	379.90
Dark Chrome		-190010	356.20
Brushed Dark Platinum		-990010	427.30
Matte Black		-330010	320.50

28 002 970



Metal hand shower with porcelain insert (white)

- COMPACT RAIN, max. flow rate 9 l/min (at 3 bar)
- Function from: 6 l/min
- spray head Ø 64mm
- 1/2" connection

Intrinsic protection against back flow.

Fits MADISON

Custom-made options

- Finish variants
- without logo

Standard article	28 002 970 FF	FF	Euro
Chrome		-00	306.00
Brushed Chrome		-93	397.90
Platinum		-08	489.40
Brushed Platinum		-06	489.40
Durabronze (23kt Gold)		-09	642.60
Brushed Durabronze (23kt Gold)		-28	642.60
Brushed Dark Brass		-39	489.70
Brushed Bronze		-42	489.70
Brushed Dark Platinum		-99	550.60

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 002 970 FF	FF	Euro
Chrome		-000010	306.00
Brushed Chrome		-930010	397.90
Platinum		-080010	489.40
Brushed Platinum		-060010	489.40
Durabronze (23kt Gold)		-090010	642.60
Brushed Durabronze (23kt Gold)		-280010	642.60
Brushed Dark Brass		-390010	489.70
Brushed Bronze		-420010	489.70
Brushed Dark Platinum		-990010	550.60

28 015 979



Hand shower

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- spray head Ø 100mm
- 1/2" connection

Intrinsic protection against back flow.

Fits MEM, CL.1, IMO, META, TARA, VAIA, LULU, LISSÉ, CYO

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	28 015 979 FF	FF	Euro
Chrome		-00	126.30
Brushed Chrome		-93	164.20
Platinum		-08	202.30
Brushed Platinum		-06	202.30
Light Gold		-26	189.40
Brushed Light Gold		-27	189.40
Champagne (22kt Gold)		-47	277.90
Brushed Champagne (22kt Gold)		-46	277.90
Brushed Durabronze (23kt Gold)		-28	265.20
Brushed Dark Brass		-39	202.10
Brushed Bronze		-42	202.00
Dark Chrome		-19	189.40
Brushed Dark Platinum		-99	227.20
Matte Black		-33	170.30

Product alternative

- FlowReduce
- Max. flow rate 5 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 025 979 FF	FF	Euro
Chrome		-000010	126.30
Brushed Chrome		-930010	164.20
Platinum		-080010	202.00
Brushed Platinum		-060010	202.00
Light Gold		-260010	189.40
Brushed Light Gold		-270010	189.40
Champagne (22kt Gold)		-470010	277.90
Brushed Champagne (22kt Gold)		-460010	277.90
Brushed Durabronze (23kt Gold)		-280010	265.20
Brushed Dark Brass		-390010	202.10
Brushed Bronze		-420010	202.00
Dark Chrome		-190010	189.40
Brushed Dark Platinum		-990010	227.30
Matte Black		-330010	170.50

Shower

28 017 979



Hand shower

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- spray head Ø 130 mm
- 1/2" connection

Intrinsic protection against back flow.

Fits MEM, CL.1, IMO, META, TARA, VAIA, LULU, LISSÉ, CYO

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	28 017 979 FF	FF	Euro
Chrome		-00	181.90
Brushed Chrome		-93	236.40
Platinum		-08	291.10
Brushed Platinum		-06	291.10
Light Gold		-26	272.80
Brushed Light Gold		-27	272.80
Champagne (22kt Gold)		-47	400.20
Brushed Champagne (22kt Gold)		-46	400.20
Brushed Durabronze (23kt Gold)		-28	382.00
Brushed Dark Brass		-39	291.10
Brushed Bronze		-42	291.00
Dark Chrome		-19	272.80
Brushed Dark Platinum		-99	327.30
Matte Black		-33	245.70

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 027 979 FF	FF	Euro
Chrome		-000010	181.90
Brushed Chrome		-930010	236.40
Platinum		-080010	291.00
Brushed Platinum		-060010	291.00
Light Gold		-260010	272.80
Brushed Light Gold		-270010	272.80
Champagne (22kt Gold)		-470010	400.20
Brushed Champagne (22kt Gold)		-460010	400.20
Brushed Durabronze (23kt Gold)		-280010	382.00
Brushed Dark Brass		-390010	291.10
Brushed Bronze		-420010	291.00
Dark Chrome		-190010	272.80
Brushed Dark Platinum		-990010	327.30
Matte Black		-330010	245.60

28 018 979



Hand shower

- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- spray head Ø 100mm
- 1/2" connection
- Function from: 7 l/min

Intrinsic protection against back flow.

Fits MEM, CL.1, IMO, META, TARA, VAIA, LULU, LISSÉ, CYO

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	28 018 979 FF	FF	Euro
Chrome		-00	135.80
Brushed Chrome		-93	176.50
Platinum		-08	217.10
Brushed Platinum		-06	217.10
Light Gold		-26	203.60
Brushed Light Gold		-27	203.60
Champagne (22kt Gold)		-47	298.80
Brushed Champagne (22kt Gold)		-46	298.80
Brushed Durabronze (23kt Gold)		-28	285.20
Brushed Dark Brass		-39	217.20
Brushed Bronze		-42	217.10
Dark Chrome		-19	203.60
Brushed Dark Platinum		-99	244.30
Matte Black		-33	183.20

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 018 979 FF	FF	Euro
Chrome		-000010	135.80
Brushed Chrome		-930010	176.50
Platinum		-080010	217.10
Brushed Platinum		-060010	217.10
Light Gold		-260010	203.60
Brushed Light Gold		-270010	203.60
Champagne (22kt Gold)		-470010	298.80
Brushed Champagne (22kt Gold)		-460010	298.80
Brushed Durabronze (23kt Gold)		-280010	285.20
Brushed Bronze		-420010	217.10
Brushed Dark Brass		-390010	217.20
Dark Chrome		-190010	203.60
Brushed Dark Platinum		-990010	244.40
Matte Black		-330010	183.20

Shower

28 016 979



Hand shower

- Three or five settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- spray head Ø 130 mm
- 1/2" connection

Intrinsic protection against back flow.

Fits MEM, CL.1, IMO, META, TARA, VAIA, LULU, LISSÉ, CYO

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	28 016 979 FF	FF	Euro
Chrome		-00	195.80
Brushed Chrome		-93	254.50
Platinum		-08	313.60
Brushed Platinum		-06	313.60
Light Gold		-26	293.80
Brushed Light Gold		-27	293.80
Champagne (22kt Gold)		-47	430.80
Brushed Champagne (22kt Gold)		-46	430.80
Brushed Durabronze (23kt Gold)		-28	411.20
Brushed Dark Brass		-39	313.30
Brushed Bronze		-42	313.30
Dark Chrome		-19	293.80
Brushed Dark Platinum		-99	352.60
Matte Black		-33	264.40

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 016 979 FF	FF	Euro
Chrome		-000010	195.80
Brushed Chrome		-930010	254.50
Platinum		-080010	313.50
Brushed Platinum		-060010	313.50
Light Gold		-260010	293.80
Brushed Light Gold		-270010	293.80
Champagne (22kt Gold)		-470010	430.80
Brushed Champagne (22kt Gold)		-460010	430.80
Brushed Durabronze (23kt Gold)		-280010	411.20
Brushed Dark Brass		-390010	313.30
Brushed Bronze		-420010	313.30
Dark Chrome		-190010	293.80
Brushed Dark Platinum		-990010	352.60
Matte Black		-330010	264.40

28 012 979



Hand shower

- Four settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, COMPACT CASCADE, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- spray head Ø 120mm
- 1/2" connection

Intrinsic protection against back flow.

Fits MEM, CL.1, IMO, META, TARA, VAIA, LULU, LISSÉ, CYO

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	28 012 979 FF	FF	Euro
Chrome		-00	236.10
Brushed Chrome		-93	306.80
Platinum		-08	377.70
Brushed Platinum		-06	377.70
Light Gold		-26	354.10
Brushed Light Gold		-27	354.10
Champagne (22kt Gold)		-47	519.40
Brushed Champagne (22kt Gold)		-46	519.40
Brushed Durabrass (23kt Gold)		-28	495.80
Brushed Dark Brass		-39	377.70
Brushed Bronze		-42	377.70
Dark Chrome		-19	354.10
Brushed Dark Platinum		-99	425.00
Matte Black		-33	318.70

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 012 979 FF	FF	Euro
Chrome		-000010	236.10
Brushed Chrome		-930010	306.80
Platinum		-080010	377.70
Brushed Platinum		-060010	377.70
Light Gold		-260010	354.10
Brushed Light Gold		-270010	354.10
Champagne (22kt Gold)		-470010	519.40
Brushed Champagne (22kt Gold)		-460010	519.40
Brushed Durabrass (23kt Gold)		-280010	495.80
Brushed Dark Brass		-390010	377.70
Brushed Bronze		-420010	377.70
Dark Chrome		-190010	354.10
Brushed Dark Platinum		-990010	425.00
Matte Black		-330010	318.70

28 002 978



Hand shower

- Three settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- spray head Ø 95mm
- 1/2" connection

Intrinsic protection against back flow.

Fits MADISON

Custom-made options

- Finish variants
- without logo

Standard article	28 002 978 FF	FF	Euro
Chrome		-00	236.10
Platinum		-08	377.70
Brushed Platinum		-06	377.70
Durabrass (23kt Gold)		-09	495.80
Brushed Durabrass (23kt Gold)		-28	495.80
Brushed Dark Brass		-39	377.70
Brushed Bronze		-42	377.70
Brushed Dark Platinum		-99	425.00

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	28 002 978 FF	FF	Euro
Chrome		-000010	236.10
Platinum		-080010	377.70
Brushed Platinum		-060010	377.70
Durabrass (23kt Gold)		-090010	495.80
Brushed Durabrass (23kt Gold)		-280010	495.80
Brushed Dark Brass		-390010	377.70
Brushed Bronze		-420010	377.70
Brushed Dark Platinum		-990010	425.00

Shower

27 802 660



Hand shower set with integrated shower holder

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection
- rosette Ø 60 mm
- 1/2" connection

Intrinsic protection against back flow.

Fits META, TARA

Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 802 660 FF	FF	Euro
Chrome		-00	455.30
Brushed Chrome		-93	591.80
Platinum		-08	728.70
Brushed Platinum		-06	728.70
Light Gold		-26	682.90
Brushed Light Gold		-27	682.90
Champagne (22kt Gold)		-47	1,001.70
Brushed Champagne (22kt Gold)		-46	1,001.70
Brushed Durabronze (23kt Gold)		-28	956.10
Brushed Dark Brass		-39	728.40
Brushed Bronze		-42	728.40
Dark Chrome		-19	682.80
Brushed Dark Platinum		-99	819.20
Matte Black		-33	614.90

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 802 660 FF	FF	Euro
Chrome		-000010	455.30
Brushed Chrome		-930010	591.80
Platinum		-080010	728.70
Brushed Platinum		-060010	728.70
Light Gold		-260010	682.90
Brushed Light Gold		-270010	682.90
Champagne (22kt Gold)		-470010	1,001.70
Brushed Champagne (22kt Gold)		-460010	1,001.70
Brushed Durabronze (23kt Gold)		-280010	956.10
Brushed Dark Brass		-390010	728.40
Brushed Bronze		-420010	728.40
Dark Chrome		-190010	682.80
Brushed Dark Platinum		-990010	819.20
Matte Black		-330010	614.90



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF | FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

27 802 970



- Hand shower set with integrated shower holder**
- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
 - with anti-scale system
 - 3/8" shower outlet
 - metal shower hose 1250mm with integrated anti-twist protection
 - rosette 60 x 60 mm
 - 1/2" connection

Intrinsic protection against back flow.

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 802 970 FF	FF	Euro
Chrome		-00	469.60
Brushed Chrome		-93	610.50
Platinum		-08	750.60
Brushed Platinum		-06	750.60
Brushed Light Gold		-27	704.40
Champagne (22kt Gold)		-47	1,033.10
Brushed Champagne (22kt Gold)		-46	1,033.10
Brushed Durabronze (23kt Gold)		-28	986.20
Brushed Dark Brass		-39	751.30
Brushed Bronze		-42	751.30
Dark Chrome		-19	704.50
Brushed Dark Platinum		-99	844.90
Matte Black		-33	634.20

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 802 970 FF	FF	Euro
Chrome		-000010	469.60
Brushed Chrome		-930010	610.50
Platinum		-080010	750.60
Brushed Platinum		-060010	750.60
Brushed Light Gold		-270010	704.40
Champagne (22kt Gold)		-470010	1,033.10
Brushed Champagne (22kt Gold)		-460010	1,033.10
Brushed Durabronze (23kt Gold)		-280010	986.20
Brushed Dark Brass		-390010	751.30
Brushed Bronze		-420010	751.30
Dark Chrome		-190010	704.50
Brushed Dark Platinum		-990010	844.90
Matte Black		-330010	634.20



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
	Concealed rough parts	90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

Shower

27 803 660



Hand shower set with integrated shower holder

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- 3/8" shower outlet
- metal shower hose 1250mm with integrated anti-twist protection
- rosette Ø 60 mm
- 1/2" connection
- Function from: 7 l/min

Intrinsic protection against back flow.

Fits META, TARA

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	27 803 660 FF	FF	Euro
Chrome		-00	441.10
Brushed Chrome		-93	573.50
Platinum		-08	705.70
Brushed Platinum		-06	705.70
Light Gold		-26	661.80
Brushed Light Gold		-27	661.80
Champagne (22kt Gold)		-47	970.40
Brushed Champagne (22kt Gold)		-46	970.40
Brushed Durabronze (23kt Gold)		-28	926.30
Brushed Dark Brass		-39	705.90
Brushed Bronze		-42	705.80
Dark Chrome		-19	661.90
Brushed Dark Platinum		-99	793.10
Matte Black		-33	594.70

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 803 660 FF	FF	Euro
Chrome		-000010	441.10
Brushed Chrome		-930010	573.50
Platinum		-080010	705.70
Brushed Platinum		-060010	705.70
Light Gold		-260010	661.80
Brushed Light Gold		-270010	661.80
Champagne (22kt Gold)		-470010	970.40
Brushed Champagne (22kt Gold)		-460010	970.40
Brushed Durabronze (23kt Gold)		-280010	926.30
Brushed Dark Brass		-390010	705.90
Brushed Bronze		-420010	705.80
Dark Chrome		-190010	661.90
Brushed Dark Platinum		-990010	793.10
Matte Black		-330010	594.70



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
	Concealed rough parts	90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

27 805 625



Hand shower set

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- spray head Ø 100mm
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- metal shower hose 1250mm with integrated anti-twist protection
- shower holder rosette Ø 55mm

Intrinsic protection against back flow.

Fits META, TARA

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	27 805 625 FF	FF	Euro
Chrome		-00	328.50
Brushed Chrome		-93	426.90
Brushed Platinum		-06	525.40
Light Gold		-26	492.60
Brushed Light Gold		-27	492.60
Champagne (22kt Gold)		-47	722.70
Brushed Champagne (22kt Gold)		-46	722.70
Brushed Durabronze (23kt Gold)		-28	689.90
Brushed Dark Brass		-39	525.50
Brushed Bronze		-42	525.50
Dark Chrome		-19	492.60
Brushed Dark Platinum		-99	591.20
Matte Black		-33	443.30

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 805 625 FF	FF	Euro
Chrome		-000010	328.50
Brushed Chrome		-930010	426.90
Brushed Platinum		-060010	525.40
Light Gold		-260010	492.60
Brushed Light Gold		-270010	492.60
Champagne (22kt Gold)		-470010	722.70
Brushed Champagne (22kt Gold)		-460010	722.70
Brushed Durabronze (23kt Gold)		-280010	689.90
Brushed Dark Brass		-390010	525.50
Brushed Bronze		-420010	525.50
Dark Chrome		-190010	492.60
Brushed Dark Platinum		-990010	591.20
Matte Black		-330010	443.30



Recommended miscellaneous

Wall elbow

28 450 625 FF

For details and miscellaneous, see main items

	28 450 625 FF	FF	Euro
Chrome		-00	115.70
Brushed Chrome		-93	150.40
Brushed Platinum		-06	185.20
Light Gold		-26	173.60
Brushed Light Gold		-27	173.60
Champagne (22kt Gold)		-47	254.50
Brushed Champagne (22kt Gold)		-46	254.50
Brushed Durabronze (23kt Gold)		-28	243.00
Brushed Dark Brass		-39	185.10
Brushed Bronze		-42	185.10
Dark Chrome		-19	173.60
Brushed Dark Platinum		-99	208.30
Matte Black		-33	155.90



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

Concealed rough parts 90 122.80

Shower

27 802 845



Hand shower set with individual rosettes

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 78mm
- rosette for shower holder 60 x 78mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow

Fits LISSÉ

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 802 845 FF	FF	Euro
Chrome		-00	493.40
Brushed Chrome		-93	641.40
Brushed Platinum		-06	789.40
Brushed Light Gold		-27	740.10
Dark Chrome		-19	740.10
Brushed Dark Platinum		-99	888.10
Matte Black		-33	666.20

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 802 845 FF	FF	Euro
Chrome		-000010	493.40
Brushed Chrome		-930010	641.40
Brushed Platinum		-060010	789.40
Brushed Light Gold		-270010	740.10
Dark Chrome		-190010	740.10
Brushed Dark Platinum		-990010	888.10
Matte Black		-330010	666.20



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

27 808 710



Hand shower set with individual rosettes

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 78 x 55mm
- rosette for shower holder 78 x 55mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow

Intrinsic protection against back flow.

Fits LULU

Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 808 710 FF	FF	Euro
Chrome		-00	687.00
Brushed Platinum		-06	1,099.30

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 808 710 FF	FF	Euro
Chrome		-000010	687.00
Brushed Platinum		-060010	1,099.30



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

27 803 361



Hand shower set with individual rosettes

- spray head Ø 64mm
- COMPACT RAIN, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- 1/2" shower outlet
- rosette for wall elbow Ø 55mm
- rosette for shower holder Ø 55mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- Function from: 6 l/min

Fits MADISON

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- without hand shower
- without logo

Product alternative

- Flow/Reduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 803 361 FF	FF	Euro
Chrome		-00	680.90
Platinum		-08	1,089.00
Brushed Platinum		-06	1,089.00
Durabrass (23kt Gold)		-09	1,429.90
Brushed Durabrass (23kt Gold)		-28	1,429.90
Brushed Dark Brass		-39	1,089.50
Brushed Bronze		-42	1,089.50
Brushed Dark Platinum		-99	1,225.70

Standard article	27 803 361 FF	FF	Euro
Chrome		-000010	680.90
Platinum		-080010	1,089.00
Brushed Platinum		-060010	1,089.00
Durabrass (23kt Gold)		-090010	1,429.90
Brushed Durabrass (23kt Gold)		-280010	1,429.90
Brushed Dark Brass		-390010	1,089.50
Brushed Bronze		-420010	1,089.50
Brushed Dark Platinum		-990010	1,225.70



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
	Concealed rough parts	90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

27 802 892



Hand shower set with individual rosettes

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 1/2" shower outlet
- rosette for wall elbow Ø 55mm
- rosette for shower holder Ø 55mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow

Intrinsic protection against back flow.

Fits TARA

Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Product alternative

- Flow/Reduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 802 892 FF	FF	Euro
Chrome		-00	611.20
Brushed Chrome		-93	794.50
Platinum		-08	978.30
Brushed Platinum		-06	978.30
Champagne (22kt Gold)		-47	1,344.60
Brushed Champagne (22kt Gold)		-46	1,344.60
Brushed Durabrass (23kt Gold)		-28	1,283.50
Brushed Dark Brass		-39	977.90
Brushed Bronze		-42	978.00
Dark Chrome		-19	916.90
Brushed Dark Platinum		-99	1,100.20
Matte Black		-33	825.40

Standard article	27 802 892 FF	FF	Euro
Chrome		-000010	611.20
Brushed Chrome		-930010	794.50
Platinum		-080010	978.30
Brushed Platinum		-060010	978.30
Champagne (22kt Gold)		-470010	1,344.60
Brushed Champagne (22kt Gold)		-460010	1,344.60
Brushed Durabrass (23kt Gold)		-280010	1,283.50
Brushed Dark Brass		-390010	977.90
Brushed Bronze		-420010	978.00
Dark Chrome		-190010	916.90
Brushed Dark Platinum		-990010	1,100.20
Matte Black		-330010	825.40



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
	Concealed rough parts	90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

Shower

27 808 809



Hand shower set with individual rosettes

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow Ø 60mm
- rosette for shower holder Ø 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow

Intrinsic protection against back flow.

Fits VAIA

Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 808 809 FF	FF	Euro
Chrome		-00	672.50
Platinum		-08	1,076.10
Brushed Platinum		-06	1,076.10
Champagne (22kt Gold)		-47	1,479.50
Brushed Champagne (22kt Gold)		-46	1,479.50
Brushed Durabronze (23kt Gold)		-28	1,412.30
Brushed Dark Brass		-39	1,075.90
Brushed Bronze		-42	1,076.00
Dark Chrome		-19	1,008.80
Brushed Dark Platinum		-99	1,210.60

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 808 809 FF	FF	Euro
Chrome		-000010	672.50
Platinum		-080010	1,076.10
Brushed Platinum		-060010	1,076.10
Champagne (22kt Gold)		-470010	1,479.50
Brushed Champagne (22kt Gold)		-460010	1,479.50
Brushed Durabronze (23kt Gold)		-280010	1,412.30
Brushed Dark Brass		-390010	1,075.90
Brushed Bronze		-420010	1,076.00
Dark Chrome		-190010	1,008.80
Brushed Dark Platinum		-990010	1,210.60



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
	Concealed rough parts	90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

27 808 980



Hand shower set with individual rosettes

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow

Intrinsic protection against back flow.

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 808 980 FF	FF	Euro
Chrome		-00	708.60
Brushed Chrome		-93	921.20
Platinum		-08	1,133.70
Brushed Platinum		-06	1,133.70
Brushed Light Gold		-27	1,063.00
Champagne (22kt Gold)		-47	1,558.90
Brushed Champagne (22kt Gold)		-46	1,558.90
Brushed Durabronze (23kt Gold)		-28	1,488.10
Brushed Dark Brass		-39	1,133.80
Brushed Bronze		-42	1,133.80
Dark Chrome		-19	1,062.90
Brushed Dark Platinum		-99	1,275.20
Matte Black		-33	956.80

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 808 980 FF	FF	Euro
Chrome		-000010	708.60
Brushed Chrome		-930010	921.20
Platinum		-080010	1,133.70
Brushed Platinum		-060010	1,133.70
Brushed Light Gold		-270010	1,063.00
Champagne (22kt Gold)		-470010	1,558.90
Brushed Champagne (22kt Gold)		-460010	1,558.90
Brushed Durabronze (23kt Gold)		-280010	1,488.10
Brushed Dark Brass		-390010	1,133.80
Brushed Bronze		-420010	1,133.80
Dark Chrome		-190010	1,062.90
Brushed Dark Platinum		-990010	1,275.20
Matte Black		-330010	956.80



Recommended miscellaneous

Concealed wall elbow 35 085 970 FF FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

27 803 845



Hand shower set with individual rosettes

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 78mm
- rosette for shower holder 60 x 78mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow

Intrinsic protection against back flow.

Fits LISSÉ

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	27 803 845 FF	FF	Euro
Chrome		-00	476.50
Brushed Chrome		-93	619.40
Brushed Platinum		-06	762.50
Brushed Light Gold		-27	714.70
Dark Chrome		-19	714.70
Brushed Dark Platinum		-99	857.60
Matte Black		-33	643.00

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 803 845 FF	FF	Euro
Chrome		-000010	476.50
Brushed Chrome		-930010	619.40
Brushed Platinum		-060010	762.50
Brushed Light Gold		-270010	714.70
Dark Chrome		-190010	714.70
Brushed Dark Platinum		-990010	857.60
Matte Black		-330010	643.00



Recommended miscellaneous

Concealed wall elbow 35 085 970 FF FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80
- For details and miscellaneous, see page 645

Shower

27 803 892



Hand shower set with individual rosettes

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- three settings: normal flow, soft flow, massage flow
- with anti-scale system
- 1/2" shower outlet
- rosette for wall elbow Ø 55mm
- rosette for shower holder Ø 55mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow

Intrinsic protection against back flow.

Fits TARA

Custom-made options

- Finish variants
- Flow rate modification
- without logo

Standard article	27 803 892 FF	FF	Euro
Chrome		-00	599.20
Brushed Chrome		-93	778.90
Platinum		-08	958.50
Brushed Platinum		-06	958.50
Champagne (22kt Gold)		-47	1,318.20
Brushed Champagne (22kt Gold)		-46	1,318.20
Brushed Durabronze (23kt Gold)		-28	1,258.30
Brushed Dark Brass		-39	958.60
Brushed Bronze		-42	958.70
Dark Chrome		-19	898.90
Brushed Dark Platinum		-99	1,078.70
Matte Black		-33	808.80

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 803 892 FF	FF	Euro
Chrome		-000010	599.20
Brushed Chrome		-930010	778.90
Platinum		-080010	958.50
Brushed Platinum		-060010	958.50
Champagne (22kt Gold)		-470010	1,318.20
Brushed Champagne (22kt Gold)		-460010	1,318.20
Brushed Durabronze (23kt Gold)		-280010	1,258.30
Brushed Dark Brass		-390010	958.60
Brushed Bronze		-420010	958.70
Dark Chrome		-190010	898.90
Brushed Dark Platinum		-990010	1,078.70
Matte Black		-330010	808.80



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
----------------------	---------------	----	------

- min. recess depth 90 mm
 - max. recess depth 163 mm
- Concealed rough parts **90** 122.80

For details and miscellaneous, see page 645

27 809 985



Hand shower set with individual rosettes with volume control

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with volume control
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 60mm
- rosette for shower holder 60 x 60mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow

Fits MEM, CL.1, CYO

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 809 985 FF	FF	Euro
Chrome		-00	930.10
Brushed Chrome		-93	1,209.10
Platinum		-08	1,488.00
Brushed Platinum		-06	1,488.20
Brushed Light Gold		-27	1,395.20
Champagne (22kt Gold)		-47	2,046.20
Brushed Champagne (22kt Gold)		-46	2,046.20
Brushed Durabronze (23kt Gold)		-28	1,953.20
Brushed Dark Brass		-39	1,488.10
Brushed Bronze		-42	1,488.10
Dark Chrome		-19	1,395.20
Brushed Dark Platinum		-99	1,674.10

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 809 985 FF	FF	Euro
Chrome		-000010	930.10
Brushed Chrome		-930010	1,209.10
Platinum		-080010	1,488.00
Brushed Platinum		-060010	1,488.20
Brushed Light Gold		-270010	1,395.20
Champagne (22kt Gold)		-470010	2,046.20
Brushed Champagne (22kt Gold)		-460010	2,046.20
Brushed Durabronze (23kt Gold)		-280010	1,953.20
Brushed Dark Brass		-390010	1,488.10
Brushed Bronze		-420010	1,488.10
Dark Chrome		-190010	1,395.20
Brushed Dark Platinum		-990010	1,674.10



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
	Concealed rough parts	90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

Shower

27 806 625



Hand shower set

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- rosette Ø 55 mm
- metal shower hose 1250mm with integrated anti-twist protection
- shower holder rosette Ø 55mm

Intrinsic protection against back flow.

Fits META, TARA

Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 806 625 FF	FF	Euro
Chrome		-00	338.60
Brushed Chrome		-93	440.20
Brushed Platinum		-06	542.00
Light Gold		-26	508.00
Brushed Light Gold		-27	508.00
Champagne (22kt Gold)		-47	744.90
Brushed Champagne (22kt Gold)		-46	744.90
Brushed Durabronze (23kt Gold)		-28	711.10
Brushed Dark Brass		-39	541.70
Brushed Bronze		-42	541.80
Dark Chrome		-19	507.90
Brushed Dark Platinum		-99	609.50
Matte Black		-33	456.60

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 806 625 FF	FF	Euro
Chrome		-000010	338.60
Brushed Chrome		-930010	440.20
Brushed Platinum		-060010	542.00
Light Gold		-260010	508.00
Brushed Light Gold		-270010	508.00
Champagne (22kt Gold)		-470010	744.90
Brushed Champagne (22kt Gold)		-460010	744.90
Brushed Durabronze (23kt Gold)		-280010	711.10
Brushed Dark Brass		-390010	541.70
Brushed Bronze		-420010	541.80
Dark Chrome		-190010	507.90
Brushed Dark Platinum		-990010	609.50
Matte Black		-330010	456.60



Recommended miscellaneous

Wall elbow

28 450 625 FF

For details and miscellaneous, see main items

	28 450 625 FF	FF	Euro
Chrome		-00	115.70
Brushed Chrome		-93	150.40
Brushed Platinum		-06	185.20
Light Gold		-26	173.60
Brushed Light Gold		-27	173.60
Champagne (22kt Gold)		-47	254.50
Brushed Champagne (22kt Gold)		-46	254.50
Brushed Durabronze (23kt Gold)		-28	243.00
Brushed Dark Brass		-39	185.10
Brushed Bronze		-42	185.10
Dark Chrome		-19	173.60
Brushed Dark Platinum		-99	208.30
Matte Black		-33	155.90



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

	35 085 970 FF	FF	Euro
Concealed rough parts		90	122.80

27 818 980



Hand shower set with cover plate

- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- cover plate 240 x 60 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow

Intrinsic protection against back flow.

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- Flow rate modification
- without hand shower
- without logo

Standard article	27 818 980 FF	FF	Euro
Chrome		-00	842.40
Brushed Chrome		-93	1,095.30
Platinum		-08	1,348.30
Brushed Platinum		-06	1,347.70
Brushed Light Gold		-27	1,263.80
Champagne (22kt Gold)		-47	1,853.30
Brushed Champagne (22kt Gold)		-46	1,853.30
Brushed Durabronze (23kt Gold)		-28	1,769.00
Brushed Dark Brass		-39	1,347.90
Brushed Bronze		-42	1,347.90
Dark Chrome		-19	1,263.80
Brushed Dark Platinum		-99	1,516.40
Matte Black		-33	1,137.30

Product alternative

- FlowReduce
- Max. flow rate 6.8 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 818 980 FF	FF	Euro
Chrome		-000010	842.40
Brushed Chrome		-930010	1,095.30
Platinum		-080010	1,348.30
Brushed Platinum		-060010	1,347.70
Brushed Light Gold		-270010	1,263.80
Champagne (22kt Gold)		-470010	1,853.30
Brushed Champagne (22kt Gold)		-460010	1,853.30
Brushed Durabronze (23kt Gold)		-280010	1,769.00
Brushed Dark Brass		-390010	1,347.90
Brushed Bronze		-420010	1,347.90
Dark Chrome		-190010	1,263.80
Brushed Dark Platinum		-990010	1,516.40
Matte Black		-330010	1,137.30



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			
	Concealed rough parts	90	122.80

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

Shower

36 525 979



WATER POINTS Concealed body spray

- HORIZONTAL RAIN, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- cover plate 120 x 120 mm

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	36 525 979 FF	FF	Euro
Chrome		-00	549.80
Brushed Chrome		-93	714.70
Platinum		-08	879.60
Brushed Platinum		-06	879.60
Light Gold		-26	824.70
Brushed Light Gold		-27	824.70
Champagne (22kt Gold)		-47	1,209.60
Brushed Champagne (22kt Gold)		-46	1,209.60
Brushed Durabronze (23kt Gold)		-28	1,154.60
Brushed Dark Brass		-39	879.70
Brushed Bronze		-42	879.60
Dark Chrome		-19	824.70
Brushed Dark Platinum		-99	989.50
Matte Black		-33	742.20

Product alternative

- FlowReduce
- Max. flow rate 6 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 515 979 FF	FF	Euro
Chrome		-00	549.80
Brushed Chrome		-93	714.70
Platinum		-08	879.20
Brushed Platinum		-06	879.20
Light Gold		-26	824.70
Brushed Light Gold		-27	824.70
Champagne (22kt Gold)		-47	1,209.60
Brushed Champagne (22kt Gold)		-46	1,209.60
Brushed Durabronze (23kt Gold)		-28	1,154.60
Brushed Dark Brass		-39	879.70
Brushed Bronze		-42	879.60
Dark Chrome		-19	824.80
Brushed Dark Platinum		-99	989.50
Matte Black		-33	742.00



Required miscellaneous

Concealed wall installation box

	35 205 970 FF	FF	Euro
• min. recess depth 85 mm			
• max. recess depth 110 mm			
For details and miscellaneous, see page 645			
	Concealed rough parts	90	223.00



Required miscellaneous

xGRID Installation track 555 mm

	12 360 970 FF	FF	Euro
For details and miscellaneous, see page 655			
	Concealed rough parts	90	112.20

36 527 979



WATER BAR Concealed body spray

- HORIZONTAL RAIN, max. flow rate 9 l/min (at 3 bar)
- with anti-scale system
- cover plate 240 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	36 527 979 FF	FF	Euro
Chrome		-00	849.00
Brushed Chrome		-93	1,103.60
Platinum		-08	1,358.50
Brushed Platinum		-06	1,358.50
Light Gold		-26	1,273.50
Brushed Light Gold		-27	1,273.50
Champagne (22kt Gold)		-47	1,867.80
Brushed Champagne (22kt Gold)		-46	1,867.80
Brushed Durabronze (23kt Gold)		-28	1,782.90
Brushed Dark Brass		-39	1,358.50
Brushed Bronze		-42	1,358.50
Dark Chrome		-19	1,273.50
Brushed Dark Platinum		-99	1,528.20
Matte Black		-33	1,146.10

Product alternative

- FlowReduce
- Max. flow rate 6 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 517 979 FF	FF	Euro
Chrome		-00	849.00
Brushed Chrome		-93	1,103.60
Platinum		-08	1,358.70
Brushed Platinum		-06	1,358.70
Light Gold		-26	1,273.50
Brushed Light Gold		-27	1,273.50
Champagne (22kt Gold)		-47	1,867.80
Brushed Champagne (22kt Gold)		-46	1,867.80
Brushed Durabronze (23kt Gold)		-28	1,782.90
Brushed Dark Brass		-39	1,358.50
Brushed Bronze		-42	1,358.50
Dark Chrome		-19	1,273.50
Brushed Dark Platinum		-99	1,527.90
Matte Black		-33	1,168.80

Required miscellaneous



Concealed wall installation box

35 206 970 FF FF Euro

- min. recess depth 100 mm
 - max. recess depth 173 mm
- For details and miscellaneous, see page 645

Concealed rough parts **90** 301.70

Required miscellaneous



xGRID Installation track

555 mm 12 360 970 FF FF Euro

For details and miscellaneous, see page 655

Concealed rough parts **90** 112.20

36 514 979



WATER CURVE Concealed body spray

- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- cover plate 120 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	36 514 979 FF	FF	Euro
Chrome		-00	1,104.80
Brushed Chrome		-93	1,436.20
Platinum		-08	1,767.70
Brushed Platinum		-06	1,767.70
Light Gold		-26	1,657.20
Brushed Light Gold		-27	1,657.20
Champagne (22kt Gold)		-47	2,430.60
Brushed Champagne (22kt Gold)		-46	2,430.60
Brushed Durabronze (23kt Gold)		-28	2,320.10
Brushed Dark Brass		-39	1,767.70
Brushed Bronze		-42	1,767.80
Dark Chrome		-19	1,657.10
Brushed Dark Platinum		-99	1,988.70
Matte Black		-33	1,491.20

Recommended miscellaneous



Concealed wall elbow

35 085 970 FF FF Euro

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

Concealed rough parts **90** 122.80

Shower

36 513 979



WATER FAN vertical Concealed body spray

- AQUAPRESSURE FLOW, max. flow rate 10 l/min (at 3 bar)
- water jet adjustable
- cover plate 240 x 60 mm
- 1/2" connection

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	36 513 979 FF	FF	Euro
Chrome		-00	824.20
Brushed Chrome		-93	1,071.50
Platinum		-08	1,319.20
Brushed Platinum		-06	1,319.20
Light Gold		-26	1,236.30
Brushed Light Gold		-27	1,236.30
Champagne (22kt Gold)		-47	1,813.20
Brushed Champagne (22kt Gold)		-46	1,813.20
Brushed Durabronze (23kt Gold)		-28	1,730.80
Brushed Dark Brass		-39	1,318.70
Brushed Bronze		-42	1,318.70
Dark Chrome		-19	1,236.30
Brushed Dark Platinum		-99	1,483.40
Matte Black		-33	1,134.80

Product alternative

- horizontal water jet
- Max. flow rate 10 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	36 512 979 FF	FF	Euro
Chrome		-00	824.20
Brushed Chrome		-93	1,071.50
Platinum		-08	1,319.20
Brushed Platinum		-06	1,319.20
Light Gold		-26	1,236.30
Brushed Light Gold		-27	1,236.30
Champagne (22kt Gold)		-47	1,813.20
Brushed Champagne (22kt Gold)		-46	1,813.20
Brushed Durabronze (23kt Gold)		-28	1,730.80
Brushed Dark Brass		-39	1,318.70
Brushed Bronze		-42	1,318.70
Dark Chrome		-19	1,236.30
Brushed Dark Platinum		-99	1,483.40
Matte Black		-33	1,134.80

Required miscellaneous



Concealed wall installation box

35 206 970 FF

	Concealed rough parts	FF	Euro
• min. recess depth 100 mm		90	301.70
• max. recess depth 173 mm			

For details and miscellaneous, see page 645

Required miscellaneous



xGRID Installation track

555 mm 12 360 970 FF

	Concealed rough parts	FF	Euro
For details and miscellaneous, see page 655		90	112.20

13 415 979



WATER SHEET Cascade spout for wall mounting

- 150mm projection
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	13 415 979 FF	FF	Euro
Chrome		-00	1,137.90
Brushed Chrome		-93	1,479.30
Platinum		-08	1,820.60
Brushed Platinum		-06	1,820.60
Light Gold		-26	1,706.90
Brushed Light Gold		-27	1,706.90
Champagne (22kt Gold)		-47	2,503.40
Brushed Champagne (22kt Gold)		-46	2,503.40
Brushed Durabronze (23kt Gold)		-28	2,389.60
Brushed Dark Brass		-39	1,820.70
Brushed Bronze		-42	1,820.70
Dark Chrome		-19	1,707.00
Brushed Dark Platinum		-99	2,048.20
Matte Black		-33	1,535.90

Recommended miscellaneous




Concealed wall elbow

35 085 970 FF

	Concealed rough parts	FF	Euro
• min. recess depth 90 mm		90	122.80
• max. recess depth 163 mm			

For details and miscellaneous, see page 645

13 420 979



WATER FALL Cascade spout for wall mounting

- 120mm projection
- CASCADE, max. flow rate 26.5 l/min (at 3 bar)
- cover plate 240 x 60 mm
- 1/2" connection
- plug-link mounting

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	13 420 979 FF	FF	Euro
Chrome		-00	1,625.60
Brushed Chrome		-93	2,113.40
Platinum		-08	2,601.50
Brushed Platinum		-06	2,601.50
Light Gold		-26	2,438.50
Brushed Light Gold		-27	2,438.50
Champagne (22kt Gold)		-47	3,576.30
Brushed Champagne (22kt Gold)		-46	3,576.30
Brushed Durabronze (23kt Gold)		-28	3,413.80
Brushed Dark Brass		-39	2,601.10
Brushed Bronze		-42	2,601.10
Dark Chrome		-19	2,438.60
Matte Black		-33	2,194.90



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
		90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

13 425 979



WATER FALL Cascade spout with individual jets for wall mounting

- 22mm projection
- PEARLSTREAM
- plate 240 mm x 60 mm
- connection 1/2", for shortening
- plug-link mounting
- Max. flow rate 9.5 l/min (at 3 bar)

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	13 425 979 FF	FF	Euro
Chrome		-00	1,208.00
Brushed Chrome		-93	1,570.30
Platinum		-08	1,932.80
Brushed Platinum		-06	1,932.80
Light Gold		-26	1,812.00
Brushed Light Gold		-27	1,812.00
Champagne (22kt Gold)		-47	2,657.60
Brushed Champagne (22kt Gold)		-46	2,657.60
Brushed Durabronze (23kt Gold)		-28	2,536.80
Brushed Dark Brass		-39	1,932.80
Brushed Bronze		-42	1,932.80
Dark Chrome		-19	1,811.80
Brushed Dark Platinum		-99	2,174.10
Matte Black		-33	1,630.70



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
		90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

Shower

27 838 979



Affusion pipe with cover plate

- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- 3/8" shower outlet
- cover plate 240 x 60 mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" connection
- plug-link mounting

Intrinsic protection against back flow.

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	27 838 979 FF	FF	Euro
Chrome		-00	903.00
Brushed Chrome		-93	1,173.90
Platinum		-08	1,444.70
Brushed Platinum		-06	1,444.70
Brushed Light Gold		-27	1,354.60
Champagne (22kt Gold)		-47	1,986.60
Brushed Champagne (22kt Gold)		-46	1,986.60
Brushed Durabronze (23kt Gold)		-28	1,896.30
Brushed Dark Brass		-39	1,444.80
Brushed Bronze		-42	1,444.80
Dark Chrome		-19	1,354.60
Brushed Dark Platinum		-99	1,625.20
Matte Black		-33	1,219.00

Product alternative

- FlowReduce
- Max. flow rate 7 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 858 979 FF	FF	Euro
Chrome		-00	903.00
Brushed Chrome		-93	1,173.90
Platinum		-08	1,444.80
Brushed Platinum		-06	1,444.80
Brushed Light Gold		-27	1,354.60
Champagne (22kt Gold)		-47	1,986.60
Brushed Champagne (22kt Gold)		-46	1,986.60
Brushed Durabronze (23kt Gold)		-28	1,896.30
Brushed Dark Brass		-39	1,444.80
Brushed Bronze		-42	1,444.80
Dark Chrome		-19	1,354.60
Brushed Dark Platinum		-99	1,625.30
Matte Black		-33	1,219.00



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
		90	122.80

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

27 821 979 +
28 285 979



WATER TUBE Kneipp wall elbow

- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- with volume control
- individual rosette 60 x 60 mm
- holder for Kneipp hose
- 1/2" wall elbow
- hose nozzle with sleeve M33
- with holding ring

Intrinsic protection against back flow.

Fits CL.1, CYO, IMO, MEM

Custom-made options

- Finish variants
- without logo

Set	1x 27 821 979 FF max. flow 15 l/min		1x 28 285 979 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	685.30	-00	104.90	790.20
Brushed Chrome	-93	891.00	-93	136.30	1,027.30
Platinum	-08	1,096.50	-08	167.70	1,264.20
Brushed Platinum	-06	1,096.50	-06	167.80	1,264.30
Brushed Light Gold	-27	1,028.00	-27	157.30	1,185.30
Champagne (22kt Gold)	-47	1,507.70	-47	230.80	1,738.50
Brushed Champagne (22kt Gold)	-46	1,507.70	-46	230.80	1,738.50
Brushed Durabronze (23kt Gold)	-28	1,439.10	-28	220.30	1,659.40
Brushed Dark Brass	-39	1,096.40	-39	167.80	1,264.20
Brushed Bronze	-42	1,096.40	-42	167.80	1,264.20
Dark Chrome	-19	1,028.00	-19	157.30	1,185.30
Brushed Dark Platinum	-99	1,233.70	-99	188.70	1,422.40
Matte Black	-33	925.10	-33	141.50	1,066.60

Product alternative

- FlowReduce
- Max. flow rate 9 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 841 979 FF	FF	Euro
Chrome		-00	685.30
Brushed Chrome		-93	891.00
Platinum		-08	1,096.50
Brushed Platinum		-06	1,096.50
Brushed Light Gold		-27	1,028.00
Champagne (22kt Gold)		-47	1,507.70
Brushed Champagne (22kt Gold)		-46	1,507.70
Brushed Durabronze (23kt Gold)		-28	1,439.10
Brushed Dark Brass		-39	1,096.40
Brushed Bronze		-42	1,096.40
Dark Chrome		-19	685.30
Brushed Dark Platinum		-99	1,233.50
Matte Black		-33	925.10



Recommended miscellaneous

WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

	28 286 979 FF	FF	Euro
Chrome		-00	104.90
Brushed Chrome		-93	136.30
Platinum		-08	167.70
Brushed Platinum		-06	167.80
Brushed Light Gold		-27	157.30
Champagne (22kt Gold)		-47	230.80
Brushed Champagne (22kt Gold)		-46	230.80
Brushed Durabronze (23kt Gold)		-28	220.30
Brushed Dark Brass		-39	167.80
Brushed Bronze		-42	167.80
Dark Chrome		-19	157.30
Brushed Dark Platinum		-99	188.70
Matte Black		-33	141.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
 - max. recess depth 163 mm
- For details and miscellaneous, see page 645

	35 085 970 FF	FF	Euro
Concealed rough parts		90	122.80

Shower

27 823 979 +
28 285 979



WATER TUBE Kneipp wall elbow with hose holder with individual rosettes

- LAMINAR FLOW, max. flow rate 15 l/min (at 3 bar)
- with volume control
- rosettes Ø 60 mm
- holder for Kneipp hose
- 1/2" wall elbow

Intrinsic protection against back flow.

Fits META, TARA, VAIA, LISSÉ

Custom-made options

- Finish variants
- without logo

Set	1x 27 823 979 FF max. flow 15 l/min		1x 28 285 979 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	589.50	-00	104.90	694.40
Brushed Chrome	-93	766.30	-93	136.30	902.60
Platinum	-08	943.20	-08	167.70	1,110.90
Brushed Platinum	-06	943.20	-06	167.80	1,111.00
Light Gold	-26	884.30	-26	157.30	1,041.60
Brushed Light Gold	-27	884.30	-27	157.30	1,041.60
Champagne (22kt Gold)	-47	1,296.90	-47	230.80	1,527.70
Brushed Champagne (22kt Gold)	-46	1,296.90	-46	230.80	1,527.70
Brushed Durabronze (23kt Gold)	-28	1,238.00	-28	220.30	1,458.30
Brushed Dark Brass	-39	943.20	-39	167.80	1,111.00
Brushed Bronze	-42	943.30	-42	167.80	1,111.10
Dark Chrome	-19	884.00	-19	157.30	1,041.30
Brushed Dark Platinum	-99	1,061.00	-99	188.70	1,249.70
Matte Black	-33	795.70	-33	141.50	937.20

Product alternative

- FlowReduce
- Max. flow rate 9 l/min (at 3 bar)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Standard article	27 843 979 FF	FF	Euro
Chrome		-00	589.50
Brushed Chrome		-93	766.30
Platinum		-08	943.30
Brushed Platinum		-06	943.30
Light Gold		-26	884.30
Brushed Light Gold		-27	884.30
Champagne (22kt Gold)		-47	1,296.90
Brushed Champagne (22kt Gold)		-46	1,296.90
Brushed Durabronze (23kt Gold)		-28	1,238.00
Brushed Dark Brass		-39	943.20
Brushed Bronze		-42	943.30
Dark Chrome		-19	884.30
Brushed Dark Platinum		-99	1,061.10
Matte Black		-33	795.90



Recommended miscellaneous

WATER TUBE Kneipp hose black 2000 mm

- hose nozzle with sleeve M33
- with holding ring

	28 286 979 FF	FF	Euro
Chrome		-00	104.90
Brushed Chrome		-93	136.30
Platinum		-08	167.70
Brushed Platinum		-06	167.80
Light Gold		-26	157.30
Brushed Light Gold		-27	157.30
Champagne (22kt Gold)		-47	230.80
Brushed Champagne (22kt Gold)		-46	230.80
Brushed Durabronze (23kt Gold)		-28	220.30
Brushed Dark Brass		-39	167.80
Brushed Bronze		-42	167.80
Dark Chrome		-19	157.30
Brushed Dark Platinum		-99	188.70
Matte Black		-33	141.50



Recommended miscellaneous

Concealed wall elbow

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

	35 085 970 FF	FF	Euro
Concealed rough parts		90	122.80

Accessories - Bathroom



Accessories

from page 626

WC flush plates

from page 628

Mirror

from page 631

Towel warmer

from page 630

Accessories - Bathroom

83 030 976



Bath grip

- gauge 278 mm
- width 320mm
- Height: 35 mm
- 89mm projection

Standard article	83 030 976 FF	FF	Euro
Chrome		-00	233.20
Brushed Chrome		-93	303.10
Brushed Platinum		-06	373.10
Brushed Light Gold		-27	349.80
Dark Chrome		-19	349.80
Brushed Dark Platinum		-99	419.70
Matte Black		-33	314.80

83 400 976



Tumbler holder

- gauge 90 mm
- width 140mm
- Height: 152 mm
- 103mm projection
- crystal glass brush holder, matte

Standard article	83 400 976 FF	FF	Euro
Chrome		-00	220.20
Brushed Chrome		-93	286.20
Brushed Platinum		-06	352.40
Brushed Light Gold		-27	330.30
Dark Chrome		-19	330.30
Brushed Dark Platinum		-99	396.30
Matte Black		-33	297.30

83 410 976



Soap dish

- gauge 90 mm
- width 140mm
- Height: 95 mm
- 103mm projection
- crystal glass brush holder, matte

Standard article	83 410 976 FF	FF	Euro
Chrome		-00	220.30
Brushed Chrome		-93	286.40
Brushed Platinum		-06	352.50
Brushed Light Gold		-27	330.50
Dark Chrome		-19	330.50
Brushed Dark Platinum		-99	396.60
Matte Black		-33	297.50

83 433 976



Shelf

- width 300mm
- 121mm projection

Standard article	83 433 976 FF	FF	Euro
Chrome		-00	400.80
Brushed Chrome		-93	521.00
Brushed Platinum		-06	641.30
Brushed Light Gold		-27	601.20
Dark Chrome		-19	601.20
Brushed Dark Platinum		-99	721.40
Matte Black		-33	541.10

83 430 976



Lotion dispenser

- gauge 90 mm
- width 140mm
- Height: 130 mm
- 103mm projection
- Crystal glass container, frosted

Standard article	83 430 976 FF	FF	Euro
Chrome		-00	253.50
Brushed Chrome		-93	329.50
Brushed Platinum		-06	405.60
Brushed Light Gold		-27	380.30
Dark Chrome		-19	380.30
Brushed Dark Platinum		-99	456.30
Matte Black		-33	342.20

83 500 670



Tissue holder without cover

- width 166mm
- height 60 mm
- 73mm projection

Custom-made options

- Finish variants

Standard article	83 500 670 FF	FF	Euro
Chrome		-00	270.40
Brushed Chrome		-93	351.50
Brushed Platinum		-06	432.60
Dark Chrome		-19	405.60
Matte Black		-33	365.10

83 500 976



Tissue holder

- gauge 61 mm
- width 155mm
- Height: 37 mm
- 89mm projection

Standard article	83 500 976 FF	FF	Euro
Chrome		-00	185.10
Brushed Chrome		-93	240.60
Brushed Platinum		-06	296.10
Brushed Light Gold		-27	277.70
Dark Chrome		-19	277.70
Brushed Dark Platinum		-99	333.20
Matte Black		-33	249.90

83 515 976



Tissue holder with shelf

- gauge 90 mm
- width 145mm
- Height: 73 mm
- 103mm projection

Standard article	83 515 976 FF	FF	Euro
Chrome		-00	275.60
Brushed Chrome		-93	358.30
Brushed Platinum		-06	441.00
Brushed Light Gold		-27	413.40
Dark Chrome		-19	413.40
Brushed Dark Platinum		-99	496.20
Matte Black		-33	372.10

83 525 976



Tissue holder

- gauge 230 mm
- width 285mm
- Height: 51 mm
- 103mm projection

Standard article	83 525 976 FF	FF	Euro
Chrome		-00	430.00
Brushed Chrome		-93	559.10
Brushed Platinum		-06	688.00
Brushed Light Gold		-27	645.10
Dark Chrome		-19	645.10
Brushed Dark Platinum		-99	774.00
Matte Black		-33	580.50

83 590 976



Reserve tissue holder

- gauge 61 mm
- width 90mm
- Height: 155 mm
- 132mm projection

Standard article	83 590 976 FF	FF	Euro
Chrome		-00	187.30
Brushed Chrome		-93	243.40
Brushed Platinum		-06	299.60
Brushed Light Gold		-27	280.90
Dark Chrome		-19	280.90
Brushed Dark Platinum		-99	337.00
Matte Black		-33	252.80

83 900 976



Toilet brush set

- gauge 61 mm
- width 100mm
- Height: 451 mm
- 136mm projection

Standard article	83 900 976 FF	FF	Euro
Chrome		-00	264.40
Brushed Chrome		-93	343.70
Brushed Platinum		-06	423.00
Brushed Light Gold		-27	396.70
Dark Chrome		-19	396.70
Brushed Dark Platinum		-99	476.00
Matte Black		-33	356.90

Accessories - Bathroom

12 660 979



Cover plate for the concealed WC cistern made by TeCe

• **Not available in the United States and Canada due to local code requirements. Please contact us for more information.**

• cover plate 150 x 240 x 15 mm
• flush handle with rotary operation and two-volume technology (full flush/partial flush)

• **This product is compatible with the following TECE products:**

• TECEprofil dry wall construction, article numbers:
• 9300300, 9300322, 9300301, 9300344, 9300309, 9300303, 9300388, 9300366, 9300102, 9300103, 9300329, 9300377, 9300378, 9400302, 9400303, 9400304, 9041335, 9041336, 9041337
• TECEbox wet wall construction, article numbers:
• 9370300, 9375300, 9371300

Custom-made options

• Finish variants
• without logo

Standard article	12 660 979 FF	FF	Euro
Chrome		-00	852.30
Brushed Chrome		-93	1,108.10
Platinum		-08	1,364.00
Brushed Platinum		-06	1,364.00
Light Gold		-26	1,278.50
Brushed Light Gold		-27	1,278.50
Champagne (22kt Gold)		-47	1,875.10
Brushed Champagne (22kt Gold)		-46	1,875.10
Brushed Durabronze (23kt Gold)		-28	1,789.80
Brushed Dark Brass		-39	1,363.70
Brushed Bronze		-42	1,363.80
Dark Chrome		-19	1,278.40
Brushed Dark Platinum		-99	1,534.30
Matte Black		-33	1,150.60

12 665 979



Flush plate for concealed WC cisterns made by Geberit round

• cover plate 169 x 246 x 12 mm
• Mechanical flush plate with manual flush buttons
• For 2-volume flushing system
• Includes mounting frame, actuator rods and fastening material
• Sound-absorbing push rods, tool-free fast adjustment

• **Compatible with all Geberit Sigma series cisterns from 2001 onwards**

Custom-made options

• Finish variants
• without logo

Standard article	12 665 979 FF	FF	Euro
Chrome		-00	485.30
Brushed Chrome		-93	631.00
Platinum		-08	776.50
Brushed Platinum		-06	776.50
Light Gold		-26	728.00
Brushed Light Gold		-27	728.00
Champagne (22kt Gold)		-47	1,067.70
Brushed Champagne (22kt Gold)		-46	1,067.70
Durabronze (23kt Gold)		-09	1,019.10
Brushed Durabronze (23kt Gold)		-28	1,019.10
Brushed Dark Brass		-39	776.50
Brushed Bronze		-42	776.50
Dark Chrome		-19	728.00
Brushed Dark Platinum		-99	873.60
Matte Black		-33	655.20

12 665 980



Flush plate for concealed WC cisterns made by Geberit angular

• cover plate 169 x 246 x 12 mm
• Mechanical flush plate with manual flush buttons
• For 2-volume flushing system
• Includes mounting frame, actuator rods and fastening material
• Sound-absorbing push rods, tool-free fast adjustment

• **Compatible with all Geberit Sigma series cisterns from 2001 onwards**

Custom-made options

• Finish variants
• without logo

Standard article	12 665 980 FF	FF	Euro
Chrome		-00	485.30
Brushed Chrome		-93	631.00
Platinum		-08	776.50
Brushed Platinum		-06	776.50
Light Gold		-26	728.00
Brushed Light Gold		-27	728.00
Champagne (22kt Gold)		-47	1,067.70
Brushed Champagne (22kt Gold)		-46	1,067.70
Durabronze (23kt Gold)		-09	1,019.10
Brushed Durabronze (23kt Gold)		-28	1,019.10
Brushed Dark Brass		-39	776.50
Brushed Bronze		-42	776.50
Dark Chrome		-19	728.00
Brushed Dark Platinum		-99	873.60
Matte Black		-33	655.20

83 150 979

NEW

Lighted mirror round

- Wall mounting
- Diameter: 600 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material



Standard article	83 150 979 FF	FF	Euro
Matte White		-10	1,767.00
Matte Black		-33	1,767.00

83 151 979

NEW

Lighted mirror round

- Wall mounting
- Diameter: 750 mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material



Standard article	83 151 979 FF	FF	Euro
Matte White		-10	2,065.00
Matte Black		-33	2,065.00

83 150 980

NEW

Lighted mirror angular

- Wall mounting
- height 800 mm
- width 400mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material



Standard article	83 150 980 FF	FF	Euro
Matte White		-10	1,652.00
Matte Black		-33	1,652.00

83 151 980

NEW

Lighted mirror angular

- Wall mounting
- height 1000 mm
- width 600mm
- **40mm projection**
- wrap-around aluminum frame
- All-round LED lighting
- Dimmable
- adjustable colour temperature from daylight white to warm white
- Lights controlled by buttons, below
- Degree of protection IP44
- integrated LED
- includes fixing material



Standard article	83 151 980 FF	FF	Euro
Matte White		-10	1,951.00
Matte Black		-33	1,951.00

Accessories - Bathroom

36 390 980

NEW **Electronic control elements for heated towel rail**

- rosette 60 x 60 mm
- Control element for towel warmer: 833XX980-FF
- Degree of protection IP 44, CE marking

Note: Different conditioning.



Standard article	36 390 980 FF	FF	Euro
Chrome		-00	500.00
Brushed Chrome		-93	650.00
Brushed Champagne (22kt Gold)		-46	1,100.00
Dark Chrome		-19	750.00
Brushed Dark Platinum		-99	900.00
Matte Black		-33	675.00

36 390 979

NEW **Electronic control elements for heated towel rail**

- rosette Ø 80 mm
- Control element for towel warmer: 833XX979-FF
- Degree of protection IP 44, CE marking

Note: Different conditioning.



Standard article	36 390 979 FF	FF	Euro
Chrome		-00	500.00
Brushed Chrome		-93	650.00
Brushed Champagne (22kt Gold)		-46	1,100.00
Dark Chrome		-19	750.00
Brushed Dark Platinum		-99	900.00
Matte Black		-33	675.00

83 304 979

NEW **Towel warmer, 4-fold, projection left, without control element**

- gauge 120 mm
- width 610mm
- height 440 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.



Standard article	83 304 979 FF	FF	Euro
Chrome		-00	1,760.00
Brushed Chrome		-93	2,288.00
Brushed Champagne (22kt Gold)		-46	3,872.00
Dark Chrome		-19	2,640.00
Brushed Dark Platinum		-99	3,168.00
Matte Black		-33	2,376.00



Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, without control element

35 311 970 FF FF Euro

- min. recess depth 70 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 651

Concealed rough parts 90 750.00

83 304 980

NEW **Towel warmer, 4-fold, projection left, without control element**

- gauge 120 mm
- width 600mm
- height 420 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.



Standard article	83 304 980 FF	FF	Euro
Chrome		-00	2,640.00
Brushed Chrome		-93	3,432.00
Brushed Champagne (22kt Gold)		-46	5,808.00
Dark Chrome		-19	3,960.00
Brushed Dark Platinum		-99	4,752.00
Matte Black		-33	3,564.00



Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, without control element

35 311 970 FF FF Euro

- min. recess depth 70 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 651

Concealed rough parts 90 750.00

83 306 979

NEW **Towel warmer, 6-fold, projection left, without control element**

- gauge 120 mm
- width 610mm
- height 680 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.



Standard article	83 306 979 FF	FF	Euro
Chrome		-00	2,640.00
Brushed Chrome		-93	3,432.00
Brushed Champagne (22kt Gold)		-46	5,808.00
Dark Chrome		-19	3,960.00
Brushed Dark Platinum		-99	4,752.00
Matte Black		-33	3,564.00



Required miscellaneous

Concealed wall installation box for heated towel rail, 6-fold, without control element

35 313 970 FF FF Euro

- min. recess depth 70 mm
- max. recess depth 105 mm

For details and miscellaneous, see page 652

Concealed rough parts 90 1,000.00

83 306 980

NEW

Towel warmer, 6-fold, projection left, without control element

- gauge 120 mm
- width 600mm
- height 660 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.



Standard article	83 306 980 FF	FF	Euro
Chrome		-00	3,960.00
Brushed Chrome		-93	5,148.00
Brushed Champagne (22kt Gold)		-46	8,712.00
Dark Chrome		-19	5,940.00
Brushed Dark Platinum		-99	7,128.00
Matte Black		-33	5,346.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 6-fold, without control element

35 313 970 FF	FF	Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 652



83 314 979

NEW

Towel warmer, 4-fold, projection right, without control element

- gauge 120 mm
- width 610mm
- height 440 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.



Standard article	83 314 979 FF	FF	Euro
Chrome		-00	1,760.00
Brushed Chrome		-93	2,288.00
Brushed Champagne (22kt Gold)		-46	3,872.00
Dark Chrome		-19	2,640.00
Brushed Dark Platinum		-99	3,168.00
Matte Black		-33	2,376.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, without control element

35 311 970 FF	FF	Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 651



83 314 980

NEW

Towel warmer, 4-fold, projection right, without control element

- gauge 120 mm
- width 600mm
- height 420 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.



Standard article	83 314 980 FF	FF	Euro
Chrome		-00	2,640.00
Brushed Chrome		-93	3,432.00
Brushed Champagne (22kt Gold)		-46	5,808.00
Dark Chrome		-19	3,960.00
Brushed Dark Platinum		-99	4,752.00
Matte Black		-33	3,564.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, without control element

35 311 970 FF	FF	Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 651



83 316 979

NEW

Towel warmer, 6-fold, projection right, without control element

- gauge 120 mm
- width 610mm
- height 680 mm
- rosette Ø 80 mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.



Standard article	83 316 979 FF	FF	Euro
Chrome		-00	2,640.00
Brushed Chrome		-93	3,432.00
Brushed Champagne (22kt Gold)		-46	5,808.00
Dark Chrome		-19	3,960.00
Brushed Dark Platinum		-99	4,752.00
Matte Black		-33	3,564.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 6-fold, without control element

35 313 970 FF	FF	Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- For details and miscellaneous, see page 652



Accessories - Bathroom

83 316 980

NEW

Towel warmer, 6-fold, projection right, without control element

- gauge 120 mm
- width 600mm
- height 660 mm
- rosette 60 x 60 mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.



Standard article	83 316 980 FF	FF	Euro
Chrome		-00	3,960.00
Brushed Chrome		-93	5,148.00
Brushed Champagne (22kt Gold)		-46	8,712.00
Dark Chrome		-19	5,940.00
Brushed Dark Platinum		-99	7,128.00
Matte Black		-33	5,346.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 6-fold, without control element

35 313 970 FF | FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- Concealed rough parts **90** 1,000.00
- For details and miscellaneous, see page 652



83 304 979 +
36 390 979

NEW

Towel warmer, 4-fold, projection left, with control element

- gauge 120 mm
- width 610mm
- height 560 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.



Standard article	1x 83 304 979 FF		1x 36 390 979 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	1,760.00	-00	500.00	2,260.00
Brushed Chrome	-93	2,288.00	-93	650.00	2,938.00
Brushed Champagne (22kt Gold)	-46	3,872.00	-46	1,100.00	4,972.00
Dark Chrome	-19	2,640.00	-19	750.00	3,390.00
Brushed Dark Platinum	-99	3,168.00	-99	900.00	4,068.00
Matte Black	-33	2,376.00	-33	675.00	3,051.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, with control element

35 312 970 FF | FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- Concealed rough parts **90** 850.00
- For details and miscellaneous, see page 651



83 304 980 +
36 390 980

NEW

Towel warmer, 4-fold, projection left, with control element

- gauge 120 mm
- width 600mm
- height 550 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.



Standard article	1x 83 304 980 FF		1x 36 390 980 FF		Total price:
	FF	Euro	FF	Euro	Euro
Chrome	-00	2,640.00	-00	500.00	3,140.00
Brushed Chrome	-93	3,432.00	-93	650.00	4,082.00
Brushed Champagne (22kt Gold)	-46	5,808.00	-46	1,100.00	6,908.00
Dark Chrome	-19	3,960.00	-19	750.00	4,710.00
Brushed Dark Platinum	-99	4,752.00	-99	900.00	5,652.00
Matte Black	-33	3,564.00	-33	675.00	4,239.00

Required miscellaneous

Concealed wall installation box for heated towel rail, 4-fold, with control element

35 312 970 FF | FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- Concealed rough parts **90** 850.00
- For details and miscellaneous, see page 651



83 306 979 +
36 390 979

NEW Towel warmer, 6-fold, projection left, with control element



- gauge 120 mm
- width 610mm
- height 800 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Standard article	1x 83 306 979 FF		1x 36 390 979 FF		Total price:
	FF	Euro	FF	Euro	
Chrome	-00	2,640.00	-00	500.00	3,140.00
Brushed Chrome	-93	3,432.00	-93	650.00	4,082.00
Brushed Champagne (22kt Gold)	-46	5,808.00	-46	1,100.00	6,908.00
Dark Chrome	-19	3,960.00	-19	750.00	4,710.00
Brushed Dark Platinum	-99	4,752.00	-99	900.00	5,652.00
Matte Black	-33	3,564.00	-33	675.00	4,239.00

Required miscellaneous



Concealed wall installation box for heated towel rail, 6-fold, with control element

35 314 970 FF | FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- Concealed rough parts | **90** | 1,100.00
- For details and miscellaneous, see page 652

83 306 980 +
36 390 980

NEW Towel warmer, 6-fold, projection left, with control element



- gauge 120 mm
- width 600mm
- height 790 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Standard article	1x 83 306 980 FF		1x 36 390 980 FF		Total price:
	FF	Euro	FF	Euro	
Chrome	-00	3,960.00	-00	500.00	4,460.00
Brushed Chrome	-93	5,148.00	-93	650.00	5,798.00
Brushed Champagne (22kt Gold)	-46	8,712.00	-46	1,100.00	9,812.00
Dark Chrome	-19	5,940.00	-19	750.00	6,690.00
Brushed Dark Platinum	-99	7,128.00	-99	900.00	8,028.00
Matte Black	-33	5,346.00	-33	675.00	6,021.00

Required miscellaneous



Concealed wall installation box for heated towel rail, 6-fold, with control element

35 314 970 FF | FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- Concealed rough parts | **90** | 1,100.00
- For details and miscellaneous, see page 652

83 314 979 +
36 390 979

NEW Towel warmer, 4-fold, projection right, with control element



- gauge 120 mm
- width 610mm
- height 560 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Standard article	1x 83 314 979 FF		1x 36 390 979 FF		Total price:
	FF	Euro	FF	Euro	
Chrome	-00	1,760.00	-00	500.00	2,260.00
Brushed Chrome	-93	2,288.00	-93	650.00	2,938.00
Brushed Champagne (22kt Gold)	-46	3,872.00	-46	1,100.00	4,972.00
Dark Chrome	-19	2,640.00	-19	750.00	3,390.00
Brushed Dark Platinum	-99	3,168.00	-99	900.00	4,068.00
Matte Black	-33	2,376.00	-33	675.00	3,051.00

Required miscellaneous



Concealed wall installation box for heated towel rail, 4-fold, with control element

35 312 970 FF | FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- Concealed rough parts | **90** | 850.00
- For details and miscellaneous, see page 651

Accessories - Bathroom

83 314 980 +
36 390 980

NEW

Towel warmer, 4-fold, projection right, with control element

- gauge 120 mm
- width 600mm
- height 550 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.



Standard article	1x 83 314 980 FF		1x 36 390 980 FF		Total price:
	FF	Euro	FF	Euro	
Chrome	-00	2,640.00	-00	500.00	3,140.00
Brushed Chrome	-93	3,432.00	-93	650.00	4,082.00
Brushed Champagne (22kt Gold)	-46	5,808.00	-46	1,100.00	6,908.00
Dark Chrome	-19	3,960.00	-19	750.00	4,710.00
Brushed Dark Platinum	-99	4,752.00	-99	900.00	5,652.00
Matte Black	-33	3,564.00	-33	675.00	4,239.00

Required miscellaneous



Concealed wall installation box for heated towel rail, 4-fold, with control element

35 312 970 FF | FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- Concealed rough parts | **90** Euro
850.00
- For details and miscellaneous, see page 651

83 316 979 +
36 390 979

NEW

Towel warmer, 6-fold, projection right, with control element

- gauge 120 mm
- width 610mm
- height 800 mm
- rosette for wall pipe Ø 80mm
- rosette control element Ø 80mm
- Projection: 67 mm
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.



Standard article	1x 83 316 979 FF		1x 36 390 979 FF		Total price:
	FF	Euro	FF	Euro	
Chrome	-00	2,640.00	-00	500.00	3,140.00
Brushed Chrome	-93	3,432.00	-93	650.00	4,082.00
Brushed Champagne (22kt Gold)	-46	5,808.00	-46	1,100.00	6,908.00
Dark Chrome	-19	3,960.00	-19	750.00	4,710.00
Brushed Dark Platinum	-99	4,752.00	-99	900.00	5,652.00
Matte Black	-33	3,564.00	-33	675.00	4,239.00

Required miscellaneous



Concealed wall installation box for heated towel rail, 6-fold, with control element

35 314 970 FF | FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- Concealed rough parts | **90** Euro
1,100.00
- For details and miscellaneous, see page 652

83 316 980 +
36 390 980

NEW

Towel warmer, 6-fold, projection right, with control element

- gauge 120 mm
- width 600mm
- height 790 mm
- rosette for slide bar 60 x 60mm
- rosette control element 80x80mm
- 63mm projection
- Degree of protection IP 44, CE marking
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.



Standard article	1x 83 316 980 FF		1x 36 390 980 FF		Total price:
	FF	Euro	FF	Euro	
Chrome	-00	3,960.00	-00	500.00	4,460.00
Brushed Chrome	-93	5,148.00	-93	650.00	5,798.00
Brushed Champagne (22kt Gold)	-46	8,712.00	-46	1,100.00	9,812.00
Dark Chrome	-19	5,940.00	-19	750.00	6,690.00
Brushed Dark Platinum	-99	7,128.00	-99	900.00	8,028.00
Matte Black	-33	5,346.00	-33	675.00	6,021.00

Required miscellaneous



Concealed wall installation box for heated towel rail, 6-fold, with control element

35 314 970 FF | FF Euro

- min. recess depth 70 mm
 - max. recess depth 105 mm
- Concealed rough parts | **90** Euro
1,100.00
- For details and miscellaneous, see page 652

Concealed articles

Miscellaneous
from page 638



Concealed articles

Two-handle fittings

Spout in the middle

variable positioning



35 700 970



35 720 970

Single-lever mixer

Single point attachment

with rosette



35 003 970

without rosette



35 050 970

1-way

for wall mounting



35 860 970

2-way

with safety combination



35 021 970

without safety combination



35 020 970

Thermostats

UP thermostat

1 and 2-way with pre-shutoff



35 426 970

1 and 2-way without pre-shutoff



35 425 970

3-way with pre-shutoff



35 428 970

3-way without pre-shutoff



35 427 970

xTool

without valves



35 503 970

1 valve



35 511 970

xTool

2 valves, vertical



35 521 970

2 valves, horizontal



35 524 970

3 valves, vertical



35 531 970

3 valves, horizontal



35 534 970

Concealed bodies

Valves

1/2" valve



35 607 970

3/4" valve



35 608 970

diverter

Two ways



35 202 970

Three-way



35 203 970

Floor connection

for single-lever bath mixers and inlets



35 944 970

for two-handle bath mixers



35 945 970

Concealed articles

Wall installation boxes

Wall angle

for WATER POINTS

for WATER MODULES



35 085 970



35 205 970



35 206 970



35 311 970



35 312 970



35 313 970

Wall installation boxes

Ceiling boxes

for round rain shower

for square rain shower

for round rain shower with light

for square rain shower with light

with ceiling fixing



35 314 970



35 033 970



35 043 970



35 034 970



35 044 970



35 041 970

Ceiling boxes

with ceiling connection with light

for RAINMOON

for RAINMOON with colored light

for AQUAMOON with colored light

for AQUAMOON

for AQUAMOON EM-BRACE



35 042 970



35 610 970



35 615 970



35 620 970



35 625 970



35 630 970

Ceiling boxes

for AQUAHALO

for rain panel

for rain panel with light

for rain panel

for rain panel with light

xGrid

for drywall construction



35 750 970



35 770 970



35 771 970



35 780 970



35 781 970



12 340 970

xGrid

Single set

Set of two

Set of three



12 360 970



12 370 970



12 380 970

Concealed articles

35 700 970



Concealed wall-mounted mixer centred spout

- 3x dust cover
- 2x female thread 1/2" connections
- 1x female thread 1/2" outlet
- 3x sealing plug 1/2"
- gauge 100 mm

NOTE: Important for certain series!
Due to minimum rough-in requirements, a framing of 2x6 studs is needed.

Standard article	35 700 970 FF	FF	Euro
Concealed rough parts		90	193.30



Recommended miscellaneous

Leak protection 1/2"	12 010 970 FF	FF	Euro
-----------------------------	---------------	----	------

- This article is needed 2x.

Leak protection	90	82.40
-----------------	----	-------

35 720 970



Concealed wall-mounted mixer variable positioning

- red brass, lead-free
- 1/2" connection
- 3x sealing plug 1/2"
- 3x dust cover

NOTE: Important for certain series!
Due to minimum rough-in requirements, a framing of 2x6 studs is needed.

Standard article	35 720 970 FF	FF	Euro
Concealed rough parts		90	154.20



Recommended miscellaneous

Leak protection 1/2"	12 010 970 FF	FF	Euro
-----------------------------	---------------	----	------

- This article is needed 2x.

Leak protection	90	82.40
-----------------	----	-------

35 003 970



Concealed wall mounting

- red brass, lead-free
- 2x female thread 1/2" connections
- dust cover
- anti-water packing
- soundproofing

Can only be combined with exposed trim parts
26 024 661-FF / 36 013 660-FF / 36 045 660-FF /
36 013 970-FF / 36 045 970-FF / 36 804 661-FF.

Standard article	35 003 970 FF	FF	Euro
Concealed rough parts		90	320.80



Recommended miscellaneous

Leak protection 1/2"	12 010 970 FF	FF	Euro
-----------------------------	---------------	----	------

- This article is needed 2x.

Leak protection	90	82.40
-----------------	----	-------

35 050 970



Concealed wall mounting

- red brass, lead-free
- 2x female thread 1/2" connections
- dust cover
- anti-water packing
- soundproofing

This product can be combined with the xGrid track.

Standard article	35 050 970 FF	FF	Euro
Concealed rough parts		90	320.80



Required miscellaneous

Leak protection 1/2"	12 010 970 FF	FF	Euro
-----------------------------	---------------	----	------

- This article is needed 2x.

Leak protection	90	82.40
-----------------	----	-------



Recommended miscellaneous

Leak protection 1/2"	12 010 970 FF	FF	Euro
-----------------------------	---------------	----	------

- This article is needed 2x.

Leak protection	90	82.40
-----------------	----	-------

35 860 970



Concealed wall-mounted single-lever mixer

- 2x female thread 1/2" connections
- 1x female thread 1/2" outlet for wall spout
- 1x female thread 1/2" outlet
- 2x dust cover
- anti-water packing
- soundproofing
- gauge 100 mm

Standard article	35 860 970 FF	FF	Euro
Concealed rough parts		90	224.60



Recommended miscellaneous

Extension 20 mm	12 869 970 FF	FF	Euro
-----------------	---------------	----	------

- Not suitable for combining with META PURE (36 86X 664-FF).

Accessories	90	155.50
-------------	----	--------

For details and miscellaneous, see page 654



Recommended miscellaneous

Extension 20 mm	12 870 970 FF	FF	Euro
-----------------	---------------	----	------

- Can only be combined with exposed trim parts 36 86X 664-FF.

Accessories	90	212.60
-------------	----	--------

For details and miscellaneous, see page 654

35 021 970

**Concealed single-lever mixer with backflow preventer**

- lead-free, dezincification resistant
- safety combination
- 2x back flow preventer
- 2x male thread 1/2" connection
- 3x outlet G 1/2"
- dust cover
- anti-water packing
- sound and thermal insulation
- 2x integrated supply stop
- gauge 60 mm

This product can be combined with the xGRID track.

Standard article	35 021 970	FF	FF	Euro
Concealed rough parts		90		338.50



Required miscellaneous

xGRID Installation track 555 mm

12 360 970	FF	FF	Euro
-------------------	----	----	------

For details and miscellaneous, see page 655

Concealed rough parts	90		112.20
-----------------------	-----------	--	--------



Recommended miscellaneous

Extension **25 mm**

12 190 970	FF	FF	Euro
-------------------	----	----	------

- for concealed single-lever shower and bath mixer 36 02X SSS-FF

Accessories	90		180.30
-------------	-----------	--	--------

For details and miscellaneous, see page 654

35 020 970

**Concealed single-lever mixer**

- lead-free, dezincification resistant
- 2x back flow preventer
- 3x outlet G 1/2"
- 2x female thread 1/2" connections
- 2x integrated supply stop
- dust cover
- anti-water packing
- sound and thermal insulation
- gauge 60 mm

This product can be combined with the xGRID track.

Standard article	35 020 970	FF	FF	Euro
Concealed rough parts		90		236.90



Required miscellaneous

xGRID Installation track 555 mm

12 360 970	FF	FF	Euro
-------------------	----	----	------

For details and miscellaneous, see page 655

Concealed rough parts	90		112.20
-----------------------	-----------	--	--------



Recommended miscellaneous

Extension **25 mm**

12 190 970	FF	FF	Euro
-------------------	----	----	------

- for concealed single-lever shower and bath mixer 36 02X SSS-FF

Accessories	90		180.30
-------------	-----------	--	--------

For details and miscellaneous, see page 654

35 426 970

**Concealed thermostat with built-in isolators**

- pre-seal
- lead-free, dezincification resistant
- 2x back flow preventer
- 2x female thread 1/2" connections
- 3x outlet G 1/2"
- dust cover
- anti-water packing
- sound and thermal insulation
- suitable for xGRID (when using installation track + 12 mm recess depth)
- gauge 70 mm

This product can be combined with the xGRID track.

Standard article	35 426 970	FF	FF	Euro
Concealed rough parts		90		457.70



Required miscellaneous

xGRID Installation track 555 mm

12 360 970	FF	FF	Euro
-------------------	----	----	------

For details and miscellaneous, see page 655

Concealed rough parts	90		112.20
-----------------------	-----------	--	--------



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970	FF	FF	Euro
-------------------	----	----	------

For details and miscellaneous, see page 655

Concealed rough parts	90		113.00
-----------------------	-----------	--	--------

35 425 970

**Concealed thermostat**

- lead-free, dezincification resistant
- 2x back flow preventer
- 2x female thread 1/2" connections
- 3x outlet G 1/2"
- dust cover
- anti-water packing
- sound and thermal insulation
- suitable for xGRID (when using installation track + 12 mm recess depth)
- gauge 70 mm

This product can be combined with the xGRID track.

Standard article	35 425 970	FF	FF	Euro
Concealed rough parts		90		435.80



Required miscellaneous

xGRID Installation track 555 mm

12 360 970	FF	FF	Euro
-------------------	----	----	------

For details and miscellaneous, see page 655

Concealed rough parts	90		112.20
-----------------------	-----------	--	--------



Recommended miscellaneous

xGRID Attachment set for integrating in the dry wall construction

12 340 970	FF	FF	Euro
-------------------	----	----	------

For details and miscellaneous, see page 655

Concealed rough parts	90		113.00
-----------------------	-----------	--	--------

Concealed articles

35 428 970



Concealed thermostat with built-in isolators

- pre-seal
- lead-free, dezincification resistant
- 2x back flow preventer
- 3x outlet G 1/2"
- 2x female thread 1/2" connections
- dust cover
- anti-water packing
- sound and thermal insulation
- gauge 70 mm
- suitable for xGRID (when using installation track + 12 mm recess depth)


Can only be combined with exposed trim parts
36 427 SSS-FF

Can only be combined with exposed trim parts
36 428 SSS-FF

This product can be combined with the xGrid track.

Standard article	35 428 970 FF	FF	Euro
Concealed rough parts		90	479.00

Required miscellaneous			
	xGRID Installation track 555 mm	12 360 970 FF	Euro
For details and miscellaneous, see page 655	Concealed rough parts	90	112.20

Recommended miscellaneous			
	xGRID Attachment set for integrating in the dry wall construction	12 340 970 FF	Euro
For details and miscellaneous, see page 655	Concealed rough parts	90	113.00

35 427 970




Concealed thermostat


- lead-free, dezincification resistant
- 2x back flow preventer
- 2x female thread 1/2" connections
- 3x outlet G 1/2"
- dust cover
- anti-water packing
- sound and thermal insulation
- gauge 70 mm
- suitable for xGRID (when using installation track + 12 mm recess depth)

Can only be combined with exposed trim parts
36 427 SSS-FF

This product can be combined with the xGrid track.

Standard article	35 427 970 FF	FF	Euro
Concealed rough parts		90	456.60

Required miscellaneous			
	xGRID Installation track 555 mm	12 360 970 FF	Euro
For details and miscellaneous, see page 655	Concealed rough parts	90	112.20

Recommended miscellaneous			
	xGRID Attachment set for integrating in the dry wall construction	12 340 970 FF	Euro
For details and miscellaneous, see page 655	Concealed rough parts	90	113.00

35 503 970





xTOOL Concealed thermostat module without volume control

- red brass, lead-free
- 2x back flow preventer
- 2x female thread 3/4" connections
- 2x female thread 3/4" outlet for additional valves
- dust cover
- anti-water packing
- soundproofing
- suitable for xGRID (when using installation track + 12 mm recess depth)

This product can be combined with the xGrid track.

Standard article	35 503 970 FF	FF	Euro
Concealed rough parts		90	864.70

Required miscellaneous			
	xGRID Installation track 555 mm	12 360 970 FF	Euro
For details and miscellaneous, see page 655	Concealed rough parts	90	112.20

Recommended miscellaneous			
	xGRID Attachment set for integrating in the dry wall construction	12 340 970 FF	Euro
For details and miscellaneous, see page 655	Concealed rough parts	90	113.00

35 511 970




xTOOL Concealed thermostat module with 1 valve

- red brass, lead-free
- 2x back flow preventer
- 2x female thread 3/4" connections
- 1x female thread 3/4" outlet for additional valves
- 1x female thread 3/4" outlet, right/left alternatively
- 2x dust cover
- 2x anti-water packing
- soundproofing
- gauge 120 mm
- suitable for xGRID (when using installation track + 12 mm recess depth)

This product can be combined with the xGrid track.

Standard article	35 511 970 FF	FF	Euro
Concealed rough parts		90	708.30

Required miscellaneous			
	xGRID Installation track 555 mm	12 360 970 FF	Euro
For details and miscellaneous, see page 655	Concealed rough parts	90	112.20

Recommended miscellaneous			
	xGRID Attachment set for integrating in the dry wall construction	12 340 970 FF	Euro
For details and miscellaneous, see page 655	Concealed rough parts	90	113.00

35 521 970




xTOOL Concealed thermostat module with 2 valves

- red brass, lead-free
- 2x back flow preventer
- 2x female thread 3/4" connections
- 1x female thread 3/4" outlet for additional valves
- 2x female thread 3/4" outlet, right/left alternatively
- 3x dust cover
- 3x anti-water packing
- soundproofing
- gauge 120 mm
- suitable for xGRID (when using installation track + 12 mm recess depth)

This product can be combined with the xGRID track.

Standard article	35 521 970 FF	FF	Euro
Concealed rough parts		90	1,180.70

Required miscellaneous			
	xGRID Installation track 555 mm	12 360 970 FF	FF Euro
For details and miscellaneous, see page 655	Concealed rough parts	90	112.20

Recommended miscellaneous			
	xGRID Attachment set for integrating in the dry wall construction	12 340 970 FF	FF Euro
For details and miscellaneous, see page 655	Concealed rough parts	90	113.00

35 524 970




xTOOL Concealed thermostat module with 2 valves

- red brass, lead-free
- 2x back flow preventer
- 2x female thread 3/4" connections
- 1x female thread 3/4" outlet for additional valves
- 2x female thread 3/4" outlet
- 4x dust cover
- 4x anti-water packing
- soundproofing
- gauge 120 mm
- suitable for xGRID (when using installation track + 12 mm recess depth)

This product can be combined with the xGRID track.

Standard article	35 524 970 FF	FF	Euro
Concealed rough parts		90	1,167.70

Required miscellaneous			
	Leak protection 3/4"	12 012 970 FF	FF Euro
• This article is needed 2x.	Leak protection	90	82.40

Required miscellaneous			
	xGRID Installation track 555 mm	12 360 970 FF	FF Euro
For details and miscellaneous, see page 655	Concealed rough parts	90	112.20

35 531 970




xTOOL Concealed thermostat module with 3 valves

- red brass, lead-free
- 2x back flow preventer
- 2x female thread 3/4" connections
- 1x female thread 3/4" outlet for additional valves
- 3x female thread 3/4" outlet, right/left alternatively
- 4x dust cover
- 4x anti-water packing
- soundproofing
- gauge 120 mm
- suitable for xGRID (when using installation track + 12 mm recess depth)

This product can be combined with the xGRID track.

Standard article	35 531 970 FF	FF	Euro
Concealed rough parts		90	1,268.90

Required miscellaneous			
	xGRID Installation track 555 mm	12 360 970 FF	FF Euro
For details and miscellaneous, see page 655	Concealed rough parts	90	112.20

Recommended miscellaneous			
	xGRID Attachment set for integrating in the dry wall construction	12 340 970 FF	FF Euro
For details and miscellaneous, see page 655	Concealed rough parts	90	113.00

35 534 970





xTOOL Concealed thermostat module with 3 valves

- red brass, lead-free
- 2x back flow preventer
- 2x female thread 3/4" connections
- 1x female thread 3/4" outlet for additional valves
- 3x female thread 3/4" outlet
- 4x dust cover
- 4x anti-water packing
- soundproofing
- gauge 120 mm
- suitable for xGRID (when using installation track + 12 mm recess depth)

This product can be combined with the xGRID track.

Standard article	35 534 970 FF	FF	Euro
Concealed rough parts		90	1,374.60

Required miscellaneous			
	xGRID Installation track 555 mm	12 360 970 FF	FF Euro
For details and miscellaneous, see page 655	Concealed rough parts	90	112.20

Recommended miscellaneous			
	xGRID Attachment set for integrating in the dry wall construction	12 340 970 FF	FF Euro
For details and miscellaneous, see page 655	Concealed rough parts	90	113.00

Concealed articles

35 607 970



Wall valve 1/2"

- red brass, lead-free
- female thread 1/2" connection
- 1x female thread 1/2" outlet
- dust cover
- anti-water packing
- soundproofing
- suitable for xGRID (when using installation track + 12 mm recess depth)

This product can be combined with the xGrid track.

Standard article	35 607 970 FF	FF	Euro
Concealed rough parts		90	90.90



Recommended miscellaneous

Leak protection 1/2"	12 010 970 FF	FF	Euro
	Leak protection	90	82.40

35 608 970



Wall valve 3/4"

- red brass, lead-free
- female thread 3/4" connection
- 1x female thread 3/4" outlet
- dust cover
- anti-water packing
- soundproofing
- suitable for xGRID (when using installation track + 12 mm recess depth)

This product can be combined with the xGrid track.

Standard article	35 608 970 FF	FF	Euro
Concealed rough parts		90	119.20



Recommended miscellaneous

Leak protection 3/4"	12 012 970 FF	FF	Euro
	Leak protection	90	82.40

35 202 970



Concealed two-way diverter

- red brass, lead-free
- 1x male 1/2" connector
- 2x female thread 1/2" outlet
- cut-to-length spindle and sleeve
- dust cover
- anti-water packing
- soundproofing

NOTE: Important for certain series!
Due to minimum rough-in requirements, a framing of 2x6 studs is needed.

Standard article	35 202 970 FF	FF	Euro
Concealed rough parts		90	295.90



Recommended miscellaneous

Leak protection 1/2"	12 010 970 FF	FF	Euro
	Leak protection	90	82.40

35 203 970



Concealed three-way diverter

- red brass, lead-free
- 1x female thread 1/2" connections
- 3x female thread 1/2" outlet
- cut-to-length spindle and sleeve
- dust cover
- anti-water packing
- soundproofing

NOTE: Important for certain series!
Due to minimum rough-in requirements, a framing of 2x6 studs is needed.

Standard article	35 203 970 FF	FF	Euro
Concealed rough parts		90	360.40



Recommended miscellaneous

Leak protection 1/2"	12 010 970 FF	FF	Euro
	Leak protection	90	82.40

35 944 970



Concealed floor mounting

- stainless steel
- 2x 1/2" connection angle
- gauge 150 mm
- 2x anti-water packing
- 2x dust cover
- soundproofing

Standard article	35 944 970 FF	FF	Euro
Concealed rough parts		90	537.90



Recommended miscellaneous

Leak protection 1/2"	12 010 970 FF	FF	Euro
	Leak protection	90	82.40

- This article is needed 2x.

35 945 970



Concealed floor mounting

- red brass, lead-free
- 2x female thread 1/2" connections
- dust cover
- anti-water packing

Standard article	35 945 970 FF	FF	Euro
Concealed rough parts		90	840.10



Recommended miscellaneous

Drybox for floor mounting	38 945 970 FF	FF	Euro
	Drybox	90	663.20

- Overflow is part of the scope of delivery. For details and miscellaneous, see page 656

Miscellaneous

35 085 970



Concealed wall elbow

- red brass, lead-free
- female thread 1/2" connection
- 1x female thread 1/2" outlet
- dust cover
- anti-water packing
- soundproofing

For wall-mounted spouts and wall outlet elbows with 1/2" connection.

NOTE: Important for certain series!
Due to minimum rough-in requirements, a framing of 2x6 studs is needed.

Standard article	35 085 970 FF	FF	Euro
Concealed rough parts		90	122.80



Recommended miscellaneous			
Leak protection 1/2"	12 010 970 FF	FF	Euro
Leak protection		90	82.40

35 205 970



Concealed wall installation box

- female thread 1/2" connection
- dust cover
- anti-water packing

NOTE: Important for certain series!
Due to minimum rough-in requirements, a framing of 2x6 studs is needed.

Standard article	35 205 970 FF	FF	Euro
Concealed rough parts		90	223.00



Required miscellaneous			
WATER POINTS Adapter plate	12 305 970 FF	FF	Euro
Accessories		90	36.10

- adapter plate for mounting concealed rough parts 35 205 970 90 on the xGRID installation track.

For details and miscellaneous, see page 655



Required miscellaneous			
xGRID Installation track 555 mm	12 360 970 FF	FF	Euro
Concealed rough parts		90	112.20

For details and miscellaneous, see page 655

35 206 970



Concealed wall installation box

- female thread 1/2" connection
- dust cover
- anti-water packing

NOTE: Important for certain series!
Due to minimum rough-in requirements, a framing of 2x6 studs is needed.

This product can be combined with the xGrid track.

Standard article	35 206 970 FF	FF	Euro
Concealed rough parts		90	301.70



Required miscellaneous			
Leak protection 1/2"	12 010 970 FF	FF	Euro
Leak protection		90	82.40



Required miscellaneous			
xGRID Installation track 555 mm	12 360 970 FF	FF	Euro
Concealed rough parts		90	112.20

For details and miscellaneous, see page 655

35 087 970



POT FILLER Concealed wall elbow

- female thread 1/2" connection
- anti-water packing
- soundproofing
- dust cover
- min. recess depth 80 mm
- max. recess depth 125 mm

Standard article	35 087 970 FF	FF	Euro
Concealed rough parts		90	267.60



Recommended miscellaneous			
Leak protection 1/2"	12 010 970 FF	FF	Euro
Leak protection		90	82.40

Concealed articles

35 741 970



eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

- lead-free
- 2x male thread 1/2" connection
- 2x back flow preventer
- 2x integrated supply stop
- concealed installation
- min. recess depth 90 mm
- max. recess depth 125 mm

Can be combined with spouts from the Vaia, Lissé, CL.1, IMO, Tara., Tara Logic, Meta.02, Deque, Supernova, Symetrics, LULU and MEM series

Cannot be combined with spouts with a pull-rod pop-up waste.

Please combine with item no. 10 126 970-FF

Other series and finishes on request (x-TRA SERVICE)

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Standard article	35 741 970 FF	FF	Euro
Concealed rough parts		90	313.70



Recommended miscellaneous

Leak protection 1/2"	12 010 970 FF	FF	Euro
• This article is needed 2x.	Leak protection	90	82.40

35 740 970



eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

- lead-free
- 2x back flow preventer
- 2x male thread 1/2" connection
- outlet with high-pressure hose
- surface-mounted installation

Can be combined with spouts from the Vaia, Lissé, CL.1, IMO, Tara., Tara Logic, Meta.02, Deque, Supernova, Symetrics, LULU and MEM series

Cannot be combined with spouts with a pull-rod pop-up waste.

Please combine with item no. 10 126 970-FF

Not suitable for combination with steel basins.

Other series and finishes on request (x-TRA SERVICE)

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Standard article	35 740 970 FF	FF	Euro
Concealed rough parts		90	313.70

42 765 970



eSET Touchfree Basin mixer with temperature setting

- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set

Cannot be combined with basins in conducting materials (e.g. steel, river stone).

Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.

Standard article	42 765 970 FF	FF	Euro
Concealed rough parts		90	687.50

Required miscellaneous



eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings

For details and miscellaneous, see page 646

35 740 970 FF	FF	Euro
Concealed rough parts	90	313.70

Required miscellaneous



eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings

- min. recess depth 90 mm
 - max. recess depth 125 mm
- For details and miscellaneous, see page 646

35 741 970 FF	FF	Euro
Concealed rough parts	90	313.70

12 614 970



Perfecto installation kit

- height adjustable
- 1/2" connection
- retaining screws and plugs
- 2x 1/2" x 1/2" x 600mm high pressure hose
- brass washers
- assembly kit with installation plate
- spacer posts
- installation plate 566 x 144 mm
- angle valves, variable in height and laterally

for deck-mounted tub/shower sets for tile mounting

Standard article	12 614 970 FF	FF	Euro
Concealed rough parts		90	1,794.10

35 033 970

**Concealed ceiling installation box for recessed ceiling installation**

- concealed rough parts
- 2x female thread 1/2" connections
- flush-mounted installation box Ø 360 mm RAL 9003 signal white
- For simultaneous control of the jet types, we recommend the xTool thermostat module
- Not suitable for use in a steam room.

Standard article	35 033 970 FF	FF	Euro
Concealed rough parts		90	998.30



Recommended miscellaneous

Leak protection 1/2"	12 010 970 FF	FF	Euro
• This article is needed 2x.	Leak protection	90	82.40

35 043 970

**Concealed ceiling installation box for recessed ceiling installation**

- concealed rough parts
- 2x female thread 1/2" connections
- flush-mounted RAL 9003 signal white light reflection box 310 x 250 mm
- For simultaneous control of the jet types, we recommend the xTool thermostat module
- Not suitable for use in a steam room.

Standard article	35 043 970 FF	FF	Euro
Concealed rough parts		90	998.30



Recommended miscellaneous

Leak protection 1/2"	12 010 970 FF	FF	Euro
• This article is needed 2x.	Leak protection	90	82.40

35 034 970

**Concealed ceiling installation box for recessed ceiling installation with light**

- concealed rough parts
- 2x female thread 1/2" connections
- flush-mounted reflection box Ø 360 mm RAL 9003 signal white
- For simultaneous control of the jet types, we recommend the xTool thermostat module
- **Separate LED power supply**
- **Input LED power supply**
- Electricity supply: 100-240 V AC, 50-60 Hz, 20 W
- **Output LED power supply**
- 12V DC (CV)
- **Output specification LED power supply**
- SELV (Safety Extra Low Voltage)
- Class 2
- **Ceiling module power supply**
- 12V DC (CV)
- Supply pipe 7 m
- **Activation**
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

Standard article	35 034 970 FF	FF	Euro
Concealed rough parts		90	1,498.70



Recommended miscellaneous

Leak protection 1/2"	12 010 970 FF	FF	Euro
• This article is needed 2x.	Leak protection	90	82.40

Concealed articles

35 044 970



Concealed ceiling installation box for recessed ceiling installation with light

- concealed rough parts
- 2x female thread 1/2" connections
- flush-mounted installation box 360x 300 mm RAL 9003 signal white
- For simultaneous control of the jet types, we recommend the xTool thermostat module
- **Separate LED power supply**
- **Input LED power supply**
- Electricity supply: 100-240 V AC, 50-60 Hz, 20 W
- **Output LED power supply**
- 12V DC (CV)
- **Output specification LED power supply**
- SELV (Safety Extra Low Voltage)
- Class 2
- **Ceiling module power supply**
- 12V DC (CV)
- Supply pipe 7 m
- **Activation**
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

Standard article	35 044 970 FF	FF	Euro
Concealed rough parts		90	1,498.70



Recommended miscellaneous

Leak protection 1/2"	12 010 970 FF	FF	Euro
-----------------------------	---------------	----	------

- This article is needed 2x.

Leak protection	90	82.40
-----------------	----	-------

35 041 970



Concealed ceiling installation box with ceiling fixing

- concealed rough parts
- 2x female thread 1/2" connections
- For simultaneous control of the jet types, we recommend the xTool thermostat module
- Not suitable for use in a steam room.

Standard article	35 041 970 FF	FF	Euro
Concealed rough parts		90	497.90



Recommended miscellaneous

Leak protection 1/2"	12 010 970 FF	FF	Euro
-----------------------------	---------------	----	------

- This article is needed 2x.

Leak protection	90	82.40
-----------------	----	-------

35 042 970



Concealed ceiling installation box for surface-mounted ceiling installation with light

- concealed rough parts
- 2x female thread 1/2" connections
- **Separate LED power supply**
- **Input LED power supply**
- Input 100-240V AC 50-60Hz
- **Output LED power supply**
- 350mA (CC)
- **Output specification LED power supply**
- SELV (Safety Extra Low Voltage)
- Class 2
- **Ceiling module power supply**
- 350mA (CC)
- Supply pipe 7 m
- Provided by customer: Light switch
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Standard article	35 042 970 FF	FF	Euro
Concealed rough parts		90	748.00



Recommended miscellaneous

Leak protection 1/2"	12 010 970 FF	FF	Euro
-----------------------------	---------------	----	------

- This article is needed 2x.

Leak protection	90	82.40
-----------------	----	-------

35 610 970



RAINMOON Concealed ceiling installation box

- concealed rough parts
- Rain panel with 2 different spray modes
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 6.8 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 5 l/min (at 3 bar)
- Ceiling installation enclosure
1356 x 1356 x 290 mm
- Opening diameter 1252 mm
- Ceiling construction with adequate structural strength for the permanent attachment of the device (weight: 57.5 kg / 127 lbs. (US)). M8 threaded bolts (minimum strength: 2000 N) are required to secure the ceiling module
- **Input LED power supply**
- Connector, 220-240V AC 50Hz power supply
- **Output LED power supply**
- 12V DC (CV)
- **Output specification LED power supply**
- SELV (Safety Extra Low Voltage)
- Provided by customer: Light switch
- **Environment**
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Standard article	35 610 970	FF	FF	Euro
Concealed rough parts		90		7,157.90



Recommended miscellaneous

Leak protection 3/4"	12 012 970	FF	FF	Euro
• This article is needed 2x.	Leak protection	90		82.40

35 615 970



RAINMOON Concealed ceiling installation box with color light

- concealed rough parts
- Rain panel with 2 different spray modes
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 6.8 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 5 l/min (at 3 bar)
- Ceiling installation enclosure
1356 x 1356 x 290 mm
- Opening diameter 1252 mm
- Ceiling construction with adequate structural strength for the permanent attachment of the device (weight: 57.5 kg / 127 lbs. (US)). M8 threaded bolts (minimum strength: 2000 N) are required to secure the ceiling module
- **Separate LED power supply**
- **Input LED power supply**
- Electricity supply: 100-240 V AC, 50-60 Hz, 20 W
- **Output LED power supply**
- 12V DC (CV)
- **Output specification LED power supply**
- SELV (Safety Extra Low Voltage)
- Class 2
- **Ceiling module power supply**
- 12V DC (CV)
- Supply pipe 7 m
- **Activation**
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

Standard article	35 615 970	FF	FF	Euro
Concealed rough parts		90		7,157.90



Recommended miscellaneous

Leak protection 3/4"	12 012 970	FF	FF	Euro
• This article is needed 2x.	Leak protection	90		82.40

Concealed articles

35 620 970



AQUAMOON Concealed ceiling installation box

- concealed rough parts
- Rain panel with 3 different flow modes
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 12 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 10 l/min (at 3 bar)
- Queen's Collar: rounded cascade, max. 24 l/min
- Ceiling installation enclosure 1356 x 1356 x 290 mm
- Opening diameter 1252 mm
- Ceiling construction with adequate structural strength for the permanent attachment of the device (weight: 57.5 kg / 127 lbs. (US)). M8 threaded bolts (minimum strength: 2000 N) are required to secure the ceiling module
- **Input LED power supply**
- Connector, 220-240V AC 50Hz power supply
- **Output LED power supply**
- 12V DC (CV)
- **Output specification LED power supply**
- SELV (Safety Extra Low Voltage)
- Provided by customer: Light switch
- **Environment**
- Not suitable for use in a steam room.
- Not suitable for outdoor use.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Standard article	35 620 970 FF	FF	Euro
Concealed rough parts		90	7,622.40



Recommended miscellaneous

Leak protection 3/4"	12 012 970 FF	FF	Euro
• This article is needed 3x.	Leak protection	90	82.40

35 625 970



AQUAMOON Concealed ceiling installation box with color light

- concealed rough parts
- Rain panel with 3 different flow modes
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 12 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 10 l/min (at 3 bar)
- QUEEN'S COLLAR CASCADE: Rounded cascade, max. flow rate 24 l/min (at 3 bar)
- Ceiling installation enclosure 1356 x 1356 x 290 mm
- Opening diameter 1252 mm
- Ceiling construction with adequate structural strength for the permanent attachment of the device (weight: 57.5 kg / 127 lbs. (US)). M8 threaded bolts (minimum strength: 2000 N) are required to secure the ceiling module
- **Separate LED power supply**
- **Input LED power supply**
- Electricity supply: 100-240 V AC, 50-60 Hz, 20 W
- **Output LED power supply**
- 12V DC (CV)
- **Output specification LED power supply**
- SELV (Safety Extra Low Voltage)
- Class 2
- **Ceiling module power supply**
- 12V DC (CV)
- Supply pipe 7 m
- **Activation**
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

Standard article	35 625 970 FF	FF	Euro
Concealed rough parts		90	7,622.40



Recommended miscellaneous

Leak protection 3/4"	12 012 970 FF	FF	Euro
• This article is needed 3x.	Leak protection	90	82.40

35 630 970



AQUAMOON EMBRACE Concealed ceiling installation box with color light

- concealed rough parts
- **1x rain panel for ceiling installation**
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 12 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 10 l/min (at 3 bar)
- Queen's Collar: rounded cascade, max. 23 l/min
- Embrace: rounded cascade, max. 60 l/min
- Ceiling installation enclosure 1356 x 1356 x 290 mm
- Opening diameter 1252 mm
- Ceiling construction with adequate structural strength for the permanent attachment of the device (weight: 57.5 kg / 127 lbs. (US)). M8 threaded bolts (minimum strength: 2000 N) are required to secure the ceiling module
- **Separate LED power supply**
- **Input LED power supply**
- Electricity supply: 100-240 V AC, 50-60 Hz, 20 W
- **Output LED power supply**
- 12V DC (CV)
- **Output specification LED power supply**
- SELV (Safety Extra Low Voltage)
- Class 2
- **Ceiling module power supply**
- 12V DC (CV)
- Supply pipe 7 m
- **Activation**
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

Standard article	35 630 970 FF	FF	Euro
Concealed rough parts		90	7,622.40



Recommended miscellaneous

Leak protection 3/4"	12 012 970 FF	FF	Euro
• This article is needed 5x.	Leak protection	90	82.40

35 311 970



NEW Concealed wall installation box for heated towel rail, 4-fold, without control element

- 4x dust cover
- 4x anti-water packing
- min. recess depth 70 mm
- max. recess depth 105 mm
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	35 311 970 FF	FF	Euro
Concealed rough parts		90	750.00

35 312 970



NEW Concealed wall installation box for heated towel rail, 4-fold, with control element

- 5 x dust covers
- 5 x pipe collars (water ingress protection)
- min. recess depth 70 mm
- max. recess depth 105 mm
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Standard article	35 312 970 FF	FF	Euro
Concealed rough parts		90	850.00

Concealed articles

35 313 970

NEW **Concealed wall installation box for heated towel rail, 6-fold, without control element**



- 6 x dust covers
- 6 x pipe collars (water ingress protection)
- min. recess depth 70 mm
- max. recess depth 105 mm
- Rated voltage: 220 - 240 V AC

Without control element

Activation must be handled by the customer

Note: Different conditioning.

Standard article	35 313 970 FF	FF	Euro
Concealed rough parts		90	1,100.00

35 314 970

NEW **Concealed wall installation box for heated towel rail, 6-fold, with control element**



- 7 x dust covers
- 7 x pipe collars (water ingress protection)
- min. recess depth 70 mm
- max. recess depth 105 mm
- Rated voltage: 220 - 240 V AC

Note: Different conditioning.

Standard article	35 314 970 FF	FF	Euro
Concealed rough parts		90	1,100.00

35 750 970

AQUAHALO Concealed ceiling installation box



- concealed rough parts
- Rain panel with 3 different flow modes
- AQUACIRCLE RAIN: Circular rain curtain, max. flow rate 14 l/min (at 3 bar)
- TEMPEST RAIN: Natural rain, max. flow rate 9 l/min (at 3 bar)
- DIAMOND RAIN: Ring of rain, max. flow rate 6.8 l/min (at 3 bar)
- Ceiling installation enclosure 605 x 605 x 95 mm
- Weight: 10 kg
- min. recess depth 110 mm
- max. recess depth 150 mm
- For simultaneous control of the jet types, we recommend the xTool thermostat module
- **Separate LED power supply**
- **Input LED power supply**
- Input 100-240V AC 50-60Hz
- **Output LED power supply**
- 350mA (CC)
- **Output specification LED power supply**
- SELV (Safety Extra Low Voltage)
- Class 2
- **Ceiling module power supply**
- 350mA (CC)
- Supply pipe 7 m
- **Spot lighting**
- LED colour temperature approx. 3000 K
- Bulbs protected against splashing water
- Contains energy efficiency class bulbs
- Technology: LED, not dimmable
- Provided by customer: Light switch
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).

Custom-made options

- Finish variants

Standard article	35 750 970 FF	FF	Euro
Chrome		-00	5,166.10
Brushed Platinum		-06	5,166.10
Champagne (22kt Gold)		-47	5,166.10
Brushed Champagne (22kt Gold)		-46	5,166.10
Matte Black		-33	5,166.10



Recommended miscellaneous

Leak protection 1/2"	12 010 970 FF	FF	Euro
• This article is needed 3x.	Leak protection	90	82.40

35 770 970



SERENITY SKY Concealed ceiling installation box

- concealed rough parts
- flush-mounted reflection box, 662 x 482 mm, RAL 9003, Signal White
- max. recess depth 590 mm
- min. recess depth 150 mm
- 2x female thread 1/2" connections
- weight 15kg
- Recommended control element: xTool
- Not suitable for use in a steam room.

Standard article	35 770 970 FF	FF	Euro
Concealed rough parts		90	2,042.90



Recommended miscellaneous

Leak protection 1/2"	12 010 970 FF	FF	Euro
-----------------------------	----------------------	----	------

- This article is needed 2x.

Leak protection	90	82.40
-----------------	-----------	-------

35 771 970



SERENITY SKY Concealed ceiling installation box with light

- concealed rough parts
- flush-mounted reflection box, 662 x 482 mm, RAL 9003, Signal White
- 2x female thread 1/2" connections
- min. recess depth 150 mm
- max. recess depth 590 mm
- weight 15kg
- **Separate LED power supply**
- **Input LED power supply**
- Electricity supply: 100-240 V AC, 50-60 Hz, 20 W
- **Output LED power supply**
- 24V DC (CV)
- **Output specification LED power supply**
- SELV (Safety Extra Low Voltage)
- Class 2
- **Ceiling module power supply**
- 24V DC (CV)
- Supply pipe 7 m
- **Activation**
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

Standard article	35 771 970 FF	FF	Euro
Concealed rough parts		90	2,723.80



Recommended miscellaneous

Leak protection 1/2"	12 010 970 FF	FF	Euro
-----------------------------	----------------------	----	------

- This article is needed 2x.

Leak protection	90	82.40
-----------------	-----------	-------

35 780 970



SERENITY SKY+ Concealed ceiling installation box

- concealed rough parts
- flush-mounted reflection box, 662 x 482 mm, RAL 9003, Signal White
- max. recess depth 590 mm
- min. recess depth 150 mm
- 5x 1/2" female connector
- weight 15kg
- Recommended control element: xTool
- Not suitable for use in a steam room.

Standard article	35 780 970 FF	FF	Euro
Concealed rough parts		90	2,723.80



Recommended miscellaneous

Leak protection 1/2"	12 010 970 FF	FF	Euro
-----------------------------	----------------------	----	------

- This article is needed 5x.

Leak protection	90	82.40
-----------------	-----------	-------

Concealed articles

35 781 970



SERENITY SKY+ Concealed ceiling installation box with light

- concealed rough parts
- 5x 1/2" female connector
- flush-mounted reflection box, 662 x 482 mm, RAL 9003, Signal White
- min. recess depth 150 mm
- max. recess depth 590 mm
- weight 15kg
- **Separate LED power supply**
- **Input LED power supply**
- Electricity supply: 100-240 V AC, 50-60 Hz, 20 W
- **Output LED power supply**
- 24V DC (CV)
- **Output specification LED power supply**
- SELV (Safety Extra Low Voltage)
- Class 2
- **Ceiling module power supply**
- 24V DC (CV)
- Supply pipe 7 m
- **Activation**
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway
- **Environment**
- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

Standard article	35 781 970 FF	FF	Euro
Concealed rough parts		90	3,401.20



Recommended miscellaneous

Leak protection 1/2"	12 010 970 FF	FF	Euro
• This article is needed 5x.	Leak protection	90	82.40

Miscellaneous

12 880 970



Adapter for reversed water connections for 35 860 970 90

Not suitable for combining with META PURE (36 86X 664-FF).

Standard article	12 880 970 FF	FF	Euro
Accessories		90	212.60

12 869 970



Extension 20 mm

- up to 20 mm: 1 x 12 869 970 90
- 21 mm - 40 mm: 2 x 12 869 970 90

for 35 860 970 90

Not suitable for combining with META PURE (36 86X 664-FF).

Standard article	12 869 970 FF	FF	Euro
Accessories		90	155.50

12 870 970



Extension 20 mm

- up to 20 mm: 1 x 12 870 970 90
- 21 mm - 40 mm: 2 x 12 870 970 90

for 35 860 970 90

Can only be combined with exposed trim parts 36 86X 664-FF.

Standard article	12 870 970 FF	FF	Euro
Accessories		90	212.60

12 055 970

NEW



Extension 25 mm

for 35 050 970 90

Standard article	12 055 970 FF	FF	Euro
Accessories		90	165.00

12 190 970



Extension 25 mm

- up to 25 mm: 1 x 12 190 970 90
- 26 mm - 50 mm: 2 x 12 190 970 90

for concealed single-lever shower and bath mixer 36 02X SSS-FF

Standard article	12 190 970 FF	FF	Euro
Accessories		90	180.30


Miscellaneous

12 191 970	Extension 25 mm <ul style="list-style-type: none"> • up to 25 mm: 1 x 12 191 970 90 • 26 mm - 50 mm: 2 x 12 191 970 90 for concealed single-lever shower and bath mixer 36 12X SSS-FF	Standard article Accessories	12 191 970 FF 90	FF 90	Euro 185.40
12 177 970	Extension 28 mm for xTOOL thermostat modules 35 503 / 511 / 521 / 531 / 524 / 534 970 90	Standard article Accessories	12 177 970 FF 90	FF 90	Euro 61.10
12 178 970	Extension 46 mm for xTOOL thermostat modules 35 503 / 511 / 521 / 531 / 524 / 534 970 90	Standard article Accessories	12 178 970 FF 90	FF 90	Euro 61.10
12 305 970	WATER POINTS Adapter plate <ul style="list-style-type: none"> • width 135mm • height 135 mm • depth 33 mm Adapter plate for mounting concealed rough parts 35 205 970 90 on the xGRID installation track.	Standard article Accessories	12 305 970 FF 90	FF 90	Euro 36.10
12 340 970	xGRID Attachment set for integrating in the dry wall construction <ul style="list-style-type: none"> • width 135mm • height 135 mm • depth 33 mm • variable across the range More about integrating xGRID in the dry wall construction can be found in the Shower Book brochure	Standard article Concealed rough parts	12 340 970 FF 90	FF 90	Euro 113.00
12 360 970	xGRID Installation track 555 mm <ul style="list-style-type: none"> • width 555mm • height 135 mm • depth 12 mm • retaining screws and plugs More about the xGRID installation track can be found in the Shower Book brochure	Standard article Concealed rough parts	12 360 970 FF 90	FF 90	Euro 112.20
12 370 970	xGRID Installation track set <ul style="list-style-type: none"> • width 555mm • height 135 mm • depth 12 mm • retaining screws and plugs This set contains 2 xGrid installation tracks and includes fixing material More about the xGRID installation track can be found in the Shower Book brochure	Standard article Concealed rough parts	12 370 970 FF 90	FF 90	Euro 196.20
12 380 970	xGRID Installation track set <ul style="list-style-type: none"> • width 555mm • height 135 mm • depth 12 mm • retaining screws and plugs This set contains 3 xGrid installation tracks and includes fixing material More about the xGRID installation track can be found in the Shower Book brochure	Standard article Concealed rough parts	12 380 970 FF 90	FF 90	Euro 280.60

Concealed articles

Drybox

38 945 970




Drybox for floor mounting

- Dimensions 300 x 300 x 80 mm
- brushed stainless steel cover
- stainless steel casing
- Overflow is part of the scope of delivery.

Standard article	38 945 970	FF	FF	Euro
Drybox			90	663.20

39 521 970




NEW Drybox Thermostat module with 2 valves

- Dimensions 300 x 600 x 108 mm
- brushed stainless steel cover
- stainless steel casing
- Overflow is part of the scope of delivery.

Standard article	39 521 970	FF	FF	Euro
Drybox			90	1,152.10

39 531 970




NEW Drybox Thermostat module with 3 valves

- Dimensions 300 x 800 x 108 mm
- brushed stainless steel cover
- stainless steel casing
- Overflow is part of the scope of delivery.

Standard article	39 531 970	FF	FF	Euro
Drybox			90	1,268.70

39 503 970



NEW Drybox Thermostat module without volume control

- Dimensions 300 x 400 x 80 mm
- brushed stainless steel cover
- stainless steel casing
- Overflow is part of the scope of delivery.

Standard article	39 503 970	FF	FF	Euro
Drybox			90	829.50

39 121 970



Drybox Concealed single-lever mixer with and without diverter

- Dimensions 300 x 400 x 80 mm
- brushed stainless steel cover
- stainless steel casing
- Overflow is part of the scope of delivery.

Standard article	39 121 970	FF	FF	Euro
Drybox			90	826.60

39 426 970




Drybox Concealed thermostat

- Dimensions 300 x 400 x 80 mm
- brushed stainless steel cover
- stainless steel casing
- Overflow is part of the scope of delivery.

Standard article	39 426 970	FF	FF	Euro
Drybox			90	880.30

39 708 970




Drybox Wall-mounted basin mixer centred spout

- Dimensions 400 x 300 x 80 mm
- brushed stainless steel cover
- stainless steel casing
- Overflow is part of the scope of delivery.

Standard article	39 708 970	FF	FF	Euro
Drybox			90	825.00

Miscellaneous

39 807 970		Drybox Wall-mounted single-lever basin mixer Mixer on right/left/or above <ul style="list-style-type: none"> • Dimensions 300 x 300 x 80 mm • brushed stainless steel cover • stainless steel casing • Overflow is part of the scope of delivery. 	Standard article	39 807 970 FF	FF	Euro
			Drybox		90	

29 024 970		NEW Single holder for 16 mm AluPEX pipes <ul style="list-style-type: none"> • for 16 mm AluPEX pipes 	Standard article	29 024 970 FF	FF	
			Accessories		90	

XS-08 3952		Drybox Concealed thermostat <ul style="list-style-type: none"> • brushed stainless steel cover • Overflow is part of the scope of delivery. • stainless steel casing 	xTra Service	XS FF	FF	Euro
			Drybox			

XS-08 3953		Drybox Concealed thermostat <ul style="list-style-type: none"> • brushed stainless steel cover • Overflow is part of the scope of delivery. • stainless steel casing 	xTra Service	XS FF	FF	Euro
			Drybox			

XS-08 3954		Drybox Concealed thermostat <ul style="list-style-type: none"> • brushed stainless steel cover • Overflow is part of the scope of delivery. • stainless steel casing 	xTra Service	XS FF	FF	Euro
			Drybox			

XS-08 3955		Drybox Concealed thermostat <ul style="list-style-type: none"> • brushed stainless steel cover • Overflow is part of the scope of delivery. • stainless steel casing 	xTra Service	XS FF	FF	Euro
			Drybox			

XS-08 7690		Drybox Concealed thermostat <ul style="list-style-type: none"> • brushed stainless steel cover • Overflow is part of the scope of delivery. • stainless steel casing 	xTra Service	XS FF	FF	Euro
			Drybox			

XS-08 7789		Drybox Concealed thermostat <ul style="list-style-type: none"> • brushed stainless steel cover • Overflow is part of the scope of delivery. • stainless steel casing 	xTra Service	XS FF	FF	Euro
			Drybox			

Concealed articles

XS-09 0728



Drybox Concealed thermostat

- brushed stainless steel cover
- Overflow is part of the scope of delivery.
- stainless steel casing

xTra Service	XS FF	FF	Euro
Drybox			585.90

XS-09 0730



Drybox Concealed thermostat

- brushed stainless steel cover
- Overflow is part of the scope of delivery.
- stainless steel casing

xTra Service	XS FF	FF	Euro
Drybox			1,185.50

XS-09 0731



Drybox Concealed thermostat

- brushed stainless steel cover
- Overflow is part of the scope of delivery.
- stainless steel casing

xTra Service	XS FF	FF	Euro
Drybox			1,359.80

Miscellaneous

Basin
from page 661

Shower-Bathtub
from page 665



Miscellaneous

Bath fittings

Miscellaneous

26mm projection



36 243 970

integrated bath filling

26mm projection



36 247 970

22 900 360



Angle valve

- rosette Ø 60 mm
- porcelain insert COLD

Custom-made options

- Finish variants
- without logo

Standard article	22 900 360 FF	FF	Euro
Chrome		-00	214.10
Platinum		-08	342.70
Brushed Platinum		-06	342.70
Durabrand (23kt Gold)		-09	449.60
Brushed Durabrand (23kt Gold)		-28	449.60
Brushed Dark Brass		-39	342.60
Brushed Bronze		-42	342.60
Brushed Dark Platinum		-99	385.30

22 900 361



Angle valve

- rosette Ø 60 mm
- porcelain insert HOT

Custom-made options

- Finish variants
- without logo

Standard article	22 900 361 FF	FF	Euro
Chrome		-00	214.10
Platinum		-08	342.70
Brushed Platinum		-06	342.70
Durabrand (23kt Gold)		-09	449.60
Brushed Durabrand (23kt Gold)		-28	449.60
Brushed Dark Brass		-39	342.60
Brushed Bronze		-42	342.60
Brushed Dark Platinum		-99	385.30

22 901 782



Angle valve

- rosette 60 x 60 mm
- hose covering 200mm, for shortening
- 1/2" connection

Custom-made options

- Finish variants
- without logo

Standard article	22 901 782 FF	FF	Euro
Chrome		-00	215.10
Brushed Chrome		-93	279.50
Platinum		-08	344.20
Brushed Platinum		-06	344.20
Brushed Light Gold		-27	322.60
Champagne (22kt Gold)		-47	473.20
Brushed Champagne (22kt Gold)		-46	473.20
Brushed Durabrand (23kt Gold)		-28	451.70
Brushed Dark Brass		-39	344.10
Brushed Bronze		-42	344.10
Dark Chrome		-19	322.70
Brushed Dark Platinum		-99	387.30
Matte Black		-33	290.60

22 901 979



Angle valve

- rosette Ø 55 mm
- hose covering 200mm, for shortening

Custom-made options

- Finish variants
- without logo

Standard article	22 901 979 FF	FF	Euro
Chrome		-00	188.60
Brushed Chrome		-93	245.20
Platinum		-08	301.70
Brushed Platinum		-06	301.70
Light Gold		-26	282.90
Brushed Light Gold		-27	282.90
Champagne (22kt Gold)		-47	414.90
Brushed Champagne (22kt Gold)		-46	414.90
Durabrand (23kt Gold)		-09	396.10
Brushed Durabrand (23kt Gold)		-28	396.10
Brushed Bronze		-42	301.70
Dark Chrome		-19	282.80
Brushed Dark Platinum		-99	339.30
Matte Black		-33	254.60

22 900 892



Angle valve

- rosette Ø 55 mm
- hose covering 200mm, for shortening

Custom-made options

- Finish variants
- without logo

Standard article	22 900 892 FF	FF	Euro
Chrome		-00	206.10
Platinum		-08	329.70
Brushed Platinum		-06	329.70
Champagne (22kt Gold)		-47	453.40
Brushed Champagne (22kt Gold)		-46	453.40
Brushed Durabrand (23kt Gold)		-28	432.80
Brushed Dark Brass		-39	329.80
Brushed Bronze		-42	329.80
Dark Chrome		-19	309.20
Brushed Dark Platinum		-99	371.10
Matte Black		-33	278.30

Miscellaneous

12 715 970



Cover for tap hole

Custom-made options

- Finish variants

Standard article	12 715 970 FF	FF	Euro
Chrome		-00	43.00
Brushed Chrome		-93	55.90
Platinum		-08	68.70
Brushed Platinum		-06	68.70
Light Gold		-26	64.50
Brushed Light Gold		-27	64.50
Champagne (22kt Gold)		-47	94.60
Brushed Champagne (22kt Gold)		-46	94.60
Durabrass (23kt Gold)		-09	90.30
Brushed Durabrass (23kt Gold)		-28	90.30
Brushed Dark Brass		-39	68.70
Brushed Bronze		-42	68.70
Dark Chrome		-19	64.40
Brushed Dark Platinum		-99	77.40
Matte Black		-33	58.00

10 300 970



Basin Waste 1 1/4"

- length of knee lever 185 mm
- european pop-up waste

Only suitable for basins with an overflow.

Custom-made options

- Finish variants

Standard article	10 300 970 FF	FF	Euro
Chrome		-00	78.60
Brushed Chrome		-93	102.10
Platinum		-08	125.90
Brushed Platinum		-06	125.90
Light Gold		-26	117.80
Brushed Light Gold		-27	117.80
Champagne (22kt Gold)		-47	172.90
Brushed Champagne (22kt Gold)		-46	172.90
Durabrass (23kt Gold)		-09	165.10
Brushed Durabrass (23kt Gold)		-28	165.10
Brushed Dark Brass		-39	125.80
Brushed Bronze		-42	125.80
Dark Chrome		-19	117.90
Brushed Dark Platinum		-99	141.40
Matte Black		-33	106.20

10 125 970



Basin Waste with push fastening 1 1/4"

- for closing

Only suitable for basins with an overflow.

Custom-made options

- Finish variants

Standard article	10 125 970 FF	FF	Euro
Chrome		-00	89.50
Brushed Chrome		-93	116.40
Platinum		-08	143.40
Brushed Platinum		-06	143.40
Light Gold		-26	134.30
Brushed Light Gold		-27	134.30
Champagne (22kt Gold)		-47	196.90
Brushed Champagne (22kt Gold)		-46	196.90
Durabrass (23kt Gold)		-09	188.00
Brushed Durabrass (23kt Gold)		-28	188.00
Brushed Dark Brass		-39	143.20
Brushed Bronze		-42	143.20
Dark Chrome		-19	134.50
Brushed Dark Platinum		-99	161.30
Matte Black		-33	120.80

10 126 970



Basin Waste without press-closing 1 1/4"

- min. bath/basin thickness 5/8"
- not for closing

Only suitable for sinks without an overflow.

Custom-made options

- Finish variants

Standard article	10 126 970 FF	FF	Euro
Chrome		-00	90.10
Brushed Chrome		-93	117.10
Platinum		-08	144.10
Brushed Platinum		-06	144.10
Light Gold		-26	135.20
Brushed Light Gold		-27	135.20
Champagne (22kt Gold)		-47	198.20
Brushed Champagne (22kt Gold)		-46	198.20
Durabrass (23kt Gold)		-09	189.20
Brushed Durabrass (23kt Gold)		-28	189.20
Brushed Dark Brass		-39	144.20
Brushed Bronze		-42	144.20
Dark Chrome		-19	135.10
Brushed Dark Platinum		-99	162.30
Matte Black		-33	121.70

10 040 970



Siphon for basin 1 1/4"

- rosette Ø 80 mm

Custom-made options

- Finish variants

Standard article	10 040 970 FF	FF	Euro
Chrome		-00	487.90
Platinum		-08	780.40
Brushed Platinum		-06	780.40
Champagne (22kt Gold)		-47	975.80
Brushed Champagne (22kt Gold)		-46	975.80
Durabrass (23kt Gold)		-09	1,024.60
Brushed Durabrass (23kt Gold)		-28	1,024.60
Brushed Dark Brass		-39	780.60
Brushed Bronze		-42	780.60
Dark Chrome		-19	731.90
Brushed Dark Platinum		-99	878.30

10 060 780



Siphon for basin 1 1/4"

- rosette 78 x 78 mm

Custom-made options

- Finish variants

Standard article	10 060 780 FF	FF	Euro
Chrome		-00	387.40
Brushed Chrome		-93	503.60
Platinum		-08	619.90
Brushed Platinum		-06	619.90
Brushed Light Gold		-27	581.10
Champagne (22kt Gold)		-47	774.70
Brushed Champagne (22kt Gold)		-46	774.70
Brushed Durabrass (23kt Gold)		-28	813.50
Brushed Dark Brass		-39	619.90
Brushed Bronze		-42	619.80
Dark Chrome		-19	581.10
Brushed Dark Platinum		-99	697.30
Matte Black		-33	523.20

10 060 970



Siphon for basin

- rosette Ø 70 mm

Custom-made options

- Finish variants

Standard article	10 060 970 FF	FF	Euro
Chrome		-00	338.60
Brushed Chrome		-93	440.20
Platinum		-08	541.90
Brushed Platinum		-06	541.90
Light Gold		-26	508.00
Brushed Light Gold		-27	508.00
Champagne (22kt Gold)		-47	744.90
Brushed Champagne (22kt Gold)		-46	744.90
Durabrass (23kt Gold)		-09	711.10
Brushed Durabrass (23kt Gold)		-28	711.10
Brushed Dark Brass		-39	541.70
Brushed Bronze		-42	541.80
Dark Chrome		-19	507.90
Brushed Dark Platinum		-99	609.50
Matte Black		-33	457.20

Miscellaneous

10 100 970



Grated waste 1 1/4"

Custom-made options

- Finish variants

Standard article	10 100 970 FF	FF	Euro
Chrome		-00	44.30
Brushed Chrome		-93	57.70
Platinum		-08	70.70
Brushed Platinum		-06	70.70
Light Gold		-26	66.50
Brushed Light Gold		-27	66.50
Champagne (22kt Gold)		-47	97.50
Brushed Champagne (22kt Gold)		-46	97.50
Durabrass (23kt Gold)		-09	93.00
Brushed Durabrass (23kt Gold)		-28	93.00
Brushed Dark Brass		-39	70.90
Brushed Bronze		-42	71.00
Dark Chrome		-19	66.60
Brushed Dark Platinum		-99	79.80

10 105 970



Grated waste 1 1/4"

Only suitable for basins with an overflow.

Custom-made options

- Finish variants

Standard article	10 105 970 FF	FF	Euro
Chrome		-00	58.40
Brushed Chrome		-93	75.90
Platinum		-08	93.30
Brushed Platinum		-06	93.30
Light Gold		-26	87.70
Brushed Light Gold		-27	87.70
Champagne (22kt Gold)		-47	128.50
Brushed Champagne (22kt Gold)		-46	128.50
Durabrass (23kt Gold)		-09	122.60
Brushed Durabrass (23kt Gold)		-28	122.60
Brushed Dark Brass		-39	93.40
Brushed Bronze		-42	93.50
Dark Chrome		-19	87.70
Brushed Dark Platinum		-99	105.00
Matte Black		-33	78.80

10 110 970



Grated waste 1 1/4"

Only suitable for sinks without an overflow.

Custom-made options

- Finish variants

Standard article	10 110 970 FF	FF	Euro
Chrome		-00	58.40
Brushed Chrome		-93	75.90
Platinum		-08	93.30
Brushed Platinum		-06	93.30
Light Gold		-26	87.70
Brushed Light Gold		-27	87.70
Champagne (22kt Gold)		-47	128.50
Brushed Champagne (22kt Gold)		-46	128.50
Durabrass (23kt Gold)		-09	122.60
Brushed Durabrass (23kt Gold)		-28	122.60
Brushed Dark Brass		-39	93.40
Brushed Bronze		-42	93.50
Dark Chrome		-19	87.70
Brushed Dark Platinum		-99	105.00
Matte Black		-33	78.80

28 490 660



Wall elbow with integrated shower holder

- 3/8" shower outlet
- rosette Ø 60 mm
- 1/2" connection

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- without logo

Standard article	28 490 660 FF	FF	Euro
Chrome	-00		225.00
Brushed Chrome	-93		292.40
Platinum	-08		359.60
Brushed Platinum	-06		359.60
Light Gold	-26		337.40
Brushed Light Gold	-27		337.40
Champagne (22kt Gold)	-47		495.00
Brushed Champagne (22kt Gold)	-46		495.00
Brushed Durabronze (23kt Gold)	-28		472.50
Brushed Dark Brass	-39		359.90
Brushed Bronze	-42		360.00
Dark Chrome	-19		337.30
Brushed Dark Platinum	-99		404.30
Matte Black	-33		303.70



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
----------------------	---------------	----	------

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

Concealed rough parts	90		122.80
-----------------------	----	--	--------

28 490 970



Wall elbow with integrated shower holder

- 3/8" shower outlet
- rosette 60 x 60 mm
- 1/2" connection

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- without logo

Standard article	28 490 970 FF	FF	Euro
Chrome	-00		238.30
Brushed Chrome	-93		309.90
Platinum	-08		381.70
Brushed Platinum	-06		381.70
Brushed Light Gold	-27		357.60
Champagne (22kt Gold)	-47		524.30
Brushed Champagne (22kt Gold)	-46		524.30
Brushed Durabronze (23kt Gold)	-28		500.40
Brushed Dark Brass	-39		381.30
Brushed Bronze	-42		381.30
Dark Chrome	-19		357.70
Brushed Dark Platinum	-99		428.70
Matte Black	-33		321.80



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
----------------------	---------------	----	------

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

Concealed rough parts	90		122.80
-----------------------	----	--	--------

28 450 845



Wall elbow

- 3/8" shower outlet
- rosette 60 x 78 mm
- 1/2" connection

Intrinsic protection against back flow.

Fits LISSÉ

Custom-made options

- Finish variants
- without logo

Standard article	28 450 845 FF	FF	Euro
Chrome	-00		120.40
Brushed Chrome	-93		156.60
Brushed Platinum	-06		192.60
Light Gold	-26		180.70
Brushed Light Gold	-27		180.60
Brushed Bronze	-42		192.60
Dark Chrome	-19		180.60
Brushed Dark Platinum	-99		216.70
Matte Black	-33		162.50



Recommended miscellaneous

Concealed wall elbow	35 085 970 FF	FF	Euro
----------------------	---------------	----	------

- min. recess depth 90 mm
- max. recess depth 163 mm

For details and miscellaneous, see page 645

Concealed rough parts	90		122.80
-----------------------	----	--	--------

Miscellaneous

28 450 710



Wall elbow

- 3/8" shower outlet
- rosette 78 x 55 mm
- 1/2" connection

Intrinsic protection against back flow.

Fits LULU

Custom-made options

- Finish variants
- without logo

Standard article	28 450 710 FF	FF	Euro
Chrome		-00	172.60
Brushed Platinum		-06	275.80



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

• min. recess depth 90 mm	Concealed rough parts	90	122.80
• max. recess depth 163 mm			

For details and miscellaneous, see page 645

28 450 370



Wall elbow

- 1/2" shower outlet
- rosette Ø 60 mm
- 1/2" connection

Intrinsic protection against back flow.

Fits MADISON

Custom-made options

- Finish variants

Standard article	28 450 370 FF	FF	Euro
Chrome		-00	118.00
Platinum		-08	188.90
Brushed Platinum		-06	188.90
Durabrand (23kt Gold)		-09	247.80
Brushed Durabrand (23kt Gold)		-28	247.80
Brushed Dark Brass		-39	188.90
Brushed Bronze		-42	188.90
Brushed Dark Platinum		-99	212.60



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

• min. recess depth 90 mm	Concealed rough parts	90	122.80
• max. recess depth 163 mm			

For details and miscellaneous, see page 645

28 450 410



Wall elbow

- 1/2" shower outlet
- rosette Ø 55 mm
- 1/2" connection

Intrinsic protection against back flow.

Fits MADISON

Custom-made options

- Finish variants
- without logo

Standard article	28 450 410 FF	FF	Euro
Chrome		-00	106.80
Platinum		-08	170.90
Brushed Platinum		-06	170.90
Durabrand (23kt Gold)		-09	224.30
Brushed Durabrand (23kt Gold)		-28	224.30
Brushed Dark Brass		-39	170.90
Brushed Bronze		-42	170.90
Brushed Dark Platinum		-99	192.30



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

• min. recess depth 90 mm	Concealed rough parts	90	122.80
• max. recess depth 163 mm			

For details and miscellaneous, see page 645

28 450 809



Wall elbow

- 3/8" shower outlet
- rosette Ø 60 mm
- 1/2" connection

Fits VAIA

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- without logo

Standard article	28 450 809 FF	FF	Euro
Chrome		-00	134.30
Platinum		-08	214.70
Brushed Platinum		-06	214.30
Champagne (22kt Gold)		-47	295.50
Brushed Champagne (22kt Gold)		-46	295.50
Brushed Durabrand (23kt Gold)		-28	282.00
Brushed Dark Brass		-39	214.90
Brushed Bronze		-42	214.90
Dark Chrome		-19	201.30
Brushed Dark Platinum		-99	241.50



Recommended miscellaneous

Standard article	35 085 970 FF	FF	Euro
Concealed wall elbow			

• min. recess depth 90 mm	Concealed rough parts	90	122.80
• max. recess depth 163 mm			

For details and miscellaneous, see page 645

28 450 625



Wall elbow

- 3/8" shower outlet
- rosette Ø 55 mm
- 1/2" connection

Intrinsic protection against back flow.

Fits META, TARA

Custom-made options

- Finish variants
- without logo

Standard article	28 450 625 FF	FF	Euro
Chrome		-00	115.70
Brushed Chrome		-93	150.40
Platinum		-08	185.20
Brushed Platinum		-06	185.20
Light Gold		-26	173.60
Brushed Light Gold		-27	173.60
Champagne (22kt Gold)		-47	254.50
Brushed Champagne (22kt Gold)		-46	254.50
Brushed Durabronze (23kt Gold)		-28	243.00
Brushed Dark Brass		-39	185.10
Brushed Bronze		-42	185.10
Dark Chrome		-19	173.60
Brushed Dark Platinum		-99	208.30
Matte Black		-33	155.90



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

FF

Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts

90

122.80

For details and miscellaneous, see page 645

28 450 980



Wall elbow

- 3/8" shower outlet
- rosette 60 x 60 mm
- 1/2" connection

Intrinsic protection against back flow.

Fits MEM, CL.1, IMO, CYO

Custom-made options

- Finish variants
- without logo

Standard article	28 450 980 FF	FF	Euro
Chrome		-00	165.10
Brushed Chrome		-93	214.80
Platinum		-08	264.40
Brushed Platinum		-06	264.40
Light Gold		-26	247.70
Brushed Light Gold		-27	247.70
Champagne (22kt Gold)		-47	363.20
Brushed Champagne (22kt Gold)		-46	363.20
Brushed Durabronze (23kt Gold)		-28	346.70
Brushed Dark Brass		-39	264.20
Brushed Bronze		-42	264.20
Dark Chrome		-19	247.90
Brushed Dark Platinum		-99	297.40
Matte Black		-33	223.00



Recommended miscellaneous

Concealed wall elbow

35 085 970 FF

FF

Euro

- min. recess depth 90 mm
- max. recess depth 163 mm

Concealed rough parts

90

122.80

For details and miscellaneous, see page 645

28 050 845



Wall bracket

- rosette 60 x 78 mm

Custom-made options

- Finish variants
- without logo

Standard article	28 050 845 FF	FF	Euro
Chrome		-00	155.10
Brushed Chrome		-93	201.60
Brushed Platinum		-06	248.00
Brushed Light Gold		-27	232.60
Dark Chrome		-19	232.60
Brushed Dark Platinum		-99	279.10
Matte Black		-33	209.30

Miscellaneous

28 050 892



Wall bracket

- rosette Ø 55 mm

Custom-made options

- Finish variants

Standard article	28 050 892 FF	FF	Euro
Chrome		-00	185.40
Brushed Chrome		-93	241.10
Platinum		-08	296.80
Brushed Platinum		-06	296.80
Champagne (22kt Gold)		-47	407.90
Brushed Champagne (22kt Gold)		-46	407.90
Brushed Durabrass (23kt Gold)		-28	389.30
Brushed Dark Brass		-39	296.60
Brushed Bronze		-42	296.60
Dark Chrome		-19	278.10
Brushed Dark Platinum		-99	333.70
Matte Black		-33	250.30

28 050 809



Wall bracket

- rosette Ø 60 mm

Custom-made options

- Finish variants

Standard article	28 050 809 FF	FF	Euro
Chrome		-00	203.80
Platinum		-08	326.10
Brushed Platinum		-06	326.80
Champagne (22kt Gold)		-47	448.40
Brushed Champagne (22kt Gold)		-46	448.40
Brushed Durabrass (23kt Gold)		-28	428.00
Brushed Dark Brass		-39	326.10
Brushed Bronze		-42	326.10
Dark Chrome		-19	305.70
Brushed Dark Platinum		-99	367.20

28 050 625



Wall bracket

- rosette Ø 55 mm

Custom-made options

- Finish variants

Standard article	28 050 625 FF	FF	Euro
Chrome		-00	161.60
Brushed Chrome		-93	210.00
Brushed Platinum		-06	258.60
Light Gold		-26	242.40
Brushed Light Gold		-27	242.40
Champagne (22kt Gold)		-47	355.50
Brushed Champagne (22kt Gold)		-46	355.50
Brushed Durabrass (23kt Gold)		-28	339.40
Brushed Dark Brass		-39	258.50
Brushed Bronze		-42	258.50
Dark Chrome		-19	242.30
Brushed Dark Platinum		-99	290.70
Matte Black		-33	218.30

28 050 980



Wall bracket

- rosette 60 x 60 mm

Custom-made options

- Finish variants

Standard article	28 050 980 FF	FF	Euro
Chrome		-00	214.40
Brushed Chrome		-93	278.70
Platinum		-08	343.40
Brushed Platinum		-06	343.40
Brushed Light Gold		-27	321.70
Champagne (22kt Gold)		-47	471.70
Brushed Champagne (22kt Gold)		-46	471.70
Brushed Durabrass (23kt Gold)		-28	450.20
Brushed Dark Brass		-39	343.10
Brushed Bronze		-42	343.10
Dark Chrome		-19	321.70
Brushed Dark Platinum		-99	385.90
Matte Black		-33	289.50

28 060 970



- Wall bracket swivel**
- pivotable 75°
- Custom-made options**
- Finish variants

Standard article	28 060 970 FF	FF	Euro
Chrome		-00	197.80
Brushed Chrome		-93	257.10
Platinum		-08	316.60
Brushed Platinum		-06	316.60
Light Gold		-26	296.50
Brushed Light Gold		-27	296.50
Champagne (22kt Gold)		-47	435.20
Brushed Champagne (22kt Gold)		-46	435.20
Brushed Durabronze (23kt Gold)		-28	415.40
Brushed Dark Brass		-39	316.40
Brushed Bronze		-42	316.30
Dark Chrome		-19	296.60
Brushed Dark Platinum		-99	356.10
Matte Black		-33	267.20

12 570 970



- Slide unit**
- for pipe diameter 23.5 mm
- Custom-made options**
- Finish variants

Standard article	12 570 970 FF	FF	Euro
Chrome		-00	137.00
Brushed Chrome		-93	178.10
Platinum		-08	219.50
Brushed Platinum		-06	219.50
Light Gold		-26	205.50
Brushed Light Gold		-27	205.50
Champagne (22kt Gold)		-47	301.40
Brushed Champagne (22kt Gold)		-46	301.40
Brushed Durabronze (23kt Gold)		-28	287.70
Brushed Dark Brass		-39	219.20
Brushed Bronze		-42	219.20
Dark Chrome		-19	205.40
Brushed Dark Platinum		-99	246.80
Matte Black		-33	185.20

12 580 970



- Slide unit**
- for pipe diameter 18 mm
- Custom-made options**
- Finish variants

Standard article	12 580 970 FF	FF	Euro
Chrome		-00	137.00
Brushed Chrome		-93	178.10
Platinum		-08	219.50
Brushed Platinum		-06	219.50
Light Gold		-26	205.50
Brushed Light Gold		-27	205.50
Champagne (22kt Gold)		-47	301.40
Brushed Champagne (22kt Gold)		-46	301.40
Brushed Durabronze (23kt Gold)		-28	287.70
Brushed Dark Brass		-39	219.20
Brushed Bronze		-42	219.20
Dark Chrome		-19	205.40
Brushed Dark Platinum		-99	246.80
Matte Black		-33	185.20

Miscellaneous

36 243 970



Pop-up waste and overflow

- drain Ø 52mm

Also suitable for king-size baths.

Custom-made options

- Finish variants
- without logo

Standard article	36 243 970 FF	FF	Euro
Chrome		-00	221.00
Brushed Chrome		-93	287.40
Platinum		-08	353.90
Brushed Platinum		-06	353.90
Light Gold		-26	331.60
Brushed Light Gold		-27	331.60
Champagne (22kt Gold)		-47	486.20
Brushed Champagne (22kt Gold)		-46	486.20
Durabrand (23kt Gold)		-09	464.10
Brushed Durabrand (23kt Gold)		-28	464.10
Brushed Dark Brass		-39	353.70
Brushed Bronze		-42	353.60
Dark Chrome		-19	331.70
Brushed Dark Platinum		-99	397.80
Matte Black		-33	298.70



Required miscellaneous

Pop-up waste and overflow

	35 227 970 FF	FF	Euro
• bowden cable length 725 mm	Concealed rough parts	90	179.20

36 247 970



Bath spout with pop-up waste and overflow

- drain Ø 52mm
- max. flow 27.8 l/min at 3 bar flow pressure

Also suitable for king-size baths.

In combination with 35 021 970 90 concealed single-lever mixer, is intrinsically safe under DIN EN 1717. Alternatively, ensure protection with vacuum breaker 35 150 970 90.

Custom-made options

- Finish variants
- without logo

Standard article	36 247 970 FF	FF	Euro
Chrome		-00	334.40
Brushed Chrome		-93	434.80
Platinum		-08	535.10
Brushed Platinum		-06	535.10
Light Gold		-26	501.70
Brushed Light Gold		-27	501.70
Champagne (22kt Gold)		-47	735.70
Brushed Champagne (22kt Gold)		-46	735.70
Durabrand (23kt Gold)		-09	702.20
Brushed Durabrand (23kt Gold)		-28	702.20
Brushed Dark Brass		-39	535.10
Brushed Bronze		-42	535.10
Dark Chrome		-19	501.70
Brushed Dark Platinum		-99	601.80
Matte Black		-33	451.30



Required miscellaneous

Vacuum breaker

	36 150 970 FF	FF	Euro
Chrome		-00	91.70
Brushed Chrome		-93	119.30
Platinum		-08	146.70
Brushed Platinum		-06	146.70
Light Gold		-26	137.60
Brushed Light Gold		-27	137.60
Champagne (22kt Gold)		-47	201.70
Brushed Champagne (22kt Gold)		-46	201.70
Durabrand (23kt Gold)		-09	192.60
Brushed Durabrand (23kt Gold)		-28	192.60
Brushed Dark Brass		-39	146.70
Brushed Bronze		-42	146.80
Dark Chrome		-19	137.50
Brushed Dark Platinum		-99	164.90
Matte Black		-33	123.90



Required miscellaneous

Bath spout with pop-up waste and overflow

	35 248 970 FF	FF	Euro
• bowden cable length 725 mm	Concealed rough parts	90	493.60

11 000 980



Door handle

Custom-made options

- Finish variants

Standard article	11 000 980 FF	FF	Euro
Chrome		-00	279.30
Brushed Platinum		-06	446.90
Matte Black		-33	377.20



Required miscellaneous

Attachment set for towel bar/tumbler mounting on one side

12 350 970 FF	FF	Euro

- for installation on glass tiles

Accessories	90	53.70



Required miscellaneous

Attachment set for towel bar/tumbler mounting on two sides

12 351 970 FF	FF	Euro

Accessories	90	81.00

12 202 979



Adapter for shower outlet 3/8" x 1/2"

- adapter M 20 x 1 female thread x 1/2" male thread for the connection of a shower hose 1/2" female thread

Custom-made options

- Finish variants

Standard article	12 202 979 FF	FF	Euro
Chrome		-00	50.10
Platinum		-08	80.50
Brushed Platinum		-06	80.50
Brushed Durabrass (23kt Gold)		-28	105.20
Brushed Dark Platinum		-99	90.20
Matte Black		-33	67.60

28 323 970



Metal shower hose in two parts 1/2" x 3/8" x 2250 mm

Custom-made options

- Finish variants

Standard article	28 323 970 FF	FF	Euro
Chrome		-00	134.90
Brushed Chrome		-93	174.80
Brushed Platinum		-06	207.00
Light Gold		-26	201.70
Brushed Light Gold		-27	201.70
Champagne (22kt Gold)		-47	397.70
Brushed Champagne (22kt Gold)		-46	296.80
Durabrass (23kt Gold)		-09	283.30
Brushed Durabrass (23kt Gold)		-28	283.30
Brushed Dark Brass		-39	215.90
Brushed Bronze		-42	215.20
Dark Chrome		-19	253.40
Brushed Dark Platinum		-99	253.40
Matte Black		-33	205.90

28 104 970



Metal shower hose 1/2" x 1/2" x 1250 mm

Custom-made options

- Finish variants

Standard article	28 104 970 FF	FF	Euro
Chrome		-00	104.00
Brushed Chrome		-93	133.80
Platinum		-08	224.50
Brushed Platinum		-06	165.80
Light Gold		-26	154.40
Brushed Light Gold		-27	154.40
Champagne (22kt Gold)		-47	328.60
Brushed Champagne (22kt Gold)		-46	228.80
Durabrass (23kt Gold)		-09	218.40
Brushed Durabrass (23kt Gold)		-28	218.40
Brushed Dark Brass		-39	166.40
Brushed Bronze		-42	164.70
Dark Chrome		-19	220.40
Brushed Dark Platinum		-99	185.30
Matte Black		-33	140.10

Miscellaneous

28 204 970

Metal shower hose 1/2" x 1/2" x 1750 mm



Custom-made options

- Finish variants

Standard article	28 204 970 FF	FF	Euro
Chrome		-00	119.50
Brushed Chrome		-93	154.30
Platinum		-08	263.70
Brushed Platinum		-06	190.60
Light Gold		-26	178.10
Brushed Light Gold		-27	178.10
Champagne (22kt Gold)		-47	388.60
Brushed Champagne (22kt Gold)		-46	262.90
Durabrass (23kt Gold)		-09	251.00
Brushed Durabrass (23kt Gold)		-28	251.00
Brushed Dark Brass		-39	191.20
Brushed Bronze		-42	189.90
Dark Chrome		-19	220.40
Brushed Dark Platinum		-99	214.20
Matte Black		-33	195.70

28 304 970

Metal shower hose 1/2" x 3/8" x 1500 mm



Custom-made options

- Finish variants

Standard article	28 304 970 FF	FF	Euro
Chrome		-00	157.50
Brushed Chrome		-93	204.80
Platinum		-08	252.80
Brushed Platinum		-06	252.80
Light Gold		-26	236.30
Brushed Light Gold		-27	236.30
Champagne (22kt Gold)		-47	346.50
Brushed Champagne (22kt Gold)		-46	346.50
Durabrass (23kt Gold)		-09	330.80
Brushed Durabrass (23kt Gold)		-28	330.80
Brushed Dark Brass		-39	251.90
Brushed Bronze		-42	251.90
Dark Chrome		-19	236.40
Brushed Dark Platinum		-99	283.90
Matte Black		-33	212.60

28 322 970

Metal shower hose 1/2" x 3/8" x 1750 mm



Custom-made options

- Finish variants

Standard article	28 322 970 FF	FF	Euro
Chrome		-00	170.00
Brushed Chrome		-93	225.00
Platinum		-08	273.00
Brushed Platinum		-06	273.00
Light Gold		-26	256.00
Brushed Light Gold		-27	256.00
Champagne (22kt Gold)		-47	375.10
Brushed Champagne (22kt Gold)		-46	375.10
Durabrass (23kt Gold)		-09	358.10
Brushed Durabrass (23kt Gold)		-28	358.10
Brushed Dark Brass		-39	146.70
Brushed Bronze		-42	275.00
Dark Chrome		-19	256.00
Brushed Dark Platinum		-99	308.00
Matte Black		-33	233.00

28 404 970

Metal shower hose extending 1/2" x 3/8" x 1250 mm



- 1/2" conical joint x 3/8" male thread


Custom-made options

- Finish variants

Standard article	28 404 970 FF	FF	Euro
Chrome		-00	133.30
Brushed Chrome		-93	173.20
Platinum		-08	213.30
Brushed Platinum		-06	213.30
Durabrass (23kt Gold)		-09	279.90
Brushed Durabrass (23kt Gold)		-28	279.90
Dark Chrome		-19	200.00
Brushed Dark Platinum		-99	239.70
Matte Black		-33	179.90

Single-lever mixer

Sieger Design



LOT

from page 675

MEM

from page 674

META SQUARE

from page 676

TARA

from page 678

TARA ULTRA

from page 680

VAIA

from page 682

Kitchen fittings

Single-lever mixer

236mm projection



33 800 680

201mm projection



33 800 682

241mm projection



33 815 682

200mm projection



33 800 861

235mm projection



33 815 861

201mm projection



33 800 888

Single-lever mixer

236mm projection



33 815 888

201mm projection



33 800 875

241mm projection



33 816 875

202mm projection



33 800 809

241mm projection



33 816 809

Two-hole mixer

235mm projection



32 815 680

Two-hole mixer

241mm projection



32 815 682

235mm projection



32 815 861

236mm projection



32 816 888

241mm projection



32 815 875

Single-hole mixer

235mm projection



22 815 892

Pivot

552mm projection



33 845 875


33 800 680



- LOT Single-lever mixer**
- 236mm projection
 - pivotable spout 360°
 - air-enriched flow
 - max. flow 8 l/min at 3 bar flow pressure
 - lead-free
 - This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Red/blue marking
- Swivel limitation
- without logo



Standard article	33 800 680 FF	FF	Euro
Chrome	-00		1,443.90
Platinum	-08		2,310.20
Brushed Platinum	-06		2,310.20
Champagne (22kt Gold)	-47		3,176.60
Brushed Champagne (22kt Gold)	-46		3,176.60
Brushed Durabronze (23kt Gold)	-28		3,032.20
Brushed Bronze	-42		2,310.20
Dark Chrome	-19		2,165.80
Brushed Dark Platinum	-99		2,165.80



Recommended miscellaneous
Dispenser with rosette

	82 439 970 FF	FF	Euro
Chrome	-00		341.70
Platinum	-08		535.90
Brushed Platinum	-06		535.90
Champagne (22kt Gold)	-47		751.70
Brushed Champagne (22kt Gold)	-46		751.70
Brushed Durabronze (23kt Gold)	-28		717.60
Brushed Bronze	-42		546.60
Dark Chrome	-19		512.50
Brushed Dark Platinum	-99		615.10

32 815 680




- LOT Two-hole mixer with individual rosettes**
- 235mm projection
 - pivoting spout 360°
 - air-enriched flow
 - max. flow 8 l/min at 3 bar flow pressure
 - lead-free
 - This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Operating unit can be positioned freely.

Custom-made options

- Finish variants
- Red/blue marking
- without logo



Standard article	32 815 680 FF	FF	Euro
Chrome	-00		1,779.60
Platinum	-08		2,847.40
Brushed Platinum	-06		2,847.40
Champagne (22kt Gold)	-47		3,915.10
Brushed Champagne (22kt Gold)	-46		3,915.10
Brushed Durabronze (23kt Gold)	-28		3,737.20
Brushed Bronze	-42		2,847.40
Dark Chrome	-19		2,669.50
Brushed Dark Platinum	-99		2,669.50



Recommended miscellaneous
Dispenser with rosette

	82 439 970 FF	FF	Euro
Chrome	-00		341.70
Platinum	-08		535.90
Brushed Platinum	-06		535.90
Champagne (22kt Gold)	-47		751.70
Brushed Champagne (22kt Gold)	-46		751.70
Brushed Durabronze (23kt Gold)	-28		717.60
Brushed Bronze	-42		546.60
Dark Chrome	-19		512.50
Brushed Dark Platinum	-99		615.10


33 800 682

MEM Single-lever mixer

- 201 mm projection
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 820 970 90
- air-enriched flow
- max. flow 6.3 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

Custom-made options

- Finish variants
- Red/blue marking
- without logo



Standard article	33 800 682 FF	FF	Euro
Chrome		-00	1,026.80
Brushed Chrome		-93	1,334.90
Platinum		-08	1,643.00
Brushed Platinum		-06	1,643.00
Champagne (22kt Gold)		-47	2,259.00
Brushed Champagne (22kt Gold)		-46	2,259.00
Brushed Durabronze (23kt Gold)		-28	2,156.30
Brushed Bronze		-42	1,642.90
Dark Chrome		-19	1,540.30
Brushed Dark Platinum		-99	1,540.30
Matte Black		-33	1,386.30



Recommended miscellaneous
Strainer waste with control handle

	10 712 970 FF	FF	Euro
Chrome		-00	193.30
Brushed Chrome		-93	251.30
Platinum		-08	309.20
Brushed Platinum		-06	309.20
Champagne (22kt Gold)		-47	425.30
Brushed Champagne (22kt Gold)		-46	425.30
Brushed Durabronze (23kt Gold)		-28	405.90
Brushed Bronze		-42	309.30
Dark Chrome		-19	289.90
Brushed Dark Platinum		-99	289.80
Matte Black		-33	261.10



Recommended miscellaneous
Dispenser without rosette

	82 424 970 FF	FF	Euro
Chrome		-00	274.20
Brushed Chrome		-93	356.50
Platinum		-08	438.70
Brushed Platinum		-06	438.70
Champagne (22kt Gold)		-47	603.20
Brushed Champagne (22kt Gold)		-46	603.20
Brushed Durabronze (23kt Gold)		-28	575.80
Brushed Bronze		-42	438.80
Dark Chrome		-19	411.40
Brushed Dark Platinum		-99	493.50
Matte Black		-33	370.10


33 815 682

MEM Single-lever mixer

- 241 mm projection
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 820 970 90
- air-enriched flow
- max. flow 6.3 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

Custom-made options

- Finish variants
- Red/blue marking
- without logo



Standard article	33 815 682 FF	FF	Euro
Chrome		-00	1,048.60
Brushed Chrome		-93	1,363.20
Platinum		-08	1,677.80
Brushed Platinum		-06	1,677.80
Champagne (22kt Gold)		-47	2,306.90
Brushed Champagne (22kt Gold)		-46	2,306.90
Brushed Durabronze (23kt Gold)		-28	2,202.10
Brushed Bronze		-42	1,677.90
Dark Chrome		-19	1,572.90
Brushed Dark Platinum		-99	1,572.90
Matte Black		-33	1,415.50



Recommended miscellaneous
Strainer waste with control handle

	10 712 970 FF	FF	Euro
Chrome		-00	193.30
Brushed Chrome		-93	251.30
Platinum		-08	309.20
Brushed Platinum		-06	309.20
Champagne (22kt Gold)		-47	425.30
Brushed Champagne (22kt Gold)		-46	425.30
Brushed Durabronze (23kt Gold)		-28	405.90
Brushed Bronze		-42	309.30
Dark Chrome		-19	289.90
Brushed Dark Platinum		-99	289.80
Matte Black		-33	261.10



Recommended miscellaneous
Dispenser without rosette

	82 424 970 FF	FF	Euro
Chrome		-00	274.20
Brushed Chrome		-93	356.50
Platinum		-08	438.70
Brushed Platinum		-06	438.70
Champagne (22kt Gold)		-47	603.20
Brushed Champagne (22kt Gold)		-46	603.20
Brushed Durabronze (23kt Gold)		-28	575.80
Brushed Bronze		-42	438.80
Dark Chrome		-19	411.40
Brushed Dark Platinum		-99	493.50
Matte Black		-33	370.10

32 815 682




MEM Two-hole mixer with individual rosettes

- 241 mm projection
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 820 970 90
- air-enriched flow
- max. flow 6.3 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

Operating unit can be positioned freely.

Custom-made options

- Finish variants
- Red/blue marking
- without logo



Recommended miscellaneous
Strainer waste with control handle

	10 710 970 FF	FF	Euro
Chrome	-00		193.30
Brushed Chrome	-93		251.30
Platinum	-08		309.20
Brushed Platinum	-06		309.20
Champagne (22kt Gold)	-47		425.30
Brushed Champagne (22kt Gold)	-46		425.30
Brushed Durabronze (23kt Gold)	-28		405.90
Brushed Bronze	-42		309.30
Dark Chrome	-19		289.90
Brushed Dark Platinum	-99		289.80
Matte Black	-33		261.10



Recommended miscellaneous
Dispenser with rosette

	82 444 970 FF	FF	Euro
Chrome	-00		298.70
Brushed Chrome	-93		388.30
Platinum	-08		477.90
Brushed Platinum	-06		477.90
Champagne (22kt Gold)	-47		657.10
Brushed Champagne (22kt Gold)	-46		657.10
Brushed Durabronze (23kt Gold)	-28		627.30
Brushed Bronze	-42		477.90
Dark Chrome	-19		448.10
Brushed Dark Platinum	-99		448.10
Matte Black	-33		403.20

Standard article	32 815 682 FF	FF	Euro
Chrome	-00		1,352.20
Brushed Chrome	-93		1,757.90
Platinum	-08		2,163.60
Brushed Platinum	-06		2,163.60
Champagne (22kt Gold)	-47		2,974.80
Brushed Champagne (22kt Gold)	-46		2,974.80
Brushed Durabronze (23kt Gold)	-28		2,839.60
Brushed Bronze	-42		2,163.50
Dark Chrome	-19		2,028.40
Brushed Dark Platinum	-99		2,028.40
Matte Black	-33		1,825.60

33 800 861


META SQUARE

Single-lever mixer

- **200mm projection**
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 820 970 90
- air-enriched flow
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

Custom-made options

- Finish variants
- Red/blue marking
- without logo



Recommended miscellaneous
Strainer waste with control handle

	10 712 970 FF	FF	Euro
Chrome	-00		193.30
Brushed Chrome	-93		251.30
Platinum	-08		309.20
Brushed Platinum	-06		309.20
Champagne (22kt Gold)	-47		425.30
Brushed Champagne (22kt Gold)	-46		425.30
Brushed Durabronze (23kt Gold)	-28		405.90
Brushed Bronze	-42		309.30
Dark Chrome	-19		289.90
Brushed Dark Platinum	-99		289.80
Matte Black	-33		261.10



Recommended miscellaneous
Dispenser without rosette

	82 424 970 FF	FF	Euro
Chrome	-00		274.20
Brushed Chrome	-93		356.50
Platinum	-08		438.70
Brushed Platinum	-06		438.70
Champagne (22kt Gold)	-47		603.20
Brushed Champagne (22kt Gold)	-46		603.20
Brushed Durabronze (23kt Gold)	-28		575.80
Brushed Bronze	-42		438.80
Dark Chrome	-19		411.40
Brushed Dark Platinum	-99		493.50
Matte Black	-33		370.10

33 815 861


META SQUARE

Single-lever mixer

- **235mm projection**
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 820 970 90
- air-enriched flow
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

Custom-made options

- Finish variants
- Red/blue marking
- without logo



Recommended miscellaneous
Strainer waste with control handle

	10 712 970 FF	FF	Euro
Chrome	-00		193.30
Brushed Chrome	-93		251.30
Platinum	-08		309.20
Brushed Platinum	-06		309.20
Champagne (22kt Gold)	-47		425.30
Brushed Champagne (22kt Gold)	-46		425.30
Brushed Durabronze (23kt Gold)	-28		405.90
Brushed Bronze	-42		309.30
Dark Chrome	-19		289.90
Brushed Dark Platinum	-99		289.80
Matte Black	-33		261.10



Recommended miscellaneous
Dispenser without rosette

	82 424 970 FF	FF	Euro
Chrome	-00		274.20
Brushed Chrome	-93		356.50
Platinum	-08		438.70
Brushed Platinum	-06		438.70
Champagne (22kt Gold)	-47		603.20
Brushed Champagne (22kt Gold)	-46		603.20
Brushed Durabronze (23kt Gold)	-28		575.80
Brushed Bronze	-42		438.80
Dark Chrome	-19		411.40
Brushed Dark Platinum	-99		493.50
Matte Black	-33		370.10

32 815 861

META SQUARE Two-hole mixer with individual rosettes




- 235mm projection
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 820 970 90
- air-enriched flow
- max. flow 8 l/min at 3 bar flow pressure
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- lead-free
- WRAS

Operating unit can be positioned freely.

Custom-made options

- Finish variants
- Red/blue marking
- without logo



Recommended miscellaneous
Strainer waste with control handle

	10 710 970 FF	FF	Euro
Chrome	-00		193.30
Brushed Chrome	-93		251.30
Platinum	-08		309.20
Brushed Platinum	-06		309.20
Champagne (22kt Gold)	-47		425.30
Brushed Champagne (22kt Gold)	-46		425.30
Brushed Durabronze (23kt Gold)	-28		405.90
Brushed Bronze	-42		309.30
Dark Chrome	-19		289.90
Brushed Dark Platinum	-99		289.80
Matte Black	-33		261.10



Recommended miscellaneous
Dispenser with rosette

	82 444 970 FF	FF	Euro
Chrome	-00		298.70
Brushed Chrome	-93		388.30
Platinum	-08		477.90
Brushed Platinum	-06		477.90
Champagne (22kt Gold)	-47		657.10
Brushed Champagne (22kt Gold)	-46		657.10
Brushed Durabronze (23kt Gold)	-28		627.30
Brushed Bronze	-42		477.90
Dark Chrome	-19		448.10
Brushed Dark Platinum	-99		448.10
Matte Black	-33		403.20

Standard article	32 815 861 FF	FF	Euro
Chrome	-00		981.30
Brushed Chrome	-93		1,275.70
Platinum	-08		1,570.00
Brushed Platinum	-06		1,570.00
Champagne (22kt Gold)	-47		2,158.90
Brushed Champagne (22kt Gold)	-46		2,158.90
Brushed Durabronze (23kt Gold)	-28		2,060.70
Brushed Bronze	-42		1,570.00
Dark Chrome	-19		1,471.90
Brushed Dark Platinum	-99		1,471.90
Matte Black	-33		1,324.70


33 800 888

TARA Single-lever mixer

- 201mm projection
- pivotable spout 360°
- air-enriched flow
- max. flow 7 l/min at 3 bar flow pressure
- lead-free
- WRAS
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Red/blue marking
- without logo



Recommended miscellaneous
Strainer waste with control handle

	10 710 970 FF	FF	Euro
Chrome	-00		193.30
Brushed Chrome	-93		251.30
Platinum	-08		309.20
Brushed Platinum	-06		309.20
Champagne (22kt Gold)	-47		425.30
Brushed Champagne (22kt Gold)	-46		425.30
Durabrass (23kt Gold)	-09		405.90
Brushed Durabrass (23kt Gold)	-28		405.90
Brushed Bronze	-42		309.30
Dark Chrome	-19		289.90
Brushed Dark Platinum	-99		289.80
Matte Black	-33		261.10



Recommended miscellaneous
Dispenser with rosette

	82 444 970 FF	FF	Euro
Chrome	-00		298.70
Brushed Chrome	-93		388.30
Platinum	-08		477.90
Brushed Platinum	-06		477.90
Champagne (22kt Gold)	-47		657.10
Brushed Champagne (22kt Gold)	-46		657.10
Durabrass (23kt Gold)	-09		627.30
Brushed Durabrass (23kt Gold)	-28		627.30
Brushed Bronze	-42		477.90
Dark Chrome	-19		448.10
Brushed Dark Platinum	-99		448.10
Matte Black	-33		403.20


33 815 888

TARA Single-lever mixer

- 236mm projection
- pivotable spout 360°
- air-enriched flow
- max. flow 7 l/min at 3 bar flow pressure
- lead-free
- WRAS
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Red/blue marking
- without logo



Recommended miscellaneous
Strainer waste with control handle

	10 710 970 FF	FF	Euro
Chrome	-00		193.30
Brushed Chrome	-93		251.30
Platinum	-08		309.20
Brushed Platinum	-06		309.20
Champagne (22kt Gold)	-47		425.30
Brushed Champagne (22kt Gold)	-46		425.30
Durabrass (23kt Gold)	-09		405.90
Brushed Durabrass (23kt Gold)	-28		405.90
Brushed Bronze	-42		309.30
Dark Chrome	-19		289.90
Brushed Dark Platinum	-99		289.80
Matte Black	-33		261.10



Recommended miscellaneous
Dispenser with rosette

	82 444 970 FF	FF	Euro
Chrome	-00		298.70
Brushed Chrome	-93		388.30
Platinum	-08		477.90
Brushed Platinum	-06		477.90
Champagne (22kt Gold)	-47		657.10
Brushed Champagne (22kt Gold)	-46		657.10
Durabrass (23kt Gold)	-09		627.30
Brushed Durabrass (23kt Gold)	-28		627.30
Brushed Bronze	-42		477.90
Dark Chrome	-19		448.10
Brushed Dark Platinum	-99		448.10
Matte Black	-33		403.20

32 816 888




TARA Two-hole mixer with individual rosettes

- **236mm projection**
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 820 970 90
- air-enriched flow
- max. flow 8.3 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Operating unit can be positioned freely.

Custom-made options

- Finish variants
- Red/blue marking
- without logo



Recommended miscellaneous
Strainer waste with control handle

	10 710 970 FF	FF	Euro
Chrome	-00		193.30
Brushed Chrome	-93		251.30
Platinum	-08		309.20
Brushed Platinum	-06		309.20
Champagne (22kt Gold)	-47		425.30
Brushed Champagne (22kt Gold)	-46		425.30
Durabrass (23kt Gold)	-09		405.90
Brushed Durabrass (23kt Gold)	-28		405.90
Brushed Bronze	-42		309.30
Dark Chrome	-19		289.90
Brushed Dark Platinum	-99		289.80
Matte Black	-33		261.10



Recommended miscellaneous
Dispenser with rosette

	82 444 970 FF	FF	Euro
Chrome	-00		298.70
Brushed Chrome	-93		388.30
Platinum	-08		477.90
Brushed Platinum	-06		477.90
Champagne (22kt Gold)	-47		657.10
Brushed Champagne (22kt Gold)	-46		657.10
Durabrass (23kt Gold)	-09		627.30
Brushed Durabrass (23kt Gold)	-28		627.30
Brushed Bronze	-42		477.90
Dark Chrome	-19		448.10
Brushed Dark Platinum	-99		448.10
Matte Black	-33		403.20

22 815 892




TARA Single-hole mixer

- **235mm projection**
- pivotable spout 360°
- air-enriched flow
- max. flow 7 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

Custom-made options

- Finish variants
- Flow rate modification
- Red/blue marking
- without logo



Recommended miscellaneous
Strainer waste with control handle

	10 710 970 FF	FF	Euro
Chrome	-00		193.30
Brushed Chrome	-93		251.30
Platinum	-08		309.20
Brushed Platinum	-06		309.20
Champagne (22kt Gold)	-47		425.30
Brushed Champagne (22kt Gold)	-46		425.30
Durabrass (23kt Gold)	-09		405.90
Brushed Durabrass (23kt Gold)	-28		405.90
Brushed Bronze	-42		309.30
Dark Chrome	-19		289.90
Brushed Dark Platinum	-99		289.80
Matte Black	-33		261.10



Recommended miscellaneous
Dispenser with rosette

	82 444 970 FF	FF	Euro
Chrome	-00		298.70
Brushed Chrome	-93		388.30
Platinum	-08		477.90
Brushed Platinum	-06		477.90
Champagne (22kt Gold)	-47		657.10
Brushed Champagne (22kt Gold)	-46		657.10
Durabrass (23kt Gold)	-09		627.30
Brushed Durabrass (23kt Gold)	-28		627.30
Brushed Bronze	-42		477.90
Dark Chrome	-19		448.10
Brushed Dark Platinum	-99		448.10
Matte Black	-33		403.20

33 800 875



TARA ULTRA Single-lever mixer



- 201 mm projection
- pivotable spout 360°
- air-enriched flow
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

Custom-made options

- Finish variants
- Red/blue marking
- without logo



Recommended miscellaneous
Strainer waste with control handle

	10 712 970 FF	FF	Euro
Chrome	-00		193.30
Brushed Chrome	-93		251.30
Platinum	-08		309.20
Brushed Platinum	-06		309.20
Champagne (22kt Gold)	-47		425.30
Brushed Champagne (22kt Gold)	-46		425.30
Brushed Durabronz (23kt Gold)	-28		405.90
Brushed Bronze	-42		309.30
Dark Chrome	-19		289.90
Brushed Dark Platinum	-99		289.80
Matte Black	-33		261.10



Recommended miscellaneous
Dispenser without rosette

	82 424 970 FF	FF	Euro
Chrome	-00		274.20
Brushed Chrome	-93		356.50
Platinum	-08		438.70
Brushed Platinum	-06		438.70
Champagne (22kt Gold)	-47		603.20
Brushed Champagne (22kt Gold)	-46		603.20
Brushed Durabronz (23kt Gold)	-28		575.80
Brushed Bronze	-42		438.80
Dark Chrome	-19		411.40
Brushed Dark Platinum	-99		493.50
Matte Black	-33		370.10

33 816 875



TARA ULTRA Single-lever mixer



- 241 mm projection
- pivotable spout 360°
- air-enriched flow
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

Custom-made options

- Finish variants
- Red/blue marking
- without logo



Recommended miscellaneous
Strainer waste with control handle

	10 712 970 FF	FF	Euro
Chrome	-00		193.30
Brushed Chrome	-93		251.30
Platinum	-08		309.20
Brushed Platinum	-06		309.20
Champagne (22kt Gold)	-47		425.30
Brushed Champagne (22kt Gold)	-46		425.30
Brushed Durabronz (23kt Gold)	-28		405.90
Brushed Bronze	-42		309.30
Dark Chrome	-19		289.90
Brushed Dark Platinum	-99		289.80
Matte Black	-33		261.10



Recommended miscellaneous
Dispenser without rosette

	82 424 970 FF	FF	Euro
Chrome	-00		274.20
Brushed Chrome	-93		356.50
Platinum	-08		438.70
Brushed Platinum	-06		438.70
Champagne (22kt Gold)	-47		603.20
Brushed Champagne (22kt Gold)	-46		603.20
Brushed Durabronz (23kt Gold)	-28		575.80
Brushed Bronze	-42		438.80
Dark Chrome	-19		411.40
Brushed Dark Platinum	-99		493.50
Matte Black	-33		370.10

32 815 875


TARA ULTRA Two-hole mixer with individual rosettes

- 241mm projection
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 820 970 90
- air-enriched flow
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

Operating unit can be positioned freely.

Custom-made options

- Finish variants
- Red/blue marking
- without logo



Recommended miscellaneous
Dispenser with rosette

	82 444 970 FF	FF	Euro
Chrome	-00		298.70
Brushed Chrome	-93		388.30
Platinum	-08		477.90
Brushed Platinum	-06		477.90
Champagne (22kt Gold)	-47		657.10
Brushed Champagne (22kt Gold)	-46		657.10
Brushed Durabronze (23kt Gold)	-28		627.30
Brushed Bronze	-42		477.90
Dark Chrome	-19		448.10
Brushed Dark Platinum	-99		448.10
Matte Black	-33		403.20



Recommended miscellaneous
Strainer waste with control handle

	10 710 970 FF	FF	Euro
Chrome	-00		193.30
Brushed Chrome	-93		251.30
Platinum	-08		309.20
Brushed Platinum	-06		309.20
Champagne (22kt Gold)	-47		425.30
Brushed Champagne (22kt Gold)	-46		425.30
Brushed Durabronze (23kt Gold)	-28		405.90
Brushed Bronze	-42		309.30
Dark Chrome	-19		289.90
Brushed Dark Platinum	-99		289.80
Matte Black	-33		261.10


33 845 875

TARA ULTRA PIVOT Single-lever mixer

- 552mm projection
- pivotable spout 360°
- air-enriched flow
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Custom-made options

- Finish variants
- Red/blue marking
- without logo



Recommended miscellaneous
Strainer waste with control handle

	10 710 970 FF	FF	Euro
Chrome	-00		193.30
Brushed Chrome	-93		251.30
Platinum	-08		309.20
Brushed Platinum	-06		309.20
Champagne (22kt Gold)	-47		425.30
Brushed Champagne (22kt Gold)	-46		425.30
Brushed Durabronze (23kt Gold)	-28		405.90
Brushed Bronze	-42		309.30
Dark Chrome	-19		289.90
Brushed Dark Platinum	-99		289.80



Recommended miscellaneous
Dispenser with rosette

	82 444 970 FF	FF	Euro
Chrome	-00		298.70
Brushed Chrome	-93		388.30
Platinum	-08		477.90
Brushed Platinum	-06		477.90
Champagne (22kt Gold)	-47		657.10
Brushed Champagne (22kt Gold)	-46		657.10
Brushed Durabronze (23kt Gold)	-28		627.30
Brushed Bronze	-42		477.90
Dark Chrome	-19		448.10
Brushed Dark Platinum	-99		448.10


33 800 809

VAIA Single-lever mixer

- 202mm projection
- pivotable spout 360°
- air-enriched flow
- max. flow 7 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

Custom-made options

- Finish variants
- Red/blue marking
- without logo



Standard article	33 800 809 FF	FF	Euro
Chrome	-00		871.20
Brushed Chrome	-93		1,132.60
Platinum	-08		1,393.80
Brushed Platinum	-06		1,393.80
Champagne (22kt Gold)	-47		1,916.60
Brushed Champagne (22kt Gold)	-46		1,916.60
Durabrass (23kt Gold)	-09		1,829.50
Brushed Durabrass (23kt Gold)	-28		1,829.50
Brushed Bronze	-42		1,393.90
Dark Chrome	-19		1,306.80
Brushed Dark Platinum	-99		1,306.80
Matte Black	-33		1,176.10



Recommended miscellaneous
Dispenser with rosette

	82 434 809 FF	FF	Euro
Chrome	-00		308.50
Brushed Chrome	-93		401.00
Platinum	-08		493.60
Brushed Platinum	-06		493.60
Champagne (22kt Gold)	-47		678.70
Brushed Champagne (22kt Gold)	-46		678.70
Durabrass (23kt Gold)	-09		647.90
Brushed Durabrass (23kt Gold)	-28		647.90
Brushed Bronze	-42		493.60
Dark Chrome	-19		462.70
Brushed Dark Platinum	-99		462.70
Matte Black	-33		416.40


33 816 809

VAIA Single-lever mixer

- 241 mm projection
- pivotable spout 360°
- air-enriched flow
- max. flow 7 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

Custom-made options

- Finish variants
- Red/blue marking
- without logo



Standard article	33 816 809 FF	FF	Euro
Chrome	-00		903.40
Brushed Chrome	-93		1,174.50
Platinum	-08		1,445.40
Brushed Platinum	-06		1,445.40
Champagne (22kt Gold)	-47		1,987.50
Brushed Champagne (22kt Gold)	-46		1,987.50
Durabrass (23kt Gold)	-09		1,897.10
Brushed Durabrass (23kt Gold)	-28		1,897.10
Brushed Bronze	-42		1,445.50
Dark Chrome	-19		1,355.20
Brushed Dark Platinum	-99		1,355.20
Matte Black	-33		1,219.60



Recommended miscellaneous
Dispenser with rosette

	82 434 809 FF	FF	Euro
Chrome	-00		308.50
Brushed Chrome	-93		401.00
Platinum	-08		493.60
Brushed Platinum	-06		493.60
Champagne (22kt Gold)	-47		678.70
Brushed Champagne (22kt Gold)	-46		678.70
Durabrass (23kt Gold)	-09		647.90
Brushed Durabrass (23kt Gold)	-28		647.90
Brushed Bronze	-42		493.60
Dark Chrome	-19		462.70
Brushed Dark Platinum	-99		462.70
Matte Black	-33		416.40

Single-lever mixer Pull-down/Pull-out

Sieger Design



ELIO
from page 687

ENO
from page 686

META SQUARE
from page 689

SYNC
from page 688

TARA
from page 691

TARA ULTRA
from page 690

VAIA
from page 693

Kitchen fittings

Pull-out single-lever mixer

235mm projection



33 840 790

Pull-out single-lever mixer with spray function

219mm projection



33 871 790

206mm projection



33 871 760

206mm projection



33 876 760

Pull-down single-lever mixer with spray function

240mm projection



33 870 861

240mm projection



33 870 895

Pull-down single-lever mixer with spray function

240mm projection



33 875 895

240mm projection



33 870 888

240mm projection



33 870 875

240mm projection



33 870 809

33 840 790




ELIO Single-lever mixer Pull-out

- 235mm projection
- pivotable spout 360°
- air-enriched flow
- fabric braided hose 1500 mm
- max. flow 8.8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Red/blue marking
- without logo



Recommended miscellaneous
Strainer waste with control handle

	10 712 970 FF	FF	Euro
Chrome	-00		193.30
Brushed Chrome	-93		251.30
Platinum	-08		309.20
Brushed Platinum	-06		309.20
Champagne (22kt Gold)	-47		425.30
Brushed Champagne (22kt Gold)	-46		425.30
Brushed Durabronze (23kt Gold)	-28		405.90
Brushed Bronze	-42		309.30
Dark Chrome	-19		289.90
Brushed Dark Platinum	-99		289.80



Recommended miscellaneous
Dispenser without rosette

	82 424 970 FF	FF	Euro
Chrome	-00		274.20
Brushed Chrome	-93		356.50
Platinum	-08		438.70
Brushed Platinum	-06		438.70
Champagne (22kt Gold)	-47		603.20
Brushed Champagne (22kt Gold)	-46		603.20
Brushed Durabronze (23kt Gold)	-28		575.80
Brushed Bronze	-42		438.80
Dark Chrome	-19		411.40
Brushed Dark Platinum	-99		493.50

33 871 790




ELIO Single-lever mixer Pull-out with spray function

- 219mm projection
- pivoting spout 360°
- air-enriched flow and spray flow
- fabric braided hose 1500 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Red/blue marking
- without logo



Recommended miscellaneous
Strainer waste with control handle

	10 712 970 FF	FF	Euro
Chrome	-00		193.30
Brushed Chrome	-93		251.30
Platinum	-08		309.20
Brushed Platinum	-06		309.20
Champagne (22kt Gold)	-47		425.30
Brushed Champagne (22kt Gold)	-46		425.30
Brushed Durabronze (23kt Gold)	-28		405.90
Brushed Bronze	-42		309.30
Dark Chrome	-19		289.90
Brushed Dark Platinum	-99		289.80



Recommended miscellaneous
Dispenser without rosette

	82 424 970 FF	FF	Euro
Chrome	-00		274.20
Brushed Chrome	-93		356.50
Platinum	-08		438.70
Brushed Platinum	-06		438.70
Champagne (22kt Gold)	-47		603.20
Brushed Champagne (22kt Gold)	-46		603.20
Brushed Durabronze (23kt Gold)	-28		575.80
Brushed Bronze	-42		438.80
Dark Chrome	-19		411.40
Brushed Dark Platinum	-99		493.50

33 871 760


ENO Single-lever mixer Pull-out with spray function

- 206mm projection
- pivoting spout 130°
- air-enriched flow and spray flow
- fabric braided hose 1500 mm
- max. flow 8.3 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Red/blue marking
- without logo



Recommended miscellaneous
Strainer waste with control handle

	10 712 970	FF	FF	Euro
Chrome		-00		193.30
Brushed Chrome		-93		251.30
Platinum		-08		309.20
Brushed Platinum		-06		309.20
Champagne (22kt Gold)		-47		425.30
Brushed Champagne (22kt Gold)		-46		425.30
Brushed Durabronze (23kt Gold)		-28		405.90
Brushed Bronze		-42		309.30
Dark Chrome		-19		289.90
Brushed Dark Platinum		-99		289.80

Standard article	33 871 760	FF	FF	Euro
Chrome		-00		706.30
Brushed Chrome		-93		918.10
Platinum		-08		1,130.00
Brushed Platinum		-06		1,130.00
Champagne (22kt Gold)		-47		1,553.90
Brushed Champagne (22kt Gold)		-46		1,553.90
Brushed Durabronze (23kt Gold)		-28		1,483.20
Brushed Bronze		-42		1,130.00
Dark Chrome		-19		1,059.50
Brushed Dark Platinum		-99		1,059.50



Recommended miscellaneous
Dispenser without rosette

	82 424 970	FF	FF	Euro
Chrome		-00		274.20
Brushed Chrome		-93		356.50
Platinum		-08		438.70
Brushed Platinum		-06		438.70
Champagne (22kt Gold)		-47		603.20
Brushed Champagne (22kt Gold)		-46		603.20
Brushed Durabronze (23kt Gold)		-28		575.80
Brushed Bronze		-42		438.80
Dark Chrome		-19		411.40
Brushed Dark Platinum		-99		493.50

33 876 760


ENO Single-lever mixer Pull-out with spray function

- 206mm projection
- pivoting spout 130°
- air-enriched flow and spray flow
- 1600mm metal shower hose
- max. flow 9.6 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Red/blue marking
- without logo



Recommended miscellaneous
Strainer waste with control handle

	10 712 970	FF	FF	Euro
Chrome		-00		193.30
Brushed Chrome		-93		251.30
Platinum		-08		309.20
Brushed Platinum		-06		309.20
Champagne (22kt Gold)		-47		425.30
Brushed Champagne (22kt Gold)		-46		425.30
Brushed Durabronze (23kt Gold)		-28		405.90
Brushed Bronze		-42		309.30
Dark Chrome		-19		289.90
Brushed Dark Platinum		-99		289.80

Standard article	33 876 760	FF	FF	Euro
Chrome		-00		779.20
Brushed Chrome		-93		1,013.00
Platinum		-08		1,246.70
Brushed Platinum		-06		1,246.70
Champagne (22kt Gold)		-47		1,714.20
Brushed Champagne (22kt Gold)		-46		1,714.20
Brushed Durabronze (23kt Gold)		-28		1,636.30
Brushed Bronze		-42		1,246.70
Dark Chrome		-19		1,168.80
Brushed Dark Platinum		-99		1,168.80



Recommended miscellaneous
Dispenser without rosette

	82 424 970	FF	FF	Euro
Chrome		-00		274.20
Brushed Chrome		-93		356.50
Platinum		-08		438.70
Brushed Platinum		-06		438.70
Champagne (22kt Gold)		-47		603.20
Brushed Champagne (22kt Gold)		-46		603.20
Brushed Durabronze (23kt Gold)		-28		575.80
Brushed Bronze		-42		438.80
Dark Chrome		-19		411.40
Brushed Dark Platinum		-99		493.50

33 870 861


META SQUARE Single-lever mixer Pull-down with spray function

- 240mm projection
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 823 970 90
- laminar and spray flow
- 1800 mm metal shower hose
- sprayface with anti-scaling system
- max. flow 10.4 l/min at 3 bar flow pressure
- lead-free
- Flow modes can be changed while the water is running
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Red/blue marking
- without logo



Standard article	33 870 861 FF	FF	Euro
Chrome		-00	923.40
Brushed Chrome		-93	1,200.50
Platinum		-08	1,477.30
Brushed Platinum		-06	1,477.30
Champagne (22kt Gold)		-47	2,031.50
Brushed Champagne (22kt Gold)		-46	2,031.50
Brushed Durabronze (23kt Gold)		-28	1,939.10
Brushed Bronze		-42	1,477.40
Dark Chrome		-19	1,385.10
Brushed Dark Platinum		-99	1,385.10
Matte Black		-33	1,246.50



Recommended miscellaneous
Strainer waste with control handle

	10 712 970 FF	FF	Euro
Chrome		-00	193.30
Brushed Chrome		-93	251.30
Platinum		-08	309.20
Brushed Platinum		-06	309.20
Champagne (22kt Gold)		-47	425.30
Brushed Champagne (22kt Gold)		-46	425.30
Brushed Durabronze (23kt Gold)		-28	405.90
Brushed Bronze		-42	309.30
Dark Chrome		-19	289.90
Brushed Dark Platinum		-99	289.80
Matte Black		-33	261.10




Recommended miscellaneous
Dispenser without rosette

	82 424 970 FF	FF	Euro
Chrome		-00	274.20
Brushed Chrome		-93	356.50
Platinum		-08	438.70
Brushed Platinum		-06	438.70
Champagne (22kt Gold)		-47	603.20
Brushed Champagne (22kt Gold)		-46	603.20
Brushed Durabronze (23kt Gold)		-28	575.80
Brushed Bronze		-42	438.80
Dark Chrome		-19	411.40
Brushed Dark Platinum		-99	493.50
Matte Black		-33	370.10

33 870 895

SYNC Single-lever mixer Pull-down with spray function

- 240mm projection
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 821 970 90
- laminar and spray flow
- 1800 mm metal shower hose
- sprayface with anti-scaling system
- max. flow 10.4 l/min at 3 bar flow pressure
- lead-free
- Flow modes can be changed while the water is running
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB



Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Red/blue marking
- without logo



Recommended miscellaneous
Strainer waste with control handle

	10 712 970	FF	Euro
Chrome	-00		193.30
Brushed Chrome	-93		251.30
Platinum	-08		309.20
Brushed Platinum	-06		309.20
Champagne (22kt Gold)	-47		425.30
Brushed Champagne (22kt Gold)	-46		425.30
Brushed Durabronze (23kt Gold)	-28		405.90
Brushed Bronze	-42		309.30
Dark Chrome	-19		289.90
Brushed Dark Platinum	-99		289.80
Matte Black	-33		261.10




Recommended miscellaneous
Dispenser without rosette

	82 424 970	FF	Euro
Chrome	-00		274.20
Brushed Chrome	-93		356.50
Platinum	-08		438.70
Brushed Platinum	-06		438.70
Champagne (22kt Gold)	-47		603.20
Brushed Champagne (22kt Gold)	-46		603.20
Brushed Durabronze (23kt Gold)	-28		575.80
Brushed Bronze	-42		438.80
Dark Chrome	-19		411.40
Brushed Dark Platinum	-99		493.50
Matte Black	-33		370.10

33 875 895

SYNC Single-lever mixer Pull-down with spray function

- 240mm projection
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 821 970 90
- laminar and spray flow
- 1800 mm metal shower hose
- sprayface with anti-scaling system
- max. flow 10.4 l/min at 3 bar flow pressure
- lead-free
- Flow modes can be changed while the water is running
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB



Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Red/blue marking
- without logo



Recommended miscellaneous
Strainer waste with control handle

	10 712 970	FF	FF	Euro
Chrome	-00			193.30
Brushed Chrome	-93			251.30
Platinum	-08			309.20
Brushed Platinum	-06			309.20
Champagne (22kt Gold)	-47			425.30
Brushed Champagne (22kt Gold)	-46			425.30
Brushed Durabronze (23kt Gold)	-28			405.90
Brushed Bronze	-42			309.30
Dark Chrome	-19			289.90
Brushed Dark Platinum	-99			289.80
Matte Black	-33			261.10



Recommended miscellaneous
Dispenser without rosette

	82 424 970	FF	FF	Euro
Chrome	-00			274.20
Brushed Chrome	-93			356.50
Platinum	-08			438.70
Brushed Platinum	-06			438.70
Champagne (22kt Gold)	-47			603.20
Brushed Champagne (22kt Gold)	-46			603.20
Brushed Durabronze (23kt Gold)	-28			575.80
Brushed Bronze	-42			438.80
Dark Chrome	-19			411.40
Brushed Dark Platinum	-99			493.50
Matte Black	-33			370.10

33 870 888




TARA Single-lever mixer Pull-down with spray function

- 240mm projection
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 823 970 90
- laminar and spray flow
- 1800 mm metal shower hose
- sprayface with anti-scaling system
- max. flow 10.4 l/min at 3 bar flow pressure
- lead-free
- Flow modes can be changed while the water is running
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Red/blue marking
- without logo



Recommended miscellaneous
Strainer waste with control handle

	10 710 970 FF	FF	Euro
Chrome	-00		193.30
Brushed Chrome	-93		251.30
Platinum	-08		309.20
Brushed Platinum	-06		309.20
Champagne (22kt Gold)	-47		425.30
Brushed Champagne (22kt Gold)	-46		425.30
Durabrass (23kt Gold)	-09		405.90
Brushed Durabrass (23kt Gold)	-28		405.90
Brushed Bronze	-42		309.30
Dark Chrome	-19		289.90
Brushed Dark Platinum	-99		289.80
Matte Black	-33		261.10



Recommended miscellaneous
Dispenser with rosette

	82 444 970 FF	FF	Euro
Chrome	-00		298.70
Brushed Chrome	-93		388.30
Platinum	-08		477.90
Brushed Platinum	-06		477.90
Champagne (22kt Gold)	-47		657.10
Brushed Champagne (22kt Gold)	-46		657.10
Durabrass (23kt Gold)	-09		627.30
Brushed Durabrass (23kt Gold)	-28		627.30
Brushed Bronze	-42		477.90
Dark Chrome	-19		448.10
Brushed Dark Platinum	-99		448.10
Matte Black	-33		403.20

Standard article	33 870 888 FF	FF	Euro
Chrome	-00		1,009.40
Brushed Chrome	-93		1,312.20
Platinum	-08		1,615.00
Brushed Platinum	-06		1,615.00
Champagne (22kt Gold)	-47		2,220.70
Brushed Champagne (22kt Gold)	-46		2,220.70
Durabrass (23kt Gold)	-09		2,119.70
Brushed Durabrass (23kt Gold)	-28		2,119.70
Brushed Bronze	-42		1,615.00
Dark Chrome	-19		1,514.10
Brushed Dark Platinum	-99		1,514.10
Matte Black	-33		1,362.70

33 870 875

TARA ULTRA Single-lever mixer Pull-down with spray function




- 240mm projection
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 823 970 90
- laminar and spray flow
- 1800 mm metal shower hose
- sprayface with anti-scaling system
- max. flow 10.4 l/min at 3 bar flow pressure
- lead-free
- Flow modes can be changed while the water is running
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Red/blue marking
- without logo



Recommended miscellaneous Strainer waste with control handle

	10 712 970 FF	FF	Euro
Chrome		-00	193.30
Brushed Chrome		-93	251.30
Platinum		-08	309.20
Brushed Platinum		-06	309.20
Champagne (22kt Gold)		-47	425.30
Brushed Champagne (22kt Gold)		-46	425.30
Brushed Durabronze (23kt Gold)		-28	405.90
Brushed Bronze		-42	309.30
Dark Chrome		-19	289.90
Brushed Dark Platinum		-99	289.80
Matte Black		-33	261.10



Recommended miscellaneous Dispenser without rosette

	82 424 970 FF	FF	Euro
Chrome		-00	274.20
Brushed Chrome		-93	356.50
Platinum		-08	438.70
Brushed Platinum		-06	438.70
Champagne (22kt Gold)		-47	603.20
Brushed Champagne (22kt Gold)		-46	603.20
Brushed Durabronze (23kt Gold)		-28	575.80
Brushed Bronze		-42	438.80
Dark Chrome		-19	411.40
Brushed Dark Platinum		-99	493.50
Matte Black		-33	370.10

33 870 809


VAIA Single-lever mixer Pull-down with spray function

- 240mm projection
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 823 970 90
- air-enriched flow and spray flow
- 1800 mm metal shower hose
- sprayface with anti-scaling system
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- Flow modes can be changed while the water is running
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Red/blue marking
- without logo



Recommended miscellaneous
Swivel limitation set

	12 823 970	FF	FF	Euro
Accessories			90	75.10

Standard article	33 870 809	FF	FF	Euro
Chrome		-00		1,085.80
Brushed Chrome		-93		1,411.60
Platinum		-08		1,737.30
Brushed Platinum		-06		1,737.30
Champagne (22kt Gold)		-47		2,388.80
Brushed Champagne (22kt Gold)		-46		2,388.80
Durabrass (23kt Gold)		-09		2,280.20
Brushed Durabrass (23kt Gold)		-28		2,280.20
Brushed Bronze		-42		1,737.30
Dark Chrome		-19		1,628.70
Brushed Dark Platinum		-99		1,628.70
Matte Black		-33		1,465.80



Recommended miscellaneous
Dispenser with rosette

	82 434 809	FF	FF	Euro
Accessories			90	75.10

Standard article	82 434 809	FF	FF	Euro
Chrome		-00		308.50
Brushed Chrome		-93		401.00
Platinum		-08		493.60
Brushed Platinum		-06		493.60
Champagne (22kt Gold)		-47		678.70
Brushed Champagne (22kt Gold)		-46		678.70
Durabrass (23kt Gold)		-09		647.90
Brushed Durabrass (23kt Gold)		-28		647.90
Brushed Bronze		-42		493.60
Dark Chrome		-19		462.70
Brushed Dark Platinum		-99		462.70
Matte Black		-33		416.40

Profi single-lever mixer

Sieger Design



SYNC
from page 697

TARA
from page 696

TARA ULTRA
from page 699

Kitchen fittings

Single-lever mixer profi

200mm projection



33 865 895

200mm projection



33 880 888

240mm projection



33 860 875

33 865 895




SYNC Profi single-lever mixer

- **200mm projection**
- Flexible silicone hose with large operating range of up to 350 mm
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 821 970 90
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- air-enriched flow and spray flow
- sprayface with anti-scaling system
- max. flow 9,5 l/min at 3 bar flow pressure
- lead-free

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Red/blue marking
- without logo



Standard article	33 865 895 FF	FF	Euro
Chrome	-00		1,484.00
Brushed Chrome	-93		1,639.90
Platinum	-08		2,018.20
Brushed Platinum	-06		2,018.20
Champagne (22kt Gold)	-47		3,264.80
Brushed Champagne (22kt Gold)	-46		3,264.80
Brushed Durabronze (23kt Gold)	-28		3,116.40
Brushed Bronze	-42		2,374.50
Dark Chrome	-19		1,892.20
Brushed Dark Platinum	-99		1,891.90
Matte Black	-33		1,703.00



Recommended miscellaneous
Strainer waste with control handle

	10 712 970 FF	FF	Euro
Chrome	-00		193.30
Brushed Chrome	-93		251.30
Platinum	-08		309.20
Brushed Platinum	-06		309.20
Champagne (22kt Gold)	-47		425.30
Brushed Champagne (22kt Gold)	-46		425.30
Brushed Durabronze (23kt Gold)	-28		405.90
Brushed Bronze	-42		309.30
Dark Chrome	-19		289.90
Brushed Dark Platinum	-99		289.80
Matte Black	-33		261.10



Recommended miscellaneous
Dispenser without rosette

	82 424 970 FF	FF	Euro
Chrome	-00		274.20
Brushed Chrome	-93		356.50
Platinum	-08		438.70
Brushed Platinum	-06		438.70
Champagne (22kt Gold)	-47		603.20
Brushed Champagne (22kt Gold)	-46		603.20
Brushed Durabronze (23kt Gold)	-28		575.80
Brushed Bronze	-42		438.80
Dark Chrome	-19		411.40
Brushed Dark Platinum	-99		493.50
Matte Black	-33		370.10

33 880 888




TARA Profi single-lever mixer

- 200mm projection
- pivotable spout 360°
- air-enriched flow and spray flow
- sprayface with anti-scaling system
- max. flow 7 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Red/blue marking
- without logo



Recommended miscellaneous
Strainer waste with control handle

	10 710 970 FF	FF	Euro
Chrome	-00		193.30
Brushed Chrome	-93		251.30
Platinum	-08		309.20
Brushed Platinum	-06		309.20
Brushed Bronze	-42		309.30
Dark Chrome	-19		289.90
Brushed Dark Platinum	-99		289.80



Recommended miscellaneous
Dispenser with rosette

	82 444 970 FF	FF	Euro
Chrome	-00		298.70
Brushed Chrome	-93		388.30
Platinum	-08		477.90
Brushed Platinum	-06		477.90
Brushed Bronze	-42		477.90
Dark Chrome	-19		448.10
Brushed Dark Platinum	-99		448.10

Standard article	33 880 888 FF	FF	Euro
Chrome	-00		1,801.60
Brushed Chrome	-93		2,342.00
Platinum	-08		2,882.60
Brushed Platinum	-06		2,882.60
Brushed Bronze	-42		2,882.60
Dark Chrome	-19		2,702.10
Brushed Dark Platinum	-99		2,702.10

33 860 875

TARA ULTRA

Profi single-lever mixer


- 240mm projection
- pivotable 360°
- air-enriched flow and spray flow
- sprayface with anti-scaling system
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

Custom-made options

- Finish variants
- Red/blue marking
- without logo

Standard article	33 860 875 FF	FF	Euro
Chrome		-00	1,518.00
Brushed Chrome		-93	1,973.50
Platinum		-08	2,428.70
Brushed Platinum		-06	2,428.70
Brushed Bronze		-42	2,428.80
Dark Chrome		-19	2,276.60
Brushed Dark Platinum		-99	2,276.60





Recommended miscellaneous
Strainer waste with control handle

	10 712 970 FF	FF	Euro
Chrome		-00	193.30
Brushed Chrome		-93	251.30
Platinum		-08	309.20
Brushed Platinum		-06	309.20
Brushed Bronze		-42	309.30
Dark Chrome		-19	289.90
Brushed Dark Platinum		-99	289.80




Recommended miscellaneous
Dispenser without rosette

	82 424 970 FF	FF	Euro
Chrome		-00	274.20
Brushed Chrome		-93	356.50
Platinum		-08	438.70
Brushed Platinum		-06	438.70
Brushed Bronze		-42	438.80
Dark Chrome		-19	411.40
Brushed Dark Platinum		-99	493.50



Accessories - Kitchen

Miscellaneous
from page 700



Accessories - Kitchen

82 424 970




Dispenser without rosette

- 124mm projection
- 500 ml bottle
- can be filled from the top
- rotating pump head
- width 30mm

Fits ELIO, ENO, MEM, META SQUARE, SYNC and TARA ULTRA

- Custom-made options**
- Finish variants



Standard article	82 424 970 FF	FF	Euro
Chrome		-00	274.20
Brushed Chrome		-93	356.50
Platinum		-08	438.70
Brushed Platinum		-06	438.70
Champagne (22kt Gold)		-47	603.20
Brushed Champagne (22kt Gold)		-46	603.20
Brushed Durabronze (23kt Gold)		-28	575.80
Brushed Bronze		-42	438.80
Dark Chrome		-19	411.40
Brushed Dark Platinum		-99	493.50
Matte Black		-33	370.10

82 444 970




Dispenser with rosette

- 124mm projection
- 500 ml bottle
- can be filled from the top
- rotating pump head

Fits ELIO, ENO, MEM, META SQUARE, SYNC, TARA and TARA ULTRA

- Custom-made options**
- Finish variants




Standard article	82 444 970 FF	FF	Euro
Chrome		-00	298.70
Brushed Chrome		-93	388.30
Platinum		-08	477.90
Brushed Platinum		-06	477.90
Champagne (22kt Gold)		-47	657.10
Brushed Champagne (22kt Gold)		-46	657.10
Durabronze (23kt Gold)		-09	627.30
Brushed Durabronze (23kt Gold)		-28	627.30
Brushed Bronze		-42	477.90
Dark Chrome		-19	448.10
Brushed Dark Platinum		-99	448.10
Matte Black		-33	403.20

82 439 970



- Dispenser with rosette**
- 124mm projection
 - 500 ml bottle
 - can be filled from the top
 - rotating pump head
- Fits LOT**
- Custom-made options**
- Finish variants




Standard article	82 439 970 FF	FF	Euro
Chrome		-00	341.70
Platinum		-08	535.90
Brushed Platinum		-06	535.90
Champagne (22kt Gold)		-47	751.70
Brushed Champagne (22kt Gold)		-46	751.70
Brushed Durabronze (23kt Gold)		-28	717.60
Brushed Bronze		-42	546.60
Dark Chrome		-19	512.50
Brushed Dark Platinum		-99	615.10

10 712 970



- Strainer waste with control handle**
- control for single basin
 - including adapter for Bowden cable
- Not compatible with brushed stainless steel kitchen sinks 38 XXX 004-86.**
- Fits ELIO, ENO, MEM, META SQUARE, SYNC and TARA ULTRA**
- Custom-made options**
- Finish variants




Standard article	10 712 970 FF	FF	Euro
Chrome		-00	193.30
Brushed Chrome		-93	251.30
Platinum		-08	309.20
Brushed Platinum		-06	309.20
Champagne (22kt Gold)		-47	425.30
Brushed Champagne (22kt Gold)		-46	425.30
Durabronze (23kt Gold)		-09	405.90
Brushed Durabronze (23kt Gold)		-28	405.90
Brushed Bronze		-42	309.30
Dark Chrome		-19	289.90
Brushed Dark Platinum		-99	289.80
Matte Black		-33	261.10

10 710 970



- Strainer waste with control handle**
- control for single basin
 - including adapter for Bowden cable
- Not compatible with brushed stainless steel kitchen sinks 38 XXX 004-86.**
- Fits ELIO, ENO, MEM, META SQUARE, SYNC, TARA and TARA ULTRA**
- Custom-made options**
- Finish variants



Standard article	10 710 970 FF	FF	Euro
Chrome		-00	193.30
Brushed Chrome		-93	251.30
Platinum		-08	309.20
Brushed Platinum		-06	309.20
Champagne (22kt Gold)		-47	425.30
Brushed Champagne (22kt Gold)		-46	425.30
Durabronze (23kt Gold)		-09	405.90
Brushed Durabronze (23kt Gold)		-28	405.90
Brushed Bronze		-42	309.30
Dark Chrome		-19	289.90
Brushed Dark Platinum		-99	289.80
Matte Black		-33	261.10

Accessories - Kitchen

12 820 970



Swivel limitation set

- optional limiting, pivoting 30°
- optional limiting pivoting at 30°, the zero position is at 45° for corner installations
- optional limiting, pivoting 60°
- optional limiting, pivoting 110°

Fits 33800861, 33805861, 33815861, 33826861, 32815861, 32815875, 32816888, 33805682, 33800682, 33815682, 32815682

Standard article	12 820 970	FF	FF	Euro
Accessories			90	78.30

12 821 970




Cartridge, with control element

- optional limiting, pivoting 30°
- optional limiting, pivoting 60°
- optional limiting, pivoting 110°

Fits 33875895, 33870895, 33865895

Standard article	12 821 970	FF	FF	Euro
Accessories			90	64.30

12 823 970



Swivel limitation set

- optional limiting, pivoting 60°
- optional limiting, pivoting 110°

Fits 33870875, 33870888, 33870861

Standard article	12 823 970	FF	FF	Euro
Accessories			90	75.10

Dornbracht x-tra Service

Unlimited creative freedom thanks to tailor-made design solutions with a minimum quantity of one: Our x-tra Service stands for individual design, crafted in outstanding quality. With 75 years of experience and uncompromising standards of craftsmanship, workmanship and design, we are a reliable partner for turning your plans and visions into reality – from technical adaptations and exclusive handle variants to the production of stylish and unique items based on your specification.

Range of services:

Customised modifications:

- Custom finishes
- Custom lettering and inscription
- Customer-specific Designs


Design Modifications:

- Handle variants
- Colour and finish amendments

Functional adaptations:

- Modified product dimensions
- Flow rate adjustments
- Changes to marking

An overview of the x-tra Service and how it can assist you is inside.



x-tra Service:

Detailed product information on our x-tra Service and how it can assist you can be found at dornbracht.com/x-tra-service. You are also welcome to phone or e-mail our customer service.



x-tra Service – range of services

Dimensions & functions



Flexible solutions for every structural and aesthetic challenge: The reliable experts at our manufacturing facility can customise any technical or functional feature - the excellent preparation and quality of their work providing exceptional and stylish products for your project - with the dimensions you need.

Finishes & colours



The options available to you when it comes to finishes and colours are virtually unlimited. In addition to our carefully curated portfolio of finishes, we can also accommodate highly-specific customer requests in electroplating, PVD, powder coating and wet painting.

Handles & levers



If desired, we can use materials that are already in your bathroom or kitchen, such as natural stone, and integrate them seamlessly into handles to create perfect harmony.

Logos & marking



Give each design your own signature with individualised engravings and inscriptions in perfect craftsmanship – whether initials, logos, symbols, drawings or lettering.

Unique pieces



Dornbracht also offers the ultimate in customisation to give you unlimited creative freedom: we make unique, individual pieces according to your specification. Dornbracht's team of experts will get together with you to develop a feasible design based on your idea – and follow through with perfect execution at our manufacturing facility.

Dornbracht GmbH & Co. KG
Köbbingser Mühle 6
D-58640 Iserlohn
mail@dornbracht.com
dornbracht.com